



STATE OF CALIFORNIA  
MARINE RESEARCH COMMITTEE




**CALIFORNIA COOPERATIVE OCEANIC  
FISHERIES INVESTIGATIONS**


**ATLAS No. 8**




*Thalia democratica*  
solitary generation




*Thalia democratica*  
aggregate generation




*Cyclosalpa bakeri*  
solitary generation




*Cyclosalpa bakeri*  
aggregate generation



*Doliolum denticulatum*  
gonozoid



*Ritteriella picteti*  
solitary generation



*Ritteriella picteti*  
aggregate generation

CALIFORNIA  
COOPERATIVE  
OCEANIC  
FISHERIES  
INVESTIGATIONS

*Atlas No. 8*

STATE OF CALIFORNIA  
MARINE RESEARCH COMMITTEE

*Cooperating Agencies:*  
CALIFORNIA ACADEMY OF SCIENCES  
CALIFORNIA DEPARTMENT OF FISH AND GAME  
STANFORD UNIVERSITY, HOPKINS MARINE STATION  
U. S. FISH AND WILDLIFE SERVICE, BUREAU OF COMMERCIAL FISHERIES  
UNIVERSITY OF CALIFORNIA, SCRIPPS INSTITUTION OF OCEANOGRAPHY

June, 1967

THE CALCOFI ATLAS SERIES

This is the eighth in a series of atlases containing data on the hydrography and plankton from the region of the California Current. The field work was carried out by the California Cooperative Oceanic Fisheries Investigations,<sup>1</sup> a program sponsored by the State of California under the direction of the State's Marine Research Committee. The cooperating agencies in the program are:

California Academy of Sciences  
California Department of Fish and Game  
Stanford University, Hopkins Marine Station  
U. S. Fish and Wildlife Service, Bureau of Commercial Fisheries  
University of California, Scripps Institution of Oceanography

CalCOFI atlases<sup>2</sup> are issued as individual units as they become available. They provide processed physical, chemical and biological measurements of the California Current region. Each number may contain one or more contributions. A general description of the CalCOFI Program with its objectives appears in the preface of Atlas No. 2.

This atlas was prepared by the Data Collection and Processing Group of the Marine Life Research Program, Scripps Institution of Oceanography.

CalCOFI Atlas Editorial Staff:

Abraham Fleminger and Hans T. Klein, Editors  
John G. Wyllie, Cartographer

Atlases in this series, through June 1967, are:

CalCOFI Atlas No. 1

Anonymous. CalCOFI atlas of 10-meter temperatures and salinities 1949 through 1959.

CalCOFI Atlas No. 2

Fleminger, A. Distributional atlas of calanoid copepods in the California Current region, Part I.

CalCOFI Atlas No. 3

Alvariño, A. Distributional atlas of Chaetognatha in the California Current region.

CalCOFI Atlas No. 4

Wyllie, J. G. Geostrophic flow of the California Current at the surface and at 200 meters.

CalCOFI Atlas No. 5

Brinton, E. Distributional atlas of Euphausiacea (Crustacea) in the California Current region, Part I.

CalCOFI Atlas No. 6

McGowan, J. A. Distributional atlas of pelagic molluscs in the California Current region.

CalCOFI Atlas No. 7

Fleminger, A. Distributional atlas of calanoid copepods in the California Current region, Part II.

CalCOFI Atlas No. 8

Berner, L. Distributional atlas of Thaliacea in the California Current region.

<sup>1</sup> Usually abbreviated CalCOFI, sometimes CALCOFI or CCOFI.

<sup>2</sup> For citation this issue in the series should be referred to as CalCOFI Atlas No. 8.

## CONTENTS

Leo D. Berner

Distributional atlas of Thaliacea in the  
California Current region

vii

Charts

1-322

DISTRIBUTIONAL ATLAS OF THALIACEA  
IN THE CALIFORNIA CURRENT REGION<sup>1</sup>

Leo D. Berner<sup>2</sup>

Introduction	vii
Methods of Collecting	viii
Counts	viii
Sampling Limitations	viii
Remarks	ix
References	x
List of Charts	xi
Charts	1-322

Introduction

The samples studied in connection with this report were collected on regular CalCOFI cruises during the period 1949-58. Data were obtained from the following 26 cruises: 1949 (4903-4910), 1950 (5002, 5003, 5005, 5006, 5009), 1951 (5103, 5106, 5109-5111), 1952 (5203, 5206, 5209, 5210), 1954 (5403, 5404), 1958 (5804, 5806). Hydrographic data are not presented in this volume because they appear elsewhere in this series or will become available in the near future.

Only representatives of the orders Salpida and Doliolida are shown. Representatives of the Larvacea were not adequately sampled by the nets used and often were not adequately preserved for identification.

Members of the order Pyrosomida were rare in the samples examined. Large populations of Pyrosoma appeared in the CalCOFI region during 1955 and persisted through 1956, when they again became rare. It appears that Pyrosoma atlanticum with its associated subspecies is the most common species in the region. Pyrosomida represents a group which shows a remarkable amount of intergradation. Several of the subspecies and perhaps some of the species are apparently questionable. The large collections made by CalCOFI in the years 1955 and 1956 offer a unique opportunity to study this problem.

<sup>1</sup> This research was carried out under the Scripps Institution's Marine Life Research Program.

<sup>2</sup> Present address: Texas A. and M. University, Department of Oceanography, College of Geosciences, College Station, Texas 77843.

### Methods of Collecting

The plankton nets used in the CalCOFI Program have been adequately described in a number of publications (Ahlstrom 1948; King and Demond, 1953; Fleminger, 1964). Fleminger also describes, in general, the method used in making "standard tows" between the surface and 140 meters, the practice since Cruise 5010. Before Cruise 5010, nets were towed to a "standard depth" of 70 meters. With the change in depth of tow, the distribution of some species, Dolioletta gegenbauri in particular, showed rather abrupt changes. It is not known whether the differences represent actual changes in the distribution of the species or whether the deeper tows revealed a population not previously sampled. The latter is believed the more likely explanation.

### Counts

Counts of specimens were usually made with the use of an aliquot. Exceedingly large individuals were removed before an aliquot was taken. While the size of the aliquots was varied, depending on the amount of material in the sample, the aliquots usually ranged between 20 and 50%.

Aliquots were taken by adjusting the sample volume to a multiple of a milliliter in a graduated beaker. The adjusted volume usually ranged from 200 to 500 milliliters. After stirring by rapid pouring between two beakers an aliquot of 100 ml was poured off. If a particular species was very abundant, subsamples of aliquots were employed. Such subsamples were taken by treating the aliquot as a complete sample and following the procedure outlined above. The original aliquot was examined for other species.

Counts were made under a low-power microscope, generally at a magnification of  $9\lambda$ , but higher magnifications were used when necessary.

After counting, the remaining sample was scanned for rarer species which might have been absent from the aliquot. This sometimes added a few Salpida to the list. Because of their small size, however, additional Doliolida were seldom detected by this method.

Counts were adjusted to the number of individuals in the sample by simple multiplication. That number was then adjusted to  $1000 \text{ m}^3$  of water filtered by the formula  $N = 1000 n/V$ , where  $N$  = number of specimens/ $1000 \text{ m}^3$ ,  $n$  = number of specimens in the sample and  $V$  = the number of  $\text{m}^3$  of water filtered by the net.

### Sampling Limitations

It should be pointed out that members of Salpida and Doliolida tend to show contagious distributions which may be masked on charts by large contour intervals.

In some cases, dense patches were not adequately sampled at sea so that reliable estimates of abundance could not be made. Sometimes notes were found on net-tow log sheets, referring to salps, such as "Not full to ring."

#### Remarks

Since these counts were made, the species Salpa fusiformis has been subdivided into four species by Foxton (1961). Specimens from the CalCOFI region probably include S. fusiformis and S. aspera although there are specimens which do not appear to agree with any of the four species discussed by Foxton. Assuming S. aspera is a valid species, it is apparently the more common of the two in the region.


Identifications are based on the comparison of specimens with published descriptions. Four papers are particularly useful: Thompson (1945), Ritter (1906), Garstang (1933), and Yount (1954). Berner (1955) and Tokioka and Berner (1958a and b) provide descriptions of specimens not found elsewhere in the literature.


## REFERENCES

- Ahlstrom, E. H., 1948. A record of pilchard eggs and larvae collected during the surveys made during 1939 to 1941. U. S. Fish and Wildl. Serv. Spec. Sci. Rpt., No. 54: 1-76.
- Berner, Leo D., 1955. Two new pelagic tunicates from the Eastern Pacific Ocean. Pacif. Sci., 9(2): 247-253.
- Fleminger, A., 1964. Distributional Atlas of calanoid copepods in the California Current region. CalCOFI Atlas No. 2: ix-xvi, 1-313.
- Foxton, P., 1961. Salpa fusiformis Cuvier and related species. Discovery Rpt., 32: 1-32.
- Garstang, W., 1933. Report on the Tunicata, Part I--Doliolida. Brit. Mus. (Nat. Hist.), Brit. Antarctic (Terra Nova) Exped. 1910. Nat. Hist. Rpt., Zool., 4(6): 195-251.
- King, J. E. and J. Demond, 1953. Zooplankton abundance in the central Pacific. U. S. Fish Wildl. Serv., Fish. Bull. 82, 54: 111-144.
- Ritter, W. E., 1905. The pelagic Tunicata of the San Diego region, excepting Larvacea. Univ. Calif. Publ. Zool., 2(3): 51-112.
- Thompson, H., 1948. Pelagic tunicates of Australia. Commonwealth Couns. for Sci. and Indus. Res. Australia: 1-196.
- Tokioka, Takasi and Leo Berner, 1958a. Two new doliolids from the eastern Pacific Ocean. Pacif. Sci., 12(2): 135-138.
- \_\_\_\_\_, 1958b. On certain Thaliacea (Tunicata) from the Pacific Ocean, with descriptions of two new species of doliolids. Ibid., 12(4): 317-326.
- Yount, J., 1954. The taxonomy of the Salpidae (Tunicata) of the central Pacific Ocean. Ibid., 8(3): 276-330.

List of Charts

Basic Station Plans		
a)	Since 1950	1
b)	1949 only	2
<i>Brooksia</i>		
<i>rostrata</i>		3-5
<i>Cyclosalpa</i>		
<i>affinis</i>		6-18
<i>bakeri</i>		19-44
<i>pinnata polae</i>		45-62
<i>pinnata quadriluminis</i>		63-84
<i>pinnata sewelli</i>		85-86
<i>strongylenteron</i>		87-89
<i>virgula</i>		90-93
<i>Dolioletta</i>		
<i>gengenbauri</i>		94-119
<i>Doliolina</i>		
<i>mulleri</i>		120-130
<i>Dolioloides</i>		
<i>obscura</i>		131-132
<i>rarum</i>		133-134
<i>undulatum</i>		135-136
<i>Doliolum</i>		
<i>denticulatum</i>		137-162
<i>Doliopsis</i>		
<i>rubescens</i>		163
<i>Iasis</i>		
<i>zonaria</i>		164-187
<i>Ihlea</i>		
<i>punctata</i>		188-203
<i>Pegea</i>		
<i>confoederata</i>		204-214
<i>Ritteriella</i>		
<i>picteti</i>		215-239
<i>Salpa</i>		
<i>cylindrica</i>		240-263
<i>fusiformis</i>		264-289
<i>maxima</i>		290-295
<i>Thalia</i>		
<i>democratica</i>		296-321
<i>Traustedtia</i>		
<i>multotentaculata</i>		322






CALCOFI


BASIC STATION PLAN

1949 ONLY



Thaliacea  
*Brooksia rostrata*


5106



Thaliacea

*Brooksia rostrata*


5110



Thaliacea


*Brooksia rostrata*

5111




Thaliacea  
*Cyclosalpa affinis*

4903




Thaliacea  
*Cyclosalpa affinis*

4905




Thaliacea  
*Cyclosalpa affinis*

4909




Thaliacea  
*Cyclosalpa affinis*

4910



Thaliacea  
*Cyclosalpa affinis*


5002



Thaliacea

*Cyclosalpa affinis*


5003



Thaliacea

*Cyclosalpa affinis*


5005



Thaliacea


*Cyclosalpa affinis*

5009




Thaliacea  
*Cyclosalpa affinis*

5103



Thaliacea  
*Cyclosalpa affinis*


5109



Thaliacea


*Cyclosalpa affinis*

5110




Thaliacea  
*Cyclosalpa affinis*

5210



Thaliacea  
*Cyclosalpa affinis*


5403




Thaliacea

*Cyclosalpa bakeri*

4903




Thaliacea  
*Cyclosalpa bakeri*  
4904




Thaliacea  
*Cyclosalpa bakeri*

4905



Thaliacea  
*Cyclosalpa bakeri*


4906



Thaliacea


*Cyclosalpa bakeri*

4907



Thaliacea  
*Cyclosalpa bakeri*


4908



Thaliacea


*Cyclosalpa bakeri*

4909




Thaliacea  
*Cyclosalpa bakeri*

4910




Thaliacea  
*Cyclosalpa bakeri*  
5002



Thaliacea  
*Cyclosalpa bakeri*


5003



Thaliacea

*Cyclosalpa bakeri*


5005




Thaliacea

*Cyclosalpa bakeri*

5006




Thaliacea  
*Cyclosalpa bakeri*  
5009




Thaliacea  
*Cyclosalpa bakeri*

5103




Thaliacea  
*Cyclosalpa bakeri*

5106



Thaliacea  
*Cyclosalpa bakeri*


5109



Thaliacea


*Cyclosalpa bakeri*

5110



Thaliacea  
*Cyclosalpa bakeri*


5111



Thaliacea


*Cyclosalpa bakeri*

5203




Thaliacea  
*Cyclosalpa bakeri*

5206



Thaliacea  
*Cyclosalpa bakeri*


5209



Thaliacea


*Cyclosalpa bakeri*

5210



Thaliacea  
*Cyclosalpa bakeri*


5403



Thaliacea

*Cyclosalpa bakeri*


5404



Thaliacea

*Cyclosalpa bakeri*


5804



Thaliacea

*Cyclosalpa bakeri*


5806



Thaliacea


*Cyclosalpa pinnata polae*

4903



Thaliacea


*Cyclosalpa pinnata polae*  
 4904



Thaliacea

*Cyclosalpa pinnata polae*


4905



Thaliacea

*Cyclosalpa pinnata polae*


4906



Thaliacea

*Cyclosalpa pinnata polae*


4907



Thaliacea

*Cyclosalpa pinnata polae*


4908



Thaliacea

*Cyclosalpa pinnata polae*


4909



Thaliacea

*Cyclosalpa pinnata polae*


4910



Thaliacea

*Cyclosalpa pinnata polae*


5002



Thaliacea

*Cyclosalpa pinnata polae*


5003



Thaliacea

*Cyclosalpa pinnata polae*


5103



Thaliacea

*Cyclosalpa pinnata polae*


5109



Thaliacea

*Cyclosalpa pinnata polae*


5110



Thaliacea

*Cyclosalpa pinnata polae*


5111



Thaliacea

*Cyclosalpa pinnata polae*


5203



Thaliacea


*Cyclosalpa pinnata polae*

5210




Thaliacea

*Cyclosalpa pinnata polae*  
5804




Thaliacea

*Cyclosalpa pinnata polae*  
5806




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
4903



Thaliacea


*Cyclosalpa pinnata quadriluminis*  
4905



Thaliacea

*Cyclosalpa pinnata quadriluminis*


4906



Thaliacea


*Cyclosalpa pinnata quadriluminis*

4907



Thaliacea


*Cyclosalpa pinnata quadriluminis*  
4908



Thaliacea

*Cyclosalpa pinnata quadriluminis*


4909



Thaliacea


*Cyclosalpa pinnata quadriluminis*

4910




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5002




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5003




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5005




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5006




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5009




Thaliacea  
*Cyclosalpa pinnata quadriluminis*

5103



*Cyclosalpa pinnata quadriluminis*


5106



Thaliacea

*Cyclosalpa pinnata quadriluminis*


5109



Thaliacea

*Cyclosalpa pinnata quadriluminis*


5110



Thaliacea

*Cyclosalpa pinnata quadriluminis*


5206



Thaliacea

*Cyclosalpa pinnata quadriluminis*


5209



Thaliacea


*Cyclosalpa pinnata quadriluminis*

5210




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5404




Thaliacea

*Cyclosalpa pinnata quadriluminis*  
5804



Thaliacea


*Cyclosalpa pinnata quadriluminis*  
5806



Thaliacea

*Cyclosalpa pinnata sewelli*


5109




Thaliacea

*Cyclosalpa pinnata sewelli*

5110




Thaliacea  
*Cyclosalpa strongylenteron*  
 5002



Thaliacea  
*Cyclosalpa strongylenteron*


5111



Thaliacea

*Cyclosalpa strongylenteron*


5203



Thaliacea

*Cyclosalpa virgula*


4909



Thaliacea

*Cyclosalpa virgula*


5106



Thaliacea

*Cyclosalpa virgula*


5109



Thaliacea


*Cyclosalpa virgula*

5111




Thaliacea  
*Dolioletta gegenbauri*

4903




Thaliacea  
*Dolioletta gegenbauri*  
4904




Thaliacea  
*Dolioletta gegenbauri*

4905




Thaliacea  
*Dolioletta gegenbauri*

4906




Thaliacea  
*Dolioletta gegenbauri*

4907



Thaliacea  
*Dolioletta gegenbauri*


4908



Thaliacea


*Dolioletta gegenbauri*

4909




Thaliacea  
*Dolioletta gegenbauri*

4910




Thaliacea  
*Dolioletta gegenbauri*

5002




Thaliacea  
*Dolioletta gegenbauri*

5003



Thaliacea  
*Dolioletta gegenbauri*


5005



Thaliacea


*Dolioletta gegenbauri*

5006




Thaliacea  
*Dolioletta gegenbauri*

5009



Thaliacea  
*Dolioletta gegenbauri*


5103



Thaliacea


*Dolioletta gegenbauri*

5106



Thaliacea  
*Dolioletta gegenbauri*


5109



Thaliacea


*Dolioletta gegenbauri*

5110




Thaliacea  
*Dolioletta gegenbauri*

5111




Thaliacea  
*Dolioletta gegenbauri*

5203




Thaliacea  
*Dolioletta gegenbauri*

5206




Thaliacea  
*Dolioletta gegenbauri*

5209




Thaliacea  
*Dolioletta gegenbauri*

5210



Thaliacea  
*Dolioletta gegenbauri*


5403




Thaliacea

*Dolioletta gegenbauri*


5404



Thaliacea  
*Dolioletta gegenbauri*  
5804




Thaliacea  
*Dolioletta gegenbauri*  
5806



Thaliacea

*Doliolina mulleri*


4906



Thaliacea

*Doliolina mulleri*


4909



Thaliacea

*Doliolina mulleri*


5009



Thaliacea

*Doliolina mulleri*


5103



Thaliacea

*Doliolina mulleri*


5106



Thaliacea

*Doliolina mulleri*


5206



Thaliacea

*Doliolina mulleri*


5209



Thaliacea

*Doliolina mulleri*


5210



Thaliacea

*Doliolina mulleri*


5403



Thaliacea

*Doliolina mulleri*


5404




Thaliacea

*Doliolina mulleri*


5804



Thaliacea  
*Dolioloides obscura*  
 5804




Thaliacea  
*Dolioloides obscura*  
5806



Thaliacea


*Dolioloides rarum*

4906



Thaliacea  
*Dolioloides rarum*


5209




Thaliacea

*Dolioloides undulatum*

5804




Thaliacea  
*Dolioloides undulatum*  
 5806




Thaliacea  
*Doliolum denticulatum*

4903



Thaliacea


*Doliolum denticulatum*  
4904



Thaliacea

*Doliolum denticulatum*


4905



Thaliacea


*Doliolum denticulatum*

4906



Thaliacea  
*Doliolum denticulatum*


4907



Thaliacea

*Doliolum denticulatum*


4908



Thaliacea

*Doliolum denticulatum*


4909



Thaliacea


*Doliolum denticulatum*

4910



Thaliacea  
*Doliolum denticulatum*


5002



Thaliacea

*Doliolum denticulatum*


5003



Thaliacea

*Doliolum denticulatum*


5005



Thaliacea

*Doliolum denticulatum*


5006



Thaliacea

*Doliolum denticulatum*


5009



Thaliacea

*Doliolum denticulatum*


5103



Thaliacea

*Doliolum denticulatum*


5106



Thaliacea

*Doliolum denticulatum*


5109



Thaliacea

*Doliolum denticulatum*


5110



Thaliacea


*Doliolum denticulatum*

5111



Thaliacea  
*Doliolum denticulatum*


5203



Thaliacea

*Doliolum denticulatum*


5206



Thaliacea

*Doliolum denticulatum*


5209



Thaliacea

*Doliolum denticulatum*


5210



Thaliacea

*Doliolum denticulatum*


5403



Thaliacea

*Doliolum denticulatum*


5404



Thaliacea

*Doliolum denticulatum*


5804




Thaliacea

*Doliolum denticulatum*

5806




Thaliacea  
*Doliopsis rubescens*  
 5806




Thaliacea  
*Iasis zonaria*

4903




Thaliacea  
*Iasis zonaria*  
4904




Thaliacea  
*Iasis zonaria*

4905




Thaliacea  
*Iasis zonaria*

4906




Thaliacea  
*Iasis zonaria*

4907



Thaliacea  
*Iasis zonaria*


4908



Thaliacea


*Iasis zonaria*

4909




Thaliacea  
*Iasis zonaria*

4910




Thaliacea  
*Iasis zonaria*  
5002




Thaliacea  
*Iasis zonaria*


5003




Thaliacea  
*Iasis zonaria*  
5005



Thaliacea  
*Iasis zonaria*  
5006




Thaliacea  
*Iasis zonaria*  
5009




Thaliacea  
*Iasis zonaria*

5103



Thaliacea  
*Iasis zonaria*


5106



Thaliacea


*Iasis zonaria*

5109




Thaliacea  
*lasis zonaria*

5110




Thaliacea  
*Iasis zonaria*

5111




Thaliacea  
*Iasis zonaria*

5203




Thaliacea  
*Iasis zonaria*

5206




Thaliacea  
*Iasis zonaria*

5210




Thaliacea  
*Iasis zonaria*

5403




Thaliacea  
*Iasis zonaria*

5404




Thaliacea  
*Iasis zonaria*  
5804



Thaliacea

*Ihlea punctata*


4905



Thaliacea

*Ihlea punctata*


4906



Thaliacea

*Ihlea punctata*


4907



Thaliacea

*Ihlea punctata*


5002



Thaliacea

*Ihlea punctata*


5003



Thaliacea

*Ihlea punctata*


5005



Thaliacea

*Ihlea punctata*


5006



Thaliacea

*Ihlea punctata*


5009



Thaliacea

*Ihlea punctata*


5103



Thaliacea

*Ihlea punctata*


5111



Thaliacea

*Ihlea punctata*


5203



Thaliacea

*Ihlea punctata*


5206




Thaliacea

*Ihlea punctata*

5209




Thaliacea  
*Ihlea punctata*  
5210



Thaliacea

*Ihlea punctata*


5403



Thaliacea

*Ihlea punctata*


5804



Thaliacea


*Pegea confoederata*

4903



Thaliacea


*Pegea confoederata*  
4904



Thaliacea

*Pegea confoederata*


5002



Thaliacea

*Pegea confoederata*


5003



Thaliacea

*Pegea confoederata*


5005



Thaliacea


*Pegea confoederata*

5009



Thaliacea  
*Pegea confoederata*


5103



Thaliacea

*Pegea confoederata*


5109



Thaliacea

*Pegea confoederata*


5403




Thaliacea

*Pegea confoederata*

5404




Thaliacea  
*Pegea confoederata*  
5804




Thaliacea  
*Ritteriella picteti*

4903




Thaliacea  
*Ritteriella picteti*  
4904




Thaliacea  
*Ritteriella picteti*

4905


*Thaliacea**Ritteriella picteti*

4906




Thaliacea  
*Ritteriella picteti*

4907




Thaliacea  
*Ritteriella picteti*  
4908




Thaliacea  
*Ritteriella picteti*

4909




Thaliacea  
*Ritteriella picteti*

4910




Thaliacea  
*Ritteriella picteti*  
5002




Thaliacea

*Ritteriella picteti*


5003



Thaliacea  
*Ritteriella picteti*  
5005




Thaliacea  
*Ritteriella picteti*  
5009



Thaliacea  
*Ritteriella picteti*


5103



Thaliacea


*Ritteriella picteti*

5106



Thaliacea  
*Ritteriella picteti*


5109



Thaliaceae


*Ritteriella picteti*

5110



Thaliacea  
*Ritteriella picteti*


5111



Thaliacea

*Ritteriella picteti*


5203



Thaliacea


*Ritteriella picteti*

5206




Thaliacea  
*Ritteriella picteti*

5209




Thaliacea  
*Ritteriella picteti*

5210



Thaliacea  
*Ritteriella picteti*


5403




Thaliacea

*Ritteriella picteti*


5404



Thaliacea  
*Ritteriella picteti*  
5804




Thaliacea  
*Ritteriella picteti*  
5806



Thaliacea

*Salpa cylindrica*


4903



Thaliacea

*Salpa cylindrica*


4906



Thaliacea

*Salpa cylindrica*


4907



Thaliacea


*Salpa cylindrica*

4908



Thaliacea


*Salpa cylindrica*  
4909



Thaliacea

*Salpa cylindrica*


4910



Thaliacea


*Salpa cylindrica*

5002




Thaliacea

*Salpa cylindrica*  
5003




Thaliacea

*Salpa cylindrica*  
5005




Thaliacea

*Salpa cylindrica*  
5006



Thaliacea


*Salpa cylindrica*  
5009



Thaliacea

*Salpa cylindrica*


5103



Thaliacea

*Salpa cylindrica*


5106



Thaliacea

*Salpa cylindrica*


5109



Thaliacea

*Salpa cylindrica*


5110



Thaliacea

*Salpa cylindrica*


5111



Thaliacea

*Salpa cylindrica*


5203



Thaliacea

*Salpa cylindrica*


5206



Thaliacea

*Salpa cylindrica*


5209



Thaliacea

*Salpa cylindrica*


5210



Thaliacea


*Salpa cylindrica*

5403




Thaliacea

*Salpa cylindrica*  
5404




Thaliacea

*Salpa cylindrica*  
5804




Thaliacea

*Salpa cylindrica*  
5806




Thaliacea  
*Salpa fusiformis*  
4903



Thaliacea

*Salpa fusiformis*


4904



Thaliacea

*Salpa fusiformis*


4905



Thaliacea

*Salpa fusiformis*


4906



Thaliacea

*Salpa fusiformis*


4907



Thaliacea

*Salpa fusiformis*


4908



Thaliacea

*Salpa fusiformis*


4909



Thaliacea

*Salpa fusiformis*


4910



Thaliacea

*Salpa fusiformis*


5002



Thaliacea

*Salpa fusiformis*


5003



Thaliacea

*Salpa fusiformis*


5005



Thaliacea

*Salpa fusiformis*


5006



Thaliacea


*Salpa fusiformis*

5009



Thaliacea  
*Salpa fusiformis*


5103



Thaliacea

*Salpa fusiformis*


5106



Thaliacea

*Salpa fusiformis*


5109



Thaliacea

*Salpa fusiformis*


5110



Thaliacea

*Salpa fusiformis*


5111



Thaliacea

*Salpa fusiformis*


5203



Thaliacea

*Salpa fusiformis*


5206



Thaliacea

*Salpa fusiformis*


5209



Thaliacea

*Salpa fusiformis*


5210



Thaliacea

*Salpa fusiformis*


5403



Thaliacea

*Salpa fusiformis*


5404



Thaliacea

*Salpa fusiformis*


5804



Thaliacea

*Salpa fusiformis*


5806



Thaliacea

*Salpa maxima*


4905



Thaliacea

*Salpa maxima*


4908



Thaliacea

*Salpa maxima*


4910



Thaliacea

*Salpa maxima*


5009



Thaliacea

*Salpa maxima*


5109



Thaliacea


*Salpa maxima*

5210




Thaliaceae  
*Thalia democratica*


4903



Thaliaceae  
*Thalia democratica*  
4904


*Thaliacea**Thalia democratica*

4905




Thaliacea  
*Thalia democratica*

4906




Thaliaceae  
*Thalia democratica*

4907




Thaliacea  
*Thalia democratica*

4908


*Thaliacea**Thalia democratica*

4909




Thaliacea  
*Thalia democratica*

4910




Thaliacea  
*Thalia democratica*

5002




Thaliacea  
*Thalia democratica*


5003

*Thaliacea**Thalia democratica*

5005




Thaliacea  
*Thalia democratica*  
5006




Thaliacea

*Thalia democratica*


5009

*Thaliacea**Thalia democratica*

5103


*Thaliacea**Thalia democratica*

5106



Thaliacea  
*Thalia democratica*


5109



Thaliacea


*Thalia democratica*

5110




Thaliacea  
*Thalia democratica*

5111




Thaliaceae  
*Thalia democratica*

5203




Thaliacea  
*Thalia democratica*

5206




Thaliacea  
*Thalia democratica*

5209



Thaliaceae  
*Thalia democratica*


5210



Thaliacea

*Thalia democratica*


5403




Thaliacea

*Thalia democratica*

5404




Thaliaceae  
*Thalia democratica*  
5804





Thaliacea  
*Thalia democratica*

5806



Thaliacea  
*Traustedtia multitentaculata*  
5804



These maps are designed to show essential details of the area most intensively studied by the California Cooperative Oceanic Fisheries Investigations. This is approximately the same area as is shown in color on the front cover. Geographical place names are those most commonly used in the various publications emerging from the research. The cardinal station lines extending southwestward from the coast are shown. They are 120 miles apart. Additional lines are utilized as needed and can be as closely spaced as 12 miles apart and still have individual numbers. The stations along the lines are numbered with respect to the station 60 line, the numbers increasing to the west and decreasing to the east. Most of them are 40 miles apart, and are numbered in groups of 10. This permits adding stations as close as 4 miles apart as needed. An example of the usual identification is 120.65. This station is on line 120, 20 nautical miles southwest of station 60.

The projection of the front cover is Lambert's Azimuthal Equal Area Projection. The detail maps are a Mercator projection.

## CONTENTS

Leo D. Berner

Distributional atlas of Thaliacea in the  
California Current region

vii

Charts

1-322