

data report

**CalCOFI Cruise 1311
9 – 25 November 2013**

**CC Reference 14-08
22 Oct 2014**

**UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIFORNIA 92093-0227**

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 1311
9 -25 November 2013**

**CC Reference 14-08
22 Oct 2013**

CONTENTS

Introduction	4
Literature Cited	9
CalCOFI Cruise 1311	
List of Figures	11
Personnel	22
Tabulated Rosette Cast Data	23
Tabulated Primary Productivity Data	57
Tabulated Macrozooplankton Data	61

INTRODUCTION

The data presented in this report were collected during cruise 1311* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV *New Horizon*. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Wildlife, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruises were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

STANDARD PROCEDURES

CTD/Rosette Cast Data

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911+, Serial number 3161-936) with a rosette was deployed at each station on this cruise. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 515 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. Additional bottle depths also appear in combined hydrographic and primary productivity casts. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures were converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P152. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen analyses were performed with an Ocean Data Facility of Scripps Institution of Oceanography designed automated oxygen titrator using photometric end-point detection based on the absorption of 365nm wavelength ultra-violet light. A computer using PC software controlled the titration of the samples and the data logging. The method used a modified Winkler titration following the technique of Carpenter (1965) with modifications by Culberson (1991), but with higher concentrations of thiosulfate solution (50 g/l). Standard KIO₃ solutions prepared ashore were run at the beginning of each run. Reagent and sea water blanks were determined to account for presence of oxidizing or reducing materials.

* The first two digits represent the year and the last digits the month of the cruise.

Nutrient samples were analyzed at sea using a QuAAstro continuous flow analyzer (SEAL Analytical). Dissolved silicate, nitrate, and nitrite were analyzed using a modification of the method described by Armstrong (1967) and Gordon et al. (1992). Phosphate was measured with a modification of the *Murphy and Riley* (1962) protocol and ammonium is analyzed using a modified fluorometric method described by Kerouel and Aminot (1997). Samples were collected in 45ml high-density polypropylene screw top tubes which were acid washed and rinsed with sample three times prior to filling. Standardizations and cadmium-reduction coil efficiency determinations were performed at the beginning of every run. Drift corrections were performed in each run using a high standard inserted before and after sample sets. A sample of reference material for nutrients in seawater (RMNS), produced by KANSO technos (www.kanso.co.jp) was included in every run and those data were used to adjust values for nitrate, nitrite, phosphate, and silicate if appropriate. Samples not analyzed immediately after collection were refrigerated and run the following day.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll-*a* and phaeopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen et al., 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

Primary Productivity Sampling

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from ^{14}C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 10.239 μCi of ^{14}C as NaHCO_3 (50 μl of stock solution) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater et al., 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer et al. (1972).

Ancillary Programs

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data:* Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 3 meters. The data were logged in one-minute averages using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG Thermosalinograph and a Wetlabs Wetstar fluorometer.
- 2) *ADCP:* Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP raw data are collected and archived for potential data processing ashore.
- 3) *California Current Ecosystem Long Term Ecological Research Program:* The CCE-LTER program augments standard CalCOFI measurements to further characterize the lower trophic levels as well as the carbon system. Measurements of particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen, taxon-specific phytoplankton pigments, flow-cytometric counts of bacteria and picoautotrophs and the determination of mesozooplankton size structure using a Laser Optical Plankton Counter are sampled for all CalCOFI stations. On CalCOFI lines 90 and 80 measurements also include microscopic counts of heterotrophic and autotrophic phytoplankton for biomass and abundance and mesozooplankton community structure sampled with the Planktonic Rate Processes in Oligotrophic Ocean Systems (PRPOOS) tow net. (M. Ohman, SIO)
- 4) *Advanced Laser Fluorometer Analyzer (ALFA):* Continuous underway analysis of phytoplankton pigment groups and variable fluorescence (F_v/F_m). ALFA, developed by A. Chekalyuk at Lamont-Doherty Earth Observatory, uses laser stimulated emission at 405 and 532 nm together with spectral deconvolution analysis to distinguish fluorescence from three types of phycoerythrin, chlorophyll-*a*, and chromophoric dissolved organic matter (CDOM). The ALFA is useful for differentiating the contribution of cyanobacteria and cryptophytes from other phytoplankton taxa present in natural phytoplankton assemblages, as well as for assessing phytoplankton photophysiological status. (R. Goericke, SIO)
- 5) *Southern California Coastal Ocean Observing System (SCCOOS) Nearshore Observations:* The objective of these observations is to extend CalCOFI time series to the nearshore. Nearshore observations consist of 9 stations at the ends and interspersed with current CalCOFI lines on the 20 m isobath with a standard set of CalCOFI hydrographic observations as well as a CalBOBL net tow, particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen and taxon-specific phytoplankton pigments data. (R. Goericke, SIO)
- 6) *Inorganic Carbon System:* The CalCOFI group collected samples for the characterization of the inorganic carbon system at 10 selected locations along the cruise track and an additional 6 station transect patterned around 80.55. Total inorganic carbon and alkalinity will be measured which will allow the calculation of pH and pCO_2 . The objectives of these measurements are first the long-term characterization of the inorganic carbon system and its response to changing ocean climate and second measurements of pH in the coastal zone in order to monitor the impact of 'corrosive' waters on benthic ecosystems in the Southern California Bight. (R. Goericke, SIO)
- 7) *Marine Mammal Observations:* During daylight transits, visual line-transect surveys were conducted by marine mammal observers focusing on cetaceans. Acoustic line-transect surveys were performed using a towed hydrophone array which consists of multiple hydrophone elements that sample sounds up to 100 kHz allowing for localization of calling animals. Acoustic monitoring also takes place on individual stations using sonobuoys. (J. Hildebrand, SIO)
- 8) *Nitrate Isotope:* Seawater samples are acquired using the CTD-rosette and shipped frozen to Princeton University. The nitrogen and oxygen isotopic composition of nitrate is measured using strains of denitrifying bacteria that reduce nitrate to N₂O. (P. Rafter, Princeton University).

9) *eDNA Sample Collection:* At each CalCOFI and whenever cetaceans were sighted near the ship, small (500 mL) seawater samples were collected and filtered through 25 mm diameter 0.45- μ m pore size nylon filters. At one station per day, a large (20 L) seawater sample was collected and filtered through 47 mm diameter 0.45- μ m pore size nylon filters. A total of 155 samples were collected. To prepare samples for next-generation sequencing, DNA will be extracted from these filters and PCR will be performed using vertebrate- and cetacean-specific primers. We hope that this study will serve as a proof-of-concept for large-scale eDNA detection and mapping of cetacean distributions in the California Current. (E. Jacobson, SIO)

TABULATED DATA

CTD/Rosette Cast Data

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discrete sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

Primary Productivity Data

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume ($\text{cm}^3/1000\text{m}^3$ strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

D: CTD salinity value listed in place of normal shipboard salinity analysis.

ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Koroleff, F. 1969. Direct determination of ammonia in natural waters as Indophenol Blue. Int. Con. Explor. Sea, C.M. C: 9.
- Koroleff, F. 1970. The above paper revised, Int. Con. Explor. Sea, Information on techniques and methods for sea water analysis. Interlab Report No. 3, 19-22.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Threlkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the ^{14}C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.

- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

FIGURES

Cruise 1311

1. CalCOFI Cruise 1311 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C






FIGURE 4D

CALCOFI CRUISE 1311

9 - 25 November 2013



POTENTIAL DENSITY (σ_0) ALONG CALCOFI LINE 90



CALCOFI CRUISE 1311

9 - 25 November 2013



SALINITY ALONG CALCOFI LINE 90



CALCOFI CRUISE 1311

9 - 25 November 2013

NITRATE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90



CALCOFI CRUISE 1311

9 - 25 November 2013

CHLOROPHYLL-a ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

CALCOFI CRUISE 1311

9 - 25 November 2013

OXYGEN (mL/L) ALONG CALCOFI LINE 90




FIGURE 5I




FIGURE 5J




FIGURE 5K

PERSONNEL

CalCOFI Cruise 1311

SHIP'S CAPTAIN

Lawrence, Ian, RV New Horizon

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Leg)
Wilkinson, James (Chief Scientist)	Staff Research Associate, SIO	1-2
Carter, Catherine	Volunteer	1-2
Dovel, Shonna	Staff Research Associate, SIO	1-2
Ekern, Lindsey	Staff Research Associate, SIO	1-2
Faber, David	Staff Research Associate, SIO	1-2
Hays, Amy	Fishery Biologist, NMFS	1-2
Hennes, Lindsay	Volunteer	1-2
Housekeeper, Henry	Volunteer	1-2
Jacobson, Eiren	Graduate Student, SIO	1-2
Jiorle, Ralph	Staff Research Associate, SIO	1-2
Manion, Sue	Fishery Biologist, NMFS	1
Overcash, Bryan	Fishery Biologist, NMFS	2
Rodgers-Wolgast, Jennifer	Staff Research Associate, SIO	1-2
Shultz, Dana	Volunteer	1-2
Roche, Lauren	Marine Mammal Acoustician, MPL	1-2
Whitaker, Katherine	Marine Mammal Observer, MPL	1-2
Wolgast, David	Staff Research Associate, SIO	1-2

San Diego to Dana Point, California, 9 - 15 November 2013

Dana Point to San Diego, California, 15 - 25 November 2013

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 80.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	28.9 N	122 32.3 W	21/11/2013	1649	UTC	4003 m	330	18 kn	330 05 07	2	1014.1	mb	13.9	C	11.8	C	15 m	8/8 NS 063
0	14.24	14.24	33.336	24.851	308.9	0.000	5.83	253.9	99.8	3.1	0.51	2.8	0.16	0.10	0.43	0.14	0	
2	14.24	14.24	33.336	24.851	309.0	0.006	5.83	253.9	99.8	3.1	0.51	2.8	0.16	0.10	0.43	0.14	2 21	
9	A	14.24	14.24	33.336	24.852	309.2	0.028	5.84	254.5	100.1	3.0	0.49	2.5	0.16	0.08	0.46	0.14	9 20
10	ISL	14.24	D 14.24	33.332 D 24.849	309.5	0.031	5.79	0252.4	99.2	3.0	0.50	2.5	0.16	0.08	0.45	0.14	10	
12	A	14.24	14.24	33.337	24.853	309.1	0.037	5.83	254.2	100.0	3.0	0.51	2.5	0.16	0.08	0.42	0.14	12 19
20	ISL	14.24	D 14.24	33.332 D 24.849	309.7	0.062	5.81	0253.0	99.5	3.0	0.51	2.5	0.16	0.08	0.43	0.14	20	
25	A	14.24	14.23	33.333	24.852	309.6	0.077	5.84	254.6	100.1	3.1	0.51	2.5	0.16	0.08	0.44	0.14	25 18
30	ISL	14.21	D 14.21	33.332 D 24.857	309.4	0.094	5.78	0252.0	99.0	3.0	0.50	2.6	0.18	0.10	0.45	0.16	30	
31	A	14.21	14.20	33.320	24.848	310.2	0.096	5.83	254.1	99.8	3.0	0.50	2.6	0.18	0.10	0.45	0.16	31 17
41	A	13.96	13.96	33.430	24.985	297.5	0.126	5.69	247.8	96.9	3.3	0.60	3.8	0.26	0.47	0.41	0.21	41 16
50	ISL	13.52	D 13.51	33.427 D 25.075	289.2	0.154	5.50	0239.8	93.0	3.8	0.68	4.9	0.33	0.46	0.33	0.20	50	
51	A	13.58	13.57	33.431	25.065	290.2	0.156	5.53	241.1	93.6	3.8	0.69	5.0	0.34	0.46	0.32	0.20	51 15
61	A	11.61	11.60	33.157	25.235	274.1	0.184	5.50	239.4	89.0	5.8	0.83	7.3	0.24	0.05	0.23	0.15	61 14
70	A	10.49	10.48	33.048	25.349	263.3	0.208	5.40	235.1	85.3	7.8	0.97	9.7	0.07	0.00	0.17	0.15	71 13
75	ISL	10.58	D 10.57	33.117 D 25.387	259.7	0.222	5.03	0219.0 D	79.6	10.2	1.14	12.4	0.06	0.00	0.14	0.13	76	
85	A	10.37	10.36	33.424	25.663	233.7	0.246	4.32	187.9	68.1	15.1	1.49	17.9	0.03	0.00	0.08	0.08	86 12
100	ISL	9.76	D 9.75	33.498 D 25.823	218.8	0.281	4.10	0178.7	64.0	18.8	1.64	20.2	0.03	0.00	0.03	0.06	101	
101	A	9.72	9.71	33.493	25.826	218.5	0.282	4.09	178.0	63.7	19.0	1.65	20.3	0.03	0.00	0.03	0.06	102 11
119	A	9.06	9.05	33.644	26.051	197.4	0.319	3.72	161.7	57.1	23.5	1.77	22.9	0.03	0.00	0.01	0.03	120 10
125	ISL	9.01	D 9.00	33.720 D 26.118	191.1	0.333	3.66	159.3	56.2	24.2	1.76	23.1	0.03	0.00	0.01	0.03	126	
140	A	8.87	8.85	33.820	26.220	181.8	0.359	3.52	153.2	53.9	26.2	1.75	23.5	0.03	0.00	0.01	0.02	141 09
150	ISL	8.76	D 8.75	33.866 D 26.272	177.0	0.379	3.20	139.3	48.9	28.5	1.86	24.9	0.03	0.00	0.01	0.03	151	
170	A	8.64	8.62	33.957	26.365	168.6	0.411	2.56	111.5	39.1	33.2	2.08	27.8	0.02	0.00	0.01	0.05	171 08
199	A	8.36	8.34	34.044	26.476	158.6	0.459	1.88	82.0	28.6	39.3	2.33	30.7	0.02	0.00	0.01	0.06	201 07
200	ISL	8.30	D 8.28	34.060 D 26.497	156.6	0.462	1.87	81.5 D	28.4	39.4	2.33	30.7	0.02	0.00	0.01	0.05	202	
231	A	8.03	8.01	34.074	26.549	152.1	0.508	1.65	71.7	24.8	43.5	2.35	32.1	0.02	0.00		233 06	
250	ISL	7.85	D 7.82	34.099 D 26.597	147.9	0.539	1.51	65.6 D	22.6	46.7	2.47	33.0	0.02	0.00		252		
269	A	7.57	7.54	34.101	26.639	144.1	0.565	1.37	59.4	20.3	49.8	2.59	33.9	0.02	0.00		271 05	
300	ISL	7.26	D 7.23	34.141 D 26.715	137.3	0.611	1.02	44.2 D	15.0	54.6	2.71	35.1	0.02	0.00		302		
319	A	7.09	7.06	34.136	26.734	135.6	0.635	1.00	43.5	14.7	57.5	2.79	35.9	0.02	0.00		322 04	
379	A	6.54	6.51	34.179	26.844	125.8	0.713	0.65	28.4	9.5	66.4	2.98	38.5	0.02	0.00		382 03	
400	ISL	6.59	D 6.56	34.233 D 26.880	122.8	0.743	0.50	21.8 D	7.3	69.1	3.02	38.9	0.02	0.00		403		
439	A	6.25	6.21	34.244	26.934	117.9	0.787	0.40	17.5	5.8	74.1	3.09	39.5	0.01	0.00		443 02	
500	ISL	5.85	D 5.80	34.267 D 27.004	111.8	0.861	0.32	13.8 D	4.6	81.5	3.16	40.8	0.01	0.00		504		
516	A	5.67	5.62	34.272	27.030	109.4	0.875	0.29	12.7	4.2	83.5	3.18	41.2	0.01	0.00		520 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 80.0 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	48.9 N	123 54.3 W	22/11/2013	0445	UTC	4389 m	330	21 kn		1013.7	mb	15.5	C	12.7	C		065	
0	17.68	17.68	33.390	24.119	378.7	0.000	5.50	240.0	101.0	2.3	0.26	0.0	0.01	0.00	0.16	0.05	0	
2	17.68	17.68	33.390	24.119	378.8	0.008	5.50	240.0	101.0	2.3	0.26	0.0	0.01	0.00	0.16	0.05	2 20	
10	17.68	17.68	33.393	24.121	378.9	0.038	5.45	237.7	100.0	2.3	0.25	0.0	0.01	0.00	0.16	0.04	10 19	
20	ISL	17.69	17.68	33.390 D	24.118	379.6	0.076	5.43	0236.6	99.6	2.3	0.26	0.0	0.01	0.00	0.16	0.05	20
25	17.69	17.68	33.392	24.120	379.6	0.095	5.45	237.9	100.1	2.3	0.26	0.0	0.01	0.00	0.16	0.05	25 18	
30	ISL	17.69	17.69	33.390 D	24.118	379.9	0.115	5.47	0235.9	99.3	2.3	0.26	0.0	0.01	0.00	0.16	0.05	30
41	17.70	17.69	33.408	24.131	379.1	0.156	5.45	237.8	100.0	2.3	0.25	0.0	0.01	0.00	0.16	0.05	41 17	
50	18.39	18.38	33.555	24.074	385.0	0.190	5.42	236.5	101.0	2.4	0.24	0.0	0.01	0.00	0.18	0.05	50 16	
62	17.63	17.62	33.566	24.270	366.7	0.235	5.61	244.9	103.0	2.5	0.24	0.0	0.01	0.00	0.26	0.15	62 15	
75	ISL	14.50 D	14.49	33.154 D	24.662	329.3	0.281	6.08	0265.1	0104.6	2.6	0.32	0.0	0.03	0.02	0.29	0.14	76
76	14.61	14.60	33.065	24.570	338.2	0.284	6.14	268.0	105.8	2.6	0.33	0.0	0.03	0.02	0.29	0.14	77 14	
86	14.90	14.89	33.481	24.829	313.9	0.316	5.84	254.6	101.4	2.8	0.26	0.0	0.01	0.00	0.20	0.17	87 13	
100	13.87	13.85	33.428	25.007	297.3	0.359	5.73	249.8	97.4	3.1	0.32	0.0	0.09	0.00	0.20	0.16	101 12	
113	13.35	13.33	33.477	25.151	283.8	0.397	5.48	239.0	92.2	4.0	0.40	1.1	0.25	0.00	0.15	0.16	114 11	
123	12.63	12.61	33.492	25.304	269.4	0.424	5.28	230.5	87.6	5.1	0.53	3.9	0.03	0.00	0.11	0.11	124 10	
125	ISL	12.38 D	12.36	33.473 D	25.339	266.1	0.431	5.27	0229.4 D	86.9	5.7	0.57	4.7	0.03	0.00	0.10	0.11	126
141	10.52	10.50	33.380	25.606	240.6	0.470	5.00	218.1	79.2	10.1	0.91	10.9	0.02	0.00	0.05	0.06	142 09	
150	ISL	10.19 D	10.17	33.386 D	25.666	235.0	0.493	4.92	0214.4 D	77.4	11.9	1.03	12.6	0.02	0.00	0.04	0.05	151
171	9.64	9.62	33.481	25.833	219.4	0.539	4.47	195.1	69.5	16.1	1.30	16.7	0.02	0.00	0.01	0.03	172 08	
199	9.07	9.04	33.707	26.102	194.3	0.597	4.03	175.7	61.9	21.3	1.49	20.6	0.02	0.00	0.00	0.02	201 07	
200	ISL	9.05 D	9.02	33.742 D	26.133	191.4	0.601	4.00	0173.9 D	61.4	21.5	1.49	20.7	0.02	0.00		202	
230	8.68	8.65	33.896	26.312	174.9	0.654	3.72	162.1	56.7	27.0	1.63	23.2	0.02	0.00		232 06		
250	ISL	8.36 D	8.34	33.946 D	26.399	166.8	0.691	3.44	0149.8 D	52.1	31.4	1.77	25.3	0.02	0.00		252	
271	7.96	7.93	33.972	26.481	159.3	0.723	3.04	132.4	45.6	36.0	1.91	27.5	0.01	0.00		273 05		
300	ISL	7.48 D	7.45	33.988 D	26.562	151.8	0.771	2.66	0115.9 D	39.6	41.7	2.08	29.8	0.02	0.00		302	
320	7.26	7.23	33.993	26.599	148.5	0.798	2.36	102.7	34.8	45.6	2.19	31.4	0.02	0.00		323 04		
380	6.66	6.62	34.072	26.743	135.4	0.883	1.32	57.8	19.3	59.0	2.61	36.3	0.01	0.00		383 03		
400	ISL	6.47 D	6.44	34.089 D	26.782	131.9	0.914	1.18	015.1 D	17.2	61.9	2.66	37.1	0.01	0.00		403	
440	6.18	6.14	34.109	26.837	127.0	0.961	0.93	40.6	13.4	67.8	2.76	38.7	0.01	0.00		444 02		
500	ISL	5.58 D	5.54	34.134 D	26.931	118.3	1.041	0.72	014.4 D	10.2	78.2	2.89	40.5	0.01	0.00		504	
515	5.47	5.42	34.144	26.952	116.4	1.053	0.67	29.4	9.5	80.8	2.92	40.9	0.01	0.00		519 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 81.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34	8.7 N	120 41.0 W	20/11/2013	1208	UTC	713 m	320	07 kn		1013.4	mb	15.0	C	14.4	C		055	
0	15.23	15.23	33.606	24.848	309.2	0.000	5.92	257.9	103.6	1.2	0.42	0.4	0.07	0.00	3.34	0.76	0	
2	15.23	15.23	33.606	24.848	309.3	0.006	5.92	257.9	103.6	1.2	0.42	0.4	0.07	0.00	3.34	0.76	2 12	
10	15.11	15.11	33.589	24.863	308.2	0.031	5.96	259.8	104.1	1.3	0.42	0.4	0.07	0.00	3.26	0.66	10 11	
15	14.59	14.59	33.558	24.951	300.0	0.046	6.05	263.8	104.6	1.3	0.43	0.5	0.08	0.10	4.80	0.85	15 10	
20	ISL	14.25 D	14.24	33.540 D	25.009	294.5	0.061	6.02	0262.3	0103.3	2.5	0.53	1.8	0.14	0.19	5.23	0.95	20
30	13.81	13.81	33.529	25.092	287.0	0.090	5.53	240.9	94.0	4.8	0.72	4.5	0.25	0.38	6.09	1.15	30 09	
41	12.86	12.86	33.535	25.288	268.6	0.121	4.76	207.3	79.4	8.6	1.06	10.3	0.31	0.16	4.77	1.36	41 08	
50	12.10	12.10	33.552	25.448	253.5	0.144	4.37	190.3	71.7	11.4	1.25	12.7	0.29	0.00	2.27	0.85	50 07	
75	10.99	10.98	33.564	25.664	233.6	0.205	3.97	172.8	63.6	15.0	1.40	16.9	0.12	0.00	0.59	0.38	76 06	
100	10.15	10.14	33.685	25.903	211.3	0.261	3.20	139.3	50.4	21.5	1.78	21.2	0.07	0.00	0.22	0.15	101 05	
125	ISL	9.76 D	9.74	33.861 D	26.109	192.3	0.313	2.52	0109.6 D	39.3	26.2	1.97	23.5	0.07	0.00	0.14	0.11	126
150	ISL	9.57 D	9.55	33.973 D	26.228	181.5	0.360	2.12	023.2 D	33.0	30.9	2.17	25.7	0.06	0.00	0.07	0.08	151
170	9.40	9.39	34.073	26.333	171.9	0.394	1.73	75.5	26.9	34.6	2.32	27.5	0.06	0.00	0.01	0.06	171 04	
200	ISL	9.23 D	9.20	34.157 D	26.429	163.4	0.446	1.48	64.4 D	22.9	37.4	2.41	28.6	0.05	0.00	0.01	0.04	202
250	8.84	8.82	34.222	26.542	153.6	0.524	1.15	49.8	17.6	42.0	2.56	30.4	0.04	0.00		252 03		
300	ISL	8.43 D	8.40	34.248 D	26.629	146.3	0.602	0.92	40.0 D	14.0	48.0	2.70	32.3	0.04	0.00		302	
321	8.15	8.12	34.254	26.676	142.0	0.630	0.78	33.8	11.7	50.6	2.76	33.1	0.04	0.00		324 02		
400	ISL	7.24 D	7.20	34.243 D	26.800	131.0	0.741	0.65	28.1 D	9.5	60.3	2.91	35.6	0.04	0.00		403	
500	ISL	6.35 D	6.31	34.279 D	26.950	117.6	0.866	0.39	17.0 D	5.7	72.6	3.09	38.9	0.04	0.00		504	
514	6.28	6.24	34.279	26.959	116.8	0.877	0.35	15.3	5.1	74.3	3.12	39.3	0.04	0.00		518 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 81.8 46.9

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	076
0	16.38	16.38	33.612	24.595	333.3	0.000	5.84	254.6	104.7	0.6	0.30	0.0	0.02	0.00	0.85	0.28	0	
2	16.38	16.37	33.612	24.595	333.4	0.007	5.84	254.6	104.7	0.6	0.30	0.0	0.02	0.00	0.85	0.28	2	
10	16.30	16.30	33.611	24.612	332.1	0.033	5.87	255.7	105.0	0.5	0.33	0.0	0.02	0.00	1.21	0.29	10	
20	15.29	15.28	33.582	24.818	312.8	0.066	6.20	270.3	108.7	0.3	0.27	0.0	0.02	0.00	6.29	1.29	20	
30	15.12	15.11	33.586	24.860	309.2	0.097	6.06	264.0	105.8	0.5	0.31	0.0	0.02	0.00	7.39	1.29	30	
40	13.52	13.51	33.518	25.144	282.3	0.126	5.12	223.1	86.6	6.2	0.79	6.1	0.26	0.03	2.41	0.49	40	
50	12.20	12.20	33.509	25.396	258.5	0.153	4.39	191.0	72.1	11.5	1.16	12.3	0.12	0.00	0.21	0.21	50	
60	11.66	11.65	33.533	25.516	247.3	0.179	4.13	180.0	67.2	13.6	1.28	14.4	0.08	0.00	0.15	0.17	60	
70	10.83	10.82	33.636	25.747	225.5	0.202	3.45	150.3	55.2	19.1	1.59	19.0	0.05	0.00	0.12	0.14	71	
75 ISL	10.66 D	10.65	33.660	D 25.796	220.9	0.215	3.39	D 147.4	D 53.9	20.9	1.69	20.4	0.04	0.00	0.10	0.12	76	
85	10.15	10.14	33.783	25.980	203.6	0.235	2.72	118.2	42.8	24.4	1.90	23.1	0.03	0.00	0.04	0.09	86	
100	10.02	10.01	33.849	26.054	197.0	0.265	2.41	104.9	37.9	26.5	2.02	24.6	0.03	0.00	0.03	0.08	101	
120	9.73	9.71	33.934	26.170	186.3	0.303	2.13	D 92.5	D 33.2	29.2	2.13	26.0	0.03	0.00	0.03	0.08	121	
125 ISL	9.67 D	9.65	33.952	D 26.194	184.1	0.315	2.13	D 92.6	D 33.2	30.2	2.15	26.3	0.03	0.00	0.03	0.08	126	
140	9.58	9.57	34.003	26.249	179.3	0.339	1.89	82.1	29.4	32.9	2.21	27.2	0.04	0.00	0.02	0.09	141	
150 ISL	9.60 D	9.58	34.027	D 26.265	178.0	0.360	1.80	D 78.3	D 28.0	33.9	2.25	27.7	0.03	0.00	0.02	0.08	151	
170	9.48	9.46	34.073	26.321	173.1	0.392	1.56	67.9	24.3	35.8	2.34	28.7	0.02	0.00	0.01	0.06	171	
200	9.25	9.23	34.130	26.404	165.8	0.443	1.25	54.4	19.3	39.6	2.46	30.0	0.02	0.00	0.01	0.04	202	
230	8.90	8.87	34.164	26.488	158.4	0.492	0.97	42.4	15.0	42.4	2.59	31.3	0.02	0.00		232		
250 ISL	8.72 D	8.70	34.176	D 26.525	155.2	0.528	0.87	D 37.9	D 13.3	45.7	2.66	32.0	0.02	0.00		252		
270	8.55	8.52	34.183	26.558	152.4	0.554	0.75	32.5	11.4	49.0	2.73	32.7	0.02	0.00		272		
300 ISL	8.31 D	8.28	34.199	D 26.608	148.1	0.604	0.60	D 26.0	D 9.1	51.8	2.81	33.4	0.02	0.00		302		
320	8.08	8.05	34.207	26.649	144.5	0.628	0.50	21.6	7.5	53.7	2.86	33.8	0.02	0.00		323		
380	7.53	7.49	34.227	26.747	135.9	0.713	0.30	13.0	4.4	62.8	3.04	34.6	0.02	0.00		383		
400 ISL	7.41 D	7.37	34.233	D 26.769	134.1	0.746	0.23	D 10.1	D 3.5	70.1	3.14	33.7	0.02	0.00		403		
440	6.94	6.90	34.245	26.844	127.2	0.792	0.06	2.6	0.9	84.5	3.34	31.8	0.02	0.00		444		
480	6.68	6.64	34.258	26.889	123.3	0.842	0.02	1.0	0.3	98.1	3.65	24.5	1.46	0.00		484		
500 ISL	6.61 D	6.57	34.253	D 26.895	123.0	0.874	0.03	D 1.1	D 0.4	105.9	3.82	15.7	5.31	0.00		504		
515	6.57	6.52	34.252	26.901	122.7	0.885	0.07	3.0	1.0	111.7	3.94	9.1	8.19	0.00		519		
532	6.55	6.50	34.256	26.907	122.4	0.906	0.05	2.2	0.7	119.7	4.12	1.4	6.13	0.00		537		
550	6.55	6.50	34.252	26.904	122.9	0.928	0.03	1.1	0.4	116.9	4.05	0.2	2.81	0.00		555		
566	6.55	6.50	34.256	26.907	122.9	0.948	0.03	1.1	0.4	121.0	4.21	0.3	1.87	0.09		571		

A) SANTA BARBARA BASIN STATION.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 39.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	078
0	15.85	15.85	33.548	24.666	326.6	0.000	5.59	243.5	99.0	2.6	0.45	0.5	0.12	0.34	2.17	0.43	0	
2	15.85	15.85	33.548	24.666	326.6	0.007	5.59	243.5	99.0	2.6	0.45	0.5	0.12	0.34	2.17	0.43	2	
5	15.83	15.83	33.545	24.668	326.6	0.016	5.60	244.1	99.2	2.7	0.45	0.5	0.12	0.35	2.10	0.45	5	
10	15.64	15.64	33.525	24.697	324.0	0.033	5.55	242.0	98.0	3.1	0.50	0.9	0.17	0.50	2.05	0.39	10	
15	15.43	15.43	33.514	24.734	320.6	0.049	5.52	240.4	96.9	3.5	0.54	1.2	0.21	0.64	2.40	0.45	15	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	079
0	16.13	16.13	33.571	24.619	331.0	0.000	5.82	254.2	103.8	0.9	0.31	0.1	0.02	0.00	2.16	0.33	0	
2	16.13	16.13	33.571	24.620	331.1	0.007	5.82	254.2	103.8	0.9	0.31	0.1	0.02	0.00	2.16	0.33	2	
5	16.13	16.13	33.571	24.621	331.1	0.017	5.83	254.4	103.9	0.9	0.30	0.1	0.02	0.00	2.06	0.36	5	
10	16.11	16.11	33.572	24.626	330.7	0.033	5.82	254.2	103.8	1.0	0.32	0.0	0.02	0.03	2.21	0.37	10	
10	16.11	16.11	33.571	24.625	330.8	0.033											04	
20	15.96	15.95	33.563	24.654	328.4	0.066	5.69	248.4	101.1	1.5	0.37	0.0	0.04	0.47	2.29	0.38	20	
30	15.53	15.53	33.540	24.733	321.3	0.098	5.57	243.0	98.1	2.5	0.45	0.6	0.10	0.74	1.88	0.44	30	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 42.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	µM	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
34 10.7 N	119 30.7 W	24/11/2013	1738	UTC	144 m	050 04 kn	090 01 04	0 0	1020.7 mb	17.0 C	12.0 C	12 m	0/8	0/8	0/8	0/8	0/8	
0	16.24	16.24	33.564	24.590	333.8	0.000	5.80	252.7	103.6	1.7	0.34	0.0	0.02	0.00	1.80	0.22	0	
2 A	16.24	16.24	33.564	24.590	333.8	0.007	5.80	252.7	103.6	1.7	0.34	0.0	0.02	0.00	1.80	0.22	2 15	
7 A	16.21	16.21	33.566	24.597	333.4	0.023	5.78	252.0	103.2	1.7	0.33	0.0	0.02	0.00	1.80	0.39	7 14	
10 A	16.21	16.21	33.565	24.597	333.5	0.033	5.81	253.4	103.8	1.7	0.34	0.0	0.02	0.00	1.83	0.39	10 12	
10	16.21	16.21	33.565	24.597	333.5	0.034											10 13	
19 A	16.20	16.20	33.564	24.599	333.6	0.064	5.77	251.4	102.9	1.7	0.35	0.0	0.03	0.00	2.05	0.44	19 11	
20 ISL	16.20	D 16.20	33.565	D 24.600	333.6	0.067	5.74	D 250.3	D 102.5	1.7	0.35	0.0	0.03	0.00	2.05	0.43	20	
26	16.20	16.20	33.564	24.600	333.8	0.087	5.76	251.0	102.8	1.7	0.34	0.0	0.03	0.00	2.00	0.39	26 10	
30 ISL	16.19	D 16.18	33.563	D 24.603	333.6	0.101	5.77	D 251.6	D 103.0	1.7	0.35	0.0	0.03	0.01	2.02	0.40	30	
33 A	16.19	16.18	33.561	24.601	333.9	0.110	5.76	251.0	102.8	1.7	0.35	0.0	0.03	0.01	2.03	0.41	33 09	
41 A	16.05	16.04	33.545	24.621	332.3	0.137	5.70	248.6	101.5	2.0	0.40	0.2	0.09	0.25	1.50	0.36	41 08	
50	15.97	15.96	33.562	24.654	329.5	0.167	5.59	243.6	99.3	2.4	0.43	0.7	0.10	0.17	0.91	0.30	50 07	
60	13.27	13.26	33.415	25.116	285.5	0.197	4.97	216.5	83.5	7.5	0.92	6.9	0.47	0.36	0.63	0.33	60 06	
70	11.76	11.75	33.473	25.453	253.6	0.224	4.11	178.9	66.9	12.3	1.24	13.4	0.05	0.00	1.17	0.17	71 05	
75 ISL	11.59	D 11.58	33.493	D 25.498	249.4	0.239	4.02	D 175.0	D 65.2	14.0	1.33	14.6	0.05	0.00	0.13	0.15	76	
85	11.29	11.28	33.573	25.617	238.3	0.261	3.47	151.0	55.9	17.2	1.52	17.0	0.04	0.00	0.07	0.11	86 04	
100	10.81	10.80	33.651	25.763	224.7	0.296	3.05	132.6	48.6	20.6	1.69	19.5	0.05	0.00	0.04	0.10	101 03	
120	10.58	10.56	33.721	25.860	216.0	0.340	2.75	119.6	43.7	23.4	1.83	21.4	0.04	0.00	0.03	0.08	121 02	
125 ISL	10.56	D 10.55	33.726	D 25.866	215.5	0.353	2.78	D 120.8	D 44.1	23.6	1.85	21.5	0.05	0.00	0.03	0.08	126	
130	10.55	10.54	33.733	25.874	214.9	0.362	2.70	117.6	42.9	23.8	1.86	21.6	0.05	0.00	0.02	0.08	131 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	µM	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
33 52.6 N	120 8.1 W	20/11/2013	0647	UTC	100 m	310 24 kn			1014.2 mb	15.4 C	14.0 C						053	
0	14.62	14.62	33.563	24.947	299.8	0.000	5.41	235.6	93.5	5.0	0.63	4.1	0.11	0.01	3.08	0.57	0	
2	14.62	14.62	33.563	24.947	299.9	0.006	5.41	235.6	93.5	5.0	0.63	4.1	0.11	0.01	3.08	0.57	2 11	
10	14.54	14.54	33.555	24.958	299.1	0.030	5.35	233.2	92.4	5.2	0.63	4.3	0.12	0.00	2.85	0.56	10 09	
10	14.54	14.54	33.556	24.959	299.0	0.030											10 10	
20	13.32	13.32	33.508	25.175	278.7	0.059	5.08	221.1	85.4	6.9	0.80	6.5	0.18	0.00	2.12	0.60	20 08	
30	12.69	12.69	33.476	25.275	269.4	0.086	4.71	205.1	78.2	9.3	0.99	9.7	0.21	0.00	1.01	0.45	30 07	
40	12.72	12.72	33.498	25.287	268.7	0.113	4.68	203.8	77.8	9.6	0.99	9.8	0.19	0.00	1.22	0.42	40 06	
50	12.76	12.75	33.526	25.302	267.5	0.140	4.58	199.4	76.1	10.3	1.04	10.3	0.16	0.00	1.31	0.50	50 05	
60	12.49	12.48	33.548	25.372	261.1	0.166	4.41	192.1	73.0	11.6	1.10	11.4	0.14	0.00	1.21	0.40	60 04	
70	11.65	11.64	33.569	25.547	244.6	0.192	4.06	176.9	66.0	14.4	1.29	14.4	0.13	0.00	0.63	0.32	71 03	
75 ISL	11.18	D 11.17	33.606	D 25.661	233.9	0.205	3.75	D 163.4	D 60.4	16.5	1.43	16.5	0.12	0.00	0.40	0.24	76	
80	10.78	10.77	33.618	25.743	226.1	0.215	3.46	150.7	55.2	18.6	1.56	18.5	0.11	0.00	0.18	0.17	81 02	
90	10.52	10.51	33.682	25.838	217.3	0.237	3.11	135.3	49.3	21.4	1.70	20.6	0.09	0.00	0.08	0.15	91 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	µM	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
33 44.6 N	120 24.8 W	20/11/2013	0249	UTC	1000 m	290 22 kn			1015.0 mb	15.4 C	13.9 C						052	
0	16.00	16.00	33.618	24.686	324.6	0.000	5.63	245.3	100.1	2.8	0.42	1.1	0.05	0.04	0.97	0.19	0	
2	16.00	15.99	33.618	24.686	324.7	0.007	5.63	245.3	100.1	2.8	0.42	1.1	0.05	0.04	0.97	0.19	2 21	
10	15.99	15.99	33.618	24.688	324.8	0.033	5.63	245.5	100.1	2.9	0.42	1.1	0.05	0.00	1.01	0.13	10 19	
10	15.99	15.99	33.618	24.688	324.8	0.033											10 20	
20	15.96	15.96	33.618	24.696	324.4	0.065	5.63	245.3	100.0	2.9	0.42	1.1	0.05	0.00	1.01	0.16	20 18	
30	14.32	14.32	33.568	25.016	294.2	0.096	5.25	228.7	90.2	5.6	0.67	5.0	0.16	0.00	1.06	0.15	30 17	
40	12.36	12.36	33.506	25.362	261.5	0.124	4.80	209.0	79.1	8.8	0.99	10.0	0.25	0.00	0.72	0.01	40 16	
50	11.26	11.26	33.508	25.569	241.9	0.149	4.29	186.9	69.1	12.7	1.28	14.8	0.11	0.00	0.33	0.16	50 15	
60	10.82	10.82	33.522	25.659	233.6	0.173	4.13	178.9	65.9	14.1	1.37	16.2	0.07	0.00	0.17	0.15	60 14	
70	10.29	10.28	33.620	25.829	217.6	0.195	3.35	D 145.6	D 52.8	19.2	1.62	19.8	0.05	0.00	0.07	0.09	71 13	
75 ISL	10.12	D 10.11	33.747	D 25.957	205.5	0.206	2.94	D 128.2	D									

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	sva	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3 μM	P04 μM	N03 μM	N02 μM	NH4 μM	CHL-A μg/L	PHAE0 μg/L	PRES db
0	15.80	15.80	33.621	24.734	320.1	0.000	5.71	248.7	101.1	2.7	0.41	1.0	0.06	0.00	1.38	0.32	0
2	15.80	15.79	33.621	24.735	320.1	0.006	5.71	248.7	101.1	2.7	0.41	1.0	0.06	0.00	1.38	0.32	2 21
10 ISL	15.79 D	15.79	33.619 D	24.734	320.4	0.032	5.68	0247.3	0100.5	2.7	0.41	1.0	0.06	0.00	1.32	0.31	10
11	15.79	15.79	33.619	24.734	320.4	0.034											20
11	15.79	15.79	33.620	24.734	320.5	0.035	5.70	248.5	101.0	2.7	0.41	1.0	0.06	0.00	1.32	0.31	11 19
20 ISL	15.76 D	15.76	33.619 D	24.742	320.0	0.064	5.64	0245.9	099.9	2.8	0.41	1.1	0.06	0.00	1.28	0.31	20
21	15.77	15.76	33.618	24.740	320.3	0.067	5.69	248.2	100.8	2.8	0.41	1.1	0.06	0.00	1.28	0.31	21 18
30 ISL	15.72 D	15.71	33.619 D	24.752	319.4	0.097	5.58	0243.2	098.7	3.0	0.43	1.3	0.06	0.00	1.03	0.29	30
31	15.72	15.72	33.618	24.751	319.6	0.099	5.63	245.2	99.5	3.1	0.43	1.3	0.06	0.00	1.00	0.29	31 17
41	15.69	15.68	33.617	24.757	319.3	0.131	5.56	242.1	98.2	3.1	0.43	1.4	0.07	0.05	0.91	0.29	41 16
50	14.74	14.74	33.594	24.948	301.4	0.159	5.40	235.1	93.5	3.8	0.54	2.8	0.12	0.33	2.84	0.86	50 15
60	11.48	11.47	33.570	25.578	241.4	0.186	4.11	179.1	66.6	13.4	1.30	14.8	0.11	0.00	0.66	0.52	60 14
70	10.61	10.60	33.605	25.761	224.1	0.209	3.64	158.3	57.8	17.8	1.58	19.0	0.04	0.00	0.15	0.18	71 13
75 ISL	10.40 D	10.39	33.638 D	25.825	218.2	0.222	3.52	0153.2	055.7	19.5	1.65	20.3	0.04	0.00	0.12	0.15	76
85	9.83	9.82	33.714	25.980	203.6	0.242	3.17	137.9	49.5	22.9	1.78	22.8	0.03	0.00	0.06	0.09	86 12
100	9.36	9.34	33.790	26.118	190.7	0.271	2.94	128.1	45.6	25.8	1.89	24.3	0.03	0.00	0.05	0.06	101 11
121	9.14	9.12	33.905	26.243	179.3	0.310	2.59	112.6	39.9	30.0	2.03	26.3	0.02	0.00	0.01	0.04	122 10
125 ISL	9.14 D	9.12	33.930 D	26.263	177.5	0.319	2.52	0109.5	038.8	30.5	2.06	26.4	0.02	0.00	0.01	0.04	126
140	9.04	9.02	33.986	26.323	172.1	0.344	2.23	97.1	34.3	32.6	2.15	26.6	0.02	0.00	0.01	0.04	141 09
150 ISL	8.83 D	8.81	33.978 D	26.350	169.6	0.363	2.37	0103.0 D	036.2	33.9	2.19	27.3	0.02	0.00	0.01	0.04	151
170	8.84	8.82	34.054	26.408	164.6	0.394	2.00	86.9	30.6	36.4	2.26	28.8	0.02	0.00	0.01	0.04	171 08
200	8.48	8.46	34.127	26.522	154.3	0.442	1.55	67.4	23.6	41.9	2.45	30.8	0.02	0.00	0.01	0.09	202 07
230	8.09	8.07	34.156	26.605	146.9	0.487	1.33	57.7	20.0	46.4	2.55	32.4	0.02	0.00			232 06
250 ISL	7.97 D	7.94	34.175 D	26.638	144.1	0.519	1.18	51.4 D	17.8	48.8	2.63	33.1	0.02	0.00			252
270	7.86	7.83	34.202	26.677	140.7	0.544	0.97	42.2	14.6	51.2	2.71	33.8	0.02	0.00			272 05
300 ISL	7.66 D	7.63	34.216 D	26.717	137.4	0.590	0.89	38.8 D	13.3	53.8	2.76	34.5	0.02	0.00			302
320	7.54	7.51	34.227	26.743	135.2	0.613	0.81	35.2	12.1	55.5	2.80	35.0	0.02	0.00			323 04
381	7.10	7.06	34.248	26.823	128.4	0.694	0.60	26.3	8.9	61.9	2.93	36.6	0.02	0.00			384 03
400 ISL	6.86 D	6.82	34.246 D	26.854	125.5	0.723	0.56	24.5 D	8.3	64.5	2.97	37.2	0.02	0.00			403
440	6.51	6.47	34.280	26.929	118.8	0.766	0.40	17.5	5.8	70.1	3.06	38.6	0.01	0.00			444 02
500 ISL	6.00 D	5.96	34.315 D	27.022	110.3	0.841	0.28	12.3 D	4.1	79.9	3.16	40.3	0.01	0.00			504
515	5.87	5.82	34.307	27.033	109.3	0.852	0.27	11.7	3.9	82.3	3.19	40.7	0.01	0.00			519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	sva	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3 μM	P04 μM	N03 μM	N02 μM	NH4 μM	CHL-A μg/L	PHAE0 μg/L	PRES db
0	15.44	15.44	33.558	24.765	317.1	0.000	5.73	249.5	100.6	2.0	0.39	1.2	0.10	0.00	0.59	0.20	0
2 A	15.44	15.44	33.558	24.765	317.2	0.006	5.73	249.5	100.6	2.0	0.39	1.2	0.10	0.00	0.59	0.20	2 22
9 A	15.41	15.40	33.559	24.774	316.7	0.029	5.70	248.3	100.1	2.1	0.40	1.2	0.10	0.00	0.62	0.23	9 21
10 ISL	15.41 D	15.40	33.559 D	24.774	316.7	0.032	5.66	0246.7	099.4	2.1	0.40	1.2	0.10	0.00	0.63	0.23	10
11 A	15.40	15.40	33.559	24.775	316.6	0.035	5.69	247.9	99.9	2.1	0.40	1.2	0.10	0.00	0.65	0.24	11 20
20 ISL	15.40 D	15.40	33.559 D	24.776	316.8	0.064	5.65	0246.3	99.3	2.1	0.40	1.2	0.10	0.00	0.61	0.22	20
22 A	15.40	15.40	33.558	24.775	317.0	0.070	5.68	247.6	99.8	2.1	0.40	1.2	0.10	0.00	0.60	0.21	22 19
30	15.40	15.40	33.565	24.781	316.7	0.095	5.69	248.0	100.0	2.1	0.40	1.2	0.10	0.00	0.62	0.23	30 18
38 A	15.39	15.38	33.560	24.780	317.0	0.120	5.68	247.6	99.8	2.1	0.40	1.2	0.11	0.00	0.60	0.23	38 17
48 A	14.84	14.83	33.571	24.909	305.0	0.151	5.65	246.1	98.1	2.1	0.42	1.5	0.13	0.18	0.46	0.25	48 16
50 ISL	14.46 D	14.45	33.514 D	24.947	301.4	0.159	5.45	0237.6	93.9	3.4	0.57	3.8	0.17	0.12	0.37	0.25	50
54	12.83	12.82	33.321	25.130	284.0	0.169	5.20	226.4	86.5	6.0	0.88	8.4	0.25	0.00	0.19	0.23	54 15
60	12.24	12.23	33.286	25.216	275.9	0.186	5.12	222.8	84.0	7.3	0.99	10.2	0.12	0.00	0.19	0.19	60 14
70	11.49	11.48	33.349	25.406	258.0	0.213	4.80	208.8	77.6	10.2	1.20	13.7	0.05	0.00	0.14	0.13	71 13
75 ISL	11.53 D	11.52	33.436 D	25.465	252.5	0.227	4.61	0200.9 D	74.7	11.5	1.28	15.0	0.04	0.00	0.12	0.11	76
86	10.59	10.58	33.501	25.685	231.8	0.252	4.28	186.5	68.0	14.4	1.47	18.0	0.03	0.00	0.07	0.07	87 12
100	9.94	9.93	33.592	25.867	214.7	0.284	3.92	170.5	61.3	19.4	1.66	21.1	0.03	0.00	0.03	0.04	101 11
120	9.49	9.47	33.721	26.043	198.3	0.325	3.36	146.3	52.2	24.0	1.86	24.2	0.02	0.00	0.01	0.03	121 10
125 ISL	9.27 D	9.26	33.742 D	26.095	193.4	0.337	3.30	0143.5 D	50.9	24.7	1.86	24.3	0.02	0.00	0.01	0.03	126
140	8.99	8.97	33.807	26.191	184.6	0.363	3.20	139.4	49.2	26.8	1.86	24.6	0.02	0.00	0.01	0.03	141 09
150 ISL	8.93 D	8.91	33.834 D	26.222	181.8	0.384	3.10	0135.0 D	47.6	28.3	1.91	25.5	0.02	0.00	0.00	0.03	151
170	8.67	8.65	33.922	26.332	171.7	0.417	2.80	121.8	42.7	31.2	2.02	27.2	0.02	0.00	0.00	0.03	171 08
200	8.37	8.35	34.024	26.458	160.3	0.466	2.08	90.5	31.6	37.7	2.25	30.1	0.02	0.00	0.00	0.03	202 07
231	7.71	7.69	34.054	26.579	149.1	0.514	1.88	81.8	28.1	44.5	2.40						

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		049
32	54.8 N	122 7.9 W	19/11/2013	1028	UTC	4180 m	360	03 kn										
0	14.95	14.95	33.403	24.753	318.3	0.000	5.75	250.6	100.0	2.5	0.44	1.5	0.12	0.15	0.30	0.09	0	
2	14.95	14.95	33.403	24.753	318.4	0.006	5.75	250.6	100.0	2.5	0.44	1.5	0.12	0.15	0.30	0.09	2	21
10	14.94	14.94	33.403	24.755	318.5	0.032	5.73	249.9	99.7	2.5	0.42	1.5	0.12	0.14	0.29	0.07	10	19
10	14.94	14.94	33.403	24.755	318.5	0.033											10	20
20	ISL	14.91 D	14.91	33.396 D	24.756	318.6	0.064	5.68	D247.5 D	98.7	2.4	0.44	1.6	0.13	0.19	0.30	0.11	20
21	14.91	14.91	33.422	24.776	316.8	0.067	5.70	248.4	99.1	2.4	0.44	1.6	0.13	0.20	0.30	0.11	21	18
30	ISL	14.85 D	14.84	33.385 D	24.763	318.3	0.096	5.69	D248.2 D	98.8	2.5	0.43	1.5	0.12	0.15	0.34	0.11	30
31	14.85	14.84	33.391	24.767	317.9	0.099	5.72	249.4	99.3	2.5	0.43	1.5	0.12	0.14	0.35	0.11	31	17
41	14.78	14.77	33.386	24.779	317.1	0.130	5.75	250.6	99.6	2.5	0.42	1.4	0.12	0.03	0.50	0.23	41	16
50	14.59	14.58	33.389	24.823	313.2	0.159	5.63	248.1	98.3	2.6	0.44	1.6	0.14	0.10	0.38	0.21	50	15
61	11.17	11.17	33.182	25.332	264.7	0.191	5.22	227.4	83.8	8.0	1.03	10.8	0.06	0.00	0.24	0.19	61	14
70	10.72	10.71	33.279	25.489	249.9	0.214	4.93	214.6	78.4	11.2	1.22	13.9	0.04	0.00	0.15	0.11	71	13
75	ISL	10.50 D	10.49	33.350 D	25.582	241.2	0.228	4.86	D211.5 D	76.9	13.4	1.31	15.5	0.04	0.00	0.11	0.09	76
86	9.70	9.69	33.509	25.842	216.7	0.251	4.30	187.0	66.9	18.2	1.52	19.1	0.03	0.00	0.03	0.05	87	12
100	9.20	9.19	33.677	26.054	196.8	0.280	3.70	161.1	57.1	23.5	1.75	22.8	0.02	0.00	0.01	0.04	101	11
120	9.00	8.98	33.795	26.180	185.2	0.318	3.23	D140.8 D	49.7	27.0	1.88	24.9	0.02	0.00	0.00	0.03	121	10
125	ISL	8.94 D	8.93	33.798 D	26.191	184.2	0.330	3.28	D142.7 D	50.3	27.9	1.92	25.4	0.02	0.00	0.00	0.03	126
140	8.76	8.75	33.895	26.295	174.6	0.354	2.78	120.9	42.5	30.5	2.02	27.0	0.02	0.00	0.00	0.03	141	09
150	ISL	8.59 D	8.58	33.941 D	26.358	168.9	0.374	2.73	D119.0 D	41.6	31.9	2.03	27.3	0.02	0.00	0.00	0.03	151
170	8.32	8.30	33.960	26.415	163.8	0.405	2.75	119.5	41.6	34.5	2.05	27.9	0.02	0.00	0.00	0.03	171	08
200	8.05	8.03	34.034	26.514	154.8	0.453	2.08	90.3	31.2	40.9	2.33	31.2	0.02	0.00	0.00	0.02	202	07
231	7.79	7.77	34.066	26.578	149.3	0.500	1.65	71.8	24.7	45.4	2.44	32.6	0.02	0.00		233	06	
250	ISL	7.51 D	7.48	34.068 D	26.620	145.4	0.531	1.61	D70.1 D	24.0	48.9	2.52	33.8	0.02	0.00		252	
270	7.15	7.12	34.073	26.676	140.3	0.557	1.41	61.5	20.8	52.6	2.61	35.0	0.02	0.00		272	05	
300	ISL	6.91 D	6.88	34.119 D	26.745	134.1	0.602	1.06	D45.9 D	15.5	58.0	2.74	36.4	0.01	0.00		302	
320	6.78	6.75	34.141	26.781	131.0	0.624	0.87	37.7	12.7	61.6	2.83	37.3	0.01	0.00		323	04	
379	6.38	6.34	34.193	26.876	122.6	0.699	0.56	24.4	8.1	69.5	2.99	38.9	0.02	0.00		382	03	
400	ISL	6.28 D	6.24	34.211 D	26.903	120.3	0.729	0.51	D22.4 D	7.4	71.5	3.02	39.0	0.02	0.00		403	
441	6.06	6.02	34.230	26.947	116.6	0.773	0.40	17.6	5.8	75.3	3.09	39.3	0.02	0.00		445	02	
500	ISL	5.70 D	5.65	34.252 D	27.010	111.0	0.846	0.37	D16.1 D	5.3	81.5	3.14	40.7	0.02	0.00		504	
514	5.69	5.64	34.268	27.024	109.9	0.856	0.32	D14.0 D	4.6	82.9	3.15	41.0	0.02	0.00		518	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		048
32	34.47 N	122 48.7 W	19/11/2013	0446	UTC	4262 m	220	05 kn										
0	17.42	17.42	33.366	24.161	374.7	0.000	5.50	240.0	100.5	2.4	0.28	0.0	0.02	0.00	0.14	0.04	0	
2	17.42	17.42	33.366	24.161	374.7	0.008	5.50	240.0	100.5	2.4	0.28	0.0	0.02	0.00	0.14	0.04	2	21
10	17.42	17.41	33.364	24.162	375.0	0.036											10	20
10	17.42	17.41	33.364	24.164	374.8	0.038	5.51	240.3	100.6	2.4	0.27	0.0	0.00	0.00	0.14	0.03	10	19
20	ISL	17.34 D	17.33	33.351 D	24.172	374.4	0.075	5.55	242.1	101.2	2.4	0.28	0.0	0.00	0.00	0.17	0.03	20
25	16.93	16.92	33.279	24.213	370.6	0.094	5.57	243.0	100.7	2.4	0.28	0.0	0.00	0.00	0.19	0.03	25	18
30	ISL	16.88 D	16.88	33.280 D	24.225	369.7	0.113	5.59	243.6	100.9	2.4	0.28	0.0	0.01	0.00	0.22	0.05	30
40	16.60	16.60	33.242	24.262	366.6	0.149	5.62	244.9	100.9	2.4	0.29	0.0	0.02	0.00	0.28	0.09	40	17
50	16.36	16.35	33.236	24.314	361.9	0.186	5.65	246.5	101.0	2.4	0.31	0.0	0.03	0.00	0.30	0.11	50	16
62	14.40	14.39	33.205	24.721	323.3	0.227	6.02	262.2	103.3	2.7	0.31	0.1	0.03	0.00	0.28	0.12	62	15
75	12.00	11.99	32.996	25.037	293.3	0.267	5.81	253.0	94.7	3.8	0.56	2.7	0.71	0.00	0.15	0.13	76	14
87	11.40	11.39	32.999	25.151	282.6	0.301	5.70	248.1	91.7	4.7	0.70	5.1	0.13	0.00	0.14	0.11	88	13
100	10.61	10.60	33.048	25.329	265.9	0.337	5.47	238.2	86.6	6.9	0.84	7.8	0.07	0.00	0.08	0.08	101	12
112	10.08	10.07	33.068	25.435	256.0	0.368	5.28	230.1	82.7	10.1	1.04	11.2	0.08	0.00	0.06	0.06	113	11
125	10.19	10.17	33.415	25.688	232.3	0.400	4.83	210.2	75.9	11.3	1.04	12.2	0.08	0.00	0.06	0.07	126	10
140	9.45	9.43	33.511	25.886	213.6	0.434	4.32	187.9	66.8	17.5	1.41	17.7	0.04	0.00	0.02	0.03	141	09
150	ISL	9.20 D	9.18	33.647 D	26.033	199.8	0.457	4.11	D179.1 D	63.4	19.9	1.48	19.2	0.04	0.00	0.01	0.02	151
170	8.88	8.86	33.833	26.229	181.6	0.493	3.84	166.9	58.7	24.6	1.62	22.1	0.03	0.00	0.00	0.02	171	08
200	8.47	8.45	33.946	26.381	167.6	0.545	3.68	160.1	55.9	28.8	1.69	23.6	0.00	0.00	0.00	0.01	202	07
230	8.01	7.99	33.976	26.475	159.0	0.594	3.15	137.1	47.4	34.9	1.91	26.6	0.02	0.00		232	06	
250</																		

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP		
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
32	14.7 N	123 29.6 W	18/11/2013	2300	UTC	4169 m	220	05 kn	340	04	06	2	1019.0	mb	16.0	C	15.0	C	
0	17.31	17.31	33.307	24.144		376.3	0.000	5.53	240.9	100.6	2.3	0.28	0.0	0.00	0.00	0.17	0.05	0	
1	17.31	17.31	33.307	24.144		376.4	0.004	5.53	240.9	100.6	2.3	0.28	0.0	0.00	0.00	0.17	0.05	1 21	
10	17.19	17.19	33.308	24.173		373.9	0.036											10 20	
10	17.19	17.19	33.308	24.173		373.9	0.038	5.53	241.1	100.5	2.3	0.28	0.0	0.00	0.00	0.17	0.05	10 19	
20	ISL	17.18 D	17.18	33.309 D	24.177		373.9	0.075	5.54	241.4	100.6	2.3	0.28	0.0	0.00	0.00	0.19	0.05	20
26	17.18	17.17	33.318	24.185		373.3	0.097	5.54	241.5	100.6	2.3	0.28	0.0	0.00	0.00	0.21	0.06	26 18	
30	ISL	17.18 D	17.17	33.310 D	24.179		374.1	0.113	5.54	241.4	100.5	2.3	0.28	0.0	0.00	0.00	0.21	0.06	30
41	17.17	17.17	33.309	24.180		374.5	0.153	5.52	240.9	100.3	2.3	0.28	0.0	0.01	0.00	0.22	0.06	41 17	
50	ISL	17.17 D	17.16	33.309 D	24.182		374.5	0.189	5.47	D238.7 D	99.4	2.3	0.29	0.0	0.01	0.32	0.24	0.07	50
51	17.16	17.15	33.307	24.182		374.6	0.191	5.53	241.1	100.4	2.3	0.29	0.0	0.01	0.36	0.24	0.07	51 16	
62	16.46	16.45	33.267	24.315		362.3	0.231	5.66	246.7	101.3	2.4	0.29	0.0	0.00	0.00	0.29	0.07	62 15	
75	ISL	13.86 D	13.85	33.128 D	24.174		318.6	0.278	5.94	D258.7 D	100.8	2.5	0.36	0.2	0.03	0.09	0.28	0.13	76
76	13.92	13.91	33.096	24.173		322.2	0.279	5.98	260.6	101.6	2.5	0.37	0.2	0.03	0.10	0.28	0.14	77 14	
88	13.15	13.14	33.166	24.198		302.3	0.316	5.91	257.4	98.8	3.0	0.39	0.3	0.08	0.08	0.26	0.16	89 13	
100	12.31	12.30	33.147	25.096		288.4	0.352	5.74	250.2	94.4	3.8	0.53	2.4	0.19	0.00	0.18	0.16	101 12	
112	11.85	11.83	33.171	25.203		278.5	0.386	5.51	240.2	89.7	5.1	0.70	5.6	0.04	0.00	0.12	0.14	113 11	
125	ISL	10.83 D	10.81	33.310 D	25.496		250.7	0.423	5.33	232.0	84.9	7.1	0.77	7.4	0.02	0.00	0.08	0.08	126
126	11.07	11.05	33.300	25.445		255.6	0.423	5.31	231.4	85.1	7.3	0.78	7.5	0.02	0.00	0.08	0.08	127 10	
140	10.23	10.22	33.370	25.645		236.7	0.457	4.86	211.5	76.5	12.6	1.16	13.7	0.02	0.00	0.03	0.04	141 09	
150	ISL	9.90 D	9.89	33.478 D	25.786		223.5	0.483	4.67	D203.3 D	73.0	14.7	1.29	15.7	0.02	0.00	0.02	0.04	151
171	9.55	9.53	33.560	25.908		212.2	0.527	4.05	176.4	62.9	19.2	1.55	19.9	0.01	0.00	0.01	0.03	172 08	
199	8.77	8.74	33.849	26.261		179.1	0.581	3.50	152.4	53.5	26.5	1.75	23.7	0.01	0.00	0.00	0.02	201 07	
200	ISL	8.74 D	8.72	33.876 D	26.286		176.7	0.586	3.60	D156.8 D	55.0	26.6	1.75	23.7	0.01	0.00	0.00	0.02	202
230	8.32	8.30	33.962	26.418		164.7	0.635	3.48	151.4	52.7	30.1	1.78	24.5	0.01	0.00			232 06	
250	ISL	8.03 D	8.00	33.972 D	26.470		159.9	0.670	3.11	D135.2 D	46.7	34.1	1.92	26.4	0.01	0.00			252
270	7.74	7.71	33.981	26.520		155.5	0.699	2.86	124.5	42.7	38.1	2.06	28.3	0.01	0.00			272 05	
300	ISL	7.44 D	7.41	34.007 D	26.583		149.8	0.748	2.36	D102.8 D	35.1	43.7	2.25	30.7	0.01	0.00			302
320	7.26	7.23	34.025	26.623		146.2	0.774	2.04	88.6	30.1	47.4	2.38	32.3	0.01	0.00			323 04	
379	6.55	6.52	34.052	26.742		135.4	0.857	1.44	62.7	21.0	58.3	2.64	36.0	0.01	0.00			382 03	
400	ISL	6.35 D	6.32	34.074 D	26.785		131.4	0.890	1.21	D 52.6 D	17.5	62.3	2.73	37.0	0.01	0.00			403
440	6.03	5.99	34.120	26.863		124.4	0.936	0.83	36.3	12.0	70.0	2.91	38.9	0.01	0.00			444 02	
500	ISL	5.60 D	5.56	34.158 D	26.947		116.8	1.014	0.66 D	28.8 D	9.4	78.4	3.03	40.4	0.01	0.00			504
515	5.55	5.51	34.171	26.964		115.4	1.026	0.57	24.8	8.1	80.5	3.06	40.8	0.01				519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP		
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
31	54.7 N	124 10.1 W	18/11/2013	1800	UTC	4245 m	280	09 kn	350	08	11	1	1020.7	mb	15.9	C	15.1	C	
0	17.43	17.43	33.310	24.118		378.8	0.000	5.48	238.9	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.06	0	
2 A	17.43	17.43	33.310	24.118		378.9	0.008	5.48	238.9	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.06	2 23	
10	ISL	17.42 D	17.41	33.309 D	24.120		379.0	0.038	5.45	D237.7 D	99.5	2.1	0.30	0.0	0.00	0.19	0.06	10	
12	17.41	17.41	33.308	24.121		379.0	0.046	5.48	239.1	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.06	12 21	
12	17.41	17.41	33.312	24.123		378.7	0.046											12 22	
20	ISL	17.41 D	17.40	33.310 D	24.124		379.0	0.076	5.45	D237.6 D	99.4	2.1	0.30	0.0	0.00	0.00	0.20	0.06	20
24	A	17.40	17.40	33.308	24.123		379.2	0.091	5.48	238.8	99.9	2.1	0.30	0.0	0.00	0.00	0.20	0.06	24 20
30	ISL	17.40 D	17.40	33.310 D	24.125		379.2	0.114	5.43	D236.8 D	99.1	2.1	0.30	0.0	0.00	0.19	0.06	30	
31	A	17.40	17.40	33.310	24.126		379.2	0.118	5.48	239.0	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.05	31 19
38	17.40	17.39	33.308	24.125		379.5	0.144	5.48	239.0	100.0	2.0	0.30	0.0	0.00	0.00	0.19	0.06	38 18	
48	17.39	17.38	33.305	24.127		379.8	0.182	5.48	239.1	100.0	2.1	0.29	0.0	0.00	0.00	0.20	0.06	48 17	
50	ISL	17.38 D	17.38	33.309 D	24.129		379.7	0.191	5.42	D236.5 D	98.9	2.1	0.29	0.0	0.00	0.00	0.21	0.07	50
58	A	17.37	17.36	33.301	24.129		380.0	0.220	5.48	238.9	99.9	2.1	0.29	0.0	0.00	0.00	0.23	0.07	58 16
72	17.26	17.25	33.298	24.153		378.2	0.273	5.49	239.5	99.9	2.1	0.30	0.0	0.00	0.00	0.25	0.08	73 15	
75	ISL	15.61 D	15.60	33.177 D	24.439		350.8	0.286	5.82	D253.9 D	102.5	2.2	0.31	0.0	0.00	0.01	0.25	0.09	76
86	15.83	15.82	33.098	24.758		320.4	0.321	6.04	263.1	102.4	2.5	0.36	0.0	0.01	0.03	0.25	0.14	87 14	
100	ISL	13.20 D	13.18	33.132 D	24.913		306.0	0.367	5.89	D256.4 D	98.5	2.9	0.42	0.4	0.14	0.07	0.21	0.14	101
101	A	13.23	13.22	33.133</															

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 85.4 35.8

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
34 0.7 N	118 49.8 W	25/11/2013	0138	UTC	18 m	300 04 kn			1019.5 mb	16.8 C	13.0 C					081	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	16.16	16.16	33.543	24.592	333.6	0.000	5.97	260.2	106.5	1.4	0.34	0.2	0.07	0.00	2.15	0.44	0
2	16.16	16.16	33.543	24.592	333.7	0.007	5.97	260.2	106.5	1.4	0.34	0.2	0.07	0.00	2.15	0.44	2 05
5	16.16	16.16	33.543	24.591	333.9	0.017	5.95	259.3	106.1	1.4	0.34	0.2	0.07	0.00	2.25	0.44	5 04
10	16.13	16.12	33.541	24.599	333.3	0.033	5.93	258.5	105.7	1.4	0.33	0.2	0.08	0.05	2.49	0.50	10 02
10	16.13	16.12	33.541	24.599	333.3	0.034											10 03
14	16.09	16.08	33.547 D	24.612	332.2	0.047	5.96	259.6	106.1	1.4	0.35	0.3	0.08	0.08	2.61	0.41	14 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 33.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
33 53.4 N	118 29.4 W	16/11/2013	0518	UTC	56 m	200 04 kn			1006.1 mb	17.2 C	15.0 C					034	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	17.35	17.35	33.589	24.349	356.8	0.000	5.81	253.4	106.1	0.8	0.29	0.0	0.01	0.01	0.36	0.10	0
1	17.35	17.35	33.589	24.349	356.8	0.004	5.81	253.4	106.1	0.8	0.29	0.0	0.01	0.01	0.36	0.10	1 08
5	17.36	17.36	33.588	24.346	357.2	0.018	5.81	253.1	106.0	0.8	0.27	0.0	0.01	0.00	0.39	0.06	5 07
10	17.35	17.35	33.583	24.346	357.5	0.036	5.82	253.6	106.2	0.8	0.28	0.0	0.01	0.00	0.39	0.06	10 05
10	17.35	17.35	33.588	24.349	357.1	0.037											10 06
20	14.82	14.82	33.414	24.790	315.4	0.070	6.06	264.0	105.1	1.4	0.39	0.3	0.10	0.12	2.33	0.53	20 04
30	13.62	13.61	33.348	24.992	296.4	0.100	5.35	233.0	90.5	5.6	0.72	4.5	0.84	2.56	0.91	0.45	30 03
40	13.27	13.27	33.345	25.059	290.4	0.129	5.26	229.1	88.3	6.2	0.76	5.5	0.90	2.34	0.67	0.35	40 02
50	13.05	13.05	33.348	25.106	286.2	0.158	5.13	223.5	85.8	6.6	0.81	6.4	0.89	1.90	0.56	0.32	50 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
33 49.4 N	118 37.7 W	16/11/2013	0724	UTC	645 m	180 02 kn			1006.1 mb	17.0 C	14.9 C					035	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	17.84	17.84	33.652	24.280	363.4	0.000	5.56	242.5	102.6	1.4	0.29	0.0	0.00	0.00	0.22	0.07	0
2	17.84	17.84	33.652	24.280	363.4	0.007	5.56	242.5	102.6	1.4	0.29	0.0	0.00	0.00	0.22	0.07	2 21
10	17.85	17.85	33.648	24.276	364.1	0.036											10 20
10	17.85	17.85	33.649	24.277	364.0	0.036	5.57	242.9	102.7	1.4	0.30	0.0	0.00	0.00	0.22	0.09	10 19
20	17.83	17.83	33.647	24.280	364.1	0.073	5.57	243.0	102.7	1.4	0.30	0.0	0.00	0.00	0.22	0.06	20 18
30	15.90	15.89	33.504	24.624	331.7	0.108	5.98	260.7	106.0	2.2	0.36	0.0	0.01	0.00	0.59	0.22	30 17
40	13.12	13.11	33.371	25.111	285.4	0.139	5.37	233.9	89.9	5.6	0.72	5.0	0.64	0.66	0.78	0.35	40 16
50	12.73	12.72	33.384	25.198	277.4	0.167	5.02	218.6	83.3	6.8	0.87	7.8	0.39	0.00	0.72	0.36	50 15
60	12.21	12.20	33.410	25.318	266.2	0.194	4.58	199.5	75.3	9.1	1.04	10.9	0.13	0.00	0.46	0.27	60 14
70	12.03	12.02	33.430	25.369	261.6	0.220	4.40	191.6	72.0	10.2	1.11	11.8	0.06	0.00	0.27	0.23	71 13
75	11.95 D	11.94	33.439 D	25.391	259.6	0.235	4.41	0191.9 D	72.0	11.1	1.16	12.5	0.05	0.00	0.22	0.20	76
85	11.62	11.61	33.487	25.489	250.5	0.259	4.01	174.8	65.2	12.9	1.27	13.9	0.03	0.00	0.12	0.15	86 12
100	11.42	11.41	33.528	25.558	244.3	0.296	3.70	161.3	59.9	15.1	1.38	15.5	0.03	0.00	0.08	0.13	101 11
120	11.07	11.05	33.594	25.675	233.7	0.344	3.39	147.4	54.3	17.6	1.53	17.7	0.02	0.00	0.04	0.09	121 10
125	11.01 D	10.99	33.627 D	25.711	230.4	0.358	3.23	0140.6 D	51.8	18.7	1.59	18.5	0.02	0.00	0.03	0.09	126
140	10.55	10.53	33.696	25.846	217.8	0.389	2.82	122.6	44.7	22.2	1.77	22.7	0.02	0.00	0.02	0.08	141 09
150	10.60 D	10.59	33.741 D	25.872	215.6	0.414	2.70	0117.4 D	42.9	23.8	1.84	21.9	0.02	0.00	0.01	0.08	151
170	9.93	9.91	33.848	26.072	196.9	0.507	2.48	108.1	38.9	26.8	1.97	24.2	0.03	0.00	0.01	0.06	171 08
200	9.41	9.39	34.057	26.322	173.7	0.507	1.84	80.1	28.6	33.4	2.23	27.6	0.04	0.00	0.01	0.07	202 07
230	8.98	8.95	34.146 D	26.461	161.0	0.561	1.61	0 69.9 D	24.7								232 06
250	8.87 D	8.85	34.197 D	26.518	156.0	0.593	1.34	0 58.3 D	20.6	41.0	2.47	30.2	0.03	0.00	0.07		252
270	8.64	8.62	34.231	26.581	150.2	0.624	1.05	45.9	16.1	44.0	2.57	31.3	0.02	0.00	0.96		272 05
300	8.42 D	8.39	34.254 D	26.634	145.7	0.669	0.90	0 39.3 D	13.7	47.2	2.65	32.1	0.01	0.00	0.38		302
320	8.20	8.17	34.260	26.673	142.3	0.697	0.80	34.6	12.0	49.4	2.70	32.7	0.01	0.00			323 04
380 A	7.62	7.58	34.272	26.769	133.9	0.780	0.60	26.0	8.9	56.4	2.83	34.7	0.01	0.00			383 03
400 ISL	7.49 D	7.45	34.275 D	26.791	132.1	0.808	0.56 D	24.4 D	8.4	59.4	2.87	35.4	0.01	0.00			403
440	7.01	6.97	34.286	26.867	125.2	0.858	0.41	18.0	6.1	65.2	2.96	36.7	0.01	0.00			444 02
500 ISL	6.59 D	6.54	34.310 D	26.943	118.5	0.934	0.31 D	13.6 D	4.5	73.1	3.06	37.7	0.01	0.00			504
515	6.44	6.40	34.316	26.967	116.3	0.948	0.26	11.4	3.8	75.0	3.09	37.9	0.01	0.00			519 01

A) UNUSUAL PROFILES AND ODD N03/P04 RATIOS MAY BE DUE TO THE PROXIMITY OF THIS STATION TO THE HYPERION WASTE-WATER OUTFALL

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	µM	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	17.75	17.75	33.649	24.300	361.4	0.000	5.56	242.5	102.4	1.5	0.31	0.0	0.01	0.00	0.23	0.04	0	
2	17.75	17.75	33.649	24.301	361.5	0.007	5.56	242.5	102.4	1.5	0.31	0.0	0.01	0.00	0.23	0.04	2 24	
9	17.76	17.75	33.650	24.300	361.8	0.033	5.59	243.9	103.0	1.3	0.30	0.0	0.00	0.00	0.22	0.05	9 23	
10	ISL	17.76	17.76	33.653	D 24.301	361.7	0.037	5.54	0241.6	0102.0	1.3	0.30	0.0	0.00	0.00	0.22	0.05	10
20	17.74	17.74	33.649	24.303	361.9	0.072	5.59	243.6	102.8	1.3	0.30	0.0	0.01	0.00	0.22	0.05	20 22	
30	15.65	15.65	33.550	24.713	323.2	0.107	5.74	250.0	101.2	1.6	0.33	0.0	0.01	0.00	0.39	0.11	30 21	
40	12.84	12.84	33.323	25.127	283.8	0.137	5.45	237.4	90.7	4.9	0.72	5.7	0.22	0.00	0.66	0.32	40 20	
50	11.90	11.89	33.360	25.338	263.9	0.164	4.99	217.4	81.4	7.7	0.94	9.6	0.06	0.00	0.31	0.23	50 19	
60	11.63	11.62	33.376	25.401	258.2	0.190	4.90	213.4	79.5	8.6	1.00	10.5	0.05	0.00	0.24	0.20	60 18	
70	11.03	11.02	33.431	25.551	244.1	0.216	4.58	199.4	73.4	11.4	1.17	13.4	0.04	0.00	0.13	0.14	71 17	
75	ISL	10.84	D 10.84	33.463	D 25.610	238.6	0.230	4.48	0195.1	D 71.5	13.3	1.27	15.0	0.03	0.00	0.10	0.12	76
85	10.17	10.16	33.559	25.802	220.6	0.250	3.97	173.0	62.5	17.0	1.46	18.2	0.02	0.00	0.04	0.09	86 16	
100	9.97	9.96	33.650	25.907	210.9	0.283	3.52	153.4	55.3	20.4	1.63	20.7	0.02	0.00	0.02	0.07	101 15	
121	9.56	9.55	33.756	26.059	196.8	0.326	3.30	143.6	51.3	24.1	1.78	22.9	0.02	0.00	0.01	0.09	122 14	
125	ISL	9.55	D 9.53	33.774	D 26.075	195.4	0.336	3.12	0135.7	D 48.5	25.0	1.82	23.4	0.02	0.00	0.01	0.08	126
140	9.35	9.33	33.880	26.190	184.8	0.362	2.63	114.4	40.7	28.2	1.96	25.3	0.01	0.00	0.01	0.05	141 13	
150	ISL	9.39	D 9.37	33.972	D 26.256	178.8	0.383	2.37	0103.2	D 36.8	29.9	2.05	26.0	0.02	0.00	0.01	0.05	151
169	9.45	9.43	34.046	26.305	174.6	0.414	1.88	81.7	29.2	33.0	2.21	27.2	0.04	0.00	0.00	0.05	170 12	
200	9.13	9.11	34.128	26.421	164.2	0.467	1.61	70.0	24.8	36.5	2.32	28.7	0.02	0.00	0.00	0.04	202 11	
230	8.96	8.93	34.177	26.489	158.3	0.515	1.39	60.4	21.4	39.1	2.41	29.6	0.01	0.00			232 10	
250	ISL	8.69	D 8.66	34.222	D 26.566	151.3	0.550	1.14	D 49.6	D 17.4	41.7	2.49	30.5	0.01	0.00			252
270	8.63	8.60	34.241	26.590	149.4	0.576	1.00	43.6	15.3	44.3	2.57	31.3	0.01	0.00			272 09	
300	ISL	8.24	D 8.21	34.259	D 26.666	142.6	0.624	0.81	035.2	D 12.2	47.6	2.65	32.2	0.01	0.00			302
320	8.15	8.12	34.260	26.680	141.6	0.649	0.78	34.0	11.8	49.8	2.70	32.8	0.01	0.00			323 08	
380	7.42	7.38	34.274	26.799	130.9	0.730	0.55	24.0	8.2	59.2	2.85	35.3	0.01	0.00			383 07	
400	ISL	7.27	D 7.27	34.278	D 26.824	128.8	0.761	0.51	D 22.4	D 7.6	61.5	2.89	35.8	0.01	0.00			403
440	6.95	6.91	34.289	26.876	124.2	0.807	0.41	17.9	6.0	66.1	2.97	36.7	0.01	0.00			444 06	
481	6.58	6.53	34.307	26.942	118.2	0.857	0.32	14.1	4.7	71.8	3.05	37.7	0.01	0.00			485 05	
500	ISL	6.48	D 6.43	34.313	D 26.960	116.7	0.885	0.31	D 13.6	D 4.5	73.4	3.07	38.0	0.01	0.00			504
516	6.37	6.32	34.318	26.979	115.1	0.897	0.35	15.3	5.1	74.8	3.08	38.2	0.01	0.00			520 04	
600	ISL	5.91	D 5.86	34.348	D 27.062	107.9	0.998	0.21	D 9.3	D 3.1	84.6	3.17	39.2	0.01	0.00			605
620	5.78	5.73	34.356	27.084	105.9	1.013	0.19	8.1	2.7	86.9	3.19	39.4	0.01	0.00			625 03	
700	ISL	5.47	D 5.41	34.381	D 27.144	100.9	1.103	0.13	D 5.5	D 1.8	97.6	3.28	37.8	0.01	0.00			706
706	5.44	5.38	34.382	27.148	100.5	1.101	0.10	4.4	1.4	98.4	3.29	37.7	0.01	0.00			712 02	
720	5.44	5.37	34.383	27.150	100.6	1.115	0.08	3.7	1.2	99.1	3.30	37.3	0.03	0.00			726 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	µM	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	15.55	15.55	33.636	24.801	313.7	0.000	5.67	247.1	100.0	4.5	0.44	1.6	0.06	0.01	1.49	0.29	0	
2	A	15.55	15.55	33.636	24.801	313.8	0.006	5.67	247.1	100.0	4.5	0.44	1.6	0.06	0.01	1.49	0.29	2 23
6	A	15.51	15.51	33.636	24.810	313.1	0.019	5.67	247.2	99.9	4.5	0.43	1.5	0.06	0.00	1.48	0.28	6 22
7	A	15.51	15.51	33.635	24.808	313.3	0.022	5.68	247.5	100.0	4.6	0.44	1.6	0.06	0.00	1.60	0.36	7 21
10	ISL	15.46	D 15.46	33.644	D 24.827	311.6	0.032	5.63	0245.1	D 99.0	5.3	0.53	2.9	0.12	0.00	1.47	0.36	10
14	A	14.53	14.53	33.607	25.001	295.2	0.044	5.30	231.1	91.6	6.4	0.64	4.6	0.19	0.00	1.29	0.35	14 19
14	A	14.53	14.53	33.626	25.016	293.7	0.044											14 20
20	ISL	13.74	D 13.74	33.591	D 25.154	280.7	0.061	4.93	D 214.8	D 83.7	8.0	0.81	7.3	0.30	0.00	0.92	0.33	20
26	A	13.19	13.18	33.577	25.256	271.2	0.077	4.68	203.8	78.5	9.6	0.97	9.9	0.41	0.00	0.56	0.31	26 18
30	ISL	12.68	D 12.68	33.568	D 25.349	262.5	0.089	4.52	D 197.1	D 75.2	10.6	1.05	11.2	0.42	0.00	0.36	0.24	30
31	A	12.62	12.61	33.566	25.359	261.5	0.091	4.49	195.4	74.4	10.9	1.07	11.5	0.42	0.00	0.31	0.22	31 17
40		11.91	11.90	33.547	25.480	250.2	0.114	4.32	187.9	70.5	12.2	1.21	13.7	0.24	0.00	0.19	0.15	40 16
50		11.43	11.43	33.546	25.568	242.1	0.138	4.15	180.9	67.2	13.5	1.30	15.5	0.12	0.00	0.14	0.12	50 15
61		10.70	10.70	33.590	25.733	226.6	0.164	3.86	168.1	61.5	16.7	1.46	18.1	0.07	0.00	0.11	0.11	61 14
70		10.23	10.22	33.655	25.867	214.0	0.184	3.36	146.5	53.0	20.0	1.63	20.6	0.04	0.00	0.06	0.19	71 13
75	ISL	10.15	D 10.14	33.694	D 25.910	210.0	0.195	3.24	D 140.9	D 51.0	21.4	1.69	21.4	0.04	0.00	0.04	0.15	76
85		9.96	9.95	33.763	25.996	202.0	0.215	2.85	123.8	44.6	24.1	1.81	23.1	0.03	0.00	0.02	0.06	86 12
100		9.68	9.66	33.846	26.110	191.6	0.245	2.64	114.8	41.1	27.8	1.92	24.8	0.06	0.00	0.02	0.07	101 11
120</td																		

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C							ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	14.94	14.94	33.568	24.881	306.1	0.000	5.50	239.5	95.7	4.7	0.58	3.7	0.12	0.00	0.76	0.25	0			
2	14.94	14.94	33.568	24.882	306.1	0.006	5.50	239.5	95.7	4.7	0.58	3.7	0.12	0.00	0.76	0.25	2	10		
6	14.95	14.95	33.568	24.880	306.4	0.018	5.49	d239.3	95.6									6	09	
10	14.92	14.92	33.567	24.886	305.9	0.031	5.47	238.4	95.2	4.5	0.57	3.7	0.11	0.00	0.74	0.16	10	07		
10	14.92	14.92	33.568	24.887	305.8	0.031	5.49	239.4	95.6	4.6	0.59	3.9	0.12	0.01	0.77	0.17	10	08		
20	14.84	14.84	33.566	24.903	304.7	0.061	5.45	237.6	94.7	4.6	0.59	3.7	0.11	0.00	0.76	0.17	20	06		
30	14.65	14.65	33.572	24.949	300.6	0.091	5.46	237.9	94.5	4.9	0.59	4.0	0.12	0.00	0.83	0.20	30	05		
40	11.99	11.98	33.487	25.418	256.1	0.119	4.61	200.9	75.5	10.3	1.10	12.2	0.12	0.00	0.37	0.24	40	04		
50	11.44	11.43	33.505	25.534	245.3	0.144	4.39	191.0	70.9	12.1	1.23	14.2	0.08	0.00	0.27	0.21	50	03		
60	11.36	11.35	33.520	25.561	243.0	0.169	4.27	186.0	69.0	12.6	1.26	14.6	0.08	0.00	0.22	0.22	60	02		
71	10.50	10.49	33.629	25.799	220.6	0.194	3.67	159.8	58.2	17.9	1.50	18.6	0.04	0.00	0.09	0.11	72	01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C							ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	15.79	15.79	33.612	24.729	320.5	0.000	5.62	244.8	99.5	2.9	0.38	0.9	0.05	0.09	0.63	0.18	0			
2	15.79	15.79	33.612	24.729	320.6	0.006	5.62	244.8	99.5	2.9	0.38	0.9	0.05	0.09	0.63	0.18	2	21		
10	15.79	15.79	33.615	24.730	320.8	0.031	5.62	245.0	99.6	2.8	0.38	0.8	0.05	0.04	0.61	0.18	10	20		
20	15.79	15.78	33.618	24.734	320.8	0.064	5.60	244.2	99.2	2.9	0.38	0.8	0.05	0.07	0.61	0.19	20	18		
30	15.56	15.56	33.632	24.797	315.1	0.096	5.58	243.2	98.4	3.3	0.41	1.2	0.08	0.13	0.60	0.20	30	17		
40	13.68	13.68	33.545	25.131	283.5	0.126	5.04	219.5	85.5	6.8	0.79	7.0	0.32	0.08	0.34	0.23	40	16		
50	11.94	11.94	33.453	25.401	258.0	0.153	4.68	203.6	76.4	9.6	1.08	11.7	0.16	0.00	0.25	0.25	50	15		
60	10.96	10.95	33.487	25.609	238.4	0.178	4.30	187.4	68.9	13.0	1.29	15.3	0.03	0.00	0.16	0.17	60	14		
72	10.51	10.50	33.595	25.772	223.2	0.206	3.70	161.2	58.7	17.6	1.53	19.0	0.03	0.00	0.07	0.09	73	13		
75	ISL 10.40	D 10.39	33.621	D 25.810	219.6	0.214	3.73	d162.4	D 59.0	18.5	1.57	19.6	0.03	0.00	0.06	0.08	76			
85	9.90	9.89	33.704	25.960	205.5	0.233	3.24	140.9	50.7	21.7	1.72	21.8	0.02	0.00	0.03	0.06	86	12		
100	9.65	9.64	33.724	26.018	200.2	0.264	3.16	137.5	49.2	23.0	1.75	22.7	0.02	0.00	0.02	0.05	101	11		
120	9.19	9.18	33.845	26.188	184.5	0.302	2.80	121.7	43.1	28.0	1.92	25.4	0.01	0.00	0.01	0.03	121	10		
125	ISL 9.17	D 9.15	33.857	D 26.201	183.3	0.313	2.70	d121.1	D 42.9	28.0	1.93	25.1	0.01	0.00	0.01	0.03	126			
140	9.02	9.01	33.884	26.246	179.4	0.339	2.68	116.5	41.2							0.01	0.03	141	09	
150	ISL 8.91	D 8.90	33.921	D 26.292	175.2	0.359	2.63	d114.6	D 40.4							0.00	0.03	151		
170	8.67	8.65	33.973	26.372	168.0	0.391	2.38	103.7	36.4	33.5	2.09	27.7	0.01	0.00	0.00	0.04	171	08		
200	ISL 8.40	D 8.38	34.079	D 26.497	156.6	0.442	1.89	d82.3	D 28.7	38.8	2.25	29.4	0.01	0.00	0.00	0.03	202			
201	8.36	8.33	34.067	26.494	156.9	0.441	1.94	84.3	29.4	39.0	2.26	29.5	0.01	0.00	0.00	0.03	203	07		
231	8.36	8.34	34.163	26.569	150.4	0.488	1.38	59.9	20.9	43.3	2.45	30.7	0.02	0.00			233	06		
250	ISL 7.94	D 7.92	34.125	D 26.603	147.3	0.518	1.50	d65.1	D 22.5	45.4	2.47	31.5	0.02	0.00			252			
271	7.73	7.70	34.130	26.638	144.3	0.546	1.38	60.1	20.7	47.7	2.50	32.4	0.01	0.00			273	05		
300	ISL 7.52	D 7.49	34.163	D 26.694	139.4	0.591	1.10	d48.0	D 16.4	50.0	2.65	33.6	0.01	0.00			302			
320	7.64	7.61	34.224	26.726	136.8	0.614	0.84	36.5	12.5	51.7	2.75	34.5	0.01	0.00			323	04		
380	7.10	7.06	34.269	26.840	126.7	0.694	0.54	23.4	7.9	62.2	2.90	36.0	0.01	0.00			383	03		
400	ISL 6.96	D 6.93	34.272	D 26.861	125.0	0.723	0.51	d22.2	D 7.5	63.1	2.92	35.7	0.01	0.00			403			
441	6.72	6.68	34.281	26.902	121.6	0.769	0.47	20.3	6.8	64.8	2.97	35.1	0.01	0.00			445	02		
500	ISL 6.38	D 6.33	34.306	D 26.986	115.9	0.845	0.34	d14.9	D 5.0	72.6	3.05	38.0	0.01	0.00			504			
515	6.30	6.26	34.312	26.982	114.7	0.857	0.33	14.2	4.7	74.5	3.07	38.7	0.01	0.00			519	01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C							ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	15.18	15.18	33.600	24.855	308.5	0.000	5.53	240.8	96.6	4.1	0.49	2.5	0.12	0.08	0.66	0.19	0			
2	15.18	15.17	33.600	24.855	308.6	0.006	5.53	240.8	96.6	4.1	0.49	2.5	0.12	0.08	0.66	0.19	2	21		
10	15.18	15.17	33.605	24.860	308.5	0.030	5.53	241.0	96.7	4.0	0.49	2.5	0.12	0.05	0.63	0.17	10	19		
10	ISL 15.17	D 15.17	33.599	D 24.856	309.1	0.062	5.51	d240.1	D 96.4	4.1	0.50	2.5	0.12	0.06	0.65	0.17	20			
21	15.17	15.17	33.597	24.856	309.2	0.065	5.52	240.5	96.5	4.1	0.50	2.5	0.12	0.06	0.65	0.17	21	18		

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 37.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	027	
0	18.10	18.10	33.682	24.239	367.3	0.000	5.47	238.3	101.3	1.2	0.32	0.2	0.01	0.00	0.21	0.04	0	
2	18.10	18.10	33.682	24.239	367.3	0.007	5.47	238.3	101.3	1.2	0.32	0.2	0.01	0.00	0.21	0.04	2	
10	18.10	18.10	33.681	24.238	367.7	0.037	5.47	238.7	101.5	1.2	0.31	0.0	0.00	0.00	0.19	0.04	10	
20	18.00	17.99	33.689	24.272	364.9	0.073	5.50	239.9	101.8	1.3	0.31	0.1	0.00	0.00	0.22	0.08	20	
30	16.71	16.70	33.607	24.517	341.9	0.109	5.55	242.1	100.1	2.1	0.40	0.9	0.05	0.09	0.87	0.34	30	
40	14.91	14.91	33.456	24.804	314.8	0.141	5.58	243.1	97.0	3.1	0.54	2.5	0.14	0.15	0.85	0.35	40	
50	13.50	13.50	33.359	D 25.024	294.0	0.173	5.64	D 245.9	D 95.2	4.1	0.65	4.0	0.22	0.01	0.60	0.30	50	
51	13.54	13.53	33.366	25.022	294.2	0.175	5.53	240.9	93.4	4.2	0.66	4.2	0.23	0.00	0.57	0.29	51	
60	12.17	12.16	33.404	25.322	265.8	0.200	4.91	213.7	80.6	6.8	0.93	8.5	0.07	0.08	0.29	0.22	60	
70	11.47	11.46	33.401	25.450	253.8	0.226	4.75	207.0	76.9	9.2	1.09	11.8	0.05	0.00	0.14	0.13	71	
75	11.24	D 11.23	33.428	D 25.512	248.0	0.240	4.68	D 203.8	D 75.3	10.2	1.15	12.8	0.04	0.00	0.11	0.12	76	
85	10.95	10.94	33.473	25.599	239.9	0.263	4.31	187.7	69.0	12.3	1.28	14.7	0.03	0.00	0.06	0.09	86	
100	10.50	10.49	33.530	25.724	228.4	0.298	4.04	175.8	64.0	15.2	1.43	17.2	0.03	0.00	0.03	0.08	101	
119	9.92	9.90	33.616	25.890	212.9	0.340	3.67	159.8	57.5	18.9	1.61	20.0	0.02	0.00	0.01	0.07	120	
125	9.85	D 9.83	33.653	D 25.931	209.1	0.355	3.61	D 157.1	D 56.4	20.3	1.67	21.0	0.02	0.00	0.01	0.06	126	
140	9.46	9.44	33.752	26.073	195.9	0.383	3.13	136.4	48.6	24.1	1.81	23.5	0.02	0.00	0.00	0.04	141	
150	9.29	D 9.27	33.803	D 26.141	189.6	0.405	3.07	D 133.8	D 47.5	25.9	1.87	24.3	0.02	0.00	0.00	0.04	151	
171	8.95	8.93	33.922	26.287	176.1	0.441	2.65	115.5	40.7	29.8	2.01	26.0	0.02	0.00	0.00	0.04	172	
200	8.64	8.62	33.977	26.381	167.7	0.491	2.50	108.7	38.1	33.4	2.10	27.6	0.01	0.00	0.00	0.03	202	
231	8.39	8.37	34.053	26.479	159.0	0.541	2.09	90.8	31.7	38.3	2.27	29.5	0.01	0.00		233		
250	8.25	D 8.23	34.075	D 26.517	155.6	0.575	1.91	D 83.2	D 28.9	40.8	2.38	30.4	0.01	0.00		252		
270	8.35	8.32	34.157	26.569	151.2	0.601	1.43	62.2	21.7	43.5	2.50	31.4	0.01	0.00		272		
300	8.31	D 8.27	34.244	D 26.644	144.8	0.651	0.98	D 42.4	D 14.8	47.3	2.64	32.3	0.01	0.00		302		
320	8.17	8.14	34.262	26.679	141.8	0.675	0.80	34.9	12.1	49.8	2.74	32.9	0.01	0.00		323		
380	7.57	7.53	34.287	26.788	132.1	0.757	0.57	24.8	8.5	56.7	2.88	34.8	0.01	0.00		383		
400	7.44	D 7.40	34.287	D 26.807	130.6	0.789	0.54	D 23.6	D 8.1	59.1	2.91	35.4	0.01	0.00		403		
440	7.02	6.98	34.292	26.870	124.9	0.834	0.45	19.6	6.6	64.0	2.98	36.7	0.01	0.00		444		
500	6.51	D 6.47	34.311	D 26.954	117.3	0.914	0.34	D 14.6	D 4.9	71.6	3.10	38.7	0.01	0.00		504		
515	6.41	6.37	34.319	26.974	115.6	0.925	0.30	13.2	4.4	73.5	3.13	39.2	0.01	0.00		519		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	026	
0	17.85	17.85	33.610	24.245	366.7	0.000	5.44	237.0	100.2	1.5	0.29	0.0	0.01	0.00	0.16	0.03	0	
2	17.85	17.85	33.610	24.245	366.7	0.007	5.44	237.0	100.2	1.5	0.29	0.0	0.01	0.00	0.16	0.03	2	
10	17.85	17.85	33.609	24.245	367.0	0.037	5.44	237.4	100.4	1.6	0.29	0.0	0.00	0.00	0.15	0.02	10	
10	17.85	17.85	33.610	24.246	367.0	0.037											20	
20	16.94	16.94	33.602	24.457	347.2	0.072	5.53	240.9	100.1	1.5	0.29	0.0	0.01	0.00	0.22	0.05	20	
30	16.39	16.39	33.527	24.529	340.7	0.107	5.73	249.7	102.6	1.8	0.32	0.0	0.01	0.00	0.48	0.21	30	
40	14.50	14.49	33.344	24.806	314.5	0.140	5.77	251.6	99.4	2.8	0.44	1.3	0.15	0.03	0.56	0.33	40	
50	12.90	12.90	33.226	25.041	292.3	0.170	5.56	242.1	92.6	4.3	0.68	4.7	0.41	0.14	0.44	0.28	50	
60	12.00	11.99	33.231	25.219	275.6	0.198	5.23	227.7	85.4	6.4	0.88	8.3	0.19	0.00	0.29	0.28	60	
70	11.20	11.19	33.329	25.442	254.5	0.225	4.92	214.3	79.1	9.1	1.04	11.3	0.02	0.00	0.13	0.09	71	
75	11.05	D 11.04	33.379	D 25.509	248.3	0.239	4.89	D 212.8	D 78.3	10.6	1.13	12.8	0.02	0.00	0.10	0.08	76	
85	10.45	10.44	33.476	25.689	231.3	0.261	4.36	189.9	69.0	13.7	1.31	15.7	0.02	0.00	0.05	0.06	86	
100	9.99	D 9.98	33.573	D 25.844	216.9	0.297	4.04	D 175.8	D 63.3	16.9	1.44	18.0	0.02	0.00	0.03	0.04	101	
101	9.97	9.96	33.568	25.843	217.0	0.297	4.05	176.1	63.4	17.1	1.45	18.2	0.02	0.00	0.02	0.04	102	
120	9.54	9.53	33.701	26.019	200.6	0.337	3.47	151.2	54.0	22.1	1.69	21.8	0.02	0.00	0.01	0.05	121	
125	9.48	D 9.47	33.727	D 26.049	197.8	0.349	3.43	D 149.1	D 53.1	23.0	1.73	22.4	0.02	0.00	0.01	0.05	126	
140	9.24	9.22	33.794	26.141	189.4	0.376	3.09	134.5	47.7	25.6	1.83	24.0	0.02	0.00	0.00	0.03	141	
150	9.07	D 9.06	33.855	D 26.216	182.5	0.397	2.90	D 126.0	D 44.5	27.8	1.92	25.0	0.02	0.00	0.00	0.03	151	
170	9.08	9.06	33.995	26.325	172.6	0.430	2.32	100.9	35.7	32.0	2.09	26.9	0.01	0.00	0.00	0.03	171	
200	8.98	8.96	34.131	26.447	161.6	0.480	1.63	70.9	25.1	37.5	2.34	29.1	0.01	0.00	0.00	0.03	202	
230	8.54	8.51	34.148	26.531	154.1	0.528	1.52	65.9	23.1	40.9	2.41	30.2	0.01	0.00		232		
250	8.18	D 8.16	34.113	D 26.558	151.7	0.562	1.66	D 72.3	D 25.1	43.0	2.48	30.9	0.01	0.00		252		
270	8.32	8.29	34.197	26.604	147.9	0.587	1.19	51.8	18.0	45.0	2.54	31.5	0.01	0.00		272		
300	8.28	D 8.25	34.247	D 26.650	144.2	0.636	0.96	D 41.6	D 14.5	48.0	2.62	32.3	0.01	0.00		302		
320	8.00	7.97	34.239	26.686	140.9	0.660	0.88	38.5	13.3	49.9	2.68	32.9	0.01	0.00		323		
380	7.43	7.39	34.261	26.787	132.0	0.742	0.63	27.3	9.3	57.8	2.8							

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 53.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	S103	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	deg C	deg C		theta			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	16.96	16.96	33.600	24.450	347.1	0.000	5.64	246.0	102.2	1.5	0.33	0.0	0.02	0.00	0.44	0.10	0	
2	16.96	16.96	33.600	24.451	347.2	0.007	5.64	246.0	102.2	1.5	0.33	0.0	0.02	0.00	0.44	0.10	2	
10	16.97	16.96	33.612	24.459	346.7	0.035	5.59	243.7	101.3	1.6	0.32	0.0	0.02	0.00	0.45	0.10	10	
20	16.98	16.97	33.617	24.461	346.9	0.069	5.60	244.0	101.5	1.5	0.32	0.0	0.01	0.00	0.45	0.10	20	
30	16.51	16.51	33.607	24.562	337.6	0.104	5.59	243.8	100.5	1.7	0.34	0.2	0.03	0.00	0.52	0.14	30	
40	13.40	13.40	33.273	24.977	298.1	0.135	5.60	243.8	94.2	4.0	0.61	3.9	0.21	0.00	0.51	0.31	40	
50	12.53	12.52	33.225	25.114	285.4	0.165	5.48	238.6	90.5	5.0	0.72	5.8	0.19	0.00	0.39	0.33	50	
61	11.54	11.53	33.311	25.366	261.5	0.195	5.09	221.6	82.4	7.5	0.96	9.6	0.07	0.00	0.25	0.31	61	
71	10.86	10.85	33.446	25.594	240.1	0.220	4.50	196.0	71.9	12.0	1.26	14.7	0.02	0.00	0.13	0.11	72	
75	ISL	10.47	D 10.46	33.515	D 25.716	228.5	0.230	4.22	d183.9	D 66.9	13.1	1.31	15.6	0.02	0.00	0.11	0.10	76
85	10.32	10.31	33.534	25.758	224.8	0.252	4.09	178.1	64.6	15.9	1.44	17.9	0.02	0.00	0.06	0.07	86	
100	9.80	9.79	33.640	25.928	208.9	0.285	3.60	156.7	56.2	20.1	1.63	20.9	0.01	0.00	0.03	0.04	101	
119	9.29	9.28	33.745	26.094	193.4	0.323	3.31	144.1	51.1	23.9	1.76	23.2	0.02	0.00	0.01	0.04	120	
125	ISL	9.19	D 9.18	33.789	D 26.144	188.7	0.335	3.28	d142.9	D 50.6	25.1	1.80	23.8	0.02	0.00	0.01	0.04	126
140	8.92	8.90	33.860	26.243	179.6	0.362	3.01	130.9	46.1	28.3	1.90	25.3	0.01	0.00	0.00	0.03	141	
150	ISL	8.79	D 8.77	33.933	D 26.321	172.4	0.381	2.64	d114.7	D 40.3	30.4	1.97	26.3	0.01	0.00	0.00	0.03	151
170	8.55	8.54	33.979	26.394	165.8	0.414	2.36	102.8	36.0	34.5	2.12	28.4	0.01	0.00	0.00	0.03	171	
199	8.14	8.12	34.036	26.503	155.9	0.460	2.14	93.2	32.3	39.4	2.24	30.0	0.01	0.00	0.00	0.02	201	
200	ISL	8.13	D 8.11	34.043	D 26.509	155.3	0.463	2.16	d93.9	D 32.6	39.5	2.24	30.0	0.01	0.00	0.00	0.02	202
230	7.98	7.96	34.077	26.559	151.1	0.508	1.81	78.7	27.2	43.1	2.36	31.3	0.01	0.00		232	06	
250	ISL	7.89	D 7.86	34.097	D 26.589	148.7	0.540	1.65	d71.8	D 24.8	45.9	2.44	32.3	0.01	0.00		252	
270	7.57	7.54	34.104	26.641	143.9	0.567	1.49	64.6	22.1	48.7	2.52	33.2	0.01	0.00		272	05	
300	ISL	7.43	D 7.40	34.161	D 26.707	138.1	0.612	1.12	d48.5	D 16.6	53.8	2.67	34.6	0.01	0.00		302	
319	7.24	7.21	34.190	26.757	133.6	0.635	0.87	38.0	12.9	57.0	2.76	35.5	0.01	0.00		322	04	
380	7.02	6.98	34.266	26.848	125.9	0.715	0.53	23.0	7.8	63.4	2.92	36.6	0.01	0.00		383	03	
400	ISL	6.91	D 6.88	34.277	D 26.872	123.9	0.743	0.47	D 20.6	D 6.9	65.3	2.95	37.0	0.01	0.00		403	
439	6.65	6.61	34.288	26.916	120.1	0.787	0.41	17.7	5.9	68.8	3.01	37.8	0.01	0.00		443	02	
500	ISL	6.29	D 6.24	34.310	D 26.983	114.4	0.863	0.33	d14.2	D 4.7	74.3	3.07	38.8	0.01	0.00		504	
515		6.26	6.22	34.315	26.990	113.9	0.876	0.31	13.5	4.5	75.6	3.09	39.1	0.01	0.00		519	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	S103	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	deg C	deg C		theta			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	16.99	16.99	33.581	24.428	349.3	0.000	5.55	241.9	100.6	1.7	0.32	0.4	0.04	0.00	0.34	0.06	0	
3	A	16.99	16.99	33.581	24.428	349.3	0.011	5.55	241.9	100.6	1.7	0.32	0.4	0.04	0.00	0.34	0.06	3
10	ISL	16.99	D 16.99	33.578	D 24.427	349.7	0.035	5.58	d243.1	D 101.1	1.7	0.31	0.2	0.02	0.00	0.33	0.08	10
12	A	16.99	16.99	33.582	24.430	349.5	0.042	5.55	242.1	100.7	1.7	0.31	0.1	0.02	0.00	0.33	0.09	12
16	A	16.99	16.99	33.584	24.431	349.5	0.056	5.55	241.7	100.5	1.7	0.32	0.1	0.01	0.00	0.33	0.06	16
20	ISL	16.97	D 16.97	33.577	D 24.431	349.7	0.070	5.56	d242.5	D 100.8	1.7	0.32	0.1	0.01	0.00	0.34	0.06	20
24	16.98	16.97	33.593	24.443	348.7	0.084	5.55	242.0	100.6	1.7	0.31	0.1	0.01	0.00	0.34	0.06	24	
30	ISL	16.96	D 16.95	33.552	D 24.416	351.5	0.106	5.57	d242.8	D 100.9	1.8	0.34	0.4	0.04	0.00	0.44	0.17	30
31	A	15.86	15.86	33.532	24.652	329.0	0.108	5.61	244.3	99.4	1.8	0.34	0.5	0.04	0.00	0.46	0.19	31
44	12.37	12.36	33.316	25.215	275.6	0.148	5.16	224.7	85.0	6.2	0.87	7.9	0.37	0.00	0.40	0.23	44	
50	ISL	12.39	D 12.38	33.307	D 25.204	276.8	0.166	5.19	d226.1	D 85.6	6.9	0.91	8.8	0.26	0.00	0.34	0.20	50
55	A	11.96	11.95	33.317	25.294	268.3	0.178	5.06	220.2	82.6	7.5	0.95	9.5	0.16	0.00	0.29	0.18	55
62	11.74	11.74	33.316	25.332	264.8	0.197	5.01	218.2	81.5	8.2	1.00	10.5	0.09	0.00	0.26	0.18	62	
69	A	11.48	11.47	33.379	25.430	255.7	0.215	4.72	205.6	76.4	9.9	1.13	12.4	0.04	0.00	0.21	0.14	70
75	ISL	11.27	D 11.26	33.457	D 25.530	246.3	0.232	4.43	d192.8	D 71.3	11.6	1.23	14.0	0.03	0.00	0.16	0.11	76
85	10.84	10.83	33.517	25.653	234.8	0.254	4.08	177.8	65.2	14.4	1.39	16.7	0.02	0.00	0.07	0.07	86	
99	10.05	10.04	33.637	25.883	213.2	0.285	3.50	152.5	55.0	19.4	1.63	20.5	0.02	0.00	0.03	0.05	100	
100	ISL	10.03	D 10.01	33.644	D 25.893	212.2	0.289	3.53	d153.5	D 55.4	19.6	1.64	20.6	0.02	0.00	0.03	0.05	101
120		9.46	9.45	33.758	26.076	195.2	0.328	3.23	140.5	50.1	24.1	1.79	23.4	0.01	0.00	0.01	0.03	121
125	ISL	9.44	D 9.43	33.766	D 26.086	194.3	0.340	3.17	d138.1	D 49.2	25.1	1.83	24.0	0.01	0.00	0.01	0.03	126
139		9.14	9.12	33.883	26.226	181.2	0.364	2.75	119.8	42.4	27.9	1.94	25.5	0.01	0.00	0.00	0.03	140
150	ISL	8.92	D 8.91	33.928	D 26.296	174.8	0.387	2.72	d118.2	D 41.7	29.9	2.00	26.4	0.01	0.00	0.00	0.02	151
169		8.67	8.65	33.978	26.375	167.6	0.416	2.42	105.3	36.9	33.4	2.10	28.0	0.01	0.00	0.00	0.03	170
199		8.39	8.37	34.045	26.472	159.0	0.465	2.02	87.9	30.6	38.1	2.26	30.0	0.00	0.00	0.03	201	

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
32 5.0 N	120 38.6 W	14/11/2013	1114	UTC	3849 m	330 25 kn			1013.5 mb	15.9 C	14.9 C					023	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	16.53	16.53	33.600	24.551	337.5	0.000	5.57	242.9	100.1	1.7	0.34	0.3	0.04	0.00	0.37	0.11	0
3	16.53	16.53	33.600	24.552	337.6	0.010	5.57	242.9	100.1	1.7	0.34	0.3	0.04	0.00	0.37	0.11	3 20
10	16.53	16.53	33.604	24.554	337.6	0.034	5.57	242.9	100.1	1.7	0.33	0.3	0.03	0.00	0.35	0.12	10 19
20 ISL	16.53 D	16.52	33.600 D	24.552	338.1	0.068	5.55	d242.0	99.7	1.7	0.32	0.2	0.03	0.00	0.36	0.12	20
21	16.53	16.52	33.603	24.555	337.9	0.071	5.61	244.5	100.8	1.7	0.32	0.2	0.03	0.00	0.36	0.12	21 18
30	16.50	16.50	33.602	24.561	337.6	0.101	5.58	243.1	100.2	1.7	0.34	0.3	0.03	0.00	0.37	0.11	30 17
40	15.89	15.88	33.559	24.669	327.7	0.135	5.52	240.6	97.9	2.4	0.42	1.3	0.17	0.00	0.45	0.20	40 16
50	12.81	12.81	33.463	25.242	273.2	0.165	4.78	208.2	79.6	7.8	0.99	10.0	0.11	0.00	0.30	0.20	50 15
61	11.83	11.82	33.475	25.441	254.5	0.194	4.50	195.9	73.3	10.5	1.19	13.3	0.03	0.00	0.18	0.14	61 14
67	11.44	11.43	33.511	25.540	245.2	0.209	4.28	186.2	69.1	12.0	1.29	14.7	0.03	0.00	0.14	0.13	68 13
75 ISL	10.65 D	10.64	33.551	25.713	228.8	0.228	3.93	d171.0 D	62.5	14.5	1.42	16.9	0.03	0.00	0.11	0.11	76
85	10.37	10.36	33.601	25.800	220.7	0.250	3.63	158.0	57.4	17.8	1.58	19.6	0.03	0.00	0.07	0.08	86 12
100	9.85	9.84	33.693	25.961	205.8	0.282	3.23	140.5	50.5	21.8	1.75	22.5	0.02	0.00	0.01	0.04	101 11
119	9.08	9.07	33.840	26.201	183.2	0.319	2.93	127.6	45.1	27.5	1.91	25.2	0.01	0.00	0.00	0.04	120 10
125 ISL	8.97 D	8.96	33.861	26.235	180.1	0.330	2.89	d125.8 D	44.4	28.3	1.94	25.5	0.01	0.00	0.01	0.05	126
140	8.91	8.90	33.913	26.286	175.5	0.357	2.68	116.4	41.0	30.3	2.01	26.4	0.01	0.00	0.03	0.06	141 09
150 ISL	8.72 D	8.71	33.956 D	26.349	169.7	0.376	2.57	d111.8 D	39.2	32.5	2.08	27.3	0.01	0.00	0.02	0.05	151
170	8.45	8.43	34.040	26.458	159.7	0.407	2.14	92.9	32.5	36.9	2.22	29.2	0.00	0.00	0.00	0.03	171 08
199	8.09	8.07	34.077	26.541	152.3	0.452	1.77	77.0	26.7	42.0	2.37	31.2	0.00	0.00	0.00	0.02	201 07
200 ISL	8.13 D	8.10	34.079 D	26.538	152.6	0.456	1.74	d75.5 D	26.2	42.2	2.38	31.3	0.00	0.00	0.00	0.02	202
230	7.88	7.86	34.135	26.619	145.4	0.498	1.34	58.3	20.1	47.2	2.54	32.8	0.00	0.00			232 06
250 ISL	7.75 D	7.73	34.153 D	26.653	142.5	0.530	1.23 D	53.4 D	18.4	49.3	2.60	33.3	0.00	0.00			252
269	7.63	7.60	34.165	26.680	140.2	0.554	1.10	47.7	16.4	51.2	2.66	33.7	0.00	0.00			271 05
300 ISL	7.13 D	7.10	34.143 D	26.734	135.4	0.600	1.04	d45.2 D	15.3	55.8	2.73	35.1	0.00	0.00			302
321	7.00	6.97	34.162	26.767	132.5	0.624	0.91	39.5	13.4	58.9	2.78	36.1	0.00	0.00			324 04
380	6.55	6.52	34.218	26.873	123.1	0.700	0.60	26.1	8.7	65.9	2.94	37.5	0.00	0.00			383 03
400 ISL	6.42 D	6.38	34.226 D	26.896	121.1	0.729	0.55	d23.9 D	8.0	68.3	2.98	38.0	0.00	0.00			403
440	6.26	6.22	34.263	26.948	116.7	0.772	0.41	17.7	5.9	73.0	3.05	38.9	0.00	0.00			444 02
500 ISL	6.14 D	6.09	34.325 D	27.013	111.3	0.846	0.28 D	12.0 D	4.0	77.6	3.13	39.9	0.00	0.00			504
516	6.05	6.01	34.336	27.033	109.6	0.858	0.26	11.1	3.7	78.8	3.15	40.2	0.00	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
31 45.1 N	121 18.9 W	14/11/2013	0421	UTC	3684 m	340 20 kn			1015.6 mb	16.4 C	14.7 C					022	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	16.06	16.06	33.539	24.610	331.9	0.000	5.68	247.5	101.1	1.8	0.36	0.7	0.08	0.08	0.41	0.09	0
2	16.06	16.06	33.539	24.610	331.9	0.007	5.65	247.5	101.1	1.8	0.36	0.7	0.08	0.08	0.41	0.09	2 20
10	16.07	16.07	33.538	24.608	332.5	0.033	5.68	247.8	101.2	1.9	0.36	0.7	0.07	0.07	0.39	0.07	10 19
20	16.07	16.07	33.539	24.610	332.7	0.067	5.68	247.6	101.1	1.9	0.36	0.7	0.07	0.06	0.41	0.08	20 18
30	16.07	16.06	33.538	24.611	332.9	0.100	5.68	247.8	101.2	1.9	0.36	0.7	0.07	0.09	0.41	0.08	30 17
41	15.92	15.91	33.523	24.634	331.1	0.136	5.69	247.8	100.9	2.1	0.37	0.8	0.08	0.09	0.40	0.12	41 16
50	12.51	12.50	33.084	25.008	295.4	0.165	5.73	249.5	94.5	4.2	0.60	3.3	0.47	0.18	0.39	0.17	50 15
60	11.32	11.31	33.041	25.197	277.6	0.193	5.53	240.8	88.9	6.1	0.75	6.2	0.07	0.00	0.26	0.21	60 14
70	10.84	10.83	33.122	25.345	263.6	0.220	5.31	231.3	84.6	8.3	0.93	9.4	0.04	0.00	0.16	0.13	71 13
75 ISL	10.75 D	10.74	33.169 D	25.399	258.7	0.235	5.29	d230.4 D	84.1	9.6	1.00	10.7	0.03	0.00	0.13	0.11	76
86	10.18	10.17	33.283	25.584	241.2	0.261	4.98	216.9	78.3	12.2	1.16	13.4	0.02	0.00	0.07	0.07	87 12
100	9.81	9.80	33.532	25.841	217.1	0.293	4.13	179.9	64.5	18.5	1.53	19.4	0.01	0.00	0.02	0.03	101 11
119	9.24	9.22	33.749	26.105	192.3	0.332	3.28	142.7	50.6	25.6	1.84	24.2	0.01	0.00	0.01	0.04	120 10
125 ISL	9.18 D	9.16	33.756 D	26.121	190.9	0.344	3.35	d145.6 D	51.6	26.0	1.84	24.3	0.01	0.00	0.01	0.03	126
140	8.90	8.88	33.810	26.207	183.0	0.371	3.28	142.8	50.3	27.1	1.83	24.5	0.00	0.00	0.01	0.03	141 09
150 ISL	8.76 D	8.74	33.851 D	26.262	177.9	0.391	3.36	d146.4 D	51.4	28.2	1.84	24.8	0.00	0.00	0.00	0.03	151
170	8.51	8.49	33.915	26.351	169.9	0.424	3.19	138.6	48.4	30.3	1.86	25.4	0.00	0.00	0.00	0.03	171 08
200 ISL	8.10 D	8.07	33.990 D	26.472	158.8	0.475	2.53	d110.2 D	38.2	36.6	2.12	28.8	0.01	0.00	0.01	0.04	202
201	8.09	8.07	33.988	26.472	158.8	0.475	2.47	107.3	37.1	36.8	2.13	28.9	0.01	0.00	0.01	0.04	203 07
230	8.00	7.98	34.048	26.533	153.6	0.521	1.90	82.4	28.5	42.1	2.33	31.2	0.00	0.00			232 06
250 ISL	7.95 D	7.92	34.107 D	26.588	148.8	0.553	1.61	d70.0 D	24.2	45.4	2.44	32.3	0.00	0.00			252
270	7.69	7.67	34.122	26.638	144.3	0.580	1.35	58.6	20.1	48.8	2.54	33.3	0.00	0.00			272 05

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	deg c	deg c		theta			ml/L	μmol/Kg	pct	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	25.0 N	121 59.4 W	13/11/2013	2111	UTC	3923 m	340	24 kn	330 06 05	1	1018.6 mb	18.3 C	17.0 C	4/8	ST	021		
0	16.63	16.63	33.185	24.209	370.2	0.007	5.63	245.6	101.1	2.1	0.31	0.1	0.01	0.02	0.18	0.03	0	
2	16.63	16.63	33.185	24.209	370.2	0.007	5.63	245.6	101.1	2.1	0.31	0.1	0.01	0.02	0.18	0.03	2 24	
10	16.61	16.61	33.182	24.211	370.3	0.037	5.62	245.2	101.0	2.1	0.31	0.0	0.00	0.13	0.18	0.04	10 23	
20 ISL	16.58 D	16.58	33.187	D 24.223	369.5	0.074	5.65	D 246.4	D 101.4	2.1	0.32	0.0	0.00	0.01	0.19	0.04	20	
21	16.58	16.58	33.180	24.218	370.0	0.078	5.65	246.3	101.3	2.1	0.32	0.0	0.00	0.19	0.04	21 22		
30 ISL	16.62 D	16.62	33.311	D 24.309	361.7	0.111	5.60	D 244.3	D 100.7	1.9	0.31	0.1	0.01	0.05	0.24	0.05	30	
31	16.43	16.42	33.311	24.355	357.3	0.114	5.60	244.1	100.2	1.9	0.31	0.1	0.01	0.06	0.25	0.05	31 21	
41	15.50	15.50	33.115	24.412	352.1	0.150	5.86	255.5	102.9	2.3	0.33	0.0	0.01	0.00	0.27	0.09	41 20	
50	14.68	14.67	33.116	24.593	353.2	0.181	5.94	258.7	102.5	2.4	0.36	0.2	0.02	0.03	0.28	0.16	50 19	
61	13.64	13.63	33.080	24.783	317.3	0.217	6.06	263.9	102.3	2.7	0.36	0.1	0.02	0.01	0.27	0.16	61 18	
71	12.97	12.96	33.098	24.930	303.5	0.248	5.99	261.2	99.9	2.9	0.39	0.1	0.05	0.00	0.28	0.20	72 17	
75 ISL	12.67 D	12.66	33.130	D 25.014	295.6	0.261	5.89	D 256.7	D 97.6	3.3	0.44	1.0	0.08	0.00	0.26	0.20	76	
85	12.07	12.05	33.141	25.138	284.0	0.289	5.66	246.4	92.5	4.1	0.57	3.1	0.17	0.00	0.20	0.18	86 16	
100 ISL	11.37 D	11.36	33.142	D 25.267	272.0	0.332	5.51	D 239.8	D 88.7	6.2	0.73	6.2	0.04	0.00	0.13	0.14	101	
101	11.16	11.14	33.146	25.309	267.9	0.333	5.44	236.8	87.2	6.4	0.74	6.4	0.03	0.00	0.12	0.14	102 15	
121	10.70	10.68	33.265	25.484	251.7	0.385	5.17	225.1	82.1	9.2	0.96	10.2	0.02	0.00	0.07	0.08	122 14	
125 ISL	10.57 D	10.55	33.321	D 25.550	245.5	0.397	5.06	D 220.1	D 80.1	10.7	1.06	11.8	0.02	0.00	0.06	0.07	126	
141	9.89	9.87	33.518	25.820	220.1	0.432	4.30	187.0	67.2	16.8	1.48	18.4	0.01	0.00	0.01	0.04	142 13	
150 ISL	9.45 D	9.43	33.631	D 25.980	204.9	0.454	3.88	D 168.0	D 59.8	19.1	1.55	19.8	0.01	0.00	0.01	0.03	151	
171	8.97	8.95	33.763	26.161	188.1	0.493	3.57	155.2	54.7	24.5	1.71	22.9	0.01	0.00	0.00	0.02	172 12	
200 ISL	8.66 D	8.64	33.898	D 26.315	173.9	0.548	3.41	D 148.5	D 52.0	28.1	1.79	24.3	0.01	0.00	0.00	0.02	202	
201	8.64	8.62	33.900	26.320	173.5	0.548	3.37	146.7	51.4	28.2	1.79	24.3	0.01	0.00	0.00	0.02	203 11	
232	8.12	8.10	33.973	26.456	161.0	0.599	2.99	130.1	45.1	34.3	1.96	26.8	0.01	0.00		234	10	
250 ISL	7.85 D	7.82	34.002	D 26.520	155.1	0.631	2.68	D 116.5	D 40.1	38.1	2.10	28.6	0.01	0.00		252		
269	7.69	7.66	34.021	26.558	151.8	0.657	2.30	100.2	34.4	42.1	2.24	30.5	0.01	0.00		271	09	
300 ISL	7.22 D	7.19	34.036	D 26.637	144.5	0.707	1.91	D 83.0	D 28.2	48.2	2.41	32.7	0.01	0.00		302		
321	7.00	6.97	34.048	26.678	140.9	0.733	1.63	71.0	24.0	52.3	2.53	34.2	0.01	0.00		324	08	
382	6.44	6.43	34.090	26.784	131.4	0.816	1.12	48.5	16.2	62.0	2.77	37.2	0.01	0.00		385	07	
400 ISL	6.37 D	6.34	34.121	D 26.820	128.2	0.844	0.92	D 39.8	D 13.3	64.9	2.84	37.8	0.01	0.00		403		
441	6.13	6.09	34.185	26.902	120.8	0.891	0.59	25.6	8.5	71.5	2.99	39.1	0.01	0.00		445	06	
500 ISL	5.68 D	5.64	34.216	D 26.984	113.5	0.965	0.44	D 19.1	D 6.3	80.5	3.09	40.5	0.00	0.00		504		
515	5.50	5.46	34.214	27.004	111.6	0.977	0.40	17.3	5.7	82.8	3.12	40.9	0.00	0.00		519	05	
600 ISL	5.33 D	5.28	34.330	D 27.118	101.8	1.074	0.25	D 10.8	D 3.5								605	
700 ISL	4.92 D	4.87	34.375	D 27.202	94.5	1.173	0.24	D 10.4	D 3.3								706	
800 ISL	4.53 D	4.47	34.419	D 27.281	87.5	1.265	0.31	D 13.4	D 4.3								807	
900 ISL	4.14 D	4.07	34.454	D 27.351	81.2	1.350	0.44	D 19.1	D 6.1								908	
1000 ISL	3.86 D	3.78	34.479	D 27.402	76.8	1.430	0.56	D 24.5	D 7.7								1009	
1100 ISL	3.60 D	3.52	34.501	D 27.446	72.9	1.506	0.70	D 30.6	D 9.5								1111	
1200 ISL	3.35 D	3.26	34.521	D 27.487	69.2	1.578	0.81	D 35.4	D 11.0								1212	
1300 ISL	3.17 D	3.08	34.538	D 27.518	66.6	1.647	0.91	D 39.7	D 12.3								1313	
1400 ISL	2.95 D	2.85	34.555	D 27.552	63.4	1.713	1.04	D 45.0	D 13.8								1415	
1500 ISL	2.78 D	2.67	34.566	D 27.577	61.2	1.776	1.15	D 50.1	D 15.3								1516	
1600 ISL	2.59 D	2.48	34.579	D 27.604	58.5	1.836	1.30	D 56.5	D 17.2								1617	
1800 ISL	2.27 D	2.15	34.604	D 27.653	53.9	1.951	1.60	D 69.6	D 21.0								1820	
1999	2.07	1.93	34.625	27.687	50.8	2.182	1.83	79.4	23.8	162.1	2.94	41.1	0.00	0.00		2023	04	
2000 ISL	2.07 D	1.93	34.624	D 27.686	50.9	2.057	1.88	D 81.7	D 24.5								2024	
2200 ISL	1.92 D	1.77	34.638	D 27.711	48.9	2.158	2.14	D 93.1	D 27.8								2227	
2400 ISL	1.82 D	1.65	34.648	D 27.729	47.5	2.257	2.32	D 101.0	D 30.1								2431	
2600 ISL	1.74 D	1.55	34.655	D 27.743	46.7	2.353	2.47	D 107.3	D 31.9								2635	
2800 ISL	1.68 D	1.48	34.660	D 27.754	46.2	2.447	2.58	D 111.9	D 33.2								2839	
3000 ISL	1.64 D	1.42	34.664	D 27.762	46.0	2.542	2.70	D 117.5	D 34.8								3043	
3200 ISL	1.59 D	1.35	34.668	D 27.771	45.7	2.635	2.81	D 122.0	D 36.1								3247	
3400 ISL	1.56 D	1.30	34.671	D 27.778	45.6	2.729	2.89	D 125.6	D 37.1								3452	
3504	1.56	1.29	34.676	27.783	45.5	3.040	2.89	125.4	37.0	169.6	2.67	38.1	0.00	0.00		3558	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	deg c	deg c		theta			ml/L	μmol/Kg	pct	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	24.9 N	121 59.4 W	13/11/2013	1806	UTC	3896 m	340	26 kn	340 06 05	0	1020.0 mb	17.4 C	16.8 C	21 m	0/8	521		
0	16.60	16.60	33.151	24.190	371.9	0.000	5.63	245.3	101.0	2.1	0.32	0.1	0.00	0.00	0.17	0.03	0	
2 A	16.60	16.60	33.151	24.191	371.9	0.007	5											

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 100.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND ml/L	SPEED μmol/Kg	WEA	BAROMETER 1020.3 mb	DRY 17.2 C	WET 16.7 C	SECCHI	CLD	AMT	TYPE	ORD
																	020
0	18.09	18.09	33.431	24.050	385.2	0.000	5.43	236.9	100.5	1.6	0.32	0.6	0.01	0.00	0.16	0.03	0
2	18.09	18.09	33.431	24.051	385.3	0.008	5.43	236.9	100.5	1.6	0.32	0.6	0.01	0.00	0.16	0.03	2 20
10	18.10	18.10	33.441	24.056	385.1	0.039	5.44	237.1	100.6	1.6	0.30	0.0	0.00	0.00	0.15	0.03	10 19
20 ISL	18.10 D	18.10	33.426 D	24.045	386.5	0.078	5.42	236.6	100.4	1.6	0.30	0.1	0.01	0.00	0.15	0.04	20
21	18.10	18.10	33.439	24.055	385.6	0.081	5.43	236.9	100.5	1.6	0.30	0.1	0.01	0.00	0.15	0.04	21 18
30	18.10	18.09	33.438	24.056	385.9	0.116	5.44	237.1	100.6	1.6	0.31	0.6	0.00	0.00	0.16	0.03	30 17
40	18.11	18.10	33.463	24.073	384.7	0.154	5.46	237.9	101.0	1.5	0.31	0.2	0.01	0.00	0.18	0.04	40 16
50	15.41	15.41	33.362	24.623	332.4	0.190	5.86	255.6	102.9	1.8	0.39	0.6	0.05	0.12	0.29	0.08	50 15
60	13.58	13.58	33.200	24.886	307.5	0.222	5.84	254.5	98.7	2.6	0.48	1.2	0.19	0.41	0.27	0.07	60 14
71	12.33	12.32	33.089	25.047	292.3	0.255	5.74	249.9	94.3	3.9	0.58	2.9	0.31	0.00	0.18	0.07	72 13
75 ISL	12.14 D	12.13	33.091 D	25.085	288.8	0.269	5.78	D251.7 D	94.6	4.4	0.64	4.1	0.24	0.00	0.17	0.08	76
85	11.68	11.67	33.180	25.240	274.2	0.295	5.44	236.9	88.2	5.9	0.79	7.1	0.06	0.00	0.16	0.10	86 12
100 ISL	10.98 D	10.96	33.230 D	25.406	258.6	0.338	5.24	D228.1 D	83.7	8.0	0.90	9.2	0.03	0.00	0.11	0.07	101
101	10.87	10.86	33.225	25.421	257.2	0.337	5.23	227.6	83.3	8.2	0.91	9.3	0.03	0.00	0.10	0.06	102 11
121	9.96	9.94	33.369	25.691	231.8	0.386	4.79	208.4	74.9	14.2	1.27	15.3	0.02	0.00	0.02	0.04	122 10
125 ISL	9.92 D	9.91	33.441 D	25.753	226.1	0.399	4.53	D197.4 D	70.9	15.3	1.33	16.3	0.02	0.00	0.02	0.04	126
141	9.48	9.46	33.596	25.948	207.8	0.430	4.00	174.2	62.0	19.9	1.57	20.2	0.01	0.00	0.01	0.03	142 09
150 ISL	9.30 D	9.28	33.642 D	26.013	201.8	0.453	3.88	D168.8 D	59.9	22.0	1.66	21.6	0.01	0.00	0.01	0.03	151
171	8.94	8.92	33.813	26.205	183.9	0.489	3.18	138.3	48.7	27.1	1.87	24.9	0.01	0.00	0.00	0.03	172 08
199	8.49	8.47	33.956	26.387	167.0	0.538	2.65	115.2	40.2	33.4	2.06	27.8	0.01	0.00	0.00	0.02	201 07
200 ISL	8.50 D	8.47	33.951 D	26.382	167.5	0.545	2.61	D113.6 D	39.7	33.5	2.06	27.9	0.01	0.00	0.00	0.02	202
230	8.13	8.11	34.006	26.481	158.6	0.589	2.39	103.9	36.0	37.7	2.16	29.4	0.01	0.00			232 06
250 ISL	7.82 D	7.79	34.028 D	26.545	152.7	0.626	2.00	87.0	29.9	41.7	2.31	30.9	0.01	0.00			252
269	7.78	7.75	34.088	26.598	148.0	0.648	1.63	71.0	24.4	45.5	2.45	32.4	0.01	0.00			271 05
300 ISL	7.40 D	7.37	34.082 D	26.649	143.6	0.700	1.39	60.4	20.6	50.4	2.57	33.9	0.01	0.00			302
321	7.23	7.20	34.118	26.700	139.0	0.722	1.22	53.2	18.1	53.7	2.65	34.9	0.01	0.00			324 04
378	6.71	6.68	34.164	26.809	129.2	0.799	0.78	33.9	11.4	63.0	2.86	37.4	0.01	0.00			381 03
400 ISL	6.62 D	6.58	34.200 D	26.850	125.6	0.836	0.64	D27.9 D	9.4	65.5	2.92	37.8	0.01	0.00			403
440	6.48	6.44	34.255	26.913	120.2	0.876	0.43	18.8	6.3	69.9	3.02	38.5	0.01	0.00			444 02
500 ISL	6.12 D	6.08	34.278 D	26.978	114.6	0.957	0.36	D15.6 D	5.2	76.2	3.08	40.0	0.01	0.00			504
516	6.03	5.98	34.286	26.996	113.0	0.965	0.30	12.8	4.2	77.9	3.10	40.4	0.01	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND ml/L	SPEED μmol/Kg	WEA	BAROMETER 1022.8 mb	DRY 18.3 C	WET 16.9 C	SECCHI	CLD	AMT	TYPE	ORD
																	019
0	17.70	17.70	33.307	24.050	385.3	0.000	5.49	239.6	100.8	2.0	0.30	0.0	0.01	0.00	0.12	0.02	0
2	17.70	17.70	33.307	24.050	385.4	0.008	5.49	239.6	100.8	2.0	0.30	0.0	0.01	0.00	0.12	0.02	2 20
10	17.69	17.69	33.309	24.055	385.2	0.039	5.49	239.6	100.8	1.9	0.31	0.0	0.01	0.00	0.12	0.01	10 19
20 ISL	17.56 D	17.56	33.309 D	24.086	382.7	0.077	5.51	D240.4	100.9	1.9	0.30	0.0	0.01	0.00	0.14	0.03	20
25	17.52	17.51	33.323	24.108	380.7	0.096	5.52	240.6	100.9	1.8	0.30	0.0	0.01	0.00	0.16	0.03	25 18
30 ISL	17.46 D	17.45	33.343 D	24.138	378.0	0.116	5.53	D241.3	101.1	1.8	0.30	0.0	0.01	0.00	0.17	0.03	30
40	17.30	17.30	33.326	24.162	376.1	0.153	5.53	241.1	100.7	1.8	0.30	0.0	0.01	0.00	0.21	0.03	40 17
50	16.84	16.83	33.313	24.262	366.9	0.190	5.56	242.5	100.4	1.9	0.31	0.0	0.01	0.00	0.25	0.04	50 16
62	14.66	14.65	33.206	24.667	328.5	0.232	5.95	259.1	102.6	2.5	0.37	0.3	0.04	0.14	0.21	0.06	62 15
75	12.90	12.89	33.187	25.012	295.8	0.272	5.78	251.8	96.2	3.2	0.48	1.3	0.23	0.22	0.19	0.07	76 14
87	12.07	12.06	33.177	25.166	281.4	0.307	5.58	242.9	91.2	4.6	0.65	4.6	0.20	0.00	0.16	0.09	88 13
100	11.19	11.18	33.208	25.352	263.9	0.342	5.31	231.4	85.3	7.1	0.87	8.5	0.03	0.00	0.10	0.09	101 12
112	10.93	10.91	33.256	25.436	256.1	0.374	5.14	224.0	82.1	8.8	0.97	10.3	0.02	0.00	0.07	0.08	113 11
125	10.41	10.40	33.371	25.616	239.2	0.406	4.81	209.3	75.9	11.8	1.12	13.0	0.02	0.00	0.04	0.05	126 10
141	10.00	9.98	33.504	25.790	222.9	0.443	4.37	190.0	68.4	15.6	1.34	16.6	0.02	0.00	0.02	0.03	142 09
150 ISL	9.86 D	9.84	33.585 D	25.877	214.8	0.465	3.99	D173.9 D	62.4	18.4	1.47	18.7	0.02	0.00	0.01	0.03	151
170	9.28	9.26	33.752	26.103	193.6	0.503	3.28	142.9	50.7	24.5	1.77	23.4	0.01	0.00	0.03	0.03	171 08
200	8.74	8.72	33.912	26.314	174.1	0.559	2.78	121.1	42.5	30.8	1.97	26.6	0.01	0.00	0.00	0.03	202 07
230	8.41	8.39	33.975	26.415	165.0	0.609	2.56	111.3	38.8	34.6	2.08	28.0	0.01	0.00			232 06
250 ISL	8.17 D	8.14	33.995 D	26.468	160.3	0.646	2.56	D111.5 D	38.7	37.8	2.15	29.1	0.01	0.00			252
270	7.82	7.79	34.016	26.535	154.0	0.673	2.32	101.1	34.8	41.0	2.21	30.1	0.01	0.00			272 05
300 ISL	7.43 D	7.40	34.050 D	26.619	146.4	0.723	1.88	D81.6 D	27.8	46.6	2.38	32.3	0.01	0.00			302
320	7.23	7.19	34.058	26.654	143.3	0.748	1.65	71.7									

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 120.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
30	25.1 N	124 0.1 W	12/11/2013	2252	UTC	4246 m	010 08 kn	350 03 07	1	1021.8 mb	19.3 C	17.1 C	31 m	3/8	CS	018	
0	18.72	18.72	33.439	23.901	399.5	0.000	5.39	235.1	100.9	2.0	0.28	0.1	0.00	0.00	0.11	0.01	0
2	18.72	18.72	33.439	23.901	399.6	0.008	5.39	235.1	100.9	2.0	0.28	0.1	0.00	0.00	0.11	0.01	2 20
10	18.52	18.52	33.427	23.942	396.0	0.040	5.39	235.2	100.6	2.0	0.27	0.0	0.00	0.00	0.11	0.02	10 19
20 ISL	18.49 D	18.49	33.426	23.948	395.8	0.080	5.40	0235.4	0100.6	2.0	0.28	0.0	0.00	0.00	0.12	0.02	20
25	18.47	18.47	33.426	23.953	395.5	0.099	5.40	235.5	100.6	2.0	0.28	0.0	0.00	0.00	0.13	0.02	25 18
30 ISL	18.47 D	18.46	33.425	23.956	395.5	0.120	5.39	0235.1	0100.5	1.9	0.28	0.0	0.00	0.00	0.16	0.03	30
40	17.83	17.82	33.360	24.063	385.6	0.158	5.53	241.1	101.7	1.7	0.29	0.0	0.00	0.00	0.21	0.06	40 17
50	16.17	16.17	33.281	24.391	354.6	0.195	5.80	252.8	103.2	1.8	0.33	0.0	0.01	0.00	0.32	0.12	50 16
62	15.13	15.12	33.402	24.716	323.9	0.236	5.89	256.7	102.8	2.6	0.29	0.0	0.01	0.00	0.26	0.09	62 15
75	13.82	13.81	33.232	24.864	310.0	0.277	5.84	255.1	99.4	2.8	0.39	0.5	0.14	0.12	0.26	0.10	76 14
87	13.14	13.13	33.340	25.085	289.3	0.313	5.66	246.6	94.8	3.6	0.44	1.5	0.26	0.00	0.20	0.12	88 13
100	11.55	11.53	33.222	25.297	269.1	0.349	5.35	232.9	86.5	6.4	0.82	7.5	0.01	0.00	0.10	0.08	101 12
113	11.26	11.24	33.327	25.433	256.5	0.384	5.21	227.0	83.9	7.5	0.82	8.0	0.01	0.00	0.08	0.07	114 11
124	10.57	10.55	33.354	25.576	243.0	0.411	4.92	214.2	78.0	11.2	1.08	12.2	0.00	0.00	0.04	0.05	125 10
125 ISL	10.31 D	10.29	33.375	25.636	237.2	0.416	4.85	0211.3	076.5	11.6	1.10	12.5	0.00	0.00	0.04	0.05	126
140	9.68	9.67	33.470	25.815	220.4	0.448	4.39	191.0	68.2	16.7	1.39	17.3	0.00	0.00	0.01	0.03	141 09
150 ISL	9.47 D	9.46	33.593	25.946	208.1	0.472	4.18	0181.9	64.8	18.9	1.49	18.9	0.00	0.00	0.01	0.03	151
170	9.23	9.21	33.736	26.099	194.0	0.510	3.54	153.9	54.5	23.3	1.68	22.0	0.00	0.00	0.00	0.02	171 08
200	8.80	8.78	33.880	26.280	177.4	0.566	3.04	132.3	46.5	28.8	1.90	25.1	0.00	0.00	0.00	0.02	202 07
230	8.39	8.36	33.956	26.404	166.1	0.617	2.87	125.1	43.6	33.0	1.98	26.6	0.00	0.00			232 06
250 ISL	7.93 D	7.90	33.999	26.506	156.5	0.653	2.55	0110.9	038.3	38.2	2.13	28.6	0.00	0.00			252
270	7.58	7.55	34.018	26.572	150.4	0.680	2.22	96.5	33.0	43.4	2.27	30.6	0.00	0.00			272 05
300 ISL	7.28 D	7.26	34.032	26.625	145.8	0.729	1.96	085.4	029.0	48.7	2.41	32.5	0.00	0.00			302
320	7.02	6.99	34.054	26.679	140.8	0.753	1.64	71.2	24.0	52.3	2.51	33.8	0.00	0.00			323 04
380	6.37	6.33	34.112	26.813	128.5	0.834	0.99	43.1	14.4	64.4	2.80	37.2	0.00	0.00			383 03
400 ISL	6.28 D	6.24	34.124	26.834	126.7	0.865	0.93	040.5	020.5	67.6	2.86	37.8	0.00	0.00			403
442	5.88	5.84	34.163	26.916	119.3	0.911	0.65	28.2	9.3	74.2	2.98	39.1	0.00	0.00			446 02
500 ISL	5.57 D	5.53	34.223	27.002	111.6	0.984	0.45	19.4	6.3	81.8	3.10	40.3	0.00	0.00			504
514	5.53	5.48	34.245	27.025	109.6	0.993	0.35	15.1	4.9	83.6	3.13	40.6	0.00	0.00			518 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 91.7 26.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
33	14.7 N	117 27.9 W	09/11/2013	2331	UTC	21 m	260 01 kn	290 01 06	0	1014.9 mb	17.8 C	15.3 C	3/8	CS	003		
0	16.81	16.81	33.539	24.438	348.3	0.000	6.03	263.3	108.9	3.0	0.34	0.0	0.02	0.00	1.51	0.46	0
2	16.81	16.81	33.539	24.438	348.4	0.007	6.03	263.3	108.9	3.0	0.34	0.0	0.02	0.00	1.51	0.46	2 04
5	16.55	16.55	33.529	24.491	343.5	0.017	6.10	266.2	109.6	2.9	0.33	0.0	0.02	0.00	1.51	0.55	5 05
10	16.08	16.08	33.507	24.583	334.8	0.034	5.88	256.7	104.7	3.5	0.38	0.2	0.08	0.00	2.10	0.91	10 02
15	15.50	15.50	33.490	24.700	323.8	0.051	5.69	248.2	100.0	4.0	0.45	0.7	0.17	0.00	1.87	0.85	15 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
32	57.4 N	117 18.3 W	09/11/2013	1918	UTC	64 m	300 06 kn	280 01 07	0	1015.2 mb	17.8 C	15.0 C	23 m	0/8	001		
0	17.84	17.84	33.612	24.249	366.3	0.000	5.64	245.7	103.9	1.7	0.34	0.1	0.01	0.05	0.19	0.05	0
1 A	17.84	17.84	33.612	24.249	366.3	0.004	5.64	245.7	103.9	1.7	0.34	0.1	0.01	0.05	0.19	0.05	1 09
8	17.51	17.51	33.607	24.326	359.3	0.029	5.68	247.8	104.1	1.7	0.33	0.0	0.01	0.01	0.23	0.06	8 08
10 ISL	17.39 D	17.39	33.598	24.348	357.2	0.037	5.82	0253.7	0106.3	1.9	0.34	0.0	0.01	0.01	0.27	0.09	10
14 A	16.62	16.62	33.516	24.466	346.2	0.050	5.94	259.0	106.9	2.3	0.37	0.1	0.02	0.00	0.36	0.15	14 07
19 A	15.29	15.29	33.440	24.707	323.3	0.067	5.99	260.9	104.9	3.9	0.46	0.4	0.07	0.03	0.89	0.34	19 06
20 ISL	15.20 D	15.20	33.438	24.725	321.6	0.071	5.94	258.8	103.8	3.9	0.48	0.7	0.10	0.04	0.89	0.34	20
28	13.69	13.69	33.385	25.006	295.1	0.095	5.55	241.7	94.0	4.5	0.63	3.0	0.33	0.11	0.83	0.38	28 05
30 ISL	13.22 D	13.21	33.387	25.103	285.9	0.102	5.37	234.0	90.1	5.3	0.70	4.2	0.29	0.08	0.74	0.35	30
36 A	12.70	12.69	33.407	25.221	274.8	0.118	4.84	210.7	80.3	7.5	0.89	7.7	0.15	0.00	0.47	0.28	36

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.89	17.89	33.608	24.234	367.8	0.000	5.69	248.1	105.0	1.7	0.31	0.0	0.01	0.00	0.28	0.05	0	
2	17.89	17.89	33.608	24.234	367.8	0.007	5.69	248.1	105.0	1.7	0.31	0.0	0.01	0.00	0.28	0.05	2 20	
10	16.81	16.81	33.548	24.447	347.8	0.036	5.86	255.5	105.9	1.9	0.32	0.0	0.01	0.00	0.29	0.08	10 19	
20	15.09	15.08	33.416	24.735	320.7	0.069	6.21	270.7	108.3	2.6	0.37	0.0	0.01	0.00	0.42	0.18	20 18	
30	13.96	13.95	33.386	24.952	300.3	0.101	5.85	254.9	99.7	3.9	0.50	1.2	0.13	0.00	1.20	0.40	30 17	
40	12.77	12.77	33.409	25.208	276.1	0.129	4.89	212.8	81.2	7.4	0.86	7.3	0.12	0.00	0.60	0.34	40 16	
50	12.43	12.43	33.434	25.294	268.3	0.157	4.45	194.0	73.5	10.0	1.03	9.8	0.05	0.00	0.33	0.27	50 15	
60	12.11	12.10	33.438	25.359	262.3	0.183	4.63	201.8	76.0	9.3	1.03	10.4	0.04	0.00	0.18	0.21	60 14	
70	11.81	11.80	33.478	25.446	254.2	0.209	4.20	182.7	68.4	11.5	1.18	12.5	0.03	0.00	0.11	0.17	71 13	
75 ISL	11.75 D	11.74	33.491 D	25.468	252.2	0.223	4.08	0177.9 D	66.5	12.5	1.24	13.2	0.03	0.00	0.09	0.16	76	
85	11.59	11.58	33.515	25.517	247.9	0.247	3.77	164.1	61.2	14.6	1.35	14.7	0.03	0.00	0.06	0.14	86 12	
100	11.31	11.29	33.613	25.645	236.1	0.283	3.16	137.4	50.9	18.7	1.58	17.4	0.02	0.00	0.03	0.11	101 11	
120	10.96	10.95	33.713	25.786	223.1	0.329	2.61	113.8	41.9	22.7	1.81	20.3	0.02	0.00	0.01	0.09	121 10	
125 ISL	10.86 D	10.85	33.736 D	25.822	219.8	0.343	2.50	109.0	40.0	23.7	1.86	20.9	0.02	0.00	0.01	0.08	126	
140	10.66	10.64	33.804	25.912	211.6	0.372	2.17	94.5	34.6	26.7	2.00	22.5	0.02	0.00	0.01	0.07	141 09	
150 ISL	10.51 D	10.49	33.846 D	25.970	206.3	0.396	2.10	91.3	33.3	27.7	2.04	23.2	0.02	0.00	0.01	0.06	151	
170	10.21	10.19	33.950	26.104	194.0	0.433	1.95	84.8	30.8	29.6	2.13	24.7	0.01	0.00	0.00	0.06	171 08	
200	9.58	9.56	34.038	26.279	177.8	0.489	2.05	89.0	31.9	31.6	2.16	26.4	0.01	0.00	0.00	0.04	202 07	
230	9.13	9.10	34.065	26.374	169.3	0.541	2.00	86.9	30.8	34.1	2.20	27.5	0.01	0.00			232 06	
250 ISL	8.91 D	8.88	34.117 D	26.450	162.4	0.579	1.84	80.0	28.2	37.5	2.28	28.9	0.01	0.00			252	
270	8.40	8.37	34.111	26.525	155.4	0.606	1.68	73.1	25.5	41.0	2.36	30.2	0.01	0.00			272 05	
300 ISL	8.49 D	8.46	34.233 D	26.607	148.4	0.657	1.22	52.9	18.5	45.0	2.53	31.3	0.01	0.00			302	
320	8.31	8.28	34.241	26.641	145.4	0.682	0.91	39.5	13.8	47.6	2.64	32.1	0.01	0.00			323 04	
380	7.68	7.64	34.275 D	26.763	134.5	0.771	0.64	0 D 27.7 D	9.5								383 03	
400 ISL	7.35 D	7.31	34.276 D	26.811	130.0	0.798	0.57	0 D 24.9 D	8.5	58.5	2.85	34.9	0.01	0.00			403	
439	7.04	6.99	34.281	26.859	125.9	0.843	0.45	19.4	6.6	63.8	2.95	36.3	0.01	0.00			443 02	
500 ISL	6.46 D	6.42	34.305 D	26.956	117.2	0.923	0.34	0 D 14.7 D	4.9	71.5	3.05	37.7	0.02	0.00			504	
515	6.45	6.40	34.306	26.959	117.1	0.934	0.32	13.9	4.6	73.4	3.08	38.0	0.02	0.00			519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.92	17.92	33.608	24.228	368.3	0.000	5.67	247.4	104.7	1.5	0.31	0.1	0.01	0.10	0.21	0.04	0	
2	17.92	17.92	33.608	24.228	368.4	0.007	5.67	247.4	104.7	1.5	0.31	0.1	0.01	0.10	0.21	0.04	2 20	
10	17.57	17.57	33.579	24.289	362.8	0.037	5.74	250.1	105.2	1.8	0.31	0.0	0.01	0.23	0.05	10 19		
20	16.93	16.92	33.539	24.413	351.5	0.072	5.80	252.8	105.0	2.5	0.32	0.0	0.01	0.00	0.30	0.11	20 18	
30	14.98	14.98	33.413	24.756	319.0	0.106	6.05	263.7	105.3	3.1	0.41	0.1	0.03	0.00	0.68	0.22	30 17	
40	13.18	13.18	33.389	25.112	285.3	0.136	5.21	226.8	87.3	5.5	0.73	5.4	0.26	0.01	0.56	0.37	40 16	
50	12.33	12.33	33.420	25.302	267.4	0.164	4.72	205.6	77.8	8.0	0.95	9.1	0.06	0.00	0.24	0.21	50 15	
60	11.92	11.91	33.507	25.448	253.8	0.190	3.90	172.5	64.7	13.6	1.27	13.2	0.05	0.00	0.10	0.15	60 14	
70	11.68	11.67	33.540	25.520	247.2	0.215	3.60	156.6	58.5	15.6	1.40	14.9	0.04	0.00	0.06	0.13	71 13	
75 ISL	11.58 D	11.57	33.551 D	25.546	244.8	0.229	3.53	153.6	57.2	16.0	1.43	15.4	0.04	0.00	0.06	0.13	76	
85	11.46	11.45	33.581	25.593	240.7	0.251	3.39	147.5	54.8	17.0	1.50	16.4	0.03	0.00	0.04	0.11	86 12	
100	11.28	11.27	33.630 D	25.663	234.4	0.289	3.12	0135.9 D	50.3								101 11	
120	10.61	10.60	33.747	25.874	214.6	0.335	2.52	109.7	40.1	24.3	1.88	21.7	0.02	0.00	0.01	0.06	121 10	
125 ISL	10.53 D	10.51	33.750 D	25.891	213.1	0.345	2.46	107.1	39.1	24.9	1.91	22.1	0.02	0.00	0.01	0.05	126	
140	10.40	10.38	33.829 D	25.976	205.4	0.377	2.28	099.1 D	36.1								141 09	
150 ISL	10.38 D	10.36	33.908 D	26.042	199.4	0.397	2.17	94.2	34.3	27.8	2.04	24.0	0.02	0.00	0.01	0.04	151	
170	10.04	10.02	33.997	26.169	187.7	0.436	1.93	84.0	30.4	30.2	2.14	25.5	0.02	0.00	0.00	0.04	171 08	
200	9.72	9.70	34.139	26.334	172.7	0.490	1.52	66.1	23.7	34.4	2.32	27.6	0.02	0.00	0.00	0.06	202 07	
230	9.42	9.39	34.191	26.426	164.5	0.541	1.45	63.1	22.5	36.0	2.37	27.9	0.02	0.00			232 06	
250 ISL	9.01 D	8.98	34.195	26.496	158.1	0.573	1.34	58.4	20.7	39.1	2.43	29.2	0.02	0.00			252	
270	8.77	8.74	34.199	26.537	154.6	0.605	1.24	53.7	18.9	42.2	2.49	30.4	0.02	0.00			272 05	
300 ISL	8.42 D	8.39	34.188 D	26.582	150.6	0.652	1.19	51.9	18.1	45.1	2.54	31.5	0.02	0.00			302	
320	8.16	8.13	34.189	26.623	147.0	0.680	1.17	50.7	17.6	47.0	2.58	32.2	0.02	0.00			323 04	
380	7.63	7.60	34.242	26.744	136.3	0.765	0.75	32.6	11.2	54.7	2.77	34.3	0.01	0.00			383 03	
400 ISL	7.46 D	7.42	34.251 D	26.776	133.5	0.795	0.71	0 D 30.7 D	10.5	58.4	2.83	35.3	0.01	0.00			403	
439	6.72	6.68	34.240	26.869	124.6	0.843	0.54	23.5	7.9	65.7	2.94	37.3	0.01	0.00	</			

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 35.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED m/L μ mol/Kg	WAVES PCT	WEA	BAROMETER 1015.9 mb	DRY 17.2 C	WET 16.0 C	SECCHI	CLD	AMT	TYPE	ORD 006
0	18.33	18.33	33.684	24.184	372.5	0.000	5.50	239.7	102.3	1.3	0.33	0.9	0.01	0.00	0.18	0.03	0
2	18.33	18.33	33.684	24.184	372.6	0.008	5.50	239.7	102.3	1.3	0.33	0.9	0.01	0.00	0.18	0.03	2 20
10	18.32	18.32	33.684	24.188	372.5	0.037	5.47	238.4	101.8	1.2	0.35	1.7	0.01	0.00	0.20	0.05	10 19
20	18.28	18.27	33.687	24.202	371.6	0.075	5.47	238.6	101.8	1.2	0.33	0.6	0.01	0.00	0.20	0.05	20 18
30	16.39	16.38	33.470	24.485	349.4	0.110	5.93	258.5	106.2	1.7	0.36	0.1	0.01	0.00	0.35	0.13	30 17
40	13.48	13.47	33.335	25.011	294.9	0.142	5.72	249.2	96.5	3.8	0.62	3.0	0.32	0.00	0.87	0.44	40 16
50	12.66	12.65	33.301	25.147	282.2	0.171	5.40	235.4	89.6	4.7	0.76	5.9	0.28	0.00	0.43	0.37	50 15
60	12.14	12.13	33.302	25.248	272.8	0.199	5.23	227.8	85.7	5.8	0.85	7.8	0.12	0.00	0.27	0.23	60 14
70	11.70	11.69	33.342	25.361	262.3	0.226	5.02	218.5	81.5	7.4	0.97	9.8	0.04	0.00	0.19	0.17	71 13
75 ISL	11.64 D	11.63	33.367	D 25.393	259.4	0.241	4.80	209.0	77.9	8.8	1.06	11.2	0.04	0.00	0.16	0.15	76
85	11.18	11.17	33.458	25.547	245.0	0.264	4.36	189.9	70.1	11.7	1.25	13.9	0.03	0.00	0.10	0.11	86 12
100	10.71	10.70	33.500	25.663	234.2	0.300	4.15	180.7	66.1	13.8	1.36	15.9	0.03	0.00	0.06	0.10	101 11
120	9.87	9.85	33.637	25.916	210.5	0.344	3.57	155.3	55.8	19.7	1.62	20.2	0.03	0.00	0.02	0.05	121 10
125 ISL	9.80 D	9.79	33.663	25.946	207.7	0.355	3.48	151.5	54.4	20.6	1.66	20.7	0.03	0.00	0.02	0.04	126
150 ISL	9.37 D	9.35	33.790	26.117	191.9	0.404	3.05	132.7	47.2	25.2	1.84	23.4	0.02	0.00	0.01	0.04	151
170	9.26	9.24	33.892	26.215	183.1	0.441	2.70	117.6	41.8	28.8	1.99	25.5	0.02	0.00	0.01	0.04	171 08
200	8.61	8.59	34.014	26.414	164.5	0.494	2.23	96.8	33.9	35.4	2.18	28.6	0.02	0.00	0.00	0.04	202 07
230	8.17	8.14	34.051	26.510	155.8	0.542	2.00	87.1	30.2	39.5	2.29	30.1	0.01	0.00			232 06
250 ISL	8.00 D	7.97	34.120	26.591	148.5	0.572	1.57	68.1	23.6	43.7	2.45	31.3	0.02	0.00			252
270	8.04	8.01	34.190	26.640	144.3	0.601	1.13	49.2	17.0	47.9	2.61	32.5	0.02	0.00			272 05
300 ISL	8.06 D	8.03	34.181	26.631	145.8	0.645	1.04	45.1	15.6	51.7	2.68	33.8	0.02	0.00			302
320	7.39	7.36	34.175	26.723	137.0	0.673	0.97	42.3	14.4	54.3	2.73	34.7	0.02	0.00			323 04
380	7.14	7.11	34.240	26.810	129.6	0.753	0.63	27.5	9.3	60.6	2.88	35.9	0.03	0.00			383 03
400 ISL	7.08 D	7.04	34.259	D 26.835	127.5	0.781	0.55	D 24.1	D 8.2	62.2	2.92	36.2	0.02	0.00			403
440	6.90	6.86	34.283	26.879	123.9	0.829	0.42	18.4	6.2	65.4	3.00	36.9	0.01	0.00			444 02
500 ISL	6.48 D	6.43	34.313	D 26.961	116.7	0.904	0.33	D 14.5	D 4.8	72.0	3.06	38.2	0.02	0.00			504
516	6.40	6.35	34.319	26.976	115.4	0.920	0.29	12.4	4.2	73.8	3.08	38.5	0.02	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 40.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED m/L μ mol/Kg	WAVES PCT	WEA	BAROMETER 1016.4 mb	DRY 16.9 C	WET 15.7 C	SECCHI	CLD	AMT	TYPE	ORD 007
0	17.91	17.91	33.673	24.279	363.4	0.000	5.48	239.1	101.3	1.2	0.33	0.5	0.01	0.00	0.19	0.04	0
2	17.91	17.91	33.673	24.279	363.5	0.007	5.48	239.1	101.3	1.2	0.33	0.5	0.01	0.00	0.19	0.04	2 21
10	17.92	17.91	33.678	24.282	363.5	0.036	5.49	239.2	101.3	1.2	0.32	0.0	0.01	0.00	0.19	0.03	10 19
10	17.92	17.91	33.672	24.278	364.0	0.036											10 20
20	17.91	17.90	33.671	24.280	364.1	0.073	5.48	238.9	101.2	1.2	0.33	0.0	0.00	0.00	0.21	0.03	20 18
30	17.01	17.00	33.569	24.418	351.3	0.109	5.70	248.4	103.3	1.5	0.36	0.0	0.01	0.00	0.55	0.16	30 17
40	14.16	14.15	33.344	24.878	307.7	0.141	5.76	250.9	98.5	3.0	0.52	2.1	0.14	0.02	0.54	0.28	40 16
50	13.08	13.07	33.256	25.029	293.5	0.172	5.60	243.9	93.6	4.2	0.65	4.3	0.25	0.08	0.43	0.27	50 15
60	12.43	12.42	33.316	25.203	277.1	0.200	5.33	232.1	87.9	5.7	0.81	6.9	0.23	0.00	0.33	0.23	60 14
70	11.39	11.38	33.338	25.416	257.1	0.227	5.01	218.0	80.8	8.5	0.99	10.4	0.04	0.00	0.19	0.13	71 13
75 ISL	11.28 D	11.27	33.349	D 25.444	254.5	0.242	4.91	213.7	79.0	9.2	1.04	11.2	0.04	0.00	0.17	0.12	76
85	11.06	11.05	33.409	25.530	246.5	0.265	4.71	205.2	75.5	10.6	1.14	12.8	0.03	0.00	0.12	0.10	86 12
100	10.37	10.36	33.527	25.744	226.5	0.300	4.11	179.0	65.0	15.5	1.41	17.2	0.03	0.00	0.06	0.07	101 11
121	9.82	9.81	33.683	25.959	206.4	0.344	3.39	147.4	52.9	21.5	1.69	21.4	0.02	0.00	0.02	0.05	122 10
125 ISL	9.81 D	9.79	33.686	D 25.963	206.1	0.357	3.34	145.4	52.2	21.9	1.71	21.7	0.02	0.00	0.02	0.05	126
140	9.59	9.57	33.746	26.046	198.5	0.384	3.17	137.8	49.2	23.7	1.77	22.9	0.02	0.00	0.01	0.05	141 09
150 ISL	9.39 D	9.37	33.832	D 26.147	189.1	0.407	3.06	133.2	47.4	25.5	1.82	23.8	0.02	0.00	0.01	0.04	151
170	8.96	8.94	33.898	26.267	178.0	0.441	2.85	124.0	43.8	29.1	1.93	25.6	0.01	0.00	0.00	0.02	171 08
199	9.15	9.12	34.094	26.392	166.9	0.491	2.01	87.3	31.0	34.1	2.19	27.4	0.01	0.00	0.00	0.03	201 07
200 ISL	9.14 D	9.12	34.088	D 26.389	167.2	0.496	2.07	D 89.9	D 31.9	34.3	2.19	27.5	0.01	0.00	0.00	0.03	202
232	8.38	8.36	34.070	26.494	157.6	0.544	1.99	86.4	30.1	38.9	2.26	29.5	0.01	0.00			234 06
250 ISL	8.34 D	8.32	34.134	D 26.550	152.6	0.576	1.74	D 75.5	D 26.3	41.3	2.37	30.2	0.01	0.00			252
271	8.36	8.33	34.191	26.593	149.0	0.604	1.31	56.8	19.8	44.2	2.50	31.1	0.01	0.00			273 05
300 ISL	7.63 D	7.60	34.183	26.695	139.4	0.646	1.18	51.2	17.6	48.7	2.59	32.6	0.01	0.00			302
320	7.62	7.59	34.177	26.692	140.0	0.674	1.09	47.3	16.2	51.8	2.65	33.					

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	20.8 N	118 33.3 W	10/11/2013	1726	UTC	1336 m	070	06 kn	150 02 06	0	1018.2 mb	18.9 C	17.5 C	27 m	0/8	008		
0	18.05	18.05	33.629	24.211	370.0	0.000	5.45	237.7	100.9	1.6	0.29	0.4	0.01	0.00	0.16	0.03	0	
1 A	18.05	18.05	33.629	24.211	370.0	0.004	5.45	237.7	100.9	1.6	0.29	0.4	0.01	0.00	0.16	0.03	1 22	
9	18.06	18.05	33.630	24.211	370.3	0.033											9 21	
9	18.06	18.05	33.631	24.212	370.2	0.033	5.48	238.8	101.4	1.6	0.29	0.0	0.02	0.00	0.16	0.03	9 20	
10 ISL	17.96 D	17.96	33.618 D	24.226	368.9	0.037	5.46	237.9	100.8	1.6	0.29	0.0	0.02	0.00	0.17	0.03	10	
17 A	17.79	17.78	33.591	24.248	367.1	0.063	5.47	238.6	100.8	1.5	0.28	0.1	0.02	0.00	0.18	0.05	17 19	
20 ISL	17.75 D	17.74	33.590 D	24.257	366.3	0.074	5.50	239.8	101.2	1.5	0.28	0.0	0.01	0.00	0.19	0.04	20	
22 A	17.70	17.70	33.594	24.271	365.1	0.081	5.51	240.1	101.2	1.5	0.28	0.0	0.01	0.00	0.20	0.04	22 18	
30 ISL	16.48 D	16.48	33.467 D	24.462	347.1	0.110	5.75	250.8	103.2	1.8	0.32	0.1	0.03	0.00	0.40	0.17	30	
32	15.91	15.90	33.441	24.572	336.6	0.116	5.76	251.1	102.2	1.9	0.33	0.1	0.04	0.00	0.45	0.20	32 17	
43 A	14.55	14.55	33.355	24.803	314.9	0.152	5.85	254.8	100.8	3.0	0.40	0.7	0.10	0.00	0.49	0.34	43 16	
50 ISL	13.05 D	13.05	33.205 D	24.995	296.7	0.175	5.80	252.8	96.9	4.0	0.55	3.1	0.18	0.00	0.39	0.28	50	
58	12.23	12.22	33.196	25.148	282.3	0.196	5.50	239.4	90.2	5.2	0.73	5.9	0.28	0.00	0.28	0.22	58 15	
74 A	11.53	11.52	33.382	25.424	256.4	0.239	5.03	219.1	81.4	7.9	0.84	8.5	0.04	0.00	0.16	0.14	75 14	
75 ISL	11.46 D	11.45	33.386 D	25.439	254.9	0.244	5.03	219.2 D	81.4	8.2	0.86	8.9	0.04	0.00	0.15	0.14	76	
84	10.86	10.85	33.434	25.585	241.2	0.264	4.72	205.5	75.3	11.0	1.06	12.1	0.03	0.00	0.08	0.08	85 13	
93 A	10.64	10.62	33.463	25.647	235.5	0.286	4.56	198.7	72.5	12.5	1.17	13.8	0.02	0.00	0.06	0.06	94 12	
100 ISL	10.51 D	10.50	33.472 D	25.676	232.9	0.305	4.53	219.7 D	71.7	13.5	1.23	14.8	0.02	0.00	0.05	0.05	101	
106	10.37	10.35	33.495	25.719	228.9	0.316	4.36	189.6	68.8	14.3	1.29	15.7	0.02	0.00	0.04	0.05	107 11	
120	9.86	9.85	33.608	25.893	212.6	0.347	4.00	174.1	62.5	18.5	1.50	19.2	0.02	0.00	0.02	0.03	121 10	
125 ISL	9.77 D	9.76	33.659 D	25.948	207.5	0.361	3.74	162.8	58.4	20.0	1.58	20.1	0.02	0.00	0.02	0.03	126	
140	9.75	9.74	33.816	26.075	195.9	0.388	2.96	128.8	46.2	24.5	1.80	22.9	0.02	0.00	0.01	0.03	141 09	
150 ISL	9.44 D	9.43	33.924 D	26.210	183.1	0.410	2.64	114.9	41.0	27.2	1.92	24.2	0.02	0.00	0.00	0.03	151	
170	9.47	9.45	34.080	26.328	172.4	0.442	2.00	87.0	31.1	32.5	2.15	26.7	0.02	0.00	0.00	0.03	171 08	
200	9.32	9.30	34.181	26.433	163.2	0.493	1.58	68.7	24.5	36.2	2.31	28.1	0.02	0.00	0.00	0.03	202 07	
230	9.23	9.20	34.298	26.541	153.6	0.540	1.03	45.0	16.0	41.0	2.52	29.6	0.02	0.00			232 06	
250 ISL	8.96 D	8.93	34.278 D	26.568	151.3	0.575	0.97	42.2 D	14.9	42.9	2.56	30.3	0.02	0.00			252	
270	8.75	8.73	34.291	26.611	147.5	0.600	0.91	39.6	13.9	44.9	2.60	30.9	0.02	0.00			272 05	
300 ISL	8.31 D	8.28	34.275 D	26.668	142.5	0.649	0.80	34.6	12.1	49.4	2.68	32.3	0.01	0.00			302	
320	7.94	7.90	34.278	26.726	137.1	0.672	0.72	31.3	10.8	52.4	2.73	33.3	0.01	0.00			323 04	
380	7.46	7.42	34.278	26.797	131.1	0.752	0.59	25.5	8.7	58.1	2.82	34.9	0.01	0.00			383 03	
400 ISL	7.24 D	7.20	34.282 D	26.831	128.1	0.785	0.56	24.1 D	8.2	60.9	2.86	35.6	0.01	0.00			403	
440	6.80	6.76	34.301	26.907	121.2	0.828	0.39	16.8	5.7	66.5	2.95	36.9	0.02	0.00			444 02	
500 ISL	6.22 D	6.18	34.313 D	26.993	113.3	0.912	0.31	13.6 D	4.5	74.9	3.05	38.8	0.01	0.00			504	
514	6.16	6.11	34.319	27.006	112.2	0.914	0.26	11.3	3.7	76.8	3.07	39.3	0.01	0.00			518 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.61	18.61	33.700	24.127	377.9	0.000	5.37	234.4	100.6	2.0	0.30	0.1	0.01	0.00	0.11	0.02	0	
2	18.61	18.61	33.700	24.127	378.0	0.008	5.37	234.4	100.6	2.0	0.30	0.1	0.01	0.00	0.11	0.02	2	
10	18.47	18.47	33.692	24.156	375.6	0.036											10	
10	18.47	18.47	33.688	24.153	375.8	0.038	5.38	234.6	100.4	1.9	0.28	0.0	0.01	0.00	0.11	0.01	19	
20	18.41	18.41	33.686	24.167	374.9	0.075	5.40	235.7	100.8	1.9	0.28	0.0	0.00	0.00	0.13	0.02	20	
30	18.39	18.39	33.682	24.170	375.0	0.113	5.38	234.6	100.3	1.9	0.28	0.0	0.00	0.00	0.15	0.02	30	
41	16.83	16.82	33.566	24.458	347.9	0.153	5.61	244.4	101.3	1.4	0.30	0.0	0.01	0.00	0.24	0.08	41	
49	15.54	15.53	33.367	24.599	334.7	0.180	5.94	258.9	104.5	2.4	0.33	0.0	0.01	0.00	0.41	0.16	49	
50	ISL 14.53	D 14.53	33.264	D 24.738	321.4	0.185	5.95	D 259.2	D 0102.5	2.4	0.35	0.1	0.03	0.02	0.41	0.16	50	
60	12.91	12.90	33.140	24.974	299.0	0.214	5.80	252.6	96.5	2.8	0.50	1.5	0.25	0.24	0.38	0.22	60	
70	11.91	11.90	33.092	25.128	284.5	0.243	5.63	245.2	91.7	4.2	0.65	3.9	0.32	0.07	0.29	0.17	71	
75	ISL 11.66	D 11.65	33.107	D 25.186	279.1	0.260	5.62	D 244.8	D 91.1	5.2	0.73	5.4	0.23	0.05	0.25	0.15	76	
85	11.14	11.13	33.112	25.285	269.8	0.285	5.40	235.1	86.5	7.1	0.88	8.3	0.06	0.00	0.17	0.11	86	
100	10.96	10.94	33.341	25.496	250.1	0.324	4.90	213.4	78.3	9.8	1.06	11.7	0.03	0.00	0.08	0.07	101	
120	10.38	10.37	33.576	25.780	223.5	0.371	3.96	172.5	62.6	16.2	1.40	16.9	0.01	0.00	0.04	0.05	121	
125	ISL 10.16	D 10.14	33.609	D 25.845	217.4	0.386	3.95	D 171.9	D 62.1	17.4	1.45	17.8	0.01	0.00	0.03	0.05	126	
140	9.69	9.68	33.686	25.982	204.6	0.414	3.57	155.2	55.6	21.1	1.61	20.6	0.01	0.00	0.01	0.03	141	
150	ISL 9.40	D 9.38	33.763	D 26.091	194.4	0.438	3.42	D 149.0	D 53.0	22.8	1.69	21.7	0.01	0.00	0.01	0.03	151	
170	9.16	9.14	33.816	26.172	187.1	0.472	3.18	138.6	49.1	26.2	1.84	23.8	0.01	0.00	0.00	0.03	171	
200	8.74	8.71	33.938	26.335	172.1	0.526	2.74	119.1	41.8	31.3	1.99	26.4	0.01	0.00	0.00	0.03	202	
231	8.13	8.11	33.968	26.451	161.4	0.578	2.70	117.6	40.7	35.1	2.03	27.4	0.01	0.00		233		
250	ISL 7.98	D 7.96	34.018	D 26.513	155.9	0.613	2.32	D 101.1	D 34.9	39.3	2.19	29.3	0.01	0.00		252		
271	7.84	7.81	34.061	26.568	150.9	0.640	1.84	80.1	27.6	43.9	2.36	31.3	0.01	0.00		273		
300	ISL 7.48	D 7.45	34.087	D 26.641	144.3	0.688	1.60	D 69.6	D 23.8	48.9	2.49	32.9	0.01	0.00		302		
320	7.29	7.26	34.103	26.681	140.8	0.712	1.34	58.3	19.8	52.3	2.58	34.0	0.01	0.00		323		
381	6.81	6.77	34.152	26.787	131.4	0.795	0.94	D 40.7	D 13.7	60.9	2.78	36.3	0.01	0.00		384		
400	ISL 6.68	D 6.64	34.162	D 26.813	129.2	0.826	0.90	D 39.0	D 13.1	63.6	2.85	36.8	0.01	0.00		403		
440	6.46	6.42	34.231	26.897	121.7	0.869	0.49	21.5	7.2	69.3	2.99	37.9	0.01	0.00		444		
500	ISL 5.96	D 5.92	34.244	D 26.971	115.0	0.948	0.43	D 18.7	D 6.2	77.0	3.07	39.4	0.01	0.00		504		
515	5.89	5.84	34.258	26.992	113.2	0.957	0.34	14.9	4.9	79.0	3.09	39.8	0.01	0.00		519		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.03	18.03	33.619	24.208	370.3	0.000	5.45	237.6	100.8	1.4	0.31	0.0	0.01	0.02	0.17	0.02	0	
2	18.03	18.03	33.619	24.208	370.3	0.007	5.45	237.6	100.8	1.4	0.31	0.0	0.01	0.02	0.17	0.02	20	
10	18.04	18.04	33.620	24.207	370.7	0.037	5.46	237.9	101.0	1.4	0.31	0.0	0.01	0.05	0.16	0.02	19	
20	17.91	17.90	33.626	24.246	367.4	0.074	5.47	238.5	101.0	1.4	0.31	0.0	0.00	0.02	0.19	0.03	20	
30	17.78	17.77	33.610	24.265	365.9	0.111	5.49	239.5	101.1	1.3	0.31	0.0	0.00	0.01	0.25	0.04	30	
40	15.93	15.92	33.450	24.575	336.6	0.146	5.77	251.5	102.4	2.0	0.32	0.0	0.01	0.42	0.12	40		
50	14.78	14.78	33.369	24.766	318.7	0.179	5.91	257.3	102.3	2.7	0.34	0.0	0.01	0.02	0.45	0.21	50	
60	13.78	13.78	33.312	24.932	303.1	0.210	5.72	249.2	97.1	3.3	0.44	0.8	0.17	0.05	0.41	0.20	60	
70	12.05	12.04	33.087	25.099	287.2	0.239	5.63	245.3	92.0	4.2	0.64	3.8	0.33	0.12	0.27	0.14	71	
75	ISL 11.76	D 11.75	33.106	D 25.167	280.9	0.255	5.59	D 243.5	D 90.8	5.0	0.71	5.2	0.24	0.12	0.24	0.13	76	
85	11.33	11.32	33.129	25.264	271.8	0.281	5.33	232.1	85.8	6.7	0.85	7.9	0.06	0.12	0.19	0.11	86	
100	11.24	11.23	33.337	25.443	255.2	0.321	4.81	209.3	77.3	9.7	1.09	11.9	0.02	0.00	0.10	0.08	101	
120	10.45	10.43	33.436	25.660	234.9	0.370	4.46	194.0	70.5	13.0	1.28	15.1	0.02	0.01	0.06	0.06	121	
125	ISL 10.28	D 10.26	33.499	D 25.738	227.6	0.383	4.27	D 186.0	D 67.4	14.3	1.34	16.0	0.02	0.01	0.05	0.05	126	
140	9.80	9.78	33.579	25.882	214.2	0.414	3.98	173.3	62.1	18.1	1.51	18.8	0.01	0.02	0.04	0.04	141	
150	ISL 9.57	D 9.55	33.712	D 26.024	200.8	0.437	3.66	D 159.1	D 56.8	21.3	1.63	20.7	0.01	0.01	0.04	0.04	151	
170	9.04	9.02	33.861	26.226	182.0	0.474	2.99	129.9	45.9	27.8	1.88	24.6	0.01	0.00	0.00	0.03	171	
200	8.57	8.54	33.968	26.384	167.3	0.526	2.64	115.0	40.2	33.2	2.04	26.9	0.01	0.01	0.00	0.02	202	
230	8.17	8.15	34.017	26.484	158.3	0.575	2.28	99.0	34.3	38.0	2.18	28.7	0.01	0.00		232		
250	ISL 7.90	D 7.88	34.057	D 26.556	151.8	0.608	2.02	D 88.1	D 30.4	42.4	2.32	30.5	0.01	0.00		252		
270	7.67	7.64	34.082	26.609	146.9	0.636	1.62	70.3	24.1	46.8	2.46	32.2	0.01	0.03		272		
300	ISL 7.45	D 7.42	34.105	D 26.659	142.6	0.682	1.44	D 62.6	D 21.4	51.3	2.57	33.7	0.01	0.00		302		
320	7.23	7.20	34.122	26.704	138.6	0.708	1.16	50.4	17.1	54.3	2.65	34.7	0.01		0.04	323		
380	6.65	6.61	34.183	26.832	127.0	0.787	0.68	29.5	9.9	64.8	2.90	37.3	0.01	0.01		383		
400	ISL 6.45	D 6.42	34.199	D 26.871	123.5	0.816	0.64	D 27.8	D 9.3	67.5								

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
31 30.8 N	120 14.9 W	11/11/2013	1124	UTC	3940 m	360 05 kn			1017.4 mb	15.1 C	13.9 C					012	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	16.60	16.60	33.618	24.548	337.8	0.000	5.63	245.5	101.3	1.6	0.30	0.0	0.01	0.01	0.36	0.09	0
2	16.60	16.60	33.618	24.548	337.9	0.007	5.63	245.5	101.3	1.6	0.30	0.0	0.01	0.01	0.36	0.09	2 21
10	16.61	16.60	33.621	24.550	338.0	0.034	5.68	247.5	102.2	1.6	0.30	0.0	0.01	0.02	0.38	0.10	10 20
20 ISL	16.60 D	16.60	33.614 D	24.546	338.8	0.068	5.65	0246.3	0101.7	1.6	0.30	0.0	0.00	0.01	0.38	0.10	20
21	16.52	16.51	33.624	24.574	336.1	0.071	5.66	246.5	101.6	1.6	0.30	0.0	0.00	0.01	0.38	0.10	21 19
26	15.88	15.88	33.620	24.715	322.8	0.088	5.79	252.5	102.8	2.9	0.32	0.0	0.01	0.03	0.71	0.20	26 18
30	15.77	15.77	33.624	24.743	320.3	0.100	5.64	245.6	99.8	3.3	0.37	0.5	0.06	0.31	0.78	0.28	30 17
40	13.79	13.79	33.507	25.080	288.5	0.131	5.37	233.8	91.2	4.1	0.58	3.3	0.41	0.49	0.43	0.26	40 16
49	12.47	12.47	33.461	25.306	267.0	0.156	4.76	207.5	78.7	8.2	1.03	10.6	0.20	0.03	0.32	0.25	49 15
50 ISL	12.39 D	12.39	33.463 D	25.324	265.3	0.160	4.77	0207.9 D	78.7	8.4	1.04	10.8	0.19	0.03	0.31	0.25	50
60	11.89	11.88	33.481	25.434	255.1	0.185	4.53	197.3	74.0	10.1	1.15	12.8	0.06	0.00	0.21	0.21	60 14
70	11.11	11.10	33.535	25.619	237.7	0.209	4.13	179.8	66.3	13.6	1.37	16.2	0.04	0.00	0.13	0.13	71 13
75 ISL	10.78 D	10.78	33.564 D	25.700	230.1	0.223	4.06	0176.8 D	64.8	15.0	1.43	17.3	0.03	0.00	0.11	0.11	76
85	10.47	10.46	33.597	25.781	222.6	0.244	3.67	159.7	58.1	17.7	1.56	19.4	0.02	0.00	0.08	0.08	86 12
100	10.01	9.99	33.669	25.916	210.0	0.276	3.33	144.7	52.2	21.1	1.70	21.4	0.02	0.01	0.02	0.05	101 11
120	9.36	9.34	33.803	26.128	190.2	0.316	2.87	124.8	44.4	26.2	1.89	24.6	0.01	0.00	0.01	0.04	121 10
125 ISL	9.36 D	9.35	33.853 D	26.167	186.7	0.328	2.80	0121.6 D	43.3	27.1	1.92	25.1	0.01	0.00	0.01	0.04	126
140	8.97	8.96	33.894	26.261	177.9	0.353	2.59	112.8	39.8	30.0	2.01	26.5	0.01	0.00	0.00	0.05	141 09
150 ISL	8.85 D	8.83	33.940 D	26.317	172.8	0.373	2.49	0108.3 D	38.1	32.0	2.07	27.3	0.01	0.00	0.00	0.04	151
170	8.57	8.55	34.009	26.416	163.8	0.404	2.08	90.6	31.7	36.0	2.20	29.0	0.01	0.00	0.00	0.03	171 08
200	8.12	8.10	34.058	26.523	154.0	0.452	1.85	80.4	27.9	41.1	2.33	30.7	0.01	0.00	0.00	0.03	202 07
231	7.73	7.71	34.079	26.598	147.4	0.499	1.63	70.9	24.4	45.8	2.43	32.0	0.01	0.00	0.00	0.04	233 06
250 ISL	7.63 D	7.61	34.106 D	26.632	144.4	0.530	1.46 D	63.5 D	21.8	48.5	2.52	32.9	0.01	0.00	0.00	0.04	252
270	7.46	7.44	34.133	26.679	140.3	0.555	1.17	50.9	17.4	51.4	2.62	33.9	0.01	0.00	0.00	0.04	272 05
300 ISL	7.28 D	7.25	34.167 D	26.731	135.7	0.600	0.96	41.7 D	14.2	55.5	2.72	35.0	0.01	0.00	0.00	0.04	302
320	7.12	7.08	34.178	26.764	132.8	0.623	0.81	35.2	11.9	58.3	2.78	35.7	0.01	0.00	0.00	0.04	323 04
380	6.73	6.69	34.222	26.852	125.2	0.701	0.57	24.6	8.3	65.1	2.91	37.1	0.00	0.00	0.00	0.04	383 03
400 ISL	6.60 D	6.56	34.237 D	26.882	122.6	0.731	0.56	24.4 D	8.2	67.8	2.95	37.6	0.00	0.00	0.00	0.04	403
441	6.25	6.21	34.257	26.945	117.0	0.775	0.38	16.6	5.5	73.2	3.03	38.6	0.00	0.00	0.00	0.04	445 02
500 ISL	5.92 D	5.88	34.298 D	27.019	110.5	0.848	0.31 D	13.5 D	4.5	79.2	3.11	39.6	0.01	0.00	0.00	0.04	504
514	5.55	5.50	34.315	27.036	109.0	0.857	0.25	10.7	3.5	80.6	3.13	39.8	0.01	0.00	0.00	0.04	518 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
31 10.8 N	120 55.1 W	11/11/2013	1736	UTC	3847 m	230 04 kn	330 01 07	1	1019.7 mb	16.9 C	13.9 C	31 m	7/8	SC	013		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	17.58	17.58	33.443	24.183	372.6	0.000	5.49	239.4	100.6	1.6	0.30	0.1	0.01	0.01	0.16	0.02	0
2 A	17.58	17.58	33.443	24.183	372.7	0.008	5.49	239.4	100.6	1.6	0.30	0.1	0.01	0.01	0.16	0.02	2 22
10	17.54	17.54	33.447	24.196	371.7	0.037	5.47	238.6	100.2	1.6	0.30	0.0	0.01	0.01	0.15	0.02	10 21
19 A	17.16	17.16	33.420	24.267	365.3	0.071	5.58	243.1	101.3	1.6	0.31	0.0	0.00	0.01	0.20	0.04	19 19
20 ISL	17.16 D	17.15	33.419 D	24.266	365.4	0.075	5.59	0243.7	0101.6	1.6	0.31	0.0	0.00	0.02	0.21	0.04	20
26 A	17.09	17.09	33.425	24.287	363.6	0.096	5.59	243.9	101.5	1.6	0.31	0.0	0.01	0.07	0.25	0.05	26 18
30 ISL	17.06 D	17.06	33.437 D	24.304	362.2	0.111	5.62	0244.8	0101.8	1.6	0.31	0.0	0.01	0.07	0.27	0.06	30
37	17.03	17.02	33.444	24.316	361.3	0.136	5.59	243.7	101.3	1.6	0.31	0.0	0.01	0.06	0.31	0.08	37 17
49 A	15.70	15.69	33.321	24.528	341.4	0.178	5.71	248.9	100.7	1.9	0.36	0.2	0.03	0.29	0.09	49 16	
50 ISL	15.39 D	15.39	33.288 D	24.571	337.4	0.183	5.80	0252.9	0101.7	1.9	0.37	0.2	0.04	0.30	0.29	0.09	50
60	13.63	13.62	33.139	24.830	312.8	0.214	5.88	256.2	99.4	2.6	0.44	0.6	0.19	0.38	0.26	0.11	60 15
74	12.89	12.88	33.222	25.042	292.9	0.256	5.64	245.8	93.9	3.6	0.54	2.6	0.29	0.04	0.23	0.11	75 14
75 ISL	12.89 D	12.88	33.217	25.038	293.3	0.259	5.62	244.9	93.6	3.8	0.56	3.0	0.27	0.04	0.22	0.11	76
85 A	11.52	11.51	33.163	25.255	272.7	0.288	5.43	236.4	87.7	5.8	0.79	6.8	0.04	0.01	0.14	0.10	86 13
96	10.75	10.74	33.226	25.443	255.0	0.317	5.13	223.3	81.5	9.4	1.00	10.5	0.02	0.02	0.07	0.07	97 12
100 ISL	10.65 D	10.64	33.256 D	25.484	251.2	0.329	4.98	0217.0 D	79.1	10.6	1.07	11.8	0.02	0.01	0.06	0.05	101
107 A	10.17	10.16	33.325	25.620	238.3	0.344	4.81	209.3	75.5	12.8	1.20	14.0	0.01	0.00	0.03	0.03	108 11
124	9.62	9.61	33.528	25.871	214.7	0.382	4.23	183.9	65.7	18.3	1.50	18.7	0.01	0.02	0.01	0.03	125 10
125 ISL	9.61 D	9.59	33.537 D	25.880	213.9	0.387	4.22	0183.8 D	65.6	18.4	1.51	18.8	0.01	0.02	0.01	0.03	126
140	9.40	9.38	33.647	26.001	2												

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
30	50.8 N	121 35.3 W	11/11/2013	2339	UTC	4104 m	340	08 kn	330 02 08	1	1018.6 mb	17.0	C	13.8	C	27 m	5/8	SC 014
0	18.33	18.33	33.429	23.989	391.1	0.000	5.42	236.2	100.7	1.7	0.30	0.0	0.01	0.00	0.12	0.01	0	
2	18.33	18.33	33.429	23.989	391.2	0.008	5.42	236.2	100.7	1.7	0.30	0.0	0.01	0.00	0.12	0.01	2 20	
10	17.91	17.91	33.420	24.085	382.3	0.039	5.44	237.1	100.2	1.6	0.30	0.0	0.01	0.00	0.12	0.02	10 19	
20	17.20	17.20	33.301	24.166	374.9	0.077	5.55	242.1	100.9	2.0	0.30	0.0	0.00	0.00	0.13	0.02	20 18	
30	17.21	17.21	33.383	24.227	369.6	0.114	5.55	242.2	101.0	1.7	0.31	0.0	0.00	0.00	0.15	0.03	30 17	
40	17.19	17.18	33.404	24.250	367.7	0.151	5.57	242.8	101.2	1.6	0.31	0.0	0.00	0.00	0.23	0.05	40 16	
50	14.41	14.41	33.193	24.708	324.2	0.185	5.88	256.1	101.0	2.3	0.40	0.3	0.09	0.10	0.25	0.07	50 15	
60	13.68	13.67	33.146	24.824	313.4	0.217	5.82	253.5	98.4	2.7	0.43	0.6	0.21	0.06	0.25	0.07	60 14	
70	13.18	13.17	33.286	25.033	293.7	0.248	5.55	241.6	92.9	3.2	0.60	3.2	0.78	0.00	0.21	0.09	71 13	
75	ISL 12.84	D 12.82	33.290	D 25.105	286.9	0.264	5.48	238.5	91.1	3.9	0.66	4.4	0.53	0.00	0.19	0.10	76	
85	12.21	12.19	33.278	25.218	276.4	0.290	5.33	232.4	87.6	5.1	0.78	6.7	0.03	0.00	0.15	0.12	86 12	
100	11.25	11.24	33.314	25.423	257.1	0.330	5.09	221.5	81.8	8.1	0.98	10.1	0.02	0.00	0.07	0.06	101 11	
121	10.40	10.39	33.399	25.639	236.9	0.382	4.72	205.3	74.5	12.4	1.20	13.8	0.01	0.00	0.03	0.04	122 10	
125	ISL 10.34	D 10.33	33.404	D 25.653	235.6	0.395	4.77	D 207.8	D 75.3	13.1	1.23	14.4	0.01	0.00	0.02	0.04	126	
140	9.80	9.78	33.512	25.829	219.1	0.426	4.35	189.5	67.9	15.9	1.36	16.7	0.01	0.00	0.01	0.03	141 09	
150	ISL 9.71	D 9.69	33.580	D 25.898	212.8	0.450	4.20	D 182.6	D 65.4	18.7	1.49	18.8	0.01	0.00	0.01	0.03	151	
170	9.11	9.09	33.763	26.138	190.2	0.487	3.47	150.9	53.4	24.4	1.75	22.9	0.01	0.00	0.02	0.02	171 08	
200	8.72	8.70	33.905	26.312	174.3	0.542	2.83	123.2	43.2	30.6	1.98	26.3	0.01	0.00	0.01	0.02	202 07	
232	8.14	8.11	34.009	26.483	158.5	0.595	2.32	101.1	35.0	37.9	2.19	29.1	0.01	0.00			234 06	
250	ISL 7.96	D 7.93	34.034	D 26.529	154.3	0.628	2.07	D 90.1	D 31.1	40.8	2.28	30.2	0.01	0.00			252	
270	7.77	7.74	34.056	26.575	150.3	0.654	1.84	79.8	27.4	44.1	2.38	31.5	0.01	0.00			272 05	
300	ISL 7.64	D 7.61	34.123	D 26.647	143.9	0.704	1.34	D 58.3	D 20.0	48.9	2.55	33.1	0.01	0.00			302	
320	7.45	7.42	34.147	26.692	139.9	0.727	1.11	48.5	16.6	52.1	2.66	34.2	0.01	0.00			323 04	
380	6.52	6.48	34.129	26.806	129.3	0.808	0.90	D 39.0	D 13.0	62.9	2.82	37.0	0.01	0.00			383 03	
400	ISL 6.42	D 6.38	34.160	D 26.845	125.9	0.840	0.76	D 33.0	D 11.0	65.8	2.87	37.6	0.01	0.00			403	
440	6.07	6.03	34.176	26.902	120.7	0.883	0.62	27.0	8.9	71.7	2.97	38.9	0.01	0.00			444 02	
500	ISL 5.76	D 5.72	34.227	D 26.982	113.7	0.960	0.45	D 19.7	D 6.5	79.6	3.07	40.0	0.01	0.00			504	
514	5.68	5.63	34.242	27.005	111.7	0.969	0.37	16.0	5.2	81.5	3.09	40.2	0.01	0.00			518 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
30	30.8 N	122 15.5 W	12/11/2013	0528	UTC	4163 m	020	07 kn									015
0	18.32	18.32	33.414	23.981	391.9	0.000	5.41	236.0	100.5	1.9	0.32	1.9	0.01	0.02	0.12	0.02	0
2	18.32	18.32	33.414	23.981	392.0	0.008	5.41	236.0	100.5	1.9	0.32	1.9	0.01	0.02	0.12	0.02	2 20
10	18.31	18.31	33.413	23.982	392.2	0.039	5.39	235.1	100.2	1.9	0.28	0.2	0.00	0.00	0.12	0.01	10 19
20	ISL 18.18	D 18.17	33.391	D 24.000	390.9	0.079	5.41	D 235.9	D 100.2	1.8	0.28	0.1	0.00	0.00	0.13	0.02	20
24	18.15	18.15	33.390	24.005	390.5	0.094	5.41	235.9	100.2	1.8	0.28	0.1	0.00	0.00	0.13	0.02	24 18
30	ISL 18.14	D 18.13	33.389	D 24.008	390.4	0.118	5.42	D 236.3	D 100.3	1.8	0.28	0.1	0.00	0.00	0.15	0.04	30
40	18.09	18.08	33.382	24.017	390.0	0.156	5.43	236.7	100.4	1.8	0.28	0.1	0.01	0.00	0.18	0.08	40 17
50	18.08	18.07	33.378	24.016	390.5	0.195	5.44	237.1	100.5	1.8	0.28	0.0	0.00	0.00	0.19	0.04	50 16
62	15.94	15.93	33.452	24.577	337.3	0.239	5.87	255.7	104.1	2.6	0.25	0.0	0.00	0.00	0.21	0.07	62 15
75	14.64	14.63	33.374	24.802	316.1	0.282	5.85	254.9	101.1	2.7	0.31	0.1	0.03	0.01	0.19	0.07	76 14
87	13.71	13.70	33.392	25.010	296.5	0.318	5.71	248.7	96.8	3.2	0.36	0.6	0.24	0.00	0.20	0.10	88 13
100	ISL 12.55	D 12.54	33.265	D 25.143	284.0	0.359	5.59	D 243.5	D 92.4	4.3	0.56	3.4	0.09	0.00	0.15	0.10	101
101	12.55	12.54	33.266	25.144	284.0	0.359	5.52	240.5	91.3	4.3	0.57	3.6	0.08	0.00	0.15	0.10	102 12
112	12.06	12.05	33.298	25.262	272.9	0.389	5.38	234.1	88.0	5.4	0.66	5.3	0.02	0.00	0.12	0.10	113 11
125	11.16	11.14	33.346	25.466	253.7	0.424	5.02	218.5	80.5	8.6	0.95	10.1	0.02	0.00	0.05	0.05	126 10
140	10.39	10.37	33.428	25.664	234.9	0.460	4.55	198.3	71.9	13.3	1.25	14.9	0.01	0.00	0.01	0.03	141 09
150	ISL 9.91	D 9.90	33.541	D 25.834	219.0	0.487	4.42	192.2	69.1	15.1	1.31	16.0	0.01	0.00	0.01	0.03	151
170	9.47	9.45	33.662	26.002	203.3	0.526	4.14	180.1	64.2	18.7	1.42	18.3	0.01	0.00	0.01	0.03	171 08
200	8.77	8.75	33.900	26.300	175.4	0.582	3.21	139.5	49.0	28.1	1.81	24.1	0.01	0.00	0.00	0.03	202 07
230	8.27	8.24	33.966	26.429	163.6	0.633	2.95	128.4	44.6	33.1	1.94	26.3	0.01	0.00			232 06
270	7.75	7.73	34.040	26.564	151.3	0.696	2.04	88.8	30.5	43.0	2.30	30.8	0.01	0.00			272 05
300	ISL 7.39	D 7.37	34.033	D 26.610	147.2	0.745	1.86	81.0	27.6	47.4	2.40	32.2	0.01	0.00			302
321	7.17	7.14	34.049	26.655	143.2	0.771	1.74	75.5	25.6	50.5	2.47	33.2	0.01	0.00			324 04
380	6.65	6.62	34.124	26.785	131.4	0.852	1.01	43.8</td									

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 110.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED m/L μ mol/Kg	WAVES PCT	WEA	BAROMETER 1019.9 mb	DRY 17.1 C	WET 15.1 C	SECCHI	CLD AMT	TYPE	ORD 016	
0	18.44	18.44	33.404	23.942	395.6	0.000	5.39	235.2	100.4	1.9	0.28	0.1	0.00	0.00	0.14	0.02	0
2	18.44	18.44	33.404	23.942	395.6	0.008	5.39	235.2	100.4	1.9	0.28	0.1	0.00	0.00	0.14	0.02	2 21
10	18.44	18.44	33.406	23.945	395.7	0.040	5.39	235.1	100.4	2.0	0.28	0.1	0.00	0.00	0.13	0.02	10 19
20 ISL	18.44 D	18.44	33.405 D	23.945	396.1	0.080	5.40	D235.4	D100.5	2.0	0.29	0.0	0.00	0.00	0.14	0.03	20
25	18.33	18.33	33.398	23.967	394.2	0.099	5.43	236.8	100.9	2.0	0.29	0.0	0.00	0.00	0.15	0.03	25 18
30 ISL	18.24 D	18.23	33.390 D	23.985	392.7	0.119	5.42	D236.6	D100.6	1.9	0.30	0.0	0.00	0.00	0.16	0.03	30
40	17.98	17.97	33.391	24.050	386.8	0.158	5.46	238.0	100.7	1.8	0.31	0.0	0.00	0.00	0.20	0.04	40 17
50	17.25	17.24	33.466	24.284	364.9	0.195	5.71	249.1	104.0	2.2	0.27	0.0	0.00	0.00	0.26	0.10	50 16
62	15.42	15.41	33.327	24.597	355.3	0.237	5.76	251.0	101.0	2.2	0.35	0.1	0.02	0.32	0.24	0.31	62 15
75 ISL	14.20 D	14.18	33.298 D	24.837	312.7	0.281	5.84	D254.4	D99.9	2.7	0.40	0.4	0.12	0.26	0.22	0.12	76
76	14.29	14.28	33.250	24.779	318.2	0.283	5.80	252.8	99.4	2.8	0.40	0.4	0.13	0.26	0.22	0.10	77 14
87	13.94	13.93	33.421	24.985	298.9	0.317	5.71	248.9	97.3	3.2	0.35	0.5	0.14	0.00	0.19	0.13	88 13
100	13.27	13.26	33.453 D	25.147	283.8	0.357	5.57	D240.0 D	D92.6								101 12
112	12.37	12.36	33.398	25.280	271.3	0.387	5.27	229.4	86.8	5.7	0.68	5.6	0.02	0.00	0.10	0.09	113 11
125	11.27	11.25	33.393	25.482	252.1	0.421	5.00	217.6	80.4	8.5	0.96	10.0	0.01	0.00	0.06	0.05	126 10
140	10.69	10.67	33.462	25.639	237.5	0.458	4.63	201.6	73.6	12.1	1.18	13.6	0.01	0.00	0.02	0.05	141 09
150 ISL	10.15 D	10.13	33.518 D	25.776	224.6	0.485	4.41	D191.8	D69.3	14.9	1.31	15.8	0.01	0.00	0.02	0.04	151
170	9.49	9.47	33.659	25.996	203.9	0.523	3.82	166.2	59.2	20.4	1.57	20.1	0.00	0.00	0.01	0.02	171 08
200	8.95	8.93	33.836	26.222	182.9	0.581	3.07	133.7	47.1	27.3	1.86	24.6	0.00	0.00	0.00	0.02	202 07
230	8.39	8.37	33.969	26.412	165.2	0.634	2.89	125.6	43.8	33.4	1.98	26.5	0.00	0.00			232 06
250 ISL	8.32 D	8.29	33.980 D	26.433	163.6	0.671	2.68	116.5	40.5	36.4	2.08	27.8	0.00	0.00			252
270	7.91	7.89	34.007	26.515	156.0	0.698	2.47	107.4	37.0	39.4	2.17	29.0	0.00	0.00			272 05
300 ISL	7.51 D	7.48	34.034 D	26.595	148.8	0.750	2.03	D88.4	D30.2	45.5	2.35	31.4	0.00	0.00			302
320	7.26	7.23	34.052	26.645	144.1	0.773	1.74	75.5	25.6	49.5	2.47	33.0	0.00	0.00			322 04
380	6.68	6.65	34.101	26.763	133.5	0.857	1.16	50.3	16.9	60.0	2.74	36.1	0.00	0.00			383 03
400 ISL	6.53 D	6.50	34.122 D	26.800	130.2	0.889	1.04	D45.4	D15.2	62.9	2.80	36.8	0.00	0.00			403
440	6.22	6.18	34.155	26.867	124.2	0.934	0.77	33.4	11.1	68.7	2.92	38.1	0.00	0.00			444 02
500 ISL	5.69 D	5.65	34.201 D	26.970	114.7	1.013	0.58	D25.2	D8.3	78.2	3.06	39.9	0.00	0.00			504
516	5.65	5.61	34.221	26.991	113.0	1.024	0.44	19.0	6.2	80.7	3.10	40.4	0.00	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 120.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED m/L μ mol/Kg	WAVES PCT	WEA	BAROMETER 1023.0 mb	DRY 18.9 C	WET 17.0 C	SECCHI	CLD AMT	TYPE	ORD 017	
0	19.36	19.36	33.695	23.933	396.4	0.000	5.31	231.5	100.8	2.3	0.26	0.2	0.00	0.00	0.09	0.02	0
2 A	19.36	19.36	33.695	23.933	396.5	0.008	5.31	231.5	100.8	2.3	0.26	0.2	0.00	0.00	0.09	0.02	2 22
10	19.36	19.36	33.695	23.934	396.8	0.040	5.30	231.1	100.6	2.3	0.26	0.0	0.01	0.00	0.10	0.01	10 21
20 A	19.38	19.38	33.713	23.944	396.2	0.079	5.28	230.4	100.3	2.3	0.25	0.0	0.00	0.00	0.09	0.02	20 19
26 A	19.36	19.36	33.711	23.948	396.1	0.103	5.29	230.7	100.4	2.3	0.25	0.0	0.00	0.00	0.10	0.01	26 18
30 ISL	19.51 D	19.50	33.758 D	23.947	396.4	0.120	5.25	D229.8	D100.0	2.3	0.25	0.0	0.00	0.00	0.10	0.01	30
38	19.54	19.53	33.786	23.961	395.3	0.151	5.27	229.9	100.4	2.3	0.24	0.0	0.01	0.00	0.11	0.02	38 17
50 A	19.26	19.25	33.806	24.048	387.5	0.198	5.36	233.6	101.6	2.4	0.24	0.0	0.01	0.00	0.16	0.03	50 16
62	16.83	16.82	33.578	24.469	347.7	0.242	5.83	254.2	105.4	2.6	0.22	0.0	0.00	0.00	0.19	0.05	62 15
75	15.69	15.68	33.539	24.699	326.0	0.286	5.80	252.7	102.4	2.6	0.24	0.0	0.00	0.00	0.20	0.11	76 14
88 A	15.36	15.35	33.627	24.841	313.0	0.327	5.62	245.0	98.7	2.8	0.29	0.0	0.02	0.00	0.21	0.15	89 13
100	14.96	14.95	33.693	24.980	300.1	0.364	5.44	236.8	94.7	3.3	0.34	0.5	0.19	0.00	0.19	0.18	101 12
110 A	14.79	14.77	33.772	25.079	290.9	0.393	5.39	235.0	93.7	3.4	0.32	0.8	0.16	0.00	0.19	0.15	111 11
125	13.45	13.43	33.652	25.266	273.3	0.436	5.22	227.5	88.2	4.8	0.49	3.4	0.02	0.00	0.10	0.14	126 10
140	12.37	12.35	33.544	25.395	261.1	0.476	5.08	221.4	83.9	6.5	0.66	6.1	0.02	0.00	0.08	0.07	141 09
150 ISL	11.40 D	11.38	33.519 D	25.558	245.7	0.505	5.07	D218.0	D80.9	9.2	0.85	9.1	0.02	0.00	0.06	0.06	151
170	9.89	9.87	33.577	25.866	216.4	0.547	4.43	192.8	69.3	14.7	1.22	15.1	0.01	0.00	0.02	0.03	171 08
200	9.14	9.11	33.839	26.195	185.6	0.607	3.54	154.1	54.6	24.6	1.67	22.1	0.01	0.00	0.00	0.01	202 07
232	8.58	8.56	33.963	26.380	168.5	0.664	3.01	130.8	45.8	31.3	1.90	25.4	0.01	0.00			234 06
250 ISL	8.38 D	8.35	33.972 D	26.418	165.1	0.699	2.95	D128.5	D44.8	33.7	1.98	26.6	0.01	0.00			252
269	8.18	8.15	33.995	26.466	160.8	0.725	2.62	114.2	39.6	36.3	2.07	27.9	0.01	0.00			271 05
300 ISL	7.64 D	7.61	34.021 D	26.566	151.6	0.779	2.35	D102.4	D35.1	41.9	2.22	29.9	0.01	0.00			302
320	7.47	7.43	34.033	26.601	148.5	0.803	2.11	91.8	31.3	45.4	2.32	31.2	0.01	0.00			322 04
381	6.64	6.61	34.														

PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 76.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
34 53.3 N	121 11.6 W	23/11/2013	1653 UTC	12 m	1151 - 1735 PST	1151 PST	1721 PST								550.9	mg C/m2	071
2	14.28	33.555	25.013	6.01	103.2	0.7	0.40	0.5	0.05	0.07	1.92	0.78	77. A	21.6	24.5	23.1	0.36
7	14.28	33.555	25.014	6.01	103.1	0.7	0.40	0.4	0.05	0.07	1.87	0.81	41.	24.0	25.6	24.8	0.28
10	14.22	33.556	25.027	5.98	102.5	0.8	0.39	0.6	0.06	0.11	2.07	0.86	28.	22.4	23.6	23.0	0.34
19	13.98	33.555	25.077	5.83	99.5	1.5	0.49	1.7	0.13	0.37	2.71	1.29	8.8	16.0 B	16.0 B	16.0	0.27
26	13.94	33.555	25.085	5.80	98.9	1.6	0.51	1.9	0.13	0.35	2.80	1.57					
34	13.89	33.555	25.095	5.75	98.0	1.9	0.53	2.2	0.14	0.41	2.73	1.42	1.3	0.57	2.4	1.5	0.19
40	13.83	33.555	25.108	5.69	96.7	2.3	0.55	2.6	0.15	0.45	2.68	1.55	0.60	0.48	0.52	0.50	0.23

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 76.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
33 43.4 N	123 38.2 W	22/11/2013	1738 UTC	14 m	1200 - 1745 PST	1201 PST	1728 PST								198.0	mg C/m2	067
2	14.82	33.117	24.560	5.84	101.1	2.4	0.38	0.8	0.06	0.00	0.58	0.20	80. A	6.2	8.0	7.1	0.14
9	14.81	33.117	24.563	5.86	101.4	2.4	0.39	0.7	0.06	0.00	0.59	0.19	37.	8.7	9.1	8.9	0.13
10	14.81	33.114	24.561	5.88	101.7	2.4	0.38	0.6	0.06	0.00	0.60	0.20	33.	8.2	9.1	8.6	0.48
21	14.80	33.113	24.563	5.85	101.2	2.4	0.38	0.6	0.06	0.00	0.58	0.20	10.0	4.7	4.6	4.7	0.12
29	14.76	33.133	24.587	5.85	101.2	2.4	0.38	0.7	0.06	0.00	0.55	0.21					
38	12.81	33.110	24.969	5.59	92.9	4.0	0.72	5.3	0.59	0.00	0.25	0.20	1.6	0.34	0.49	0.42	0.17
48	11.47	33.070	25.191	5.48	88.5	5.6	0.89	8.3	0.05	0.00	0.15	0.13	0.52	0.11	0.12	0.12	0.07

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 80.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
34 19.1 N	120 48.1 W	20/11/2013	1757 UTC	09 m	1147 - 1730 PST	1149 PST	1724 PST								899.6	mg C/m2	057
2	14.99	33.580	24.881	6.10	106.2	0.8	0.35	0.3	0.04	0.00	3.35	0.56	71. A	48.1	45.3	46.7	0.32
6	14.80	33.583	24.923	6.10	105.9	0.9	0.35	0.2	0.03	0.00	3.64	0.60	36.	44.2	45.2	44.7	0.28
7	14.74	33.579	24.934	6.19	107.2	0.6	0.30	0.2	0.03	0.00	6.20	1.10	30.	42.6	46.5	44.6	0.51
15	14.59	33.593	24.978	5.91	102.1	1.8	0.47	1.1	0.08	0.10	9.15	1.72	7.7	37.0 B	37.0 B	37.0	0.25
26	14.10	33.561	25.058	5.90	101.0	2.1	0.48	1.5	0.09	0.29	11.38	1.80	1.2	6.1	6.2	6.1	0.28
30	13.58	33.551	25.157	5.49	92.9	4.4	0.67	4.5	0.17	0.36	10.16	1.62	0.60	1.3	1.5	1.4	0.19

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 80.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
33 28.9 N	122 32.3 W	21/11/2013	1649 UTC	15 m	1155 - 1740 PST	1156 PST	1736 PST								185.8	mg C/m2	063
2	14.24	33.336	24.851	5.83	99.8	3.1	0.51	2.8	0.16	0.10	0.43	0.14	81. A	7.4	7.3	7.4	0.12
9	14.24	33.336	24.852	5.84	100.1	3.0	0.49	2.5	0.16	0.08	0.46	0.14	40.	7.3 B	7.3 B	7.3	0.13
12	14.24	33.337	24.853	5.83	100.0	3.0	0.51	2.5	0.16	0.08	0.42	0.14	29.	6.4	6.7	6.5	0.04
25	14.24	33.333	24.852	5.84	100.1	3.1	0.51	2.5	0.16	0.08	0.44	0.14	7.7	3.4 B	3.4 B	3.4	0.22
31	14.21	33.320	24.848	5.83	99.8	3.0	0.50	2.6	0.18	0.10	0.45	0.16					
41	13.96	33.430	24.985	5.69	96.9	3.3	0.60	3.8	0.26	0.47	0.41	0.21	1.5	0.55B	0.55B	0.55	0.12
51	13.58	33.431	25.065	5.53	93.6	3.8	0.69	5.0	0.34	0.46	0.32	0.20	0.54	0.11	0.14	0.13	0.15

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 42.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
34 10.7 N	119 30.7 W	24/11/2013	1738 UTC	12 m	1145 - 1730 PST	1145 PST	1714 PST								628.3	mg C/m2	080
2	16.24	33.564	24.590	5.80	103.6	1.7	0.34	0.0	0.02	0.00	1.80	0.22	77. A	28.7	30.7	29.7	0.25
7	16.21	33.566	24.597	5.78	103.2	1.7	0.33	0.0	0.02	0.00	1.80	0.39	41.	30.3	30.9	30.6	0.27
10	16.21	33.565	24.597	5.81	103.8	1.7	0.34	0.0	0.02	0.00	1.83	0.39	28.	25.8	27.9	26.9	0.29
19	16.20	33.564	24.599	5.77	102.9	1.7	0.35	0.0	0.03	0.00	2.05	0.44	8.8	16.6 B	16.6 B	16.6	0.20
26	16.20	33.564	24.600	5.76	102.8	1.7	0.34	0.0	0.03	0.00	2.00	0.39					
33	16.19	33.561	24.601	5.76	102.8	1.7</											

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL	TWILIGHT	INTEGRATED	VALUE	ORD						
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.44	33.558	24.765	5.73	100.6	2.0	0.39	1.2	0.10	0.00	0.59	0.20	80. A	11.7	11.3	11.5	0.58
9	15.41	33.559	24.774	5.70	100.1	2.1	0.40	1.2	0.10	0.00	0.62	0.23	37.	11.6 B	11.6 B	11.6	0.17
11	15.40	33.559	24.775	5.69	99.9	2.1	0.40	1.2	0.10	0.00	0.65	0.24	30.	10.3	11.0	10.7	0.24
22	15.40	33.558	24.775	5.68	99.8	2.1	0.40	1.2	0.10	0.00	0.60	0.21	9.0	6.2 B	6.2 B	6.2	0.22
30	15.40	33.565	24.781	5.69	100.0	2.1	0.40	1.2	0.10	0.00	0.62	0.23					
38	15.39	33.560	24.780	5.68	99.8	2.1	0.40	1.2	0.11	0.00	0.60	0.23	1.6	1.1	0.98	1.0	0.15
48	14.84	33.571	24.909	5.65	98.1	2.1	0.42	1.5	0.13	0.18	0.46	0.25	0.52	0.27	0.37	0.32	0.14

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 83.3 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL	TWILIGHT	INTEGRATED	VALUE	ORD						
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	17.43	33.310	24.118	5.48	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.06	92. A	2.9	3.1	3.0	0.14
12	17.41	33.308	24.121	5.48	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.06					
24	17.40	33.308	24.124	5.48	99.9	2.1	0.30	0.0	0.00	0.00	0.20	0.06	37.	3.0 B	3.0 B	3.0	0.10
31	17.40	33.310	24.126	5.48	100.0	2.1	0.30	0.0	0.00	0.00	0.19	0.05	28.	4.3 B	4.3 B	4.3	0.14
38	17.40	33.308	24.125	5.48	100.0	2.0	0.30	0.0	0.00	0.00	0.19	0.06					
48	17.39	33.305	24.127	5.48	100.0	2.1	0.29	0.0	0.00	0.00	0.20	0.06					
58	17.37	33.301	24.129	5.48	99.9	2.1	0.29	0.0	0.00	0.00	0.23	0.07	9.0	1.5 B	1.5 B	1.5	0.11
72	17.26	33.298	24.153	5.49	99.9	2.1	0.30	0.0	0.00	0.00	0.25	0.08					
86	13.83	33.098	24.758	6.04	102.4	2.5	0.36	0.0	0.01	0.03	0.25	0.14					
101	13.23	33.133	24.907	5.90	98.8	2.9	0.42	0.4	0.15	0.07	0.21	0.14	1.5	0.29	0.27	0.28	0.10
110	12.86	33.182	25.019	5.76	95.8	3.3	0.46	1.3	0.30	0.00	0.17	0.13					
119	12.20	33.184	25.148	5.59	91.8	4.2	0.57	3.4	0.08	0.00	0.12	0.12					
126	12.07	33.267	25.237	5.47	89.5	5.1	0.62	4.6	0.03	0.00	0.09	0.09	0.54	0.05	0.29	0.17	0.08

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL	TWILIGHT	INTEGRATED	VALUE	ORD						
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.55	33.636	24.801	5.67	100.0	4.5	0.44	1.6	0.06	0.01	1.49	0.29	71. A	34.5	33.6	34.1	0.25
6	15.51	33.636	24.810	5.67	99.9	4.5	0.43	1.5	0.06	0.00	1.48	0.28	36.	34.0	34.0	34.0	0.31
7	15.51	33.635	24.808	5.68	100.0	4.6	0.44	1.6	0.06	0.00	1.60	0.36	30.	27.6	30.9	29.3	0.34
14	14.53	33.607	25.001	5.30	91.6	6.4	0.64	4.6	0.19	0.00	1.29	0.35	9.2	14.4	14.4	14.4	0.25
26	13.19	33.577	25.256	4.68	78.5	9.6	0.97	9.9	0.41	0.00	0.56	0.31	1.2	0.95	0.95	0.95	0.12
31	12.62	33.566	25.359	4.49	74.4	10.9	1.07	11.5	0.42	0.00	0.31	0.22	0.51	0.18	0.17	0.17	0.11

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 86.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL	TWILIGHT	INTEGRATED	VALUE	ORD						
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.39	33.407	24.659	5.69	99.8	2.0	0.38	0.8	0.07	0.26	0.26	0.07	88. A	4.9	4.6	4.8	0.16
8	15.39	33.405	24.659	5.70	99.9	2.1	0.37	0.8	0.07	0.25	0.25	0.08					
14	15.38	33.405	24.661	5.69	99.8	2.1	0.37	0.8	0.07	0.26	0.26	0.08	41.	4.9 B	4.9 B	4.9	0.10
19	15.38	33.405	24.662	5.69	99.8	2.1	0.38	0.8	0.07	0.24	0.27	0.12	30.	4.2	4.0	4.1	0.14
28	15.38	33.408	24.664	5.68	99.6	2.0	0.37	0.8	0.10	0.25	0.27	0.08					
38	15.43	33.477	24.706	5.66	99.5						0.29	0.24	8.8	3.1 B	3.1 B	3.1	0.13
47	13.92	33.473	25.027	5.63	95.9	2.3	0.43	1.6	0.13	0.38	0.27	0.11					
56	11.69	33.164	25.224	5.33	86.5	6.5	0.91	8.8	0.22	0.00	0.17	0.16					
66	11.08	33.177	25.346	5.19	83.1	8.4	1.04	10.9	0.07	0.00	0.20	0.16	1.5	0.43B	0.43B	0.43	0.11
74	10.63	33.280	25.506	4.92	78.1	11.3	1.22	13.9	0.04	0.00	0.14	0.15					
83	10.55	33.365	25.586	4.66	73.9	13.4	1.34	15.9	0.03	0.00	0.10	0.12	0.49	0.11	0.16	0.14	0.09

A) INCUBATION LIGHT INTENSITIES WERE 58.5; 38.5; 29.1; 8.9; 1.5; 0.51 PERCENT RESPECTIVELY.

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ML/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	17.19	33.572	24.376	5.76	104.8	2.3	0.33	0.0	0.01	0.00	0.36	0.03	85. A	6.5	12.1	9.3	0.19
12	17.05	33.566	24.406	5.75	104.3	2.2	0.33	0.0	0.01	0.00	0.35	0.08	38.	11.1 B	11.1 B	11.1	0.19
15	16.54	33.554	24.515	5.78	103.8	2.3	0.33	0.0	0.01	0.00	0.34	0.09	30.	9.1	10.3	9.7	0.15
22	14.12	33.393	24.923	6.04	103.3	4.1	0.46	0.5	0.09	0.00	0.85	0.25					
30	13.05	33.410	25.154	5.23	87.4	6.5	0.77	5.2	0.40	0.00	0.68	0.27	8.9	8.2 B	8.2 B	8.2	0.20
41	12.58	33.434	25.265	4.53	75.1	9.3	1.01	9.1	0.15	0.00	0.43	0.26					
53	12.17	33.451	25.357	4.22	69.3	11.1	1.13	11.2	0.08	0.01	0.27	0.19	1.4	0.56	0.52	0.54	0.07
58	12.10	33.470	25.386	3.87	63.5	13.0	1.26	13.1	0.05	0.00	0.15	0.14					
65	12.01	33.475	25.407	3.82	62.6	13.5	1.30	13.7	0.04	0.00	0.11	0.14	0.52	0.10	0.10	0.10	0.08

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ML/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
3	16.99	33.581	24.428	5.55	100.6	1.7	0.32	0.4	0.04	0.00	0.34	0.06	79. A	5.2	5.5	5.3	0.20
12	16.99	33.582	24.430	5.55	100.7	1.7	0.31	0.1	0.02	0.00	0.33	0.09	40.	6.2 B	6.2 B	6.2	0.10
16	16.99	33.584	24.431	5.55	100.5	1.7	0.32	0.1	0.01	0.00	0.33	0.06	29.	5.3	5.7	5.5	0.11
24	16.98	33.593	24.443	5.55	100.6	1.7	0.31	0.1	0.01	0.00	0.34	0.06					
31	15.86	33.532	24.653	5.61	99.4	1.8	0.34	0.5	0.04	0.00	0.46	0.19	9.3	1.9 B	1.9 B	1.9	0.76
44	12.37	33.316	25.215	5.16	85.0	6.2	0.87	7.9	0.37	0.00	0.40	0.23					
55	11.96	33.317	25.294	5.06	82.6	7.5	0.95	9.5	0.16	0.00	0.29	0.18	1.5	1.00	0.88	0.94	0.07
62	11.74	33.316	25.332	5.01	81.5	8.2	1.00	10.5	0.09	0.00	0.26	0.18					
69	11.48	33.379	25.430	4.72	76.4	9.9	1.13	12.4	0.04	0.00	0.21	0.14	0.50	0.21	0.35	0.28	0.08

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 90.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ML/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	16.60	33.151	24.191	5.63	101.0	2.1	0.32	0.1	0.00	0.00	0.17	0.03	86. A	3.3	3.6	3.5	0.13
13	16.59	33.153	24.195	5.63	100.9	2.1	0.32	0.1	0.00	0.00	0.16	0.04	39.	4.2 B	4.2 B	4.2	0.09
18	16.59	33.154	24.195	5.64	101.1	2.1	0.32	0.1	0.01	0.00	0.16	0.03	27.	3.3	3.1	3.2	0.09
25	16.60	33.170	24.205	5.65	101.3	2.1	0.32	0.0	0.01	0.00	0.17	0.03					
33	16.55	33.202	24.244	5.63	100.9	2.0	0.31	0.0	0.01	0.00	0.19	0.03	9.0	2.3 B	2.3 B	2.3	0.10
41	16.15	33.163	24.306	5.70	101.4	2.1	0.33	0.1	0.01	0.02	0.23	0.08					
49	15.27	33.155	24.494	5.84	102.1	2.2	0.34	0.3	0.02	0.02	0.26	0.09					
58	13.91	33.102	24.743	6.16	104.7	2.6	0.34	0.0	0.01	0.00	0.29	0.15	1.4	0.10	0.60	0.35	0.09
72	12.79	33.114	24.978	5.96	98.9	2.9	0.39	0.1	0.05	0.00	0.29	0.22	0.52	0.26	0.29	0.28	0.03

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C	THETA	ML/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
1	17.84	33.612	24.249	5.64	103.9	1.7	0.34	0.1	0.01	0.05	0.19	0.05	94. A	5.2	6.3	5.7	0.10
8	17.51	33.607	24.326	5.68	104.1	1.7	0.33	0.0	0.01	0.01	0.23	0.06					
14	16.62	33.516	24.466	5.94	106.9	2.3	0.37	0.1	0.02	0.00	0.36	0.15	39.	10.1 B	10.1 B	10.1	0.15
19	15.29	33.440	24.707	5.99	104.9	3.9	0.46	0.4	0.07	0.03	0.89	0.34	28.	19.5	20.8	20.2	0.18
28	13.69	33.385	25.006	5.55	94.0	4.5	0.63	3.0	0.33	0.11	0.83	0.38					
36	12.70	33.407	25.221	4.84	80.3	7.5	0.89	7.7	0.15	0.00	0.47	0.28	9.0	0.77	2.6	1.7	0.04
45	12.39	33.431	25.298	4.41	72.8	10.3	1.06	10.0	0.21	0.01	0.22	0.24					
54	12.05	33.459	25.385	4.12	67.5	12.2	1.19	12.1	0.24	0.10	0.12	0.22					
60	12.02	33.474	25.403	4.00	65.4	12.9	1.23	12.7	0.20	0.24	0.10	0.21	1.8	0.03	0.02	0.03	0.06

A) INCUBATION LIGHT INTENSITIES WERE 58.5; 38.5; 29.1; 8.9; 1.5; 0.51 PERCENT RESPECTIVELY.

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 20.8 N	118 33.3 W	10/11/2013	1726 UTC	27 m	1140 - 1730 PST	1138 PST	1726 PST	228.3 mg C/m ²	008

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
1	18.05	33.629	24.211	5.45	100.9	1.6	0.29	0.4	0.01	0.00	0.16	0.03	94. A	2.5	2.4	2.5	0.14
9	18.06	33.631	24.212	5.48	101.4	1.6	0.29	0.0	0.02	0.00	0.16	0.03					
17	17.79	33.591	24.248	5.47	100.8	1.5	0.28	0.1	0.02	0.00	0.18	0.05	38.	3.3 B	3.3 B	3.3	0.24
22	17.70	33.594	24.271	5.51	101.2	1.5	0.28	0.0	0.01	0.00	0.20	0.04	29.	3.0	3.4	3.2	0.21
32	15.91	33.441	24.572	5.76	102.2	1.9	0.33	0.1	0.04	0.00	0.45	0.20					
43	14.55	33.355	24.803	5.85	100.8	3.0	0.40	0.7	0.10	0.00	0.49	0.34	8.7	5.2	4.1	4.6	0.10
58	12.23	33.196	25.148	5.50	90.2	5.2	0.73	5.9	0.28	0.00	0.28	0.22					
74	11.53	33.382	25.424	5.03	81.4	7.9	0.84	8.5	0.04	0.00	0.16	0.14	1.5	0.26	0.45	0.35	0.13
84	10.86	33.434	25.586	4.72	75.3	11.0	1.06	12.1	0.03	0.00	0.08	0.08					
93	10.64	33.463	25.647	4.56	72.5	12.5	1.17	13.8	0.02	0.00	0.06	0.06	0.51	0.05	0.02	0.03	0.11

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
31 10.8 N	120 55.1 W	11/11/2013	1736 UTC	31 m	1154 - 1740 PST	1148 PST	1738 PST	174.2 mg C/m ²	013

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	17.58	33.443	24.183	5.49	100.6	1.6	0.30	0.1	0.01	0.01	0.16	0.02	91. A	3.2	3.1	3.1	0.08
10	17.54	33.447	24.196	5.47	100.2	1.6	0.30	0.0	0.01	0.01	0.15	0.02					
19	17.16	33.420	24.267	5.58	101.3	1.6	0.31	0.0	0.00	0.01	0.20	0.04	39.	3.4	3.4	3.4	0.11
26	17.09	33.425	24.287	5.59	101.5	1.6	0.31	0.0	0.01	0.07	0.25	0.05	28.	3.1	2.9	3.0	0.13
37	17.03	33.444	24.317	5.59	101.3	1.6	0.31	0.0	0.01	0.06	0.31	0.08					
49	15.70	33.321	24.528	5.71	100.7	1.9	0.36	0.2	0.03	0.29	0.29	0.09	8.8	1.6 B	1.6 B	1.6	0.13
60	13.63	33.139	24.830	5.88	99.4	2.6	0.44	0.6	0.19	0.38	0.26	0.11					
74	12.89	33.222	25.042	5.64	93.9	3.6	0.54	2.6	0.29	0.04	0.23	0.11					
85	11.52	33.163	25.255	5.43	87.7	5.8	0.79	6.8	0.04	0.01	0.14	0.10	1.5	0.13	0.33	0.23	0.09
96	10.75	33.226	25.443	5.13	81.5	9.4	1.00	10.5	0.02	0.02	0.07	0.07					
107	10.17	33.325	25.620	4.81	75.5	12.8	1.20	14.0	0.01	0.00	0.03	0.03	0.50	0.00	0.01	0.01	0.09

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

RV NEW HORIZON

CALCOFI CRUISE 1311

STATION 93.3 120.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
29 50.8 N	123 35.1 W	12/11/2013	1744 UTC	32 m	1202 - 1745 PST	1159 PST	1743 PST	124.0 mg C/m ²	017

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	19.36	33.695	23.934	5.31	100.8	2.3	0.26	0.2	0.00	0.00	0.09	0.02	91. A	1.5	1.7	1.6	0.15
10	19.36	33.695	23.934	5.30	100.6	2.3	0.26	0.0	0.01	0.00	0.10	0.01					
20	19.38	33.713	23.944	5.28	100.3	2.3	0.25	0.0	0.00	0.00	0.09	0.02	38.	1.6 B	1.6 B	1.6	0.08
26	19.36	33.711	23.948	5.29	100.4	2.3	0.25	0.0	0.00	0.00	0.10	0.01	29.	1.6	1.5	1.5	0.09
38	19.54	33.786	23.961	5.27	100.4	2.3	0.24	0.0	0.01	0.00	0.11	0.02					
50	19.26	33.806	24.048	5.36	101.6	2.4	0.24	0.0	0.01	0.00	0.16	0.03	9.1	1.5	1.1	1.3	0.11
62	16.83	33.578	24.469	5.83	105.4	2.6	0.22	0.0	0.00	0.00	0.19	0.05					
75	15.69	33.539	24.699	5.80	102.4	2.6	0.24	0.0	0.00	0.00	0.20	0.11					
88	15.36	33.627	24.841	5.62	98.7	2.8	0.29	0.0	0.02	0.00	0.21	0.15	1.5	0.69	0.63	0.66	0.11
100	14.96	33.693	24.980	5.44	94.7	3.3	0.34	0.5	0.19	0.00	0.19	0.18					
110	14.79	33.772	25.079	5.39	93.7	3.4	0.32	0.8	0.16	0.00	0.19	0.15	0.51	0.40	0.26	0.33	0.05

A) INCUBATION LIGHT INTENSITIES WERE 58.5; 38.5; 29.1; 8.9; 1.5; 0.51 PERCENT RESPECTIVELY.

B) PRODUCTIVITY REPLICATES POOR UNCERTAIN VALUE ELIMINATED

CalCOFI Cruise 1311
MACROZOOPLANKTON BIOMASS
Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date	Time (PST)	Water Volume	Max. Tow	Volume per					
								Mo/Day	Start	End	Strained (m ³)	Depth (m)	1000 m ³ Strained
												Total (cm ³)	Small (cm ³)
76.7	49.0	35 05.3	120 46.5	11/23	1432	1438	109	51	422	266			
76.7	51.0	35 01.3	120 55.1	11/23	1220	1241	389	198	291	190			
76.7	55.0	34 53.3	121 11.8	11/23	753	815	434	208	196	166			
76.7	60.0	34 43.3	121 32.8	11/23	458	519	419	210	88	88			
76.7	70.0	34 23.3	122 14.7	11/22	2250	2312	442	216	183	183			
76.7	80.0	34 03.2	122 56.6	11/22	1644	1706	447	212	112	98			
76.7	90.0	33 43.3	123 38.0	11/22	1044	1107	470	215	40	40			
76.7	100.0	33 23.3	124 19.4	11/22	420	441	453	211	35	35			
80.0	50.5	34 27.7	120 29.1	11/23	1920	1922	47	14	169	169			
80.0	51.0	34 27.0	120 31.4	11/23	2046	2053	132	55	61	61			
80.0	55.0	34 19.1	120 48.1	11/20	855	918	422	213	90	90			
80.0	60.0	34 09.0	121 08.9	11/20	2027	2050	471	208	136	136			
80.0	70.0	33 49.0	121 50.5	11/21	238	301	469	206	62	51			
80.0	80.0	33 29.0	122 32.1	11/21	748	811	463	215	76	52			
80.0	90.0	33 08.9	123 13.1	11/21	1539	1600	426	214	26	26			
81.7	43.5	34 24.2	119 48.0	11/24	412	414	47	16	299	299			
81.8	46.9	34 16.5	120 01.4	11/24	147	209	426	209	87	87			
83.3	39.4	34 15.6	119 19.5	11/24	700	702	41	13	48	48			
83.3	40.6	34 13.6	119 24.6	11/24	837	840	74	24	54	54			
83.3	42.0	34 10.7	119 30.5	11/24	1045	1059	264	127	30	30			
83.3	51.0	33 52.6	120 08.0	11/19	2345	2353	166	71	48	48			
83.3	55.0	33 44.7	120 24.6	11/19	2015	2037	429	216	110	110			
83.3	60.0	33 34.7	120 45.3	11/19	1603	1623	407	213	113	113			
83.3	70.0	33 14.5	121 26.8	11/19	849	912	462	209	52	26			
83.3	80.0	32 54.6	122 07.7	11/19	330	353	436	209	94	94			
83.3	90.0	32 34.7	122 48.7	11/18	2149	2211	438	210	36	36			
83.3	100.0	32 14.6	123 29.6	11/18	1603	1624	426	213	35	35			
83.3	110.0	31 54.6	124 10.1	11/18	902	925	452	210	33	33			
85.4	35.8	34 00.8	118 49.8	11/24	1751	1753	40	14	202	202			
86.7	33.0	33 53.4	118 29.4	11/15	2208	2214	114	49	175	175			
86.7	35.0	33 49.4	118 37.7	11/16	48	110	442	200	93	93			
86.7	40.0	33 39.4	118 58.5	11/16	513	534	416	213	72	72			
86.7	45.0	33 29.4	119 18.9	11/16	826	848	456	213	42	31			
86.7	50.0	33 19.3	119 39.7	11/16	1331	1339	147	61	164	164			
86.7	55.0	33 09.5	120 00.3	11/16	1838	1859	446	210	135	115			
86.7	60.0	32 59.3	120 20.9	11/16	2252	2316	491	214	206	192			
86.7	70.0	32 39.4	121 01.8	11/17	502	523	458	210	131	96			
86.7	80.0	32 19.4	121 42.8	11/17	1056	1118	434	213	111	62			
86.7	90.0	31 59.4	122 23.5	11/17	1645	1706	399	210	40	40			
86.7	100.0	31 39.4	123 04.2	11/17	2232	2254	445	209	94	49			
86.7	110.0	31 19.4	123 44.6	11/18	411	432	441	210	39	39			
86.8	32.5	33 53.3	118 26.7	11/15	2046	2048	38	15	239	239			
88.5	30.1	33 40.4	118 05.6	11/15	1712	1714	44	13	205	205			
90.0	27.7	33 29.7	117 44.8	11/15	1443	1445	52	12	116	116			
90.0	28.0	33 29.1	117 46.2	11/15	1400	1405	101	41	118	118			
90.0	30.0	33 25.1	117 54.3	11/15	1134	1156	443	209	75	75			
90.0	35.0	33 15.1	118 15.0	11/15	711	734	446	224	175	90			
90.0	37.0	33 11.0	118 23.2	11/15	421	442	376	216	88	88			
90.0	45.0	32 55.2	118 56.0	11/14	2245	2307	455	216	59	59			
90.0	53.0	32 39.0	119 28.9	11/14	1642	1704	453	220	35	35			
90.0	60.0	32 25.1	119 57.5	11/14	1106	1128	457	209	53	53			
90.0	70.0	32 05.0	120 38.4	11/14	410	432	459	207	57	57			
90.0	80.0	31 45.0	121 18.8	11/13	2141	2204	454	214	95	95			
90.0	90.0	31 25.0	121 59.3	11/13	1120	1143	451	213	82	42			
90.0	100.0	31 05.0	122 39.7	11/13	441	503	447	214	31	31			
90.0	110.0	30 45.1	123 20.0	11/12	2220	2242	439	217	62	62			
90.0	120.0	30 25.1	123 59.9	11/12	1612	1634	453	211	35	35			
91.7	26.4	33 14.7	117 27.8	11/09	1552	1554	49	13	81	81			
93.3	26.7	32 57.4	117 18.3	11/09	1210	1215	127	40	150	150			
93.3	28.0	32 54.8	117 23.7	11/09	1953	2015	434	213	76	76			
93.3	30.0	32 50.8	117 31.9	11/09	2241	2303	430	204	100	100			
93.3	35.0	32 40.9	117 52.4	11/10	235	257	449	209	67	56			
93.3	40.0	32 30.8	118 12.7	11/10	634	654	417	209	82	65			
93.3	45.0	32 20.8	118 33.2	11/10	1045	1107	464	206	34	34			
93.3	50.0	32 10.9	118 53.6	11/10	1438	1500	460	208	59	59			
93.3	55.0	32 00.7	119 14.0	11/10	1850	1912	450	210	44	44			
93.3	60.0	31 50.8	119 34.3	11/10	2245	2307	451	216	44	44			
93.3	70.0	31 30.8	120 14.8	11/11	441	501	414	214	85	85			
93.3	80.0	31 10.8	120 55.1	11/11	1056	1118	428	216	51	51			
93.3	90.0	30 50.7	121 35.3	11/11	1645	1706	415	211	41	41			
93.3	100.0	30 30.8	122 15.5	11/11	2228	2250	440	211	32	32			
93.3	110.0	30 10.7	122 55.3	11/12	407	428	422	214	43	43			
93.3	120.0	29 50.8	123 34.9	11/12	849	911	443	214	16	16			
93.4	26.4	32 57.1	117 16.8	11/09	1306	1308	49	12	162	162			