

# data report

**CalCOFI Cruise 1511**  
**25 October – 13 November 2015**

**CC Reference 16 - 04**  
**25 October 2016**

**UNIVERSITY OF CALIFORNIA, SAN DIEGO  
SCRIPPS INSTITUTION OF OCEANOGRAPHY  
LA JOLLA, CALIFORNIA 92093-0227**

**PHYSICAL, CHEMICAL AND BIOLOGICAL DATA**

**CalCOFI Cruise 1511  
25 October – 13 November 2015**

**CC Reference 16 - 04  
25 Oct 2016**

## CONTENTS

Introduction .....	4
Literature Cited .....	9
CalCOFI Cruise 1511	
Personnel .....	11
List of Figures .....	12
Tabulated Rosette Cast Data .....	23
Tabulated Primary Productivity Data .....	52
Tabulated Macrozooplankton Data .....	55

## INTRODUCTION

The data presented in this report were collected during cruise 1511\* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV Oceanus. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Wildlife, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruise were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

## STANDARD PROCEDURES

### *CTD/Rosette Cast Data*

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911+, Serial number 3161-936) with a rosette was deployed at each station on this cruise. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 515 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. Additional bottle depths also appear in combined hydrographic and primary productivity casts. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures were converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P155. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen analyses were performed with an Ocean Data Facility of Scripps Institution of Oceanography designed automated oxygen titrator using photometric end-point detection based on the absorption of 365nm wavelength ultra-violet light. A computer using PC software controlled the titration of the samples and the data logging. The method used a modified Winkler titration following the technique of Carpenter (1965) with modifications by Culberson (1991), but with higher concentrations of thiosulfate solution (50 g/l). Standard KIO<sub>3</sub> solutions prepared ashore were run at the beginning of each run. Reagent and sea water blanks were determined to account for presence of oxidizing or reducing materials.

---

\* The first two digits represent the year and the last digits the month of the cruise.

Nutrient samples were analyzed at sea using a QuAAstro continuous flow analyzer (SEAL Analytical). Dissolved silicate, nitrate, and nitrite were analyzed using a modification of the method described by Armstrong (1967) and Gordon et al. (1992). Phosphate was measured with a modification of the Murphy and Riley (1962) protocol and ammonium is analyzed using a modified fluorometric method described by Kerouel and Aminot (1997). Samples were collected in 45ml high-density polypropylene screw top tubes which were acid washed and rinsed with sample three times prior to filling. Standardizations and cadmium-reduction coil efficiency determinations were performed at the beginning of every run. Drift and baseline corrections were performed in each run using a high standard and blank respectively inserted before and after sample sets. A sample of reference material for nutrients in seawater (RMNS), produced by KANSO technos ([www.kanso.co.jp](http://www.kanso.co.jp)) was included in every run and those data were monitored throughout the cruise and available to adjust values for nitrate, nitrite, phosphate, and silicate if appropriate. A separate reference sample was used to monitor ammonium stability throughout the cruise. Samples not analyzed immediately after collection were refrigerated and run the following day.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll-*a* and phaeopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

#### *Primary Productivity Sampling*

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from  $^{14}\text{C}$  uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with a cruise average of 10.36  $\mu\text{Ci}$  of  $^{14}\text{C}$  as  $\text{NaHCO}_3$  (200 $\mu\text{l}$  of stock solution) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

#### *Macrozooplankton Net Tows*

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large ( $>5$  ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

### *Ancillary Programs*

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data:* Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 5 meters. The data were logged in one-second increments using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG Thermosalinograph for internal, SBE 38 Thermosalinograph for external, and a WetLabs WETstar fluorometer. The data has been processed to show 10 minute averages.
- 2) *ADCP:* Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP raw data are collected and archived for potential data processing ashore. The National Centers for Environmental Information (NCEI) in collaboration with the E.Firing Acoustic Doppler Current Profiler (ADCP) Laboratory at the University of Hawaii have established the Joint Archive for Shipboard ADCP (JASADCP). The JASADCP is responsible for the acquisition, review, documentation, archival, and distribution of shipboard ADCP data sets, data may be accessed through their website (<http://ilikai.soest.hawaii.edu/sadcp/index.html>). Shipboard ADCP data is acquired by University of Hawaii Data Acquisition System (UDHAS) and uses Common Ocean Data Access System (CODAS) processing to incrementally build a dataset of averaged, edited ocean velocities for each ADCP and ping type specified. Processed data and plots are served on the shipboard network, and daily status summaries are emailed and available online ([http://currents.soest.hawaii.edu/uhdas\\_fromships.html](http://currents.soest.hawaii.edu/uhdas_fromships.html)).
- 3) *Underway Sea Surface pCO<sub>2</sub> and pH measurements:* Automated shipboard analysis of the partial pressure of CO<sub>2</sub> and pH were made from the ship's underway flow-through system. pCO<sub>2</sub> measurements were taken with the Shipboard Underway pCO<sub>2</sub> Environmental Recorder (SUPER-CO<sub>2</sub>) sold by Sunburst Sensors designed with a showered equilibrator and a LI-COR 840A CO<sub>2</sub>/H<sub>2</sub>O non-dispersive infrared gas analyzer. pH measurements were taken with a Honeywell Durafet based on Ion Selective Field Effect Transistor (ISFET) technology. The Durafet pH sensor was calibrated before and after the cruise. pCO<sub>2</sub> was calibrated with standard gases traceable to NIST every 4 hours, along with an atmospheric sample. Temperature and salinity were also sampled using a SeaBird Thermosalinograph (SBE45). Measurements were recorded every 4 seconds. (T. Martz, SIO)
- 4) *California Current Ecosystem Long Term Ecological Research Program:* The CCE-LTER program augments standard CalCOFI measurements to further characterize the lower trophic levels as well as the carbon system. Measurements of particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen, taxon-specific phytoplankton pigments, flow-cytometric counts of bacteria and picoautotrophs and the determination of mesozooplankton size structure using a Laser Optical Plankton Counter are sampled for all CalCOFI stations. On CalCOFI lines 90 and 80 measurements also include microscopic counts of heterotrophic and autotrophic phytoplankton for biomass and abundance and mesozooplankton community structure sampled with the Planktonic Rate Processes in Oligotrophic Ocean Systems (PRPOOS) tow net. (M. Ohman, SIO)
- 5) *Advanced Laser Fluorometer Analyzer (ALFA):* Continuous underway analysis of phytoplankton pigment groups and variable fluorescence ( $F_v/F_m$ ). ALFA, developed by A. Chekalyuk at Lamont-Doherty Earth Observatory, uses laser stimulated emission at 405 and 532 nm together with spectral deconvolution analysis to distinguish fluorescence from three types of phycoerythrin, chlorophyll-a, and chromophoric dissolved organic matter (CDOM). The ALFA is useful for differentiating the contribution of cyanobacteria and cryptophytes from other phytoplankton taxa present in natural phytoplankton assemblages, as well as for assessing phytoplankton photophysiological status. (R. Goericke, SIO)
- 6) *Southern California Coastal Ocean Observing System (SCCOOS) Nearshore Observations:* The objective of these observations is to extend CalCOFI time series to the nearshore. Nearshore observations consist of 8 stations at the ends and interspersed with current CalCOFI lines on the 20 m isobath with a standard set of CalCOFI hydrographic observations as well as a CalBOBL net tow, particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen and taxon-specific phytoplankton pigments data. (R. Goericke, SIO)

7) *Inorganic Carbon System:* The CalCOFI group collected samples for the characterization of the inorganic carbon system at selected locations along the cruise track with 14 profile and 8 additional surface water stations. Total inorganic carbon and alkalinity will be measured which will allow the calculation of pH and pCO<sub>2</sub>. The objectives of these measurements are first the long-term characterization of the inorganic carbon system and its response to changing ocean climate and second measurements of pH in the coastal zone in order to monitor the impact of ‘corrosive’ waters on benthic ecosystems in the Southern California Bight. (R. Goericke, SIO)

8) *Marine Mammal Observations:* During daylight transits, visual line-transect surveys were conducted by marine mammal observers focusing on cetaceans. Acoustic line-transect surveys were performed using a towed hydrophone array which consists of multiple hydrophone elements that sample sounds up to 100 kHz allowing for localization of calling animals. Acoustic monitoring also takes place on individual stations using sonobuoys. (J. Hildebrand, SIO)

9) *Microbial Diversity and Gene Expression:* Samples suitable for purification of DNA and RNA from bacterial and microbial eukaryotic biomass are collected for molecular diversity assays targeted to various genetic marker loci (16S and 18S rRNA). DNA samples are collected at every station, in parallel with particulate organic matter (POM) samples, on Whatman GF/F filters. RNA samples are collected in parallel with primary productivity samples on 0.2 µM sterivex filters with a maximum filtration time of 30 min. Additional samples from the mixed layer, chlorophyll max, and two depths below the euphotic zone are collected along lines 80 and 90. (A. Allen, SIO and JCVI)

10) *Cesium-134 survey:* Samples were collected for radioactive isotopes of cesium-137 and -134 analysis using the ratio of the two isotopes to distinguish cesium from the more recent Fukushima source over fallout from weapons testing. Twenty liters of unfiltered seawater was collected from the surface ocean into two 10L plastic sample containers and shipped to the Center for Marine and Environmental Radioactivity at the Woods Hole Oceanographic for analysis. Final radioactive cesium concentrations are reported in units of Bq per cubic meter where one Becquerel equals one disintegration per second. <http://ourradioactiveocean.org/results.html> (Mitchell SIO, Buesseler WHOI)

#### TABULATED DATA

##### *CTD/Rosette Cast Data*

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discreet sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote “ISL” printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

##### *Primary Productivity Data*

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean

of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

#### *Macrozooplankton Data*

Macrozooplankton biomass volumes are tabulated as total biomass volume ( $\text{cm}^3/1000\text{m}^3$  strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

#### FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

D: CTD salinity value listed in place of normal shipboard salinity analysis.

ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

## REFERENCES

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Bernhardt, H., and Wilhelms, A., (1967). "The continuous determination of low level iron, soluble phosphate and total phosphate with the AutoAnalyzer," Technicon Symposia, I, pp.385-389 .
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kerouel, R., Aminot, A., 1997. Fluorometric determination of ammonia in sea and estuarine waters by direct segmented flow analysis. *Mar. Chem.* Vol. 57, no. 3-4, pp. 265-275.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Threlkild and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370:* 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the  $^{14}\text{C}$  method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.

- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

## PERSONNEL

### CalCOFI Cruise 1511

#### SHIP'S CAPTAIN

Jeff Crews, R/V *Oceanus*

#### PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Legs)
Wolgast, David M. (Chief Scientist)	Staff Research Associate, SIO	1, 2
Andersen, Brad	Volunteer	1
Dovel, Shonna	Staff Research Associate, SIO	1
Floros, Nikolas	Volunteer	1
Hays, Amy	Fishery Biologist, NMFS	1
Manion, Sue	Fishery Biologist, NMFS	1
Miller, Melissa	Staff Research Associate, SIO	1
Roadman, Megan	Staff Research Associate, SIO	1
Rodgers-Wolgast, Jennifer	Staff Research Associate, SIO	1
Tricky, Jenny	Marine Mammal Observer, MPL	1, 2
Valentine, Nikki	Volunteer	1
Whitaker, Katherine	Marine Mammal Observer, MPL	1, 2
Wilkinson, James	Information Systems Analyst, SIO	1

Leg 1: Newport, Oregon to Dana Point, California, 25-28 October, 2015

Leg 2: Dana Point, California to San Diego, California, 28 October - 13 November, 2015

## FIGURES

### Cruise 1511

1. CalCOFI Cruise 1511 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C






FIGURE 4D

# CALCOFI CRUISE 1511

31 October - 2 November 2015



## POTENTIAL DENSITY ( $\sigma_0$ ) ALONG CALCOFI LINE 90



# CALCOFI CRUISE 1511

31 October - 2 November 2015



## SALINITY ALONG CALCOFI LINE 90



# CALCOFI CRUISE 1511

31 October - 3 November 2015

## NITRATE ( $\mu\text{M/L}$ ) ALONG CALCOFI LINE 90



# CALCOFI CRUISE 1511

31 October - 3 November 2015

## CHLOROPHYLL-a ( $\mu\text{g/L}$ ) ALONG CALCOFI LINE 90




FIGURE 5G






FIGURE 5H


# CALCOFI CRUISE 1511

31 October - 3 November 2015

## OXYGEN (mL/L) ALONG CALCOFI LINE 90



## PHAEOPIGMENTS (μg/L) ALONG CALCOFI LINE 90



RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 49.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEOL	PRES	SAMP	
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	051	
0	16.08	16.08	33.275	24.403	351.7	0.000	5.75	251.2	102.2	2.8	0.35	0.1	0.04	0.02	2.39	0.62	0
2 A	16.08	16.08	33.275	24.403	351.7	0.007	5.75	251.2	102.2	2.8	0.35	0.1	0.04	0.02	2.39	0.62	2 13
6 A	16.09	16.09	33.277	24.404	351.7	0.021	5.78	252.4	102.7	2.8	0.34	0.1	0.04	0.02	2.28	0.57	6 12
7 A	16.09	16.09	33.277	24.397	352.4	0.025	5.75	251.3	102.3	2.8	0.38	0.1	0.04	0.02	2.27	0.53	7 11
9	16.09	16.09	33.278	24.405	351.8	0.032										9 10	
10	16.08	16.08	33.279	24.406	351.7	0.035	5.75	251.0	102.1	2.8	0.36	0.1	0.04	0.03	2.28	0.57	10 08
10	16.08	16.08	33.276	24.404	351.9	0.034										10 09	
13 A	16.04	16.04	33.274	24.414	351.1	0.046	5.77	252.0	102.4	2.8	0.36	0.1	0.04	0.03	2.41	0.60	13 07
20 ISL	16.00 D	15.99	33.272	24.421	350.6	0.071	5.78	0251.8	0102.5	3.0	0.37	0.2	0.05	0.08	3.00	0.67	20
24	16.01	16.00	33.274	24.421	350.7	0.086										24 06	
25 A	15.50	15.49	33.274	24.535	339.9	0.088	5.76	251.8	101.3	3.1	0.38	0.4	0.05	0.12	3.43	0.72	25 05
30 ISL	15.23 D	15.22	33.267	24.589	334.9	0.105	5.74	0250.3	0100.3	3.9	0.44	0.8	0.11	0.19	3.93	0.71	30
31 A	15.21	15.21	33.270	24.595	334.4	0.108	5.71	249.4	99.8	4.0	0.45	0.9	0.12	0.20	4.03	0.71	31 04
41	14.20	14.19	33.289	24.828	312.5	0.140	5.06	221.1	86.6	7.6	0.74	4.9	0.30	0.02	1.64	0.52	41 03
50	14.21	14.20	33.291	24.827	312.9	0.168	5.02	219.1	85.9	7.7	0.75	5.1	0.31	0.04	1.54	0.56	50 02
60	13.95	13.94	33.300	24.887	307.4	0.199	4.80	209.8	81.8	9.4	0.86	6.3	0.41	0.04	0.79	0.48	60 01

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEOL	PRES
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	16.26	16.26	33.288	24.374	354.4	0.000	5.82	254.2	103.8	3.0	0.38	0.0	0.05	0.00	2.11	0.54	0
2	16.26	16.26	33.288	24.374	354.5	0.007	5.82	254.2	103.8	3.0	0.38	0.0	0.05	0.00	2.11	0.54	2 16
9	16.27	16.26	33.297	24.379	354.2	0.032										9 15	
10	16.23	16.23	33.288	24.380	354.1	0.035	5.80	253.1	103.3	3.0	0.39	0.0	0.04	0.01	2.12	0.55	10 14
20	16.11	16.11	33.281	24.402	352.4	0.071	5.77	252.2	102.7	3.2	0.39	0.1	0.05	0.00	2.31	0.62	20 13
30	15.98	15.97	33.274	24.428	350.3	0.106	5.69	248.6	101.0	3.4	0.41	0.4	0.08	0.10	2.34	0.59	30 12
40	15.08	15.07	33.271	24.626	331.7	0.140	5.32	232.4	92.7	5.2	0.58	2.4	0.29	0.11	0.56	0.40	40 11
50	14.07	14.06	33.275	24.844	311.2	0.172	4.99	218.1	85.2	6.8	0.74	5.0	0.22	0.00	0.37	0.30	50 10
60	13.70	13.69	33.273	24.918	304.4	0.203	4.93	215.3	83.5	7.3	0.81	6.2	0.11	0.00	0.22	0.25	60 09
70	13.26	13.25	33.288	25.020	295.0	0.233	4.76	207.8	79.9	8.4	0.89	7.6	0.07	0.00	0.21	0.24	71 08
75 ISL	13.23 D	13.22	33.294	25.030	294.2	0.250	4.74	0206.7	079.6	8.9	0.93	8.3	0.07	0.00	0.19	0.22	76
85	12.72	12.71	33.339	25.166	281.4	0.276	4.47	195.3	74.2	9.9	1.02	9.7	0.07	0.00	0.14	0.17	86 07
100 ISL	11.38 D	11.36	33.259	25.357	263.4	0.320	4.58	0199.4	073.8	10.5	1.12	12.1	0.05	0.00	0.16	0.19	101
101	11.12	11.11	33.241	25.389	260.3	0.320	4.61	201.5	74.0	10.6	1.13	12.3	0.05	0.00	0.16	0.19	102 06
120	10.11	10.10	33.416	25.702	230.8	0.366	3.97	173.6	62.4	16.9	1.48	18.1	0.03	0.00	0.05	0.09	121 05
125 ISL	9.94 D	9.93	33.494	25.791	222.5	0.380	3.79	0165.2	059.4	18.5	1.55	19.2	0.03	0.00	0.04	0.08	126
140	9.64	9.63	33.663	25.973	205.4	0.410	3.20	139.8	49.8	23.5	1.76	22.8	0.04	0.01	0.01	0.05	141 04
150 ISL	9.63 D	9.61	33.745	26.040	199.3	0.433	2.97	0129.5	046.3	25.0	1.82	23.3	0.05	0.00	0.01	0.06	151
170	9.68	9.66	33.862	26.124	191.9	0.470	2.61	113.8	40.6	28.0	1.95	24.3	0.08	0.00	0.01	0.07	171 03
200	9.47	9.45	33.933	26.214	183.9	0.526	2.37	103.2	36.7	30.5	2.02	25.6	0.09	0.00	0.01	0.07	202 02
230	8.96	8.93	34.071	26.405	166.2	0.578	1.66	72.5	25.5	40.9	2.36	29.1	0.18	0.10		232 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEOL	PRES
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db
0	17.25	17.25	33.275	24.132	377.4	0.000	5.60	244.7	101.9	2.3	0.29	0.0	0.02	0.00	0.37	0.14	0
3	17.25	17.25	33.275	24.133	377.5	0.011	5.60	244.7	101.9	2.3	0.29	0.0	0.02	0.00	0.37	0.14	3 21
10	17.24	17.24	33.282	24.141	377.0	0.038	5.61	245.0	102.0	2.3	0.32	0.0	0.02	0.00	0.39	0.16	10 19
10	17.24	17.24	33.276	24.137	377.4	0.036										10 20	
20	17.13	17.13	33.272	24.160	375.5	0.075	5.62	245.5	102.0	2.4	0.33	0.0	0.02	0.00	0.54	0.21	20 18
30	16.54	16.53	33.265	24.294	363.1	0.112	5.72	249.9	102.6	2.8	0.35	0.1	0.04	0.00	1.50	0.47	30 17
40	15.72	15.71	33.276	24.489	344.8	0.148	5.80	253.2	102.3	3.6	0.41	0.4	0.06	0.00	3.15	0.69	40 16
50	13.32	13.32	33.069	24.836	311.8	0.180	5.87	256.6	98.6	4.2	0.51	1.6	0.10	0.00	0.88	0.58	50 15
60	11.49	11.48	33.217	25.302	267.6	0.209	4.67	203.9	75.4	10.2	1.10	12.3	0.05	0.00	0.18	0.28	60 14
70	11.28	11.27	33.215	25.340	264.3	0.236	4.66	203.5	74.9	10.7	1.11	12.3	0.05	0.00	0.16	0.23	71 13
75 ISL	10.89 D	10.88	33.297	25.473	251.6	0.251	4.49	0195.7	071.7	12.1	1.19	13					

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	16.89	16.89	33.281	24.223	368.8	0.000	5.76	251.7	104.0	2.1	0.37	0.0	0.02	0.13	0.73	0.24	0		
2	16.89	16.89	33.281	24.223	368.8	0.007	5.76	251.7	104.0	2.1	0.37	0.0	0.02	0.13	0.73	0.24	2	20	
10	16.89	16.89	33.280	24.222	369.2	0.037	5.73	250.1	103.4	2.1	0.35	0.0	0.02	0.11	0.78	0.27	10	19	
20	16.89	16.89	33.281	24.222	369.6	0.074	5.72	249.8	103.3	2.1	0.35	0.0	0.02	0.14	0.81	0.28	20	18	
30	16.91	16.90	33.282	24.221	370.0	0.111	5.72	249.9	103.3	2.0	0.35	0.0	0.02	0.02	1.07	0.34	30	17	
40	15.13	15.12	33.175	24.541	339.8	0.146	5.57	243.2	97.0	4.0	0.51	1.8	0.22	0.32	1.04	0.41	40	16	
50	12.59	12.58	33.154	25.047	291.7	0.178	5.18	226.1	85.6	6.8	0.84	7.3	0.17	0.00	0.43	0.49	50	15	
60	11.59	11.59	33.233	25.295	268.3	0.206	4.60	200.7	74.5	10.3	1.15	12.5	0.06	0.37	0.18	0.27	60	14	
70	10.65	10.64	33.331	25.542	245.0	0.232	4.22	184.1	66.9	13.8	1.34	15.8	0.04	0.25	0.09	0.15	71	13	
75 ISL	10.57 D	10.56	33.366 D	25.583	241.1	0.246	4.08	D177.7	D 64.7	15.0	1.39	16.7	0.04	0.00	0.08	0.13	76		
85	10.22	10.21	33.456	25.713	228.9	0.267	3.84	167.5	60.4	17.3	1.49	18.5	0.03	0.00	0.05	0.10	86	12	
100	9.74	9.73	33.501	25.829	218.2	0.301	3.77	164.5	58.7	19.7	1.57	20.1	0.03	0.04	0.03	0.06	101	11	
120	9.16	9.15	33.628	26.022	200.2	0.343	3.64	158.9	56.0	23.2	1.68	22.0	0.03	0.01	0.01	0.04	121	10	
125 ISL	9.20 D	9.19	33.663 D	26.044	198.2	0.355	3.54	D154.2 D	54.6	24.5	1.74	22.8	0.03	0.03	0.01	0.04	126		
140	9.23	9.21	33.843	26.181	185.6	0.381	2.85	124.5	44.0	28.3	1.90	25.0	0.03	0.10	0.01	0.04	141	09	
150 ISL	9.12 D	9.10	33.914 D	26.254	178.9	0.402	2.66	D115.7 D	41.0	30.0	1.93	25.7	0.03	0.00	0.01	0.04	151		
170	8.79	8.77	33.975	26.355	169.6	0.434	2.69	117.5	41.2	33.4	1.99	26.9	0.02	0.00	0.00	0.03	171	08	
200	8.08	8.06	33.991	26.476	158.4	0.484	2.76	120.6	41.6	37.2	2.01	28.0	0.02	0.00	0.00	0.02	202	07	
230	7.80	7.77	34.021	26.541	152.7	0.530	2.37	103.5	35.5	41.7	2.16	30.1	0.02	0.00			232	06	
250 ISL	7.54 D	7.52	34.007 D	26.567	150.4	0.564	2.37	D103.0 D	35.2	44.9	2.24	31.3	0.02	0.00			252		
270	7.33	7.30	34.021	26.609	146.7	0.590	2.07	87.7	29.7	48.1	2.32	32.5	0.02	0.00			272	05	
300 ISL	7.00 D	6.97	34.043 D	26.673	141.0	0.637	1.69	D 73.7 D	24.9	53.3	2.46	34.3	0.02	0.00			302		
319	6.85	6.82	34.058	26.706	138.1	0.660	1.45	63.3	21.2	56.7	2.55	35.5	0.02	0.00			322	04	
380	6.44	6.41	34.078	26.776	132.1	0.742	1.18	51.3	17.1	62.8	2.69	37.2	0.02	0.00			383	03	
400 ISL	6.36 D	6.33	34.085 D	26.793	130.8	0.774	1.08	D 46.8 D	15.6	65.3	2.74	37.8	0.01	0.00			403		
440	6.07	6.03	34.100	26.843	126.4	0.820	0.92	40.0	13.2	70.4	2.84	39.0	0.01	0.00			444	02	
500 ISL	5.77 D	5.72	34.159 D	26.928	118.9	0.900	0.61	D 26.4 D	8.7	77.1	2.95	40.2	0.01	0.00			504		
515	5.75	5.71	34.160	26.931	118.8	0.912	0.59	25.7	8.4	78.8	2.98	40.6	0.01	0.04			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.19	18.19	33.341	23.955	394.3	0.000	5.48	239.4	101.6	1.6	0.28	0.0	0.01	0.00	0.27	0.07	0		
2	18.19	18.19	33.341	23.956	394.4	0.008	5.48	239.4	101.6	1.6	0.28	0.0	0.01	0.00	0.27	0.07	2	20	
10	18.19	18.19	33.341	23.958	394.5	0.040	5.49	239.6	101.6	1.5	0.26	0.0	0.01	0.00	0.25	0.06	10	19	
20	18.16	18.16	33.342	23.966	394.1	0.079	5.49	239.6	101.6	1.5	0.28	0.0	0.01	0.00	0.24	0.08	20	18	
30	18.11	18.11	33.344	23.980	393.1	0.118	5.49	239.8	101.6	1.5	0.27	0.0	0.01	0.00	0.29	0.13	30	17	
40	14.96	14.95	33.277	24.656	328.8	0.154	5.72	250.0	99.5	1.8	0.30	0.0	0.01	0.00	0.43	0.18	40	16	
50	12.82	12.81	33.094	24.955	300.5	0.186	5.78	252.7	96.1	4.5	0.62	3.5	0.13	0.00	0.80	0.67	50	15	
60	12.10	12.09	33.173	25.155	281.6	0.215	5.05	220.4	82.6	7.4	0.88	7.8	0.08	0.00	0.39	0.40	60	14	
70	11.42	11.41	33.253	25.344	263.9	0.242	4.56	199.2	73.6	10.8	1.13	12.6	0.04	0.00	0.20	0.31	71	13	
75 ISL	10.98 D	10.97	33.292 D	25.453	253.6	0.258	4.49	D195.4 D	71.7	12.1	1.20	13.9	0.04	0.00	0.17	0.27	76		
85	10.61	10.60	33.358	25.570	242.6	0.280	4.17	182.3	66.2	14.7	1.35	16.3	0.03	0.00	0.10	0.17	86	12	
100	10.33	10.32	33.512	25.739	226.9	0.315	3.64	158.8	57.4	18.4	1.52	19.0	0.02	0.00	0.06	0.11	101	11	
120	9.80	9.79	33.654	25.939	208.2	0.359	3.28	143.0	51.2	22.7	1.68	21.9	0.02	0.00	0.01	0.05	121	10	
125 ISL	9.79 D	9.78	33.678 D	25.960	206.4	0.373	3.20	D139.2 D	49.9	23.4	1.71	22.3	0.02	0.00	0.01	0.05	126		
140	9.53	9.51	33.750	26.060	197.2	0.399	3.01	131.5	46.8	25.6	1.79	23.5	0.02	0.00	0.01	0.04	141	09	
150 ISL	9.42 D	9.41	33.784 D	26.103	193.2	0.423	2.96	D128.8 D	45.9	26.7	1.83	24.2	0.02	0.00	0.01	0.04	151		
170	9.27	9.25	33.872	26.199	184.6	0.457	2.68	116.9	41.4	29.1	1.90	25.5	0.02	0.00	0.00	0.05	171	08	
200	8.87	8.85	34.008	26.369	168.9	0.510	2.25	98.3	34.5	34.7	2.12	27.9	0.02	0.00	0.00	0.02	202	07	
230	8.62	8.60	34.092	26.474	159.5	0.564	1.89	D 82.0 D	28.8								232	06	
250 ISL	8.46 D	8.44	34.102 D	26.507	156.7	0.596	1.79	D 77.9 D	27.2	41.4	2.25	30.1	0.02	0.00			252		
270	8.04	8.01	34.089	26.561	151.8	0.622	1.80	78.4	27.0	44.1	2.30	31.0	0.02	0.00			272	05	
300 ISL	7.98 D	7.95	34.160 D	26.627	146.1	0.672	1.29	D 56.2 D	19.4	49.2	2.49	32.6	0.02	0.00			302		
320	7.87	7.84	34.204	26.678	141.6	0.695	0.98	42.8	14.7	52.5	2.62	33.6	0.02	0.00			323	04	
380	7.07	7.03	34.188	26.780	132.3	0.778	0.81	35.1	11.9	61.9	2.79	35.9	0.02						

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.77	17.77	33.334	24.054	384.9	0.000	5.50	240.4	101.2	1.6	0.26	0.0	0.01	0.00	0.29	0.10	0		
3 A	17.77	17.77	33.334	24.054	385.0	0.012	5.50	240.4	101.2	1.6	0.26	0.0	0.01	0.00	0.29	0.10	3	24	
10 ISL	17.77 D	17.76	33.313	24.039	386.7	0.039	5.53	0241.1	0101.6	1.6	0.27	0.0	0.01	0.00	0.29	0.10	10		
13 A	17.77	17.76	33.313	24.039	386.8	0.050	5.51	240.7	101.3	1.6	0.27	0.0	0.01	0.00	0.28	0.09	13	22	
17 A	17.76	17.76	33.313	24.040	386.8	0.049	5.53	241.5	101.6	1.6	0.30	0.0	0.01	0.00	0.30	0.10	17	21	
20 ISL	17.77 D	17.76	33.312	24.039	387.1	0.078	5.53	0241.1	0101.6	1.6	0.29	0.0	0.01	0.00	0.29	0.09	20		
24	17.77	17.76	33.316	24.042	387.0	0.093	5.52	241.2	101.4	1.6	0.27	0.0	0.01	0.00	0.28	0.09	24	20	
30 A	17.75	17.75	33.314	24.045	386.9	0.116	5.51	240.7	101.2	1.6	0.29	0.0	0.01	0.01	0.28	0.09	30	19	
40	14.50	14.50	33.092	24.611	333.1	0.152	6.00	262.0	103.1	2.8	0.38	0.0	0.02	0.00	0.61	0.30	40	18	
49	13.98	13.97	33.156	24.770	318.2	0.181	5.78	252.5	98.4	3.5	0.48	0.9	0.06	0.05	0.50	0.33	49	16	
50 ISL	13.71 D	13.70	33.151	24.822	313.3	0.186	5.70	0248.6	096.6	3.7	0.50	1.4	0.08	0.00	0.49	0.33	50		
50	13.71	13.70	33.154	24.824	313.1	0.183											50	17	
56 A	13.00	12.99	33.128	24.946	301.5	0.203	5.50	240.1	91.7	5.1	0.65	4.2	0.20	0.00	0.40	0.32	56	15	
66	12.29	12.28	33.174	25.120	285.1	0.232	5.08	221.8	83.5	6.9	0.88	8.1	0.16	0.00	0.32	0.31	67	14	
75 A	10.96	10.95	33.172	25.363	262.1	0.257	4.90	214.1	78.3	10.3	1.07	12.2	0.04	0.02	0.20	0.19	76	13	
88	10.53	10.52	33.305	25.542	245.3	0.290	4.35	189.9	68.9	13.6	1.26	15.4	0.03	0.00	0.10	0.14	89	12	
100	10.07	10.06	33.404	25.698	230.7	0.318	4.06	177.4	63.7	16.7	1.39	17.9	0.02	0.00	0.05	0.08	101	11	
119	9.64	9.62	33.587	25.913	210.6	0.360	3.51	153.2	54.6	21.6	1.64	21.6	0.02	0.01	0.02	0.04	120	10	
125 ISL	9.43 D	9.41	33.663	26.007	201.8	0.375	3.33	0144.7	051.5	22.8	1.66	22.2	0.02	0.00	0.01	0.04	126		
141	8.94	8.92	33.737	26.144	189.0	0.404	3.44	150.0	52.7	26.0	1.72	23.7	0.02	0.00	0.01	0.03	142	09	
150 ISL	8.83 D	8.82	33.790	26.202	183.7	0.424	3.37	0146.7	051.6	26.9	1.74	24.1	0.02	0.00	0.00	0.03	151		
170	8.68	8.66	33.838	26.264	178.2	0.457	3.29	143.8	50.2	28.8	1.78	24.9	0.02	0.00	0.00	0.02	171	08	
200	8.32	8.30	33.932	26.394	166.3	0.509	3.13	136.8	47.4	32.7	1.85	26.4	0.02	0.00	0.00	0.03	202	07	
230	7.87	7.84	33.991	26.508	155.9	0.557	2.62	114.2	39.2	39.8	2.03	29.2	0.02	0.00		232	06		
250 ISL	7.65 D	7.62	34.008	26.553	151.8	0.592	2.37	0103.1	035.3	42.8	2.13	30.4	0.02	0.00		252			
270	7.42	7.39	34.018	26.594	148.2	0.618	2.14	93.3	31.7	45.7	2.23	31.7	0.02	0.00		272	05		
300 ISL	7.07 D	7.04	34.048	26.667	141.6	0.666	1.65	072.0	024.3	51.8	2.40	33.8	0.01	0.00		302			
320	6.92	6.89	34.063	26.700	138.7	0.690	1.45	63.2	21.2	55.8	2.52	35.2	0.01	0.00		323	04		
380	6.48	6.44	34.115	26.801	129.8	0.770	0.97	42.1	14.0	64.9	2.75	37.7	0.01	0.02		383	03		
400 ISL	6.46 D	6.42	34.153	26.834	127.0	0.801	0.78	34.0	11.4	67.7	2.81	38.2	0.01	0.00		403			
440	6.19	6.15	34.195	26.903	120.8	0.846	0.55	24.1	8.0	73.2	2.94	39.1	0.01	0.00		444	02		
500 ISL	5.74 D	5.70	34.205	26.967	115.1	0.922	0.46	20.2	6.6	81.3	3.04	40.8	0.01	0.00		504			
515	5.63	5.58	34.209	26.985	113.5	0.933	0.44	19.1	6.2	83.3	3.06	41.3	0.01	0.00		519	01		

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.73	17.73	33.291	24.031	387.1	0.000	5.54	241.9	101.7	1.4	0.25	0.0	0.02	0.44	0.20	0.06	0		
2	17.73	17.73	33.291	24.031	387.1	0.008	5.54	241.9	101.7	1.4	0.25	0.0	0.02	0.44	0.20	0.06	2	20	
10	17.72	17.72	33.288	24.030	387.6	0.039	5.51	240.5	101.1	1.6	0.26	0.0	0.02	0.00	0.19	0.06	10	19	
20 ISL	17.67 D	17.66	33.270	24.031	387.9	0.078	5.52	0240.8	0101.2	1.7	0.26	0.0	0.02	0.00	0.19	0.06	20		
25	17.68	17.68	33.287	24.040	387.1	0.097	5.51	240.7	101.1	1.7	0.26	0.0	0.02	0.02	0.20	0.07	25	18	
30 ISL	17.67 D	17.66	33.270	24.031	388.2	0.117	5.53	0241.0	0101.3	1.7	0.26	0.0	0.02	0.00	0.20	0.06	30		
40	17.57	17.57	33.258	24.046	387.2	0.155	5.53	241.6	101.2	1.7	0.26	0.0	0.02	0.00	0.20	0.06	40	17	
50	14.53	14.52	32.757	24.349	358.4	0.192	6.07	265.3	104.3	2.2	0.29	0.0	0.02	0.04	0.25	0.16	50	16	
62	13.43	13.42	32.738	24.560	338.5	0.234	6.00	262.2	100.7	2.7	0.35	0.0	0.03	0.00	0.35	0.28	63	15	
75	13.45	13.44	33.151	24.876	308.8	0.276	5.69	248.4	95.7	3.8	0.35	0.6	0.16	0.00	0.33	0.35	76	14	
87	12.40	12.39	33.104	25.046	292.9	0.312	5.43	237.3	89.4	5.8	0.61	4.8	0.12	0.01	0.24	0.34	88	13	
100	11.21	11.19	33.206	25.347	264.3	0.348	4.73	206.5	75.9	10.1	1.09	12.3	0.04	0.00	0.16	0.24	101	12	
112	10.76	10.74	33.320	25.516	248.4	0.379	4.23	184.6	67.2	13.9	1.29	16.0	0.03	0.00	0.10	0.13	113	11	
125	10.01	9.99	33.417	25.720	229.2	0.410	3.90	170.3	61.1	17.8	1.49	19.3	0.03	0.00	0.05	0.07	126	10	
140	9.98	9.96	33.658	25.914	211.1	0.443	3.07	133.8	48.1	23.0	1.73	22.6	0.03	0.01	0.01	0.05	141	09	
150 ISL	9.65 D	9.64	33.681	25.986	204.4	0.468	3.16	0137.4	049.1	24.3	1.77	23.2	0.03	0.00	0.01	0.05	151		
171	9.39	9.37	33.785	26.110	193.0	0.505	2.85	124.3	44.1	26.9	1.85	24.7	0.03	0.00	0.00	0.04	172	08	
200	8.54	8.52	33.886	26.324	173.1	0.559	2.85	124.6	43.4	32.0	1.93	27.1	0.03	0.00	0.00	0.03	202	07	
230	8.23	8.20	33.968	26.437	162.8	0.609	2.61	113.9	39.4	36.5	2.05	28.7	0.03	0.00		232	06		
250 ISL	8.01 D	7.98	34.014	26.506	156.6	0.645	2.24	09											

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
33	23.3 N	124 19.4 W	07/11/2015	0449	UTC	4553 m	350	15 kn		1022.0 mb	16.9 C	14.3 C					044
0	18.83	18.83	33.180	23.675	421.0	0.000	5.40	236.1	101.3	1.9	0.27	0.0	0.01	0.00	0.16	0.03	0
2	18.83	18.83	33.180	23.675	421.1	0.008	5.40	236.1	101.3	1.9	0.27	0.0	0.01	0.00	0.16	0.03	2 20
10	18.83	18.83	33.181	23.676	421.4	0.042	5.41	236.5	101.4	1.9	0.27	0.0	0.01	0.00	0.15	0.03	10 19
20 ISL	18.83 D	18.82	33.179	D 23.676	421.8	0.085	5.41	D236.1	D101.4	1.9	0.26	0.0	0.01	0.00	0.15	0.04	20
25	18.83	18.83	33.182	23.678	421.8	0.105	5.40	236.0	101.2	1.9	0.26	0.0	0.01	0.00	0.15	0.04	25 18
30 ISL	18.84 D	18.83	33.178	D 23.674	422.4	0.127	5.41	D236.0	D101.4	1.9	0.26	0.0	0.01	0.00	0.15	0.04	30
40	18.83	18.83	33.180	23.677	422.5	0.169	5.40	236.0	101.2	2.0	0.26	0.0	0.01	0.00	0.15	0.04	40 17
50	18.79	18.79	33.181	23.689	421.7	0.211	5.41	236.5	101.4	1.9	0.26	0.0	0.01	0.02	0.15	0.05	50 16
62	16.58	16.57	33.007	24.088	383.9	0.259	5.93	258.9	106.2	2.3	0.28	0.0	0.01	0.00	0.32	0.15	63 15
75	14.62	14.61	33.008	24.523	342.6	0.306	5.97	260.7	102.8	2.7	0.28	0.0	0.02	0.00	0.37	0.29	76 14
87	13.19	13.18	33.059	24.857	310.9	0.346	5.74	250.8	96.1	4.4	0.54	2.3	0.13	0.07	0.36	0.37	88 13
100	11.17	11.16	33.087	25.261	272.5	0.383	5.18	226.1	83.0	8.2	0.86	8.9	0.04	0.01	0.15	0.24	101 12
112	10.55	10.53	33.155	25.424	257.2	0.415	5.03	219.6	79.6	10.7	1.02	11.8	0.03	0.00	0.13	0.16	113 11
125	9.97	9.95	33.255	25.600	240.6	0.448	4.94	215.9	77.3	12.6	1.13	13.7	0.02	0.00	0.10	0.11	126 10
140	9.28	9.27	33.410	25.833	218.5	0.482	4.51	197.1	69.6	17.8	1.38	17.9	0.02	0.01	0.04	0.04	141 09
150 ISL	9.10 D	9.08	33.470	D 25.910	211.4	0.507	4.38	D190.7	D 67.3	20.0	1.48	19.6	0.02	0.00	0.03	0.03	151
170	9.03	9.02	33.675	26.081	195.6	0.544	3.73	163.0	57.3	24.5	1.67	22.9	0.02	0.00	0.01	0.02	171 08
200	8.95	8.93	33.945	26.307	174.9	0.600	2.48	108.3	38.1	32.3	2.05	27.7	0.02	0.06	0.00	0.03	202 07
230	8.80	8.77	34.020	26.391	167.5	0.651	2.18	95.0	33.3	35.6	2.17	28.9	0.02	0.00			232 06
250 ISL	8.56 D	8.53	34.062	D 26.461	161.1	0.688	1.98	D 86.3	D 30.2	38.3	2.24	30.0	0.02	0.00			252
270	8.25	8.22	34.079	D 26.521	155.6	0.720	1.86	81.0	28.1	41.1	2.30	31.1	0.02	0.00			272 05
300 ISL	8.05 D	8.01	34.130	D 26.593	149.4	0.766	1.48	D 64.3	D 22.3	45.7	2.44	32.6	0.02	0.00			302
320	7.80	7.77	34.125	26.626	146.4	0.791	1.39	60.5	20.8	48.7	2.54	33.6	0.02	0.01			323 04
380	7.00	6.96	34.121	26.737	136.3	0.876	1.08	47.2	15.9	58.2	2.72	36.6	0.02	0.03			383 03
400 ISL	6.86 D	6.83	34.136	D 26.767	133.7	0.908	0.95	D 41.2	D 13.9	61.8	2.79	37.5	0.02	0.03			403
440	6.36	6.32	34.151	26.846	126.4	0.955	0.72	31.3	10.4	69.0	2.93	39.4	0.02	0.04			444 02
500 ISL	5.84 D	5.79	34.194	D 26.947	117.1	1.035	0.51	D 22.1	D 7.3	79.5	3.07	41.3	0.02	0.03			504
516	5.61	5.56	34.182	26.966	115.3	1.047	0.51	22.2	7.2	82.3	3.11	41.8	0.02	0.03			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
34	27.1 N	120 31.4 W	05/11/2015	1441	UTC	75 m	050	06 kn	310	02 06	1	1020.4 mb	15.2 C	9.8 C	1/8	ST 037	
0	16.45	16.45	33.298	24.337	357.9	0.000	5.62	245.6	100.7	3.7	0.38	0.3	0.08	0.00	1.04	0.19	0
2	16.45	16.45	33.298	24.337	358.0	0.007	5.62	245.6	100.7	3.7	0.38	0.3	0.08	0.00	1.04	0.19	2 10
5	16.45	16.45	33.298	24.337	358.1	0.018	5.62	245.4	100.6	3.8	0.39	0.3	0.09	0.00	0.90	0.32	5 09
10	16.44	16.43	33.301	24.343	357.7	0.036	5.57	243.1	99.7	3.9	0.40	0.5	0.11	0.02	0.85	0.36	10 07
10 ISL	16.44 D	16.43	33.300	D 24.342	357.8	0.035											10 08
20	15.13	15.12	33.283	24.623	331.4	0.070	5.38	235.1	93.9	5.0	0.53	1.9	0.21	0.01	0.65	0.36	20 06
30	14.44	14.44	33.273	24.763	318.3	0.103	5.09	222.4	87.6	6.0	0.67	3.6	0.19	0.00	0.57	0.13	30 05
40	14.18	14.17	33.304	24.842	311.0	0.134	4.90	213.9	83.8	7.0	0.75	4.9	0.18	0.00	0.33	0.27	40 04
50	13.61	13.61	33.322	24.974	298.8	0.165	4.71	205.8	79.7	7.9	0.84	6.5	0.09	0.05	0.20	0.23	50 03
60	12.99	12.98	33.314	25.093	287.7	0.194	4.60	200.8	76.7	9.3	0.96	8.6	0.10	0.00	0.17	0.18	60 02
65	12.86	12.85	33.314	25.118	285.4	0.208	4.57	199.7	76.2	9.5	0.98	8.8	0.10	0.00	0.21	0.18	66 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
34	19.0 N	120 48.1 W	05/11/2015	1754	UTC	806 m	360	07 kn	310	03 06	0	1022.0 mb	15.9 C	11.6 C	15 m	0/8	038
0	17.07	17.07	33.355	24.236	367.6	0.000	5.65	246.6	102.4	2.9	0.35	0.0	0.02	0.00	1.61	0.39	0
3 A	17.07	17.07	33.355	24.236	367.6	0.011	5.65	246.6	102.4	2.9	0.35	0.0	0.02	0.00	1.61	0.39	3 23
9 A	17.04	17.03	33.354	24.245	367.1	0.033	5.65	246.6	102.3	2.9	0.34	0.0	0.02	0.00	1.62	0.44	9 22
10 ISL	17.03 D	17.02	33.351	D 24.245	367.1	0.037	5.64	D245.8	D 102.1	2.9	0.34	0.0	0.02	0.00	1.63	0.44	10
12 A	17.03	17.03	33.354	24.246	367.0	0.044	5.63	245.9	102.0	2.8	0.33	0.0	0.02	0.00	1.66		

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.23	17.23	33.296	24.154	375.4	0.000	5.61	245.2	102.1	3.7	0.34	0.0	0.02	0.00	0.51	0.21	0	
2	17.23	17.23	33.296	24.154	375.4	0.008	5.61	245.2	102.1	3.7	0.34	0.0	0.02	0.00	0.51	0.21	2 21	
10	17.12	17.12	33.295	24.179	373.4	0.037	5.61	245.0	101.8	3.3	0.34	0.0	0.02	0.00	0.56	0.19	10 19	
11	17.03	17.02	33.294	24.201	371.3	0.040											11 20	
19	16.92	16.92	33.300	24.230	368.8	0.071	5.61	245.0	101.4	3.5	0.35	0.1	0.04	0.00	0.86	0.32	19 18	
20	16.92	D 16.92	33.296	D 24.228	369.1	0.075	5.61	D 244.8	D 101.5	3.5	0.35	0.1	0.04	0.00	0.85	0.32	20	
30	16.69	16.68	33.299	24.285	364.0	0.111	5.59	244.3	100.6	3.6	0.37	0.2	0.04	0.00	0.77	0.33	30 17	
41	14.57	14.57	33.266	24.730	321.8	0.149	5.43	237.0	93.6	5.1	0.54	2.1	0.21	0.22	0.63	0.34	41 16	
49	13.62	13.61	33.312	24.965	299.6	0.174	4.74	206.9	80.1	8.0	0.83	6.9	0.12	0.00	0.37	0.30	49 15	
50	ISL 13.33	D 13.36	33.318	D 25.021	294.3	0.178	4.68	D 204.0	D 78.8	8.2	0.84	7.1	0.11	0.00	0.36	0.30	50	
60	12.81	12.80	33.328	25.139	283.3	0.206	4.51	197.1	75.1	9.8	0.97	9.2	0.07	0.00	0.24	0.27	60 14	
70	12.11	12.10	33.351	25.291	269.0	0.233	4.33	189.1	71.0	11.6	1.11	11.6	0.06	0.06	0.14	0.17	71 13	
75	ISL 11.96	D 11.95	33.409	D 25.365	262.1	0.248	4.12	D 179.4	D 67.3	12.2	1.14	12.1	0.05	0.00	0.12	0.16	76	
86	11.59	11.58	33.413	25.438	255.4	0.275	4.07	177.9	66.1	13.3	1.20	13.3	0.04	0.00	0.09	0.13	87 12	
100	10.85	10.83	33.393	25.557	244.3	0.310	4.10	179.0	65.4	14.8	1.29	15.2	0.03	0.00	0.07	0.11	101 11	
120	9.95	9.93	33.536	25.823	219.3	0.356	3.71	161.8	58.0	19.9	1.52	19.4	0.03	0.00	0.03	0.06	121 10	
125	ISL 9.94	D 9.92	33.557	D 25.841	217.8	0.370	3.65	D 158.9	D 57.1	21.0	1.57	20.2	0.03	0.00	0.02	0.06	126	
139	9.48	9.47	33.671	26.005	202.3	0.397	3.22	140.7	50.0	23.9	1.72	22.4	0.02	0.03	0.01	0.05	140 09	
150	ISL 9.32	D 9.30	33.751	D 26.094	194.0	0.421	3.06	D 133.3	D 47.3	25.7	1.77	23.3	0.02	0.00	0.01	0.04	151	
170	8.99	8.97	33.833	26.213	183.2	0.456	2.88	125.7	44.2	29.0	1.86	24.9	0.02	0.00	0.01	0.03	171 08	
200	8.62	8.60	33.941	26.356	170.1	0.509	2.60	113.6	39.6	33.4	2.00	26.8	0.02	0.04	0.00	0.04	202 07	
230	8.29	8.27	33.996	26.449	161.7	0.559	2.36	103.1	35.7	37.1	2.09	28.3	0.02	0.00			232 06	
250	ISL 8.06	D 8.03	34.027	D 26.509	156.3	0.595	2.15	D 93.6	D 32.4	40.9	2.18	29.6	0.02	0.00			252	
270	7.74	7.71	34.037	26.564	151.2	0.622	1.96	85.5	29.3	44.7	2.26	30.9	0.02	0.00			272 05	
300	ISL 7.60	D 7.57	34.092	D 26.628	145.6	0.670	1.55	D 66.5	D 22.8	49.3	2.41	32.3	0.01	0.00			302	
320	7.40	7.37	34.104	26.666	142.3	0.696	1.35	59.1	20.1	52.3	2.51	33.3	0.01	0.00			323 04	
380	6.86	6.82	34.139	26.770	133.1	0.778	0.95	41.6	14.0	60.6	2.70	35.6	0.01	0.00			383 03	
400	ISL 6.64	D 6.61	34.130	D 26.792	131.1	0.810	0.91	D 39.5	D 13.3	62.4	2.75	35.8	0.01	0.00			403	
440	6.86	6.82	34.259	26.866	125.1	0.855	0.49	21.4	7.2	66.2	2.85	36.2	0.02	0.12			444 02	
500	ISL 6.34	D 6.30	34.259	D 26.936	118.9	0.935	0.41	D 17.8	D 5.9	74.1	2.97	37.7	0.02	0.11			504	
514	6.29	6.24	34.264	26.946	118.0	0.944	0.39	17.0	5.6	75.9	3.00	38.0	0.02	0.11			518 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.97	17.97	33.326	23.999	390.2	0.000	5.49	240.1	101.4	1.8	0.29	0.0	0.02	0.09	0.32	0.14	0	
2	17.97	17.97	33.326	23.999	390.2	0.008	5.49	240.1	101.4	1.8	0.29	0.0	0.02	0.09	0.32	0.14	2 22	
10	17.97	17.97	33.323	23.996	390.8	0.039	5.49	240.0	101.4	1.7	0.30	0.0	0.01	0.00	0.33	0.12	10 20	
11	17.98	17.97	33.323	23.996	390.9	0.041											11 21	
20	17.98	17.97	33.328	24.000	390.8	0.078	5.50	240.2	101.4	1.7	0.29	0.0	0.00	0.00	0.32	0.12	20 19	
30	17.93	17.92	33.333	24.017	389.6	0.117	5.49	240.0	101.3	1.7	0.30	0.0	0.00	0.27	0.37	0.14	30 18	
40	15.50	15.50	33.172	24.457	347.9	0.155											40 17	
41	14.88	14.87	33.178	24.598	334.4	0.157	5.75	251.3	99.8	3.2	0.44	0.7	0.05	0.09	1.23	0.66	41 16	
50	12.96	12.95	33.119	24.947	301.3	0.186	5.50	240.1	91.6	5.3	0.66	4.1	0.15	0.13	0.82	0.63	50 15	
60	11.57	11.56	33.231	25.299	267.9	0.215	4.73	206.8	76.6	9.7	1.05	10.8	0.05	0.49	0.32	0.35	60 14	
70	10.65	10.64	33.329	25.539	245.2	0.240	4.31	188.2	68.4	13.9	1.29	15.1	0.02	0.18	0.15	0.15	71 13	
75	ISL 10.37	D 10.36	33.386	D 26.633	236.4	0.254	4.07	D 177.2	D 64.3	15.5	1.38	16.4	0.02	0.22	0.12	0.13	76	
85	10.16	10.15	33.511	25.766	224.0	0.275	3.66	160.0	57.6	18.8	1.55	19.0	0.01	0.31	0.06	0.08	86 12	
100	10.10	10.09	33.730	25.948	207.0	0.308	2.95	129.0	46.5	23.1	1.75	21.7	0.01	0.25	0.03	0.05	101 11	
120	9.75	9.74	33.831	26.085	194.4	0.348	2.79	121.9	43.6	26.0	1.84	23.2	0.01	0.00	0.01	0.04	121 10	
125	ISL 9.74	D 9.72	33.851	D 26.103	192.8	0.359	2.72	D 118.4	D 42.5	26.6	1.87	23.5	0.01	0.00	0.01	0.04	126	
140	9.85	9.83	33.930	26.147	189.0	0.386	2.32	101.3	36.3	28.5	1.96	24.5	0.01	0.07	0.01	0.03	141 09	
150	ISL 9.78	D 9.77	33.975	D 26.194	184.8	0.407	2.19	D 95.2	D 34.2	29.7	2.01	25.0	0.01	0.07	0.01	0.03	151	
170	9.64	9.62	34.052	26.279	177.2	0.441	1.95	85.1	30.4	32.0	2.12	26.2	0.01	0.08	0.00	0.03	171 08	
200	9.45	9.43	34.118	26.362	169.9	0.493	1.72	75.3	26.8	34.9	2.24	27.2	0.01	0.00	0.00	0.02	202 07	
230	9.21	9.19	34.152	D 26.428	164.2	0.547	1.59	D 69.1	D 24.6								232 06	
250	ISL 9.09	D 9.06	34.193	D 26.481	159.6	0.579	1.39	D 60.5	D 21.5	40.0	2.36	29.1	0.01	0.00			252	
270	8.69	8.66	34.182	26.535	154.7	0.607	1.39	60.7	21.2	42.1	2.41	29.8	0.01	0.02			272 05	
300	ISL 8.49	D 8.46																

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.44	18.44	33.200	23.787	410.3	0.000	5.44	237.9	101.3	1.7	0.30	0.0	0.01	0.12	0.16	0.05	0	
3	18.44	18.44	33.200	23.787	410.4	0.012	5.44	237.9	101.3	1.7	0.30	0.0	0.01	0.12	0.16	0.05	3 22	
10	18.44	18.44	33.200	23.788	410.7	0.041	5.44	237.6	101.2	1.6	0.26	0.0	0.01	0.00	0.17	0.06	10 20	
10	18.44	18.44	33.200	23.788	410.7	0.041											10 21	
20	ISL	18.45	D 18.45	33.200	D 23.786	411.2	0.083	5.45	D 237.9	D 101.4	1.7	0.27	0.0	0.01	0.00	0.17	0.05	20
26	18.45	18.44	33.200	23.788	411.3	0.107	5.44	237.7	101.2	1.7	0.27	0.0	0.01	0.00	0.17	0.05	26 19	
30	ISL	18.45	D 18.44	33.197	D 23.786	411.7	0.124	5.46	D 238.0	D 101.5	1.7	0.27	0.0	0.01	0.00	0.18	0.06	30
40	18.40	18.40	33.214	23.810	409.8	0.164	5.45	238.2	101.3	1.7	0.27	0.0	0.01	0.00	0.20	0.07	40 18	
50	14.05	14.04	33.183	24.777	317.5	0.201	6.18	269.8	105.3	3.3	0.43	0.4	0.04	0.02	1.19	0.65	50 16	
50	14.05	14.04	33.180	24.775	317.8	0.199											50 17	
62	11.95	11.94	33.219	25.219	275.6	0.236	5.03	220.0	82.2	7.2	0.90	8.6	0.09	0.00	0.46	0.43	63 15	
75	ISL	11.24	D 11.23	33.242	D 25.367	261.8	0.274	4.58	D 199.6	D 73.7	10.5	1.15	12.9	0.04	0.00	0.20	0.26	76
76	11.24	11.23	33.231	25.360	262.5	0.274	4.61	201.5	74.1	10.7	1.17	13.2	0.04	0.01	0.18	0.25	77 14	
87	10.24	10.23	33.276	25.570	242.6	0.302	4.37	191.0	68.8	14.1	1.35	16.4	0.03	0.09	0.11	0.13	88 13	
100	9.59	9.57	33.420	25.791	221.8	0.332	4.00	174.5	62.0	19.4	1.54	20.0	0.03	0.00	0.03	0.05	101 12	
112	9.40	9.39	33.523	25.902	211.5	0.358	3.70	161.6	57.2	22.2	1.62	21.4	0.02	0.00	0.01	0.05	113 11	
125	9.19	9.18	33.694	26.070	195.8	0.384	3.24	141.3	49.9	25.7	1.75	23.5	0.02	0.01	0.01	0.03	126 10	
140	9.00	8.98	33.733	26.132	190.2	0.413	3.19	139.2	48.9	27.2	1.80	24.3	0.02	0.00	0.01	0.03	141 09	
150	ISL	8.97	D 8.95	33.788	D 26.180	185.8	0.436	3.03	D 131.9	D 46.5	28.3	1.84	24.8	0.02	0.00	0.01	0.03	151
170	8.84	8.83	33.856	26.253	179.3	0.469	2.88	125.7	44.1	30.5	1.93	25.8	0.02	0.00	0.00	0.03	171 08	
200	8.55	8.53	33.973	26.391	166.8	0.521	2.51	109.4	38.1	34.8	2.07	27.7	0.02	0.00	0.00	0.03	202 07	
230	8.22	8.20	34.018	26.477	159.0	0.569	2.32	101.1	35.0	39.2	2.13	29.0	0.02	0.00			232 06	
250	ISL	8.03	D 8.00	34.048	D 26.530	154.3	0.606	2.07	D 89.8	D 31.1	43.1	2.27	30.4	0.02	0.00			252
270	7.75	7.72	34.081	26.597	148.2	0.631	1.67	72.9	25.0	47.0	2.40	31.9	0.02	0.00			272 05	
300	ISL	7.46	D 7.43	34.097	D 26.651	143.4	0.680	1.44	D 62.4	D 21.3	51.6	2.51	33.3	0.02	0.00			302
320	7.25	7.22	34.106	26.688	140.1	0.703	1.28	56.1	19.0	54.7	2.58	34.3	0.02	0.04			323 04	
380	6.39	6.36	34.124	26.819	128.0	0.783	0.85	36.9	12.3	67.6	2.86	37.6	0.02	0.01			383 03	
400	ISL	6.25	D 6.22	34.138	D 26.849	125.4	0.815	0.75	D 32.7	D 10.8	70.0	2.89	38.0	0.02	0.02			403
440	6.04	6.00	34.161	26.894	121.4	0.858	0.63	27.3	9.0	74.6	2.95	38.9	0.02	0.04			444 02	
500	ISL	5.71	D 5.66	34.226	D 26.989	113.1	0.936	0.39	D 17.1	D 5.6	81.6	3.05	39.7	0.02	0.06			504
515	5.68	5.63	34.232	26.997	112.5	0.946	0.37	16.3	5.3	83.4	3.07	39.9	0.02	0.07			519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.71	17.71	33.292	24.036	386.6	0.000	5.54	241.8	101.6	1.6	0.27	0.0	0.02	0.07	0.26	0.06	0	
3 A	17.71	17.71	33.292	24.036	386.7	0.012	5.54	241.8	101.6	1.6	0.27	0.0	0.02	0.07	0.26	0.06	3 24	
9	17.71	17.71	33.291	24.035	387.0	0.035											9 23	
10	17.71	17.71	33.291	24.035	387.1	0.039	5.54	242.0	101.7	1.6	0.27	0.0	0.01	0.00	0.24	0.07	10 22	
15 A	17.71	17.71	33.292	24.036	387.2	0.058	5.57	243.3	102.2	1.6	0.27	0.0	0.01	0.00	0.23	0.07	15 21	
20 A	17.70	17.69	33.292	24.041	386.9	0.078	5.56	D 242.4	D 102.0	1.6	0.27	0.0	0.01	0.00	0.26	0.07	20 20	
30	ISL	17.69	D 17.69	33.288	D 24.039	387.4	0.117	5.53	D 241.4	D 101.5	1.7	0.27	0.0	0.01	0.00	0.27	0.09	30
37 A	15.59	15.58	33.220	24.475	346.1	0.142	5.65	246.7	99.4	1.8	0.27	0.0	0.01	0.00	0.28	0.10	37 19	
47	14.30	14.29	32.899	24.506	343.3	0.177	6.05	264.3	103.5	2.7	0.35	0.0	0.01	0.04	0.33	0.26	47 18	
50	ISL	14.34	D 14.33	32.986	D 24.564	337.9	0.189	6.01	D 261.9	D 102.9	2.8	0.33	0.0	0.02	0.03	0.31	0.26	50
58	14.36	14.35	33.180	24.711	324.1	0.213	5.79	252.7	99.3	3.3	0.29	0.1	0.04	0.01	0.28	0.24	58 17	
68 A	12.90	12.89	33.159	24.990	297.7	0.245	5.50	240.4	91.6	4.9	0.48	2.7	0.16	0.00	0.25	0.25	69 15	
68	12.90	12.89	33.160	24.991	297.6	0.245											69 16	
75	ISL	12.51	D 12.50	33.154	D 25.063	290.9	0.268	5.42	D 236.0	D 89.4	6.0	0.63	4.8	0.11	0.00	0.21	0.25	76
78	12.08	12.07	33.136	25.131	284.4	0.274	5.35	233.8	87.5	6.5	0.69	5.7	0.09	0.00	0.19	0.25	79 14	
89 A	11.27	11.26	33.141	25.284	270.0	0.304	5.01	218.9	80.6	9.1	0.98	10.4	0.04	0.00	0.16	0.19	90 13	
100	10.32	10.30	33.191	25.491	250.5	0.333	4.94	215.6	77.7	12.0	1.12	12.7	0.03	0.00	0.09	0.12	101 12	
109	10.13	10.12	33.190	25.522	247.7	0.355	4.95	216.2	77.6	12.0	1.13	12.7	0.03	0.00	0.09	0.12	110 11	
125	9.34	9.32	33.349	25.777	223.6	0.393	4.45	194.4	68.7	17.8	1.43	17.7	0.02	0.00	0.04	0.05	126 10	
140	9.08	9.06	33.501	25.938	208.6	0.425	4.11	179.3	63.0	21.0	1.54	19.8	0.02	0.00	0.03	0.03	141 09	
150	ISL	8.99	D 8.97	33.594	D 26.025	200.5	0.449	4.15	D 180.6	D 63.6	23.6	1.64	21.3	0.02	0.00	0.01	0.02	151
170	8.77	8.75	33.806	26.226	181.8	0.484	3.25	142.1	49.7	28.8	1.83	24.4	0.01	0.00	0.00	0.02	171 08	
200	8.56	8.54	33.971	26.388	167.0	0.536	2.49	108.9	38.0	34.7	2.07	27.4	0.01	0.00	0.00			

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	49.0 N	123 54.2 W	06/11/2015	2238	UTC	4220 m	350	18 kn	020 04 05	1	1022.0 mb	17.2 C	14.3 C	31 m	3/8	AC	043	
0	18.05	18.05	33.090	23.799	409.2	0.000	5.50	240.4	101.5	1.7	0.25	0.0	0.01	0.00	0.13	0.03	0	23
10	18.04	18.03	33.089	23.802	409.3	0.041	5.53	241.6	102.0	1.7	0.24	0.0	0.01	0.00	0.12	0.03	10	21
10	18.04	18.03	33.090	23.803	409.3	0.039												22
20	ISL	18.00	17.99	33.084	D 23.809	409.1	0.082	5.53	D 241.2	D 101.9	1.7	0.24	0.0	0.01	0.00	0.14	0.04	20
26	17.95	17.95	33.085	23.820	408.2	0.106	5.57	243.4	102.6	1.7	0.24	0.0	0.01	0.00	0.14	0.04	26	20
30	ISL	17.93	D 17.92	33.083	D 23.826	407.7	0.123	5.54	D 241.6	D 101.9	1.7	0.24	0.0	0.01	0.00	0.15	0.04	30
41	17.82	17.81	33.089	23.858	405.2	0.167	5.55	242.5	101.9	1.8	0.25	0.0	0.02	0.00	0.17	0.05	41	19
49	17.02	17.01	33.105	24.061	386.0	0.199	5.81	254.0	105.1	2.1	0.26	0.0	0.01	0.06	0.23	0.11	49	18
50	ISL	16.95	D 16.94	33.110	D 24.080	384.2	0.204	5.80	D 253.0	D 104.8	2.1	0.26	0.0	0.01	0.00	0.24	0.11	50
63	15.71	15.70	33.121	24.372	356.8	0.251	5.96	260.5	105.1	2.5	0.23	0.0	0.02	0.00	0.24	0.10	64	17
75	15.23	15.22	33.209	24.548	340.3	0.293	5.90	257.8	103.1	2.8	0.22	0.0	0.01	0.00	0.22	0.21	76	16
87	13.95	13.93	33.137	24.765	319.9	0.332	5.70	248.9	96.9	3.4	0.34	0.4	0.08	0.00	0.25	0.23	88	14
88	13.70	13.68	33.143	24.821	314.6	0.334											89	15
100	ISL	13.11	D 13.10	33.112	D 24.915	305.8	0.376	5.47	D 238.4	D 91.4	4.1	0.41	1.2	0.17	0.00	0.25	0.21	101
101	13.37	13.36	33.117	24.867	310.5	0.376	5.60	244.8	94.2	4.1	0.41	1.3	0.18	0.00	0.25	0.20	102	13
113	12.09	12.07	33.095	25.099	288.4	0.412	5.35	233.5	87.4	6.4	0.66	5.4	0.07	0.00	0.22	0.18	114	12
125	10.85	10.84	33.192	25.400	259.9	0.445	4.83	210.8	76.9	10.3	1.08	12.1	0.04	0.00	0.13	0.16	126	11
141	9.87	9.85	33.388	25.721	229.4	0.484	4.06	177.2	65.3	16.9	1.45	18.0	0.03	0.00	0.06	0.06	142	10
150	ISL	9.74	D 9.72	33.530	D 25.854	217.0	0.508	3.63	D 158.2	D 56.6	19.4	1.55	19.6	0.03	0.00	0.04	0.05	151
170	9.39	9.37	33.703	26.046	199.1	0.546	3.13	136.8	48.5	24.9	1.76	23.1	0.03	0.00	0.01	0.02	171	09
200	9.07	9.05	33.904	26.256	179.7	0.603	2.58	112.5	39.6	30.7	1.96	25.6	0.02	0.00	0.00	0.02	202	08
230	8.66	8.64	33.975	26.376	168.8	0.655	2.45	106.9	37.4	34.2	2.03	27.1	0.02	0.00			232	07
250	ISL	8.50	D 8.47	34.046	D 26.457	161.4	0.693	2.10	D 91.3	D 31.9	37.4	2.13	28.2	0.02	0.00			252
271	8.22	8.19	34.066	26.516	156.1	0.722	1.94	84.5	29.3	40.9	2.24	29.5	0.02	0.06			273	06
300	ISL	8.08	D 8.05	34.134	D 26.592	149.5	0.771	1.49	D 64.8	D 22.5	45.1	2.39	30.5	0.02	0.04			302
319	7.93	7.90	34.151	26.626	146.5	0.794	1.29	56.3	19.4	47.9	2.48	31.1	0.02	0.02			322	05
380	6.77	6.74	34.103	26.753	134.6	0.880	1.12	48.9	16.4	59.8	2.65	35.5	0.02	0.00			383	04
400	ISL	6.59	D 6.56	34.111	D 26.783	131.9	0.913	0.98	D 42.8	D 14.3	63.2	2.70	36.1	0.02	0.00			403
440	6.12	6.08	34.104	26.839	126.8	0.959	0.92	40.0	13.2	69.9	2.79	37.3	0.02	0.00			444	03
500	ISL	5.89	D 5.84	34.178	D 26.928	118.9	1.039	0.57	D 24.9	D 8.2	76.9	2.95	38.7	0.02	0.00			504
515	5.77	5.73	34.193	26.955	116.6	1.050	0.52	22.6	7.4	78.6	2.99	39.0	0.02	0.00			519	02
516	5.77	5.73	34.193	26.955	116.5	1.051	0.52	22.7	7.4	79.3	2.98	39.1	0.02	0.04			520	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 81.7 43.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34	24.1 N	119 47.8 W	04/11/2015	1503	UTC	20 m	360	14 kn	260 02 05	0	1012.4 mb	13.6 C	9.6 C	0/8	0.00	0.00	0.00	
0	16.03	16.03	33.248	24.395	352.4	0.000	5.52	240.8	97.9	4.8	0.55	0.7	0.33	0.22	0.74	0.46	0	
2	16.03	16.03	33.248	24.395	352.4	0.007	5.52	240.8	97.9	4.8	0.55	0.7	0.33	0.22	0.74	0.46	2	
5	16.03	16.03	33.245	24.393	352.7	0.018	5.54	241.7	98.3	4.6	0.52	0.6	0.31	0.19	0.75	0.45	5	
10	15.97	15.97	33.239	24.401	352.1	0.035	5.55	242.1	98.3	4.5	0.51	0.7	0.30	0.16	0.87	0.27	10	
15	15.75	15.75	33.230	24.445	348.2	0.053	5.47	238.7	96.5	5.2	0.54	1.1	0.41	0.00	0.69	0.40	15	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 81.8 46.9

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34	16.4 N	120 1.6 W	05/11/2015	0107	UTC	576 m	310	25 kn	260 06 05	1	1013.7 mb	17.2 C	11.8 C	1/8	0.00	0.00	0.00	
0	17.84	17.84	33.327	24.032	387.0	0.000	5.61	244.8	103.2	2.7	0.31	0.0	0.03	0.00	0.60	0.24	0	
2	17.84	17.83	33.327	24.033	387.0	0.008	5.61	244.8	103.2	2.7	0.31	0.0	0.03	0.00	0.60	0.24	2	
10	17.86	17.86	33.319	24.022	388.4	0.039	5.62	245.6	103.5	2.5	0.31	0.0	0.03	0.00	0.59	0.22	10	
20	17.90	17.89	33.317	24.011	389.7	0.078	5.63	245.9	103.7	2.4	0.32	0.0	0.03	0.00	0.56	0.20	22	
30	17.70	17.70	33.303	24.049	386.5	0.116	5.61	244.9	102.9	2.4	0.32	0.1	0.03	0.00	0.61	0.26	30	
39	14.78	14.78	33.265	24.685	326.1	0.149	5.25	229.5	91.0	5.4	0.60	3.6	0.18	0.00	0.58	0.41	39	
50	13.34	13.33	33.306	25.018	294.6	0.183	4.											

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 39.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.19	18.19	33.390	23.993	390.7	0.000	5.29	230.9	98.0	5.5	0.61	0.4	0.19	0.37	1.04	0.66	0	
2	18.19	18.19	33.390	23.993	390.7	0.008	5.29	230.9	98.0	5.5	0.61	0.4	0.19	0.37	1.04	0.66	2 04	
5	18.13	18.13	33.388	24.009	389.4	0.020	5.28	230.8	97.8	5.6	0.63	0.4	0.20	0.37	0.97	0.69	5 03	
10	18.04	18.03	33.365	24.013	389.2	0.039	5.27	230.0	97.3	5.6	0.65	0.5	0.24	0.44	0.98	0.62	10 01	
10	18.04	18.03	33.355	24.006	389.9	0.037											10 02	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.64	17.64	33.326	24.078	382.6	0.000	5.56	242.8	101.9	2.6	0.34	0.0	0.02	0.00	0.60	0.19	0	
2	17.64	17.64	33.326	24.078	382.7	0.008	5.56	242.8	101.9	2.6	0.34	0.0	0.02	0.00	0.60	0.19	2 06	
5	17.63	17.63	33.326	24.081	382.5	0.019	5.58	243.8	102.3	2.7	0.35	0.0	0.02	0.00			5 05	
10	17.63	17.63	33.328	24.083	382.5	0.038	5.58	243.6	102.3	2.6	0.34	0.0	0.03	0.00	0.61	0.22	10 03	
10	17.63	17.63	33.325	24.081	382.7	0.038											10 04	
20	17.09	17.09	33.318	24.204	371.3	0.076	5.63	245.8	102.1	2.7	0.35	0.0	0.03	0.00	0.65	0.23	20 02	
30	ISL 15.70 D	15.69	33.299 D	24.510	342.4	0.113	5.46	D238.0 D	96.3	4.7	0.71	0.9	0.21	0.00	0.61	0.64	30	
32	15.69	15.69	33.301	24.513	342.3	0.119	5.33	232.7	94.0	5.1	0.78	1.1	0.25	0.18	0.60	0.73	32 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 42.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.88	18.88	33.398	23.828	406.4	0.000	5.43	237.1	102.0	2.2	0.30	0.0	0.01	0.00	0.45	0.18	0	
3 A	18.88	18.88	33.398	23.829	406.5	0.012	5.43	237.1	102.0	2.2	0.30	0.0	0.01	0.00	0.45	0.18	3 16	
10 ISL	18.89 D	18.89	33.380 D	23.814	408.2	0.041	5.44	D237.4 D	102.2	2.2	0.31	0.0	0.01	0.00	0.45	0.17	10	
13 A	18.89	18.89	33.389	23.821	407.7	0.053	5.43	237.2	102.0	2.2	0.31	0.0	0.01	0.00	0.45	0.17	13 13	
13	18.89	18.89	33.392	23.823	407.4	0.055											13 15	
14	18.89	18.89	33.383	23.815	408.3	0.055											14 14	
17 A	18.88	18.88	33.390	23.823	407.6	0.069	5.43	237.2	102.0	2.2	0.30	0.0	0.01	0.00	0.51	0.20	17 12	
20 ISL	18.89 D	18.88	33.380 D	23.815	408.5	0.082	5.44	D237.3 D	102.2	2.2	0.30	0.0	0.01	0.00	0.51	0.19	20	
24	18.81	18.81	33.385	23.838	406.5	0.098	5.45	237.8	102.1	2.2	0.30	0.0	0.01	0.00	0.52	0.19	24 11	
30 ISL	18.52 D	18.51	33.328 D	23.868	403.8	0.123	5.50	D239.9 D	102.5	2.1	0.31	0.0	0.01	0.00	0.51	0.22	30	
31 A	18.46	18.45	33.337	23.890	401.7	0.126	5.49	239.8	102.3	2.1	0.31	0.0	0.01	0.00	0.50	0.22	31 10	
40	17.08	17.07	33.246	24.154	376.8	0.161	5.63	245.9	102.0	1.9	0.32	0.0	0.02	0.02	0.78	0.55	40 09	
49	15.26	15.25	33.304	24.613	333.3	0.193	5.44	237.7	95.2	4.0	0.49	0.5	0.13	0.00	0.79	0.53	49 07	
50 ISL	14.99 D	14.98	33.296 D	24.665	328.4	0.198	5.39	D234.7 D	93.7	4.2	0.51	0.9	0.13	0.00	0.76	0.51	50	
57 A	14.28	14.27	33.297 D	24.817	314.0	0.221	5.06	D220.7 D	86.8								57 06	
66	13.71	13.70	33.279 D	24.923	304.2	0.249	4.91	D213.7 D	83.1								67 05	
75 ISL	12.58 D	12.57	33.444 D	25.275	270.8	0.275	4.05	D176.3 D	67.0	10.9	1.14	11.2	0.03	0.00	0.09	0.12	76	
76 A	12.36	12.35	33.450	25.321	266.4	0.275	4.02	175.5	66.3	11.2	1.16	11.7	0.03	0.00	0.06	0.10	77 04	
88	12.09	12.08	33.520	25.428	256.5	0.307	3.69	160.9	60.4	13.6	1.29	13.8	0.03	0.00	0.04	0.09	89 03	
100 ISL	11.79 D	11.78	33.563 D	25.517	248.3	0.339	3.53	D153.5 D	57.5	14.9	1.38	15.2	0.02	0.00	0.03	0.07	101	
101	11.69	11.68	33.563	25.536	246.5	0.339	3.51	153.3	57.1	15.0	1.39	15.4	0.02	0.02	0.03	0.07	102 02	
125	11.26	11.25	33.308	25.255	272.5	0.230	4.50	196.7	73.8	10.5	1.08	11.0	0.11	0.00	0.20	0.20	71 03	
75 ISL	12.09 D	12.08	33.328 D	25.278	270.4	0.246	4.48	D195.2 D	73.4	11.5	1.15	11.9	0.10	0.00	0.17	0.20	76	
80	11.91	11.90	33.408	25.375	261.3	0.256	4.13	180.5	67.5	12.4	1.21	12.8	0.09	0.00	0.14	0.19	81 02	
90	10.95	10.94	33.655	25.741	226.6	0.281	3.24	141.4	51.9	19.5	1.58	18.7	0.05	0.00	0.04	0.10	91 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.64	17.64	33.298	24.057	384.6	0.000	5.57	243.3	102.1	2.3	0.31	0.0	0.01	0.00	0.29	0.08	0		
2	17.64	17.64	33.298	24.057	384.7	0.008	5.57	243.3	102.1	2.3	0.31	0.0	0.01	0.00	0.29	0.08	2	21	
10	17.65	17.64	33.298	24.057	385.0	0.039	5.56	243.0	101.9	2.2	0.30	0.0	0.01	0.00	0.27	0.09	10	19	
10	17.65	17.64	33.298	24.057	385.0	0.038											10	20	
20	17.48	17.48	33.291	24.091	382.1	0.077	5.58	244.0	102.0	2.3	0.30	0.0	0.01	0.04	0.32	0.08	20	18	
30	14.78	14.78	33.085	24.545	339.0	0.113	5.86	256.3	101.4	3.3	0.40	0.4	0.04	0.00	1.48	0.36	30	17	
40	13.27	13.26	33.078	24.854	309.9	0.145	5.52	241.0	92.5	5.2	0.61	3.6	0.13	0.07	0.67	0.33	40	16	
50	12.72	12.71	33.118	24.994	296.7	0.176	5.25	229.2	87.0	6.8	0.76	6.3	0.10	0.00	0.52	0.30	50	15	
60	12.24	12.23	33.149	25.111	285.9	0.205	5.06	221.2	83.1	7.9	0.87	8.1	0.08	0.00	0.37	0.32	60	14	
70	11.53	11.52	33.224	25.301	268.0	0.232	4.76	208.1	77.0	10.4	1.04	11.3	0.04	0.03	0.41	0.23	71	13	
75	11.34	D 11.33	33.275	D 25.375	261.0	0.248	4.62	D 201.1	D 74.4	11.5	1.11	12.5	0.04	0.00	0.30	0.20	76		
84	10.88	10.87	33.334	25.504	248.9	0.269	4.36	190.5	69.6	13.7	1.23	14.7	0.03	0.00	0.10	0.13	85	12	
100	10.51	10.50	33.512	25.708	229.9	0.307	3.89	169.8	61.6	17.8	1.46	17.9	0.03	0.00	0.05	0.07	101	11	
120	10.25	10.23	33.684	25.888	213.2	0.351	3.22	140.7	50.8	21.8	1.66	20.6	0.03	0.07	0.02	0.06	121	10	
125	ISL	10.20	D 10.19	33.675	D 25.888	213.3	0.365	3.25	D 141.6	D 51.3	22.3	1.68	20.9	0.03	0.00	0.02	0.06	126	
140	10.04	10.03	33.771	25.991	203.9	0.393	2.96	129.1	46.4	24.0	1.75	21.8	0.03	0.00	0.01	0.05	141	09	
150	ISL	9.82	D 9.80	33.772	D 26.030	200.4	0.417	3.07	D 133.5	D 48.0	25.1	1.79	22.5	0.02	0.00	0.01	0.05	151	
170	9.65	9.63	33.888	26.149	189.4	0.452	2.68	117.2	41.8	27.5	1.88	24.0	0.02	0.00	0.00	0.04	171	08	
200	9.35	9.32	34.020	26.302	175.5	0.506	2.17	94.7	33.6	32.3	2.08	26.0	0.02	0.00	0.00	0.04	202	07	
230	9.12	9.09	34.140	26.434	163.6	0.557	1.70	74.2	26.2	37.0	2.25	28.4	0.02	0.00			232	06	
250	ISL	8.91	D 8.88	34.157	D 26.481	159.4	0.595	1.61	D 70.0	D 24.7	38.9	2.30	28.5	0.02	0.00			252	
270	8.80	8.77	34.176	26.515	156.7	0.621	1.44	62.7	22.0	40.7	2.34	28.6	0.02	0.00			272	05	
300	ISL	8.55	D 8.52	34.194	D 26.568	152.1	0.673	1.30	D 56.7	D 19.9	44.7	2.43	30.4	0.02	0.00			302	
320	8.18	8.15	34.186	26.617	147.6	0.698	1.24	54.1	18.7	47.4	2.49	31.6	0.02	0.01			325	04	
380	7.67	7.63	34.218	26.719	138.6	0.784	0.89	38.6	13.2	54.7	2.68	33.9	0.02	0.04			383	03	
400	ISL	7.42	D 7.38	34.210	D 26.750	135.9	0.818	0.84	D 36.4	D 12.4	58.1	2.73	34.9	0.02	0.00			403	
440	6.90	6.86	34.229	26.836	128.0	0.864	0.60	26.0	8.7	65.1	2.83	36.8	0.02	0.00			444	02	
500	ISL	6.39	D 6.35	34.263	D 26.932	119.3	0.946	0.42	D 18.2	D 6.1	74.0	2.97	38.2	0.02	0.00			504	
515		6.19	6.14	34.249	26.947	117.8	0.956	0.42	18.2	6.0	76.3	3.00	38.5	0.02	0.01			519	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.50	17.50	33.302	24.094	381.1	0.000	5.59	244.4	102.2	1.8	0.28	0.2	0.01	0.01	0.26	0.09	0		
3	17.50	17.50	33.302	24.094	381.2	0.011	5.59	244.4	102.2	1.8	0.28	0.2	0.01	0.01	0.26	0.09	3	21	
10	17.50	17.50	33.302	24.095	381.4	0.038	5.59	244.4	102.2	1.8	0.31	0.2	0.02	0.22	0.26	0.09	10	19	
10	17.50	17.50	33.303	24.096	381.3	0.040											10	20	
20	17.48	17.48	33.303	24.100	381.3	0.076	5.61	245.0	102.5	1.8	0.28	0.2	0.01	0.00	0.27	0.09	20	18	
30	16.91	16.91	33.283	24.221	370.1	0.114	5.77	252.1	104.2	1.5	0.30	0.2	0.01	0.17	0.84	0.30	30	17	
40	14.15	14.14	33.121	24.707	323.9	0.149	5.69	248.5	97.1	4.2	0.49	2.3	0.11	0.08	1.49	0.47	40	16	
50	12.53	12.53	33.161	25.063	290.2	0.179	5.12	223.7	84.6	7.6	0.86	7.5	0.12	0.21	0.55	0.35	50	15	
60	11.69	11.68	33.207	25.259	271.7	0.207	4.80	209.8	77.9	9.9	1.02	11.0	0.07	0.29	0.28	0.31	60	14	
70	10.95	10.94	33.275	25.446	254.1	0.234	4.51	197.3	72.1	12.4	1.16	13.6	0.05	0.09	0.17	0.18	71	13	
75	ISL	10.84	D 10.83	33.325	D 25.504	248.7	0.248	4.42	D 192.6	D 70.5	13.0	1.20	14.3	0.05	0.07	0.15	0.16	76	
85	10.67	10.66	33.352	25.554	244.2	0.271	4.28	187.1	68.0	14.3	1.28	15.5	0.04	0.02	0.09	0.12	86	12	
100	10.42	10.41	33.501	25.714	229.3	0.306	3.82	166.7	60.4	17.6	1.42	17.8	0.03	0.00	0.05	0.08	101	11	
120	10.15	10.13	33.584	25.827	219.0	0.351	3.65	159.3	57.4	19.5	1.49	19.3	0.03	0.00	0.03	0.06	121	10	
125	ISL	9.76	D 9.74	33.616	D 25.917	210.4	0.364	3.53	D 153.8	D 55.1	20.6	1.54	20.0	0.02	0.00	0.03	0.05	126	
140	9.82	9.80	33.767	26.025	200.5	0.393	3.10	135.3	48.4	24.0	1.70	22.1	0.02	0.00	0.01	0.04	141	09	
150	ISL	9.75	D 9.74	33.840	D 26.094	194.3	0.415	2.92	D 127.0	D 45.6	25.5	1.77	23.0	0.02	0.00	0.01	0.04	151	
170	9.43	9.41	33.906	26.198	184.7	0.451	2.67	116.5	41.4	28.7	1.91	24.9	0.02	0.11	0.01	0.03	171	08	
200	9.18	9.16	34.029	26.336	172.3	0.504	2.24	97.7	34.6	33.0	2.05	26.5	0.02	0.23	0.00	0.03	202	07	
230	9.17	9.14	34.118	26.409	166.0	0.555	1.79	78.2	27.6	36.5	2.23	27.7	0.02	0.21			232	06	
250	ISL	8.72	D 8.70	34.110	D 26.473	160.1	0.591	1.81	D 78.5	D 27.6	38.7	2.25	28.7	0.02	0.00			252	
270	8.58	8.55	34.117	26.502	157.7	0.619	1.71	74.6	26.0	41.0	2.27	29.6	0.02	0.00			272	05	
300	ISL	8.50	D 8.46	34.195	D 26.577	151.2	0.670	1.27	D 55.3	D 19.3	44.8	2.40	30.						

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	18.45	18.45	33.299	23.859	403.5	0.000	5.42	236.7	100.9	1.7	0.25	0.0	0.01	0.00	0.24	0.06	0	
3	18.45	18.45	33.299	23.859	403.6	0.012	5.42	236.7	100.9	1.7	0.25	0.0	0.01	0.00	0.24	0.06	3 21	
10	18.46	18.46	33.298	23.858	404.0	0.040	5.43	237.1	101.1	1.6	0.26	0.0	0.01	0.00	0.21	0.07	10 19	
10	18.46	18.46	33.301	23.860	403.8	0.039											10 20	
20	ISL	18.47 D	18.46	33.296 D	23.855	404.6	0.081	5.43	236.9 D	101.1	1.7	0.26	0.0	0.01	0.00	0.21	0.06	20
25	18.47	18.46	33.302	23.861	404.3	0.101	5.43	237.2	101.1	1.7	0.26	0.0	0.01	0.00	0.22	0.06	25 18	
30	ISL	18.47 D	18.46	33.296 D	23.856	404.9	0.122	5.43	236.9 D	101.1	1.7	0.26	0.0	0.01	0.00	0.22	0.07	30
40	18.47	18.46	33.305	23.865	404.5	0.162	5.42	236.9	101.0	1.7	0.27	0.0	0.01	0.00	0.23	0.09	40 17	
50	18.39	18.38	33.289	23.872	402.4	0.202	5.45	238.0	101.3	1.8	0.27	0.0	0.01	0.00	0.25	0.09	50 16	
62	13.64	13.63	33.275	24.933	303.0	0.244	5.23	228.3	88.4	5.8	0.75	5.1	0.23	0.00	0.53	0.44	63 15	
75	11.81	11.80	33.242	25.264	271.7	0.282	4.73	206.7	77.0	9.7	1.02	11.1	0.05	0.00	0.25	0.33	76 14	
87	10.50	10.49	33.298	25.542	245.3	0.313	4.36	190.6	69.0	13.6	1.26	15.2	0.04	0.00	0.12	0.19	88 13	
100	10.10	10.09	33.401	25.690	231.4	0.344	4.04	176.3	63.4	17.0	1.41	18.1	0.02	0.00	0.07	0.08	101 12	
112	9.57	9.56	33.496	25.853	216.2	0.371	3.96	172.9	61.4	20.0	1.53	20.0	0.03	0.00	0.03	0.05	113 11	
125	9.40	9.39	33.655	26.005	202.0	0.398	3.31	144.5	51.2	24.0	1.74	23.0	0.02	0.00	0.01	0.04	126 10	
141	8.99	8.97	33.732	26.132	190.2	0.429	3.44	150.1	52.8	26.0	1.74	23.3	0.02	0.03	0.01	0.02	142 09	
150	ISL	8.84 D	8.82	33.787 D	26.199	184.0	0.449	3.40	0147.9 D	52.0	27.1	1.76	23.8	0.02	0.00	0.01	0.02	151
170	8.61	8.59	33.858	26.291	175.6	0.482	3.30	144.0	50.2	29.5	1.80	24.9	0.02	0.00	0.00	0.02	171 08	
200	8.41	8.39	33.986	26.422	163.7	0.533	2.60	113.5	39.4	35.5	2.03	27.2	0.02	0.00	0.00	0.03	202 07	
231	8.00	7.98	34.011	26.504	156.4	0.583	2.29	99.7	34.4	40.0	2.17	29.8	0.02	0.00			233 06	
250	ISL	7.92 D	7.89	34.072 D	26.565	150.9	0.615	1.79	77.9 D	26.9	43.9	2.29	31.1	0.01	0.00			252
270	7.68	7.65	34.089	26.614	146.5	0.642	1.60	69.8	23.9	47.9	2.42	32.6	0.01	0.00			272 05	
300	ISL	7.42 D	7.39	34.116 D	26.672	141.4	0.689	1.35	58.8 D	20.1	52.8	2.55	33.9	0.01	0.00			302
319	7.30	7.27	34.139	26.708	138.3	0.712	1.11	48.6	16.5	56.0	2.64	34.8	0.01	0.00			322 04	
380	6.76	6.72	34.174	26.811	129.1	0.793	0.78	34.2	11.5	64.0	2.83	37.0	0.02	0.00			383 03	
400	ISL	6.62 D	6.59	34.191 D	26.843	126.3	0.824	0.69	30.1 D	10.1	66.3	2.87	37.2	0.02	0.00			403
440	6.39	6.35	34.204	26.884	122.9	0.869	0.58	25.2	8.4	70.9	2.94	37.6	0.02	0.01			444 02	
500	ISL	6.03 D	5.98	34.237 D	26.958	116.4	0.946	0.43	18.8 D	6.2	77.4	3.03	39.1	0.02	0.01			504
516	5.96	5.92	34.247	26.974	115.0	0.959	0.39	17.0	5.6	79.1	3.05	39.5	0.02	0.01			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.19	19.19	33.387	23.743	414.6	0.000	5.38	234.8	101.5	2.0	0.25	0.0	0.01	0.00	0.13	0.03	0
3 A	19.19	19.19	33.387	23.743	414.7	0.012	5.38	234.8	101.5	2.0	0.25	0.0	0.01	0.00	0.13	0.03	3 24
10 ISL	19.19 D	19.18	33.378 D	23.737	415.6	0.042	5.37	0234.3	101.4	2.2	0.25	0.0	0.01	0.00	0.12	0.03	10
15 A	19.18	19.18	33.379	23.739	415.6	0.062	5.38	235.0	101.6	2.3	0.25	0.0	0.01	0.00	0.11	0.03	15 21
15	19.18	19.18	33.379	23.739	415.6	0.063											15 23
15	19.18	19.18	33.379	23.739	415.6	0.062											15 22
20 ISL	19.19 D	19.18	33.377 D	23.737	415.9	0.084	5.37	0234.4 D	101.5	2.3	0.25	0.0	0.01	0.00	0.11	0.03	20
28	19.18	19.18	33.377 D	23.739	416.1	0.117	5.37	0234.3 D	101.4								28 20
30 ISL	19.18 D	19.18	33.377 D	23.739	416.2	0.126	5.37	0234.4 D	101.4	2.1	0.25	0.0	0.01	0.00	0.12	0.03	30
36 A	19.18	19.18	33.379	23.741	416.3	0.150	5.37	234.5	101.4	2.0	0.25	0.0	0.02	0.00	0.12	0.03	36 19
47	19.14	19.13	33.376	23.750	415.8	0.195	5.38	234.9	101.5	2.0	0.25	0.0	0.02	0.00	0.13	0.03	47 18
50 ISL	19.15 D	19.15	33.381 D	23.751	415.8	0.210	5.38	0234.7 D	101.5	2.1	0.25	0.0	0.02	0.00	0.15	0.04	50
57	16.91	16.90	33.159	24.128	379.9	0.236	5.98	261.2	107.9	2.3	0.25	0.0	0.01	0.00	0.19	0.06	57 17
66 A	16.14	16.13	33.116	24.273	366.3	0.270	5.96	260.5	106.0	2.4	0.26	0.0	0.01	0.00	0.18	0.08	67 16
75 ISL	15.66 D	15.65	33.108 D	24.374	356.9	0.304	5.94	0258.8 D	104.5	2.6	0.28	0.0	0.01	0.00	0.21	0.12	76
87	14.83	14.82	33.127	24.571	338.5	0.344	5.83	254.7	101.0	2.9	0.31	0.0	0.01	0.01	0.24	0.18	88 14
87	14.83	14.82	33.153	24.591	336.6	0.344											88 15
100 ISL	13.69 D	13.67	33.206 D	24.872	310.1	0.389	5.55	0241.9 D	93.9	5.0	0.54	3.1	0.09	0.03	0.20	0.17	101
107	11.96	11.94	33.181	25.191	279.5	0.407	5.32	232.6	86.9	6.1	0.67	4.8	0.13	0.04	0.18	0.16	108 13
125 ISL	10.64 D	10.63	33.294 D	25.515	248.8	0.458	4.54	0197.7 D	72.1	12.3	1.22	14.0	0.03	0.00	0.09	0.10	126
126 A	10.51	10.50	33.295	25.539	246.6	0.457	4.52	197.5	71.6	12.7	1.25	14.5	0.03	0.00	0.08	0.10	127 12
137	9.93	9.91	33.321	25.658	235.3	0.483	4.55	198.5	71.0	15.0	1.31	15.7	0.02	0.00	0.05	0.07	138 11
150	9.55	9.53	33.426	25.803	221.7	0.513	4.30	187.9	66.7	17.6	1.43	18.0	0.02	0.00	0.03	0.04	151 10
163 A	9.30	9.28	33.541	25.934	209.5	0.541	4.14	180.7	63.8	20.0	1.48	19.4	0.02	0.00	0.01	0.05	164 09
182	9.00	8.98	33.731	26.130	191.2	0.579	3.78	164.9	57.9	24.2	1.64	21.9	0.01	0.02	0.00	0.02	183 08
198	8.77	8.77	33.849	26.25													

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	18.44	18.44	33.243	23.821	407.1	0.000	5.48	239.4	101.9	1.5	0.28	0.0	0.01	0.00	0.14	0.04	0		
3	18.44	18.44	33.243	23.821	407.2	0.012	5.48	239.4	101.9	1.5	0.28	0.0	0.01	0.00	0.14	0.04	3	21	
10	18.44	18.43	33.242	23.821	407.5	0.041	5.44	237.8	101.3	1.6	0.26	0.0	0.01	0.00	0.14	0.04	10	19	
10	18.44	18.43	33.242	23.821	407.6	0.041											10	20	
20	ISL	18.44	D 18.44	33.240	D 23.820	408.0	0.082	5.47	D 238.5	D 101.7	1.6	0.26	0.0	0.01	0.00	0.15	0.04	20	
25	18.42	18.41	33.241	23.826	407.6	0.102	5.45	238.1	101.4	1.5	0.26	0.0	0.01	0.00	0.15	0.04	25	18	
30	ISL	18.40	D 18.40	33.237	D 23.827	407.7	0.123	5.47	D 238.4	D 101.6	1.6	0.26	0.0	0.01	0.00	0.16	0.05	30	
40	18.36	18.35	33.238	23.839	406.9	0.163	5.45	237.8	101.1	1.6	0.27	0.0	0.01	0.00	0.19	0.05	40	17	
49	17.85	17.84	33.232	23.960	395.8	0.199	5.47	238.8	100.5	1.5	0.26	0.0	0.01	0.00	0.22	0.08	49	16	
50	ISL	17.51	D 17.50	33.153	D 23.983	393.6	0.205	5.66	D 246.6	D 103.3	1.6	0.27	0.0	0.01	0.00	0.22	0.08	50	
62	14.67	14.66	32.930	24.453	348.8	0.247	6.07	265.0	104.6	2.8	0.33	0.0	0.01	0.00	0.26	0.18	62	15	
75	13.54	13.53	32.963	24.711	324.5	0.291	5.81	253.7	97.8	3.9	0.46	0.9	0.08	0.04	0.32	0.27	76	14	
87	12.69	12.68	32.971	24.887	308.0	0.329	5.56	242.7	92.0	5.2	0.63	3.9	0.27	0.00	0.31	0.28	88	13	
100	11.68	11.67	33.060	25.147	283.4	0.367	5.18	226.2	83.9	8.0	0.91	9.4	0.06	0.00	0.19	0.20	101	12	
112	10.86	10.84	33.170	25.381	261.3	0.400	4.77	208.2	76.0	10.4	1.14	12.9	0.02	0.00	0.12	0.15	113	11	
125	10.24	10.22	33.272	25.568	243.7	0.433	4.47	195.1	70.3	14.2	1.27	15.7	0.02	0.00	0.08	0.10	126	10	
140	9.77	9.76	33.405	25.750	226.6	0.468	3.98	173.8	62.0	17.8	1.50	19.1	0.02	0.02	0.04	0.06	141	09	
150	ISL	9.27	D 9.25	33.539	D 25.936	209.0	0.493	3.91	D 170.2	D 60.3	20.0	1.57	20.3	0.02	0.00	0.03	0.05	151	
171	8.93	8.91	33.752	D 26.158	188.3	0.535	3.34	D 145.4	D 51.2								172	08	
200	8.69	8.67	33.898	26.310	174.5	0.585	2.86	124.8	43.6	31.1	1.92	26.3	0.01	0.00	0.00	0.02	202	07	
230	8.28	8.25	33.959	26.423	164.2	0.636	2.84	123.8	42.9	34.7	1.97	27.4	0.02	0.01			232	06	
250	ISL	8.04	D 8.01	33.986	D 26.479	159.1	0.671	2.82	D 122.6	D 42.4	37.8	2.05	28.3	0.02			252		
270	7.79	7.76	34.001	26.529	154.6	0.699	2.54	110.9	38.0	41.0	2.12	29.2	0.01	0.02			272	05	
300	ISL	7.38	D 7.35	34.028	D 26.609	147.3	0.749	2.07	D 90.1	D 30.7	47.5	2.31	31.7	0.01	0.00			302	
320	7.12	7.09	34.042	26.656	143.0	0.774	1.77	77.3	26.1	51.8	2.43	33.4	0.02	0.00			323	04	
380	6.59	6.55	34.103	26.777	132.2	0.856	1.08	47.3	15.8	62.9	2.73	37.0	0.02	0.04			383	03	
400	ISL	6.42	D 6.38	34.115	D 26.809	129.3	0.888	0.95	D 41.4	D 13.8	66.1	2.80	37.6	0.02	0.04			403	
440	6.05	6.01	34.149	26.883	122.5	0.933	0.70	30.7	10.1	72.4	2.93	38.8	0.02	0.03			444	02	
500	ISL	5.70	D 5.65	34.191	D 26.962	115.6	1.010	0.52	D 22.7	D 7.4	79.9	3.05	40.0	0.02	0.03			504	
515	5.63	5.58	34.202	26.979	114.1	1.021	0.47	20.4	6.7	81.8	3.08	40.3	0.02	0.03			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	18.53	18.53	33.295	23.838	405.5	0.000	5.43	237.2	101.2	1.4	0.28	0.0	0.01	0.02	0.18	0.05	0		
2	18.53	18.53	33.295	23.838	405.5	0.008	5.43	237.2	101.2	1.4	0.28	0.0	0.01	0.02	0.18	0.05	2	21	
10	18.53	18.52	33.298	23.842	405.5	0.041	5.43	237.3	101.3	1.6	0.26	0.0	0.01	0.00	0.18	0.05	10	19	
10	18.53	18.52	33.295	23.840	405.7	0.041											10	20	
20	ISL	18.53	D 18.52	33.294	D 23.839	406.2	0.082	5.44	D 237.3	D 101.4	1.4	0.27	0.0	0.01	0.00	0.18	0.06	20	
26	18.53	18.52	33.296	23.840	406.3	0.106	5.42	236.7	101.0	1.3	0.27	0.0	0.01	0.02	0.19	0.06	26	18	
30	ISL	18.53	D 18.52	33.294	D 23.839	406.6	0.123	5.44	D 237.2	D 101.4	1.3	0.27	0.0	0.01	0.00	0.20	0.06	30	
41	18.52	18.52	33.303	23.847	406.2	0.167	5.43	237.3	101.3	1.3	0.28	0.0	0.02	0.00	0.23	0.06	41	17	
50	18.52	18.52	33.303	23.849	406.4	0.203	5.41	236.4	100.9	1.3	0.27	0.0	0.01	0.00	0.24	0.07	50	16	
62	17.90	17.89	33.283	23.988	393.6	0.251	5.49	239.6	101.0	1.4	0.29	0.0	0.01	0.03	0.29	0.11	62	15	
75	13.66	13.65	33.036	24.744	321.4	0.298	6.05	264.4	102.3	3.5	0.47	0.7	0.06	0.08	0.55	0.38	76	14	
88	12.18	12.17	33.032	25.031	294.2	0.338	5.38	235.2	88.2	6.3	0.75	6.5	0.15	0.01	0.29	0.27	89	13	
100	11.32	11.31	33.118	25.257	272.9	0.372	4.95	216.4	79.7	9.1	1.06	11.4	0.03	0.01	0.16A	0.18A	101	12	
112	10.43	10.42	33.252	25.518	248.2	0.403	4.50	196.5	71.1	13.5	1.31	15.7	0.03	0.00	0.08	0.11	113	11	
125	9.92	9.90	33.415	25.734	227.9	0.434	3.97	173.3	62.0	18.1	1.56	19.6	0.02	0.02	0.04	0.05	126	10	
141	9.46	9.45	33.542	25.908	211.6	0.469	3.57	155.7	55.2	21.2	1.69	21.1	0.02	0.05	0.02	0.04	142	09	
150	ISL	9.16	D 9.14	33.614	D 26.013	201.7	0.491	3.61	D 157.0	D 55.5	23.1	1.74	22.2	0.02	0.04	0.01	0.03	151	
170	8.94	8.93	33.756	26.159	188.2	0.527	3.13	136.6	48.0	27.1	1.86	24.8	0.01	0.01	0.00	0.03	171	08	
200	8.53	8.51	33.886	26.326	172.9	0.581	3.40	148.4	51.7	29.9	1.81	25.2	0.01	0.03	0.00	0.02	202	07	
231	8.03	8.00	33.990	26.484	158.3	0.632	2.58	112.5	38.7	38.0	2.11	29.2	0.02	0.06			233	06	
250	ISL	7.84	D 7.81	34.015	D 26.532	154.0	0.666	2.30	D 99.9	D 34.4	41.7	2.23	30.6	0.02	0.42			252	
270	7.52	7.49	34.032	26.591	148.6	0.692	2.03	88.5	30.2	45.7	2.36	32.0	0.02	0.79			272	05</	

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	54.7 N	124 10.2 W	10/11/2015	1142	UTC	4264 m	360	24 kn									059	
0	18.82	18.82	33.253	23.733	415.5	0.000	5.42	236.6	101.5	1.8	0.28	0.0	0.01	0.05	0.13	0.04	0	
2	18.82	18.82	33.253	23.733	415.6	0.008	5.42	236.6	101.5	1.8	0.28	0.0	0.01	0.05	0.13	0.04	2 21	
10	18.83	18.83	33.255	23.733	415.9	0.042	5.41	236.5	101.5	1.8	0.28	0.0	0.01	0.04	0.13	0.04	10 19	
10	18.83	18.83	33.254	23.733	415.9	0.040											10 20	
20	ISL	18.83 D	18.83	33.253 D	23.732	416.4	0.084	5.42	236.4	D 101.6	1.8	0.28	0.0	0.01	0.03	0.13	0.04	20
24	18.83	18.83	33.264	23.740	415.8	0.100	5.42	236.7	101.6	1.8	0.28	0.0	0.01	0.03	0.13	0.04	24 18	
30	ISL	18.83 D	18.82	33.253 D	23.734	416.6	0.126	5.41	236.1	D 101.4	1.8	0.28	0.0	0.01	0.04	0.13	0.04	30
40	18.84	18.83	33.255	23.734	417.0	0.167	5.46	238.4	102.3	1.8	0.28	0.0	0.01	0.06	0.13	0.04	40 17	
50	18.54	18.53	33.276	23.825	408.7	0.208	5.54	242.0	103.3	2.0	0.27	0.0	0.01	0.03	0.17	0.05	50 16	
62	16.68	16.67	33.178	24.197	373.5	0.255	5.91	258.1	106.2	2.3	0.26	0.0	0.01	0.04	0.20	0.08	62 15	
75	ISL	15.95 D	15.93	33.172 D	24.360	358.4	0.305	5.83	254.3	D 103.3	2.4	0.27	0.0	0.01	0.04	0.19	0.16	76
76	15.94	15.93	33.184	24.372	357.3	0.306	5.82	254.4	103.2	2.4	0.27	0.0	0.01	0.04	0.19	0.17	77 14	
87	14.97	14.95	33.206	24.603	355.5	0.344	5.79	252.9	100.6	2.6	0.27	0.0	0.01	0.04	0.19	0.17	88 13	
100	13.89	13.88	33.205	24.829	314.2	0.386	5.67	247.6	96.3	3.3	0.34	0.1	0.07	0.06	0.20	0.15	101 12	
112	12.57	12.56	33.198	25.087	289.7	0.422	5.32	232.5	88.0	5.7	0.65	4.4	0.15	0.04	0.15	0.15	113 11	
125	ISL	11.08 D	11.07	33.187 D	25.355	264.2	0.462	5.07	D 220.6	D 81.1	8.4	0.91	9.1	0.03	0.05	0.12	0.12	126
126	10.97	10.95	33.181	25.371	262.7	0.461	5.12	233.7	81.8	8.6	0.93	9.5	0.03	0.05	0.12	0.11	127 10	
140	9.99	9.97	33.246	25.590	241.8	0.496	4.87	212.6	76.1	13.1	1.22	14.4	0.02	0.04	0.07	0.10	141 09	
150	ISL	9.46 D	9.44	33.385 D	25.786	223.3	0.524	4.65	D 202.4	D 71.9	16.2	1.36	16.8	0.02	0.03	0.05	0.08	151
172	9.09	9.07	33.629	26.037	199.9	0.566	3.73	163.0	57.4	23.0	1.68	22.1	0.01	0.02	0.01	0.03	173 08	
200	8.70	8.68	33.802	26.234	181.6	0.620	3.36	146.8	51.3	27.4	1.81	24.3	0.02	0.02	0.00	0.02	202 07	
230	8.39	8.36	33.943	26.393	167.0	0.672	3.06	133.6	46.4	32.7	1.92	26.5	0.01	0.02			232 06	
250	ISL	8.14 D	8.11	33.970 D	26.453	161.6	0.709	2.91	D 126.5	D 43.8	36.3	2.02	27.8	0.01	0.02			252
270	7.82	7.79	33.991	26.517	155.8	0.737	2.65	115.8	39.7	39.9	2.12	29.1	0.01	0.02			272 05	
300	ISL	7.57 D	7.54	34.032 D	26.586	149.7	0.787	2.05	D 89.2	D 30.5	45.4	2.30	31.5	0.01	0.03			302
320	7.34	7.31	34.045	26.629	145.8	0.812	1.81	79.1	26.8	49.0	2.42	33.1	0.01	0.03			323 04	
381	6.67	6.63	34.090	26.757	134.1	0.898	1.18	51.5	17.2	59.9	2.70	36.6	0.01	0.05			384 03	
400	ISL	6.51 D	6.47	34.097 D	26.784	131.8	0.928	1.05	D 45.6	D 15.2	63.8	2.78	37.5	0.01	0.05			403
440	6.06	6.02	34.134	26.871	123.7	0.974	0.74	32.1	10.6	71.9	2.96	39.4	0.01	0.04			444 02	
500	ISL	5.67 D	5.62	34.183 D	26.959	115.8	1.052	0.52	D 22.6	D 7.4	80.6	3.06	40.5	0.01	0.09			504
515	5.57	5.53	34.192	26.978	114.1	1.063	0.48	21.0	6.8	82.7	3.08	40.8	0.01	0.10			519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 33.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	53.4 N	118 29.4 W	03/11/2015	1749	UTC	58 m	340	03 kn	270	03 06	2	1010.5	mb	15.7	12.1 C	31 m	1/8 CU 028	
0	20.20	20.20	33.447	23.526	435.3	0.000	5.43	237.4	104.6	1.7	0.24	0.0	0.00	0.00	0.28	0.09	0	
2	A	20.20	20.20	33.447	23.526	435.3	0.009	5.43	237.4	104.6	1.7	0.24	0.0	0.00	0.28	0.09	2 10	
10	19.98	19.98	33.428	23.571	431.4	0.043	5.47	238.8	104.8	1.8	0.25	0.0	0.00	0.00	0.28	0.12	10 09	
10	19.98	19.98	33.423	23.566	431.9	0.044											10 08	
19	A	18.20	18.19	33.321	23.941	396.5	0.081	5.75	251.2	106.5	2.0	0.27	0.0	0.00	0.00	0.36	0.14	19 11
20	ISL	17.73 D	17.72	33.261 D	24.009	389.9	0.085	5.91	D 257.8	D 0108.5	2.1	0.28	0.0	0.00	0.00	0.37	0.16	20
25	A	17.27	17.26	33.243	24.106	380.9	0.104	5.89	257.4	107.2	2.6	0.33	0.0	0.00	0.00	0.43	0.22	25 05
30	ISL	16.73 D	16.73	33.242 D	24.231	369.1	0.124	5.86	D 255.7	D 0105.6	3.1	0.38	0.3	0.11	0.00	0.47	0.28	30
35	16.05	16.04	33.246	24.392	353.9	0.141	5.62	245.7	99.9	3.6	0.42	0.6	0.21	0.00	0.51	0.33	35 03	
35	16.05	16.04	33.243	24.390	354.1	0.141											35 04	
45	A	15.17	15.16	33.282	24.616	332.9	0.175	5.24	229.0	91.5	5.0	0.57	2.4	0.38	0.00	0.33	0.30	45 02
50	ISL	14.95 D	14.94	33.315 D	24.688	326.1	0.193	4.92	D 214.3	D 85.5	6.3	0.68	3.8	0.32	0.00	0.25	0.31	50
51	A	14.96	14.95	33.319	24.689	326.1	0.195	4.90	214.1	85.2	6.6	0.70	4.1	0.31	0.00	0.23	0.31	51 01

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db
33	49.4 N	118 37.7 W	03/11/2015	2006	UTC	29 m	290	12 kn	340	03 05	1						

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.47	20.47	33.482	23.483	439.4	0.000	5.42	236.8	104.9	2.1	0.25	0.0	0.02	0.00	0.21	0.05	0	
2	20.47	20.46	33.482	23.483	439.5	0.009	5.42	236.8	104.9	2.1	0.25	0.0	0.02	0.00	0.21	0.05	2	
10	20.47	20.47	33.480	23.480	440.1	0.044	5.42	236.8	104.9	2.0	0.26	0.0	0.01	0.00	0.23	0.05	10	
20	20.38	20.38	33.477	23.503	438.3	0.088	5.37	234.4	103.7	2.0	0.25	0.0	0.01	0.00	0.22	0.05	20	
30	17.21	17.20	33.239	24.117	380.0	0.129	5.97	260.9	108.5	2.3	0.32	0.0	0.00	0.02	0.38	0.13	30	
40	15.62	15.61	33.192	24.447	348.8	0.165	5.96	260.5	105.0	2.5	0.37	0.0	0.01	0.00	0.81	0.39	40	
50	14.36	14.35	33.216	24.738	321.3	0.199	5.49	239.8	94.2	4.3	0.55	2.2	0.22	0.00	0.66	0.45	50	
60	13.54	13.53	33.293	24.966	299.8	0.230	5.08	221.9	85.8	6.1	0.73	4.9	0.18	0.05	0.37	0.31	60	
70	12.62	12.61	33.274	25.135	283.9	0.259	4.75	207.5	78.7	8.4	0.93	8.7	0.08	0.00	0.20	0.20	71	
75 ISL	12.22 D	12.21	33.318	25.246	273.5	0.275	4.55	198.2	74.7	9.3	0.99	9.8	0.06	0.00	0.17	0.18	76	
85	11.91	11.90	33.359	25.336	265.1	0.300	4.30	187.9	70.2	11.2	1.12	12.0	0.04	0.00	0.11	0.14	86	
100	11.39	11.38	33.615	25.632	237.3	0.338	3.30	144.1	53.3	16.8	1.49	17.0	0.01	0.00	0.04	0.08	101	
120	11.12	11.10	33.780	25.810	220.9	0.384	2.73	119.2	43.9	20.9	1.72	19.9	0.01	0.00	0.01	0.05	121	
125 ISL	11.12 D	11.10	33.799	25.825	219.6	0.397	2.69	117.2	43.3	21.3	1.74	20.2	0.01	0.00	0.01	0.04	126	
140	10.80	10.78	33.824	25.902	212.6	0.427	2.69	117.2	42.9	22.5	1.78	21.0	0.01	0.00	0.01	0.04	141	
150 ISL	10.66 D	10.64	33.827	25.930	210.1	0.450	2.72	118.4	43.3	23.7	1.82	21.6	0.02	0.00	0.01	0.04	151	
170	10.20	10.18	33.930	26.089	195.3	0.488	2.50	109.1	39.4	26.2	1.90	23.0	0.03	0.00	0.01	0.05	171	
200	9.56	9.53	34.092	26.325	173.5	0.544	1.97	86.1	30.7	32.5	2.12	26.1	0.01	0.00	0.01	0.03	202	
231	9.30	9.27	34.142	26.406	166.3	0.596	1.73	75.7	26.9	35.7	2.24	27.5	0.01	0.06		233		
250 ISL	9.16 D	9.13	34.176	26.456	162.0	0.632	1.57	68.2	24.2	37.9	2.32	28.2	0.01	0.04		252		
270	9.10	9.07	34.226	26.507	157.6	0.659	1.28	55.9	19.7	40.2	2.40	29.0	0.01	0.01		272		
300 ISL	8.92 D	8.88	34.250	26.555	153.6	0.711	1.12	48.6	17.2	42.8	2.48	29.8	0.01	0.00		302		
320	8.75	8.72	34.266	26.594	150.2	0.736	0.98	42.7	15.0	44.6	2.54	30.4	0.01	0.00		323		
380	7.98	7.94	34.282	26.726	138.3	0.823	0.74	32.1	11.1	52.9	2.70	32.8	0.01	0.00		383		
400 ISL	7.84 D	7.80	34.283	26.746	136.7	0.857	0.67	29.0	10.0	55.3	2.75	33.4	0.01	0.00		403		
441	7.43	7.38	34.303	26.822	129.8	0.905	0.48	21.0	7.1	60.3	2.84	34.8	0.01	0.00		445		
500 ISL	7.00 D	6.95	34.306	26.885	124.5	0.988	0.40	17.4	5.9	67.8	2.93	36.2	0.01	0.00		504		
515	6.77	6.72	34.306	26.917	121.5	0.998	0.34	15.0	5.0	69.7	2.95	36.5	0.01	0.00		519		
600	6.13	6.08	34.341	27.029	111.4	1.097	0.22	9.5	3.1	81.9	3.10	37.9	0.01	0.02		605		
660	5.75	5.69	34.368	27.099	105.0	1.162	0.15	6.4	2.1	91.8	3.19	37.7	0.02	0.02		666		
700 ISL	5.68 D	5.61	34.368	27.109	104.6	1.214	0.15	6.7	2.2	95.9	3.23	37.2	0.02	0.02		706		
726	5.49	5.42	34.381	27.142	101.5	1.231	0.11	4.8	1.6	98.5	3.26	36.8	0.02	0.02		733		
730	5.49	5.43	34.380	27.141	101.7	1.235	0.11	4.7	1.5	99.2	3.28	36.6	0.02	0.04		737		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.11	20.11	33.486	23.579	430.2	0.000	5.32	232.1	102.2	2.1	0.33	0.0	0.00	0.35	0.18	0.04	0	
3	20.11	20.11	33.486	23.579	430.3	0.013	5.32	232.1	102.2	2.1	0.33	0.0	0.00	0.35	0.18	0.04	3	
10 ISL	20.12 D	20.11	33.478	23.573	431.2	0.044	5.33	232.7	102.5	2.0	0.27	0.0	0.00	0.00	0.18	0.04	10	
11	20.12	20.12	33.479	23.572	431.4	0.047	5.33	232.5	102.5	2.0	0.26	0.0	0.00	0.00	0.18	0.04	11	
11	20.12	20.12	33.481	23.574	431.2	0.046											20	
20 ISL	20.11 D	20.10	33.476	23.575	431.5	0.087	5.34	232.9	102.6	2.0	0.27	0.0	0.00	0.00	0.18	0.05	20	
21	20.13	20.12	33.481	23.574	431.6	0.090	5.32	232.2	102.2	2.0	0.27	0.0	0.00	0.00	0.18	0.05	21	
30	19.92	19.91	33.479	23.628	426.8	0.129	5.33	232.6	102.0	2.0	0.27	0.0	0.00	0.01	0.18	0.05	30	
41	16.49	16.49	33.267	24.306	362.3	0.172	5.80	253.3	103.9	2.7	0.36	0.0	0.00	0.00	0.34	0.14	41	
50 ISL	15.51 D	15.50	33.307	24.561	338.3	0.206	5.53	240.4	97.1	3.4	0.45	0.0	0.00	0.00	0.56	0.38	50	
51	15.12	15.11	33.334	24.666	328.3	0.207	5.55	242.4	96.8	3.4	0.46	0.0	0.00	0.07	0.58	0.40	51	
60	13.11	13.10	33.241	25.012	295.4	0.235	5.04	219.9	84.2	6.8	0.79	6.1	0.07	0.01	0.32	0.27	60	
70	12.73	12.72	33.233	25.081	289.1	0.265	4.97	217.1	82.5	7.3	0.84	7.2	0.05	0.00	0.30	0.26	71	
75 ISL	12.07 D	12.06	33.246	25.218	276.1	0.281	4.81	209.5	78.7	8.4	0.92	8.6	0.03	0.00	0.26	0.22	76	
85	11.67	11.66	33.303	25.337	264.9	0.306	4.54	198.1	73.6	10.6	1.07	11.5	0.01	0.00	0.17	0.14	86	
100	10.99	10.98	33.470	25.590	241.2	0.344	4.00	174.6	64.0	13.9	1.30	14.7	0.01	0.12	0.07	0.11	101	
120	10.69	10.67	33.660	25.792	222.4	0.390	3.40	148.3	54.1	18.8	1.52	18.4	0.00	0.00	0.03	0.06	121	
125 ISL	10.58 D	10.56	33.747	25.880	214.2	0.403	3.11	135.2	49.4	19.8	1.58	19.1	0.00	0.00	0.02	0.05	126	
140	10.46	10.44	33.820	25.958	207.1	0.433	2.86	124.9	45.4	22.8	1.76	21.0	0.01	0.14	0.01	0.04	141	
150 ISL	10.35 D	10.33	33.930	26.064	197.3	0.455	2.53	110.1	40.0	24.6	1.85	22.0	0.01	0.57	0.01	0.04	151	
170	10.03	10.01	34.014	26.183	186.4	0.492	2.27	99.0	35.7	28.2	2.04	24.1	0.00	1.44	0.01	0.04	171	
200	9.49	9.47	34.137	26.371	169.1	0.545	1.86	81.1	28.9	34.3	2.20	26.6	0.00	0.17	0.00			

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	29.3 N	119 19.2 W	12/11/2015	1150	UTC	1639 m	350	09 kn									0	
0	18.71	18.71	33.450	D 23.911	398.5	0.000	5.44	D237.1	D101.8								0	
10	18.72	18.71	33.449	D 23.909	399.1	0.040	5.44	D237.1	D101.8								10	
20	18.70	18.70	33.446	D 23.911	399.3	0.080	5.43	D236.9	D101.7								20	
30	18.35	18.34	33.421	D 23.982	393.0	0.120	5.46	D238.1	D101.5								30	
50	13.90	13.89	33.299	D 24.898	306.0	0.191	5.09	D222.0	D 86.6								50	
75	11.74	11.73	33.380	D 25.384	260.3	0.261	4.33	D188.4	D 70.3								76	
100	10.52	10.51	33.498	D 25.694	231.2	0.324	3.89	D169.3	D 61.6								101	
125	10.42	10.40	33.877	D 26.009	201.9	0.378	2.65	D115.2	D 42.0								126	
150	10.19	10.18	33.994	D 26.140	190.1	0.428	2.41	D104.9	D 38.1								151	
200	9.55	9.53	34.169	D 26.386	167.7	0.518	1.72	D 74.8	D 26.8								202	
250	8.79	8.76	34.173	D 26.513	156.4	0.600	1.58	D 68.7	D 24.2								252	
300	8.37	8.34	34.233	D 26.625	146.5	0.676	1.09	D 47.5	D 16.6								302	
400	7.40	7.36	34.288	D 26.814	129.9	0.815	0.53	D 23.2	D 7.9								403	
500	6.69	6.64	34.315	D 26.934	119.5	0.942	0.32	D 14.1	D 4.7								504	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	19.4 N	119 39.8 W	12/11/2015	0836	UTC	82 m	330	12 kn									067	
0	17.44	17.44	33.307	24.111	379.5	0.000	5.56	242.8	101.5	2.1	0.32	0.1	0.02	0.00	0.64	0.15	0	
3	17.44	17.44	33.307	24.111	379.6	0.011	5.56	242.8	101.5	2.1	0.32	0.1	0.02	0.00	0.64	0.15	3	
5	17.44	17.44	33.306	24.111	379.7	0.019	5.58	243.7	101.9	2.1	0.32	0.0	0.02	0.00	0.63	0.17	5	
9	17.46	17.45	33.311	24.112	379.7	0.035											9	
10	17.47	17.47	33.314	24.110	379.9	0.038	5.57	243.3	101.7	1.9	0.30	0.0	0.01	0.00	0.84	0.21	10	
20	17.47	17.46	33.308	24.108	380.5	0.076	5.56	243.0	101.6	2.0	0.32	0.1	0.01	0.00	0.68	0.20	20	
30	17.57	17.56	33.309	24.086	383.0	0.114	5.58	243.7	102.1	2.1	0.31	0.0	0.02	0.00	0.74	0.20	30	
40	17.55	17.55	33.344	24.116	380.5	0.152	5.60	244.6	102.4	1.6	0.32	0.0	0.02	0.00	1.36	0.37	40	
50	17.20	17.19	33.357	24.212	371.7	0.190	5.58	243.7	101.4	1.8	0.32	0.1	0.02	0.00	1.59	0.42	50	
60	13.70	13.69	33.219	24.876	308.4	0.224	5.16	225.6	87.4	6.4	0.71	5.4	0.22	0.00	0.42	0.39	60	
70	13.20	13.19	33.239	24.994	297.4	0.254	4.95	216.1	82.9	8.1	0.84	7.6	0.18	0.04	0.28	0.28	71	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	9.4 N	120 0.4 W	12/11/2015	0436	UTC	1206 m	330	14 kn									066	
0	17.96	17.96	33.302	23.983	391.6	0.000	5.52	241.0	101.7	1.9	0.28	0.0	0.01	0.00	0.20	0.06	0	
2	17.96	17.96	33.302	23.984	391.7	0.008	5.52	241.0	101.7	1.9	0.28	0.0	0.01	0.00	0.20	0.06	2	
10	17.96	17.96	33.303	23.983	392.0	0.039	5.50	240.3	101.4	1.8	0.27	0.0	0.01	0.00	0.20	0.07	19	
10	17.96	17.96	33.303	23.984	392.0	0.039											10	
20	17.96	17.95	33.300	D 23.984	392.4	0.079	5.51	D240.3	D101.6	1.8	0.30	0.0	0.01	0.00	0.20	0.07	20	
25	17.95	17.94	33.305	23.990	392.0	0.098	5.50	240.6	101.5	1.8	0.32	0.0	0.02	0.10	0.21	0.07	25	
30	17.92	17.91	33.296	D 23.991	392.0	0.118	5.51	D240.4	D101.6	1.9	0.32	0.0	0.02	0.09	0.23	0.08	30	
40	17.80	17.79	33.288	24.014	390.2	0.157	5.52	241.0	101.4	1.9	0.31	0.0	0.02	0.06	0.29	0.10	40	
50	16.77	16.76	33.242	24.225	370.5	0.195	5.60	244.6	100.8	2.2	0.33	0.1	0.04	0.20	0.45	0.18	50	
62	13.94	13.93	33.117	24.748	320.7	0.236	5.51	240.7	93.6	4.8	0.61	3.1	0.16	0.18	0.41	0.25	63	
75	12.20	12.19	33.189	25.149	282.6	0.275	4.95	216.2	81.2	8.6	0.89	8.9	0.07	0.00	0.21	0.20	76	
87	11.38	11.37	33.222	25.327	265.9	0.308	4.81	210.1	77.5	9.7	1.05	10.4	0.05	0.26	0.16	0.25	88	
100	10.32	10.31	33.364	25.624	237.8	0.341	4.24	185.1	66.8	15.2	1.33	16.3	0.02	0.00	0.08	0.10	101	
112	10.03	10.02	33.499	25.779	223.3	0.369	3.85	168.3	60.4	18.2	1.50	18.7	0.02	0.07	0.03	0.07	113	
125	9.95	9.93	33.587	25.862	215.7	0.397	3.61	157.8	56.6	19.9	1.58	19.7	0.02	0.24	0.02	0.05	126	
140	9.78	9.76	33.685	25.968	206.0	0.429	3.32	145.2	51.9	22.4	1.68	21.4	0.02	0.00	0.01	0.04	141	
150	9.32	9.30	33.754	D 26.097	193.8	0.451	3.14	D136.8	D 48.6	24.4	1.75	22.6	0.02	0.00	0.01	0.04	151	
170	9.19	9.17	33.867	26.208	183.7	0.487	2.88	125.8	44.4	28.4	1.88	24.9	0.01	0.00	0.00	0.03	171	
200	8.70	8.68	33.957	26.355	170.2	0.540	2.60	113.6	39.7	33.0	2.05	26.9	0.01	0.04	0.00	0.02	202	
231	8.41	8.39	34.053	26.476	159.2	0.591	2.12	92.4	32.1	38.8	2.20	29.1	0.01	0.00		233		
250	8.13	8.10	34.077	D 26.538	153.6	0.624	1.93	D 84.1	D 29.1	41.3	2.28	30.1	0.01	0.00		252		
270	8.07	8.04	34.089	26.556	152.2	0.651	1.75	76.6	26.4	44.0	2.37	31.1	0.01	0.00		272		
300	7.60	7.57	34.120	D 26.650	143.6	0.700	1.42	D 61.8	D 21.2	50.1	2.54	33.1	0.01	0.00		302		

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	17.75	17.75	33.298	24.030	387.2	0.000	5.56	243.1	102.2	1.8	0.29	0.0	0.02	0.01	0.22	0.07	0	
2	17.75	17.75	33.298	24.030	387.3	0.008	5.56	243.1	102.2	1.8	0.29	0.0	0.02	0.01	0.22	0.07	2 21	
10	17.76	17.76	33.299	24.030	387.6	0.039	5.55	242.2	102.0	1.8	0.30	0.0	0.01	0.00	0.22	0.07	10 19	
10	17.76	17.76	33.302	24.032	387.4	0.040											10 20	
20	17.69	17.69	33.296	24.045	386.6	0.077	5.55	242.4	101.8	1.7	0.31	0.0	0.02	0.25	0.08	20	18	
30	ISL 17.21	D 17.20	33.312	D 24.173	374.7	0.116	5.65	246.4	D 102.7	1.6	0.31	0.0	0.01	0.00	0.39	0.13	30	
31	17.20	17.20	33.313	24.176	374.4	0.119	5.64	246.5	102.5	1.5	0.31	0.1	0.01	0.00	0.41	0.13	31 17	
40	16.15	16.14	33.260	24.379	355.3	0.152	5.67	247.8	100.9	1.9	0.31	0.0	0.01	0.04	0.52	0.19	40 16	
49	14.15	14.15	33.076	24.673	327.5	0.183	5.73	250.4	97.8	3.9	0.44	1.2	0.09	0.02	0.57	0.34	49 15	
50	ISL 14.08	D 14.07	33.079	D 24.691	325.8	0.188	5.70	248.6	D 97.3	4.2	0.47	1.7	0.09	0.02	0.55	0.34	50	
60	12.53	12.53	33.158	25.061	290.7	0.217	5.13	224.1	84.7	7.2	0.81	7.1	0.10	0.01	0.29	0.31	60 14	
69	12.25	12.24	33.182	25.134	284.0	0.243	5.02	219.3	82.4	7.7	0.87	8.0	0.08	0.00	0.28	0.30	70 13	
75	ISL 11.95	D 11.94	33.274	D 25.261	271.9	0.262	4.77	D 207.7	D 77.8	9.4	0.98	10.0	0.07	0.00	0.22	0.24	76	
85	11.20	11.19	33.314	25.432	255.9	0.286	4.40	192.4	70.8	12.1	1.16	13.3	0.05	0.00	0.12	0.14	86 12	
100	10.66	10.65	33.407	25.600	240.2	0.323	4.09	178.8	65.0	15.2	1.33	16.2	0.04	0.00	0.06	0.10	101 11	
120	9.55	9.54	33.617	25.952	207.0	0.368	3.52	153.7	54.6	22.2	1.68	21.6	0.02	0.00	0.01	0.04	121 10	
125	ISL 9.54	D 9.52	33.622	D 25.958	206.5	0.381	3.52	D 153.2	D 54.6	23.1	1.71	22.1	0.02	0.00	0.01	0.04	126	
140	9.26	9.24	33.759	26.111	192.2	0.408	3.18	138.8	49.1	25.8	1.80	23.8	0.02	0.01	0.01	0.03	141 09	
150	ISL 9.14	D 9.12	33.807	D 26.168	187.0	0.430	3.07	D 133.6	D 47.3	27.0	1.84	24.3	0.02	0.00	0.01	0.03	151	
170	8.95	8.93	33.872	26.248	179.8	0.464	2.89	126.0	44.3	29.4	1.91	25.5	0.01	0.00	0.00	0.03	171 08	
200	8.46	8.44	33.973	26.406	165.3	0.515	2.55	111.4	38.7	34.6	2.05	27.6	0.01	0.00	0.00	0.03	202 07	
230	8.14	8.12	34.034	26.501	156.7	0.564	2.16	94.5	32.6	40.3	2.23	29.7	0.01	0.00			232 06	
250	ISL 8.00	D 7.97	34.051	D 26.537	153.6	0.599	1.99	D 86.7	D 29.9	44.0	2.34	31.0	0.01	0.00			252	
270	7.78	7.75	34.098	26.607	147.3	0.625	1.59	69.3	23.7	47.6	2.44	32.3	0.01	0.00			272 05	
300	ISL 7.64	D 7.61	34.116	D 26.641	144.5	0.674	1.43	D 62.3	D 21.4	51.7	2.57	33.5	0.01	0.00			302	
320	7.39	7.36	34.155	26.707	138.4	0.696	1.11	48.4	16.4	54.5	2.65	34.4	0.01	0.00			323 04	
380	6.82	6.79	34.218	26.837	126.8	0.776	0.65	28.4	9.5	64.9	2.86	36.8	0.02	0.01			383 02	
400	ISL 6.75	D 6.71	34.222	D 26.850	125.8	0.808	0.62	D 27.0	D 9.1	66.9	2.88	37.1	0.02	0.01			403	
440	6.56	6.52	34.234	26.886	122.8	0.851	0.51	22.4	7.5	70.7	2.93	37.9	0.01	0.01			444 03	
500	ISL 6.24	D 6.19	34.277	D 26.963	116.2	0.931	0.37	D 16.0	D 5.3	75.6	3.04	38.8	0.01	0.01			504	
516	6.15	6.10	34.284	26.980	114.7	0.941	0.34	14.9	4.9	76.9	3.07	39.0	0.01	0.01			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.38	18.38	33.314	23.888	400.7	0.000	5.46	238.4	101.5	1.6	0.28	0.0	0.02	0.00	0.19	0.06	0	
2	A 18.38	18.38	33.314	23.888	400.8	0.008	5.46	238.4	101.5	1.6	0.28	0.0	0.02	0.00	0.19	0.06	2 24	
10	18.38	18.38	33.304	23.882	401.7	0.040	5.47	239.0	101.8	1.6	0.27	0.0	0.02	0.01	0.18	0.06	10 22	
10	18.38	18.38	33.303	23.881	401.8	0.041											10 23	
15	A 18.38	18.38	33.303	23.882	401.9	0.060	5.47	238.8	101.7	1.5	0.29	0.0	0.02	0.02	0.19	0.06	15 21	
20	ISL 18.37	D 18.37	33.299	D 23.881	402.2	0.081	5.46	D 238.0	D 101.4	1.5	0.28	0.0	0.02	0.00	0.20	0.06	21 20	
21	A 18.38	18.37	33.309	23.887	401.6	0.084	5.48	239.3	101.9	1.5	0.28	0.0	0.02	0.00	0.20	0.06	21 20	
30	ISL 18.37	D 18.37	33.299	D 23.882	402.5	0.121	5.46	D 238.2	D 101.5	1.5	0.28	0.0	0.02	0.00	0.20	0.06	30	
39	A 18.29	18.28	33.313	23.914	399.8	0.157	5.45	238.1	101.2	1.5	0.28	0.0	0.02	0.00	0.19	0.07	39 19	
50	15.18	15.18	33.153	24.513	342.9	0.197	6.00	261.9	104.6	2.0	0.34	0.0	0.01	0.01	0.29	0.19	50 18	
61	13.97	13.96	33.151	24.768	318.7	0.234	5.70	249.0	97.0	3.7	0.44	1.0	0.10	0.00	0.37	0.31	61 17	
71	A 12.32	12.31	33.145	25.093	287.9	0.264	5.38	235.1	88.5	5.6	0.63	4.4	0.15	0.00	0.23	0.36	72 15	
71	12.32	12.31	33.146	25.093	287.9	0.264											72 16	
75	ISL 12.05	D 12.04	33.162	D 25.157	281.9	0.278	5.19	D 226.2	D 84.9	7.0	0.75	6.6	0.11	0.00	0.20	0.30	76	
82	11.02	11.01	33.155	25.338	264.6	0.295	4.97	217.1	79.5	9.4	0.97	10.5	0.03	0.00	0.16	0.18	83 14	
92	A 10.62	10.61	33.201	25.446	254.6	0.321	4.79	209.3	76.0	11.3	1.11	12.7	0.03	0.00	0.12	0.15	93 13	
100	ISL 10.33	D 10.35	33.279	D 25.551	244.7	0.343	4.53	D 197.2	D 71.5	13.0	1.21	14.4	0.02	0.00	0.09	0.12	101	
102	10.23	10.22	33.267	25.564	243.5	0.346	4.57	199.6	71.9	13.4	1.23	14.8	0.02	0.00	0.09	0.11	103 12	
110	10.02	10.01	33.411	25.713	229.6	0.364	4.06	177.2	63.6	17.0	1.46	18.1	0.02	0.01	0.04	0.07	111 11	
124	9.80	9.79	33.556	25.862	215.6	0.396	3.59	156.9	56.1	20.1	1.61	20.5	0.02	0.00	0.02	0.04	125 10	
125	ISL 9.77	D 9.76	33.582	D 25.888	213.2	0.401	3.45	D 150.2	D 53.8	20.4	1.62	20.6	0.02	0.00	0.02	0.04	126	
139	9.36	9.35	33.697	26.046	198.4	0.427	3.35	146.1	51.8	24.1	1.75	22.8	0.02	0.01	0.03	0.03	140 09	
150	ISL 9.22	D 9.20	33.732	D 26.097	193.8	0.451	3.28	D 142.9	D 50.7	25.9	1.81	23.7	0.02	0.00				

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	18.40	18.40	33.295	23.869	402.6	0.000	5.43	237.1	101.0	2.5	0.24	0.0	0.01	0.00	0.20	0.07	0	
3	18.40	18.40	33.295	23.869	402.7	0.012	5.43	237.1	101.0	2.5	0.24	0.0	0.01	0.00	0.20	0.07	3 21	
9	18.41	18.41	33.295	23.867	403.1	0.036											9 20	
10 ISL	18.42	18.42	33.294	D 23.865	403.3	0.041	5.45	D 237.5	D 101.3	1.8	0.26	0.0	0.01	0.00	0.20	0.07	10	
11	18.42	18.41	33.295	23.867	403.2	0.044	5.43	237.2	101.0	1.7	0.26	0.0	0.01	0.00	0.20	0.07	11 19	
20 ISL	18.43	D 18.42	33.293	D 23.864	403.8	0.081	5.44	D 237.4	D 101.3	1.7	0.25	0.0	0.01	0.00	0.21	0.07	20	
26	18.43	18.42	33.297	23.867	403.8	0.105	5.44	D 237.4	101.1	1.7	0.25	0.0	0.01	0.00	0.21	0.07	26 18	
30 ISL	18.42	D 18.42	33.293	D 23.865	404.1	0.122	5.44	D 237.4	D 101.3	1.7	0.25	0.0	0.01	0.00	0.21	0.07	30	
40	18.42	18.42	33.294	23.866	404.4	0.161	5.44	237.6	101.2	1.6	0.25	0.0	0.01	0.00	0.21	0.07	40 17	
50	18.37	18.36	33.295	23.882	403.3	0.202	5.44	237.6	101.1	1.6	0.26	0.0	0.01	0.03	0.20	0.07	50 16	
62	14.94	14.93	33.062	24.495	344.9	0.247	6.06	264.5	105.1	2.8	0.35	0.0	0.02	0.01	0.50	0.43	62 15	
75	12.27	12.26	33.121	25.083	288.9	0.288	5.31	232.0	87.2	6.1	0.72	5.8	0.10	0.00	0.26	0.36	76 14	
87	11.70	11.69	33.207	25.256	272.7	0.322	4.77	208.5	77.5	9.5	1.00	10.9	0.04	0.00	0.15	0.22	88 13	
100 ISL	11.01	D 10.99	33.321	D 25.472	252.4	0.358	4.24	D 184.8	D 67.9	12.9	1.20	14.6	0.03	0.00	0.08	0.12	101	
101	10.86	10.85	33.313	25.491	250.6	0.358	4.32	188.8	68.9	13.1	1.22	14.9	0.03	0.01	0.07	0.11	102 12	
111	10.14	10.13	33.360	25.653	235.3	0.383	4.26	186.0	66.9	16.4	1.36	17.2	0.02	0.02	0.05	0.08	112 11	
125	9.47	9.46	33.496	25.870	214.8	0.414	3.90	170.4	60.5	19.7	1.52	19.8	0.02	0.00	0.02	0.05	126 10	
141	9.26	9.24	33.678	26.047	198.3	0.447	3.37	147.1	52.0	24.4	22.9	0.02	0.02	0.01	0.02	142 09		
150 ISL	9.12	D 9.10	33.753	D 26.128	190.8	0.467	3.20	D 139.4	D 49.3	25.9	1.76	23.7	0.02	0.00	0.01	0.02	151	
170	8.89	8.87	33.845	26.237	180.8	0.502	2.95	128.9	45.2	29.2	1.86	25.6	0.02	0.00	0.00	0.02	171 08	
200	8.63	8.61	33.934	26.348	170.8	0.555	2.70	117.8	41.1	32.7	1.97	27.1	0.01	0.00	0.00	0.02	202 07	
230	8.23	8.20	34.002	26.464	160.2	0.604	2.36	103.0	35.6	37.9	2.10	29.0	0.02	0.00			232 06	
250 ISL	8.11	D 8.09	34.054	D 26.522	155.1	0.639	2.07	D 89.8	D 31.1	41.4	2.20	30.2	0.02	0.00			252	
270	7.71	7.68	34.049	26.578	149.9	0.667	1.90	82.8	28.3	44.9	2.30	31.5	0.02	0.00			272 05	
300 ISL	7.46	D 7.43	34.074	D 26.633	145.1	0.714	1.60	D 69.5	D 23.7	49.1	2.44	32.8	0.02	0.00			302	
320	7.49	7.45	34.140	26.682	140.8	0.739	1.24	53.9	18.4	51.8	2.54	33.7	0.02	0.00			323 04	
382	6.84	6.80	34.182	26.806	129.7	0.823	0.80	34.7	11.6	61.8	2.76	36.4	0.02	0.00			385 03	
400 ISL	6.89	D 6.85	34.232	D 26.839	126.9	0.852	0.60	D 26.1	D 8.8	63.9	2.81	36.8	0.02	0.00			403	
439	6.62	6.58	34.241	26.883	123.2	0.896	0.51	22.2	7.4	68.4	2.93	37.7	0.02	0.03			443 02	
500 ISL	5.95	D 5.91	34.214	D 26.949	117.1	0.975	0.46	D 19.9	D 6.6	76.3	3.02	39.4	0.02	0.04			504	
516	5.89	5.85	34.220	26.961	116.1	0.987	0.42	18.3	6.0	78.4	3.04	39.8	0.02	0.04			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.51	19.51	33.450	23.708	417.9	0.000	5.33	232.8	101.3	1.9	0.23	0.0	0.01	0.04	0.12	0.03	0	
2	19.51	19.51	33.450	23.708	418.0	0.008	5.33	232.8	101.3	1.9	0.23	0.0	0.01	0.04	0.12	0.03	2 21	
10	19.53	19.53	33.450	23.704	418.7	0.042	5.33	232.7	101.3	1.8	0.23	0.0	0.01	0.01	0.12	0.05	10 19	
10	19.53	19.53	33.451	23.706	418.6	0.043											10 20	
20 ISL	19.53	D 19.52	33.447	D 23.703	419.2	0.084	5.35	D 233.3	D 101.7	1.8	0.24	0.0	0.00	0.02	0.12	0.04	20	
25	19.53	19.53	33.448	23.703	419.4	0.105	5.33	233.0	101.4	1.8	0.24	0.0	0.00	0.02	0.12	0.04	25 18	
30 ISL	19.53	D 19.53	33.447	D 23.703	419.6	0.127	5.35	D 233.3	D 101.7	1.8	0.25	0.0	0.00	0.00	0.12	0.04	30	
40	19.53	19.52	33.448	23.705	419.9	0.168	5.33	232.7	101.3	1.8	0.26	0.0	0.00	0.00	0.12	0.04	40 17	
50	19.53	19.52	33.448	23.706	420.2	0.210	5.34	233.0	101.4	1.8	0.25	0.0	0.00	0.02	0.12	0.04	50 16	
62	18.84	18.83	33.430	23.869	405.1	0.259	5.36	234.1	100.6	1.8	0.23	0.0	0.00	0.00	0.13	0.04	62 15	
75	16.51	16.50	33.182	24.239	369.9	0.310	5.84	255.0	104.6	2.1	0.24	0.0	0.00	0.00	0.19	0.12	76 14	
88	15.43	15.41	33.172	24.476	347.6	0.356	5.76	251.4	100.9	2.3	0.26	0.0	0.00	0.00	0.19	0.19	89 13	
100	14.46	14.44	33.222	24.725	324.2	0.397	5.58	243.6	95.9	3.1	0.36	0.3	0.10	0.02	0.23	0.16	101 12	
112	13.20	13.19	33.298	25.041	294.2	0.434	5.35	233.6	89.7	4.5	0.50	2.8	0.13	0.00	0.17	0.15	113 11	
125	11.59	11.58	33.193	25.268	272.6	0.471	5.19	226.7	84.0	7.1	0.78	7.5	0.02	0.00	0.13	0.12	126 10	
140	10.65	10.63	33.198	25.440	256.3	0.510	5.03	219.9	79.9	9.3	0.94	10.4	0.01	0.00	0.08	0.13	141 09	
150 ISL	10.10	D 10.08	33.290	D 25.607	240.5	0.540	4.83	D 210.2	D 75.7	12.2	1.09	13.0	0.01	0.00	0.06	0.10	151	
170	9.39	9.37	33.495	25.884	214.4	0.580	4.30	187.8	66.5	18.0	1.40	18.3	0.01	0.00	0.02	0.04	171 08	
200	8.90	8.88	33.723	26.141	190.5	0.641	3.70	161.8	56.7	23.9	1.62	22.1	0.00	0.02	0.01	0.02	202 07	
231	8.53	8.50	33.911	26.347	171.5	0.697	3.10	135.3	47.1	30.8	1.84	25.8	0.00	0.02			233 06	
250 ISL	8.30	D 8.28	33.959	D 26.419	164.9	0.734	2.84	D 123.7	D 43.0	34.4	1.96	27.6	0.00	0.00			252	
270	7.92	7.89	33.997	26.507	156.8	0.761	2.42	105.5	36.2	39.1	2.08	29.6	0.01	0.00			272 05	
300 ISL	7.48	D 7.45	34.030	D 26.596	148.6	0.812	1.98	D 86.0	D 29.4	45.4	2.30	31						

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db			
0	19.84	19.84	33.521	23.677	420.8	0.000	5.33	232.7	101.9	2.4	0.26	0.0	0.01	0.00	0.11	0.02	0			
2	19.84	19.84	33.521	23.678	420.9	0.008	5.33	232.7	101.9	2.4	0.26	0.0	0.01	0.00	0.11	0.02	2	21		
10	19.84	19.84	33.518	23.675	421.5	0.042	5.30	231.3	101.3	2.0	0.26	0.0	0.01	0.00	0.11	0.04	10	19		
11	19.84	19.84	33.520	23.676	421.4	0.045											11	20		
20	ISL	19.82	D	19.81	33.510	D	23.677	421.7	0.085	5.33	D232.5	D101.9	2.1	0.25	0.0	0.01	0.00	0.11	0.03	20
25	19.83	19.83	33.516	23.678	421.8	0.105	5.30	231.5	101.4	2.1	0.25	0.0	0.01	0.00	0.11	0.03	25	18		
30	ISL	19.79	D	19.78	33.502	D	23.679	422.0	0.127	5.33	D232.6	D101.9	2.1	0.25	0.0	0.01	0.00	0.11	0.03	30
40	19.75	19.74	33.497	23.687	421.6	0.169	5.31	231.7	101.3	2.0	0.25	0.0	0.01	0.00	0.11	0.03	40	17		
50	19.73	19.72	33.491	23.689	421.9	0.211	5.31	231.7	101.3	2.0	0.25	0.0	0.01	0.00	0.12	0.03	50	16		
61	18.83	18.82	33.420	23.864	405.5	0.256	5.68	248.1	106.5	2.2	0.24	0.0	0.01	0.00	0.21	0.06	61	15		
75	ISL	17.74	D	17.72	33.483	D	24.182	375.6	0.313	5.77	D251.7	D106.1	2.3	0.21	0.0	0.01	0.00	0.21	0.09	76
76	17.72	17.71	33.507	24.204	373.6	0.315	5.77	252.0	106.1	2.3	0.21	0.0	0.01	0.00	0.21	0.09	77	14		
86	17.12	17.10	33.422	24.283	366.3	0.352	5.71	249.5	103.7	2.3	0.25	0.0	0.01	0.00	0.21	0.16	87	13		
99	16.49	16.47	33.534	24.517	344.4	0.398	5.57	243.4	100.0	2.7	0.25	0.0	0.02	0.00	0.21	0.20	100	12		
100	ISL	16.55	D	16.54	33.568	D	24.528	343.4	0.404	5.54	D241.5	D99.6	2.8	0.26	0.0	0.03	0.00	0.21	0.19	101
112	14.75	14.73	33.267	24.698	327.2	0.442	5.53	241.7	95.7	3.6	0.37	0.4	0.13	0.00	0.21	0.17	113	11		
125	12.78	12.76	33.160	25.019	296.6	0.482	5.39	235.4	89.4	5.0	0.58	3.3	0.14	0.00	0.17	0.15	126	10		
138	11.29	11.27	33.132	25.276	272.1	0.519	5.12	223.5	82.3	8.4	0.91	9.4	0.03	0.00	0.11	0.13	139	09		
150	ISL	10.42	D	10.40	33.204	D	25.485	252.2	0.555	4.90	D213.2	D77.3	10.4	1.02	11.4	0.02	0.00	0.08	0.10	151
171	9.84	9.82	33.356	25.703	231.9	0.602	4.73	206.4	73.7	13.9	1.21	14.8	0.02	0.00	0.04	0.06	172	08		
200	ISL	9.12	D	9.10	33.669	D	26.064	197.9	0.668	3.72	D161.9	D57.2	22.2	1.57	21.1	0.02	0.00	0.01	0.03	202
201	9.14	9.12	33.662	26.056	198.7	0.670	3.75	D163.3	D57.7	22.5	1.58	21.3	0.02	0.00	0.01	0.03	203	07		
229	8.69	8.66	33.870	26.290	176.9	0.719	3.26	142.2	49.7	29.3	1.81	25.2	0.02	0.00			231	06		
250	ISL	8.43	D	8.40	33.939	D	26.385	168.2	0.759	3.04	D132.2	D46.1	32.3	1.88	26.3	0.02	0.00		252	
273	8.18	8.15	33.976	26.452	162.2	0.794	2.92	127.3	44.0	35.6	1.96	27.5	0.02	0.00		275	05			
300	ISL	7.63	D	7.60	34.012	D	26.561	152.0	0.840	2.32	D100.8	D34.5	42.0	2.15	30.1	0.02	0.00		302	
322	7.39	7.36	34.022	26.603	148.3	0.869	2.10	91.6	31.1	47.2	2.31	32.1	0.02	0.00		325	04			
380	6.75	6.71	34.066	26.727	137.0	0.952	1.44	63.0	21.1	58.2	2.60	35.7	0.02	0.00		383	03			
400	ISL	6.58	D	6.54	34.093	D	26.772	133.0	0.984	1.13	D49.3	D16.5	61.5	2.69	36.6	0.02	0.00		403	
441	6.33	6.29	34.138	26.840	126.9	1.032	0.80	34.8	11.5	68.2	2.86	38.4	0.02	0.00		445	02			
500	ISL	5.85	D	5.81	34.196	D	26.947	117.2	1.111	0.52	D22.8	D7.5	78.4	3.01	40.2	0.01	0.00		504	
515		5.71	5.67	34.207	26.973	114.8	1.122	0.45	19.7	6.4	81.0	3.05	40.7	0.01	0.04		519	01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	19.91	19.91	33.489	23.633	425.0	0.000	5.29	230.9	101.3	2.0	0.26	0.0	0.01	0.12	0.06	0			
2	A	19.91	33.489	23.634	425.1	0.009	5.29	230.9	101.3	2.0	0.26	0.0	0.01	0.12	0.06	2	24		
10	ISL	19.91	D	19.91	33.478	D	23.626	426.2	0.043	5.31	D231.5	D101.6	2.0	0.25	0.0	0.01	0.13	10	
12	19.91	19.91	33.482	23.630	425.9	0.051										12	23		
12	19.91	19.91	33.487	23.634	425.5	0.052										12	22		
13	19.91	19.91	33.480	23.628	426.1	0.055	5.28	230.7	101.2	2.0	0.24	0.0	0.01	0.00	0.14	0.02	13	21	
20	ISL	19.91	D	19.91	33.478	D	23.626	426.5	0.086	5.30	D231.4	D101.6	2.0	0.26	0.0	0.01	0.00	0.13	0.02
22	A	19.91	19.91	33.487	23.635	425.8	0.094	5.30	231.3	101.5	2.0	0.26	0.0	0.01	0.00	0.12	0.02	22	20
27	A	19.91	19.91	33.491	23.638	425.7	0.115	5.29	231.2	101.4	2.0	0.25	0.0	0.00	0.00	0.11	0.03	27	19
30	ISL	19.91	D	19.91	33.478	D	23.628	426.8	0.129	5.30	D231.3	D101.6	2.0	0.25	0.0	0.00	0.00	0.11	0.03
40	19.91	19.90	33.482	23.633	426.8	0.170	5.30	231.3	101.4	2.0	0.25	0.0	0.00	0.00	0.12	0.03	40	18	
50	ISL	19.91	D	19.90	33.477	D	23.630	427.4	0.215	5.29	D231.0	D101.4	2.0	0.25	0.0	0.00	0.00	0.21	0.07
51	A	19.90	18.89	33.480	23.635	427.0	0.217	5.29	231.0	101.3	2.0	0.25	0.0	0.00	0.00	0.22	0.07	51	17
67	17.73	17.72	33.342	24.075	385.5	0.282	5.81	253.7	106.7	2.2	0.24	0.0	0.00	0.00	0.22	0.23	68	16	
75	ISL	17.44	D	17.42	33.365	D	24.163	377.3	0.315	5.81	D253.4	D106.1	2.2	0.25	0.0	0.00	0.00	0.22	0.21
81	17.04	17.03	33.383	24.271	367.2	0.335	5.73	250.3	103.9	2.3	0.25	0.0	0.00	0.00	0.21	0.20	82	15	
96	A	16.02	16.01	33.394	24.515	344.3	0.389	5.57	243.4	99.0	2.7	0.30	0.2	0.06	0.00	0.20	0.23	97	13
100	ISL	15.87	D	15.85	33.391	D	24.548	341.3	0.405	5.58	D243.0	D98.7	2.9	0.32	0.3	0.09	0.00	0.20	0.19
104	15.44	15.42	33.360	24.619	334.6	0.416	5.51	240.7	96.7	3.1	0.34	0.5	0.13	0.00	0.21	0.15	105	12	
115	14.09	14.07	33.304	24.866	311.1	0.451	5.43	237.0	92.6	3.8	0.44	1.6	0.19	0.00	0.16	0.14	116	11	
122	A	13.37	13.35	33.225	24.952	303.0	0.473	5.36	233.9	90.1	4.6	0.56							

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.8 32.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV A	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	19.81	19.81	33.398	23.590	429.1	0.000	5.51	0240.3	0105.3	2.0	0.24	0.0	0.02	0.00	0.64	0.26	0
2	19.81	19.81	33.398	23.591	429.2	0.009	5.51	0240.3	0105.3	2.0	0.24	0.0	0.02	0.00	0.64	0.26	2 05
6	19.81	19.81	33.398	23.591	429.3	0.026	5.57	243.4	106.4	2.0	0.24	0.0	0.00	0.00	0.69	0.25	6 04
10	19.80	19.80	33.433	23.620	426.7	0.043	5.62	245.7	107.4	2.0	0.23	0.0	0.00	0.00	0.66	0.25	10 03
15	19.57	19.57	33.418	23.669	422.2	0.064	5.49	240.1	104.5	2.4	0.26	0.0	0.03	0.00	1.00	0.38	15 02
20	19.03	19.03	33.348	23.754	414.3	0.085	5.48	239.3	103.1	3.0	0.28	0.1	0.10	0.00	1.16	0.48	20 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 88.5 30.1

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV A	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	20.21	20.21	33.407	23.492	438.5	0.000	5.38	234.9	103.5	2.0	0.26	0.0	0.03	0.00	0.54	0.26	0
2	20.21	20.21	33.407	23.493	438.6	0.009	5.38	234.9	103.5	2.0	0.26	0.0	0.03	0.00	0.54	0.26	2 04
5	20.21	20.21	33.407	23.493	438.6	0.022	5.34	233.2	102.8	2.0	0.28	0.0	0.03	0.00	0.55	0.24	5 03
10	20.25	20.25	33.406	23.483	439.8	0.044	5.33	233.1	102.8	2.0	0.26	0.0	0.03	0.00	0.54	0.24	10 02
14	19.46	19.46	33.386	23.673	421.9	0.061	5.50	240.3	104.4	2.7	0.34	0.0	0.06	0.01	0.67	0.29	14 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 27.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV A	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	20.36	20.36	33.442	23.480	439.6	0.000	5.33	233.0	103.0	2.1	0.29	0.0	0.04	0.00	0.46	0.23	0
2	20.36	20.36	33.442	23.481	439.7	0.009	5.33	233.0	103.0	2.1	0.29	0.0	0.04	0.00	0.46	0.23	2 04
5	20.38	20.38	33.442	23.477	440.2	0.022	5.34	233.3	103.1	2.1	0.30	0.0	0.03	0.00	0.46	0.23	5 03
9	19.26	19.26	33.438	23.764	412.9	0.039	5.38	235.3	101.9	2.8	0.34	0.0	0.07	0.00	0.68	0.39	9 02
10 ISL	18.93 D	18.93	33.413 D	23.828	406.9	0.044	5.40	235.6	101.5	2.9	0.35	0.0	0.08	0.00	0.72	0.41	10
15	18.86	18.86	33.410	23.843	405.6	0.064	5.48	239.4	102.8	3.5	0.39	0.1	0.12	0.13	0.91	0.51	15 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV A	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	20.46	20.46	33.454	23.463	441.3	0.000	5.38	235.1	104.1	2.3	0.28	0.0	0.02	0.00	0.46	0.22	0
3	20.46	20.46	33.454	23.463	441.4	0.013	5.38	235.1	104.1	2.3	0.28	0.0	0.02	0.00	0.46	0.22	3 07
5	20.46	20.46	33.444	23.456	442.2	0.022	5.35	233.8	103.5	2.4	0.29	0.1	0.03	0.00	0.43	0.23	5 06
10	20.47	20.47	33.444	23.454	442.6	0.044	5.35	233.9	103.6	2.3	0.30	0.0	0.02	0.00	0.42	0.21	10 05
20	19.66	19.66	33.448	23.669	422.5	0.087	5.42	236.6	103.2	2.8	0.32	0.0	0.05	0.00	0.63	0.31	20 04
30	17.66	17.65	33.393	24.128	379.0	0.128	5.47	239.2	100.4	4.0	0.41	0.2	0.20	0.18	0.97	0.54	30 03
40	17.06	17.05	33.401	24.277	365.1	0.165	5.30	231.6	96.1	4.4	0.47	0.7	0.28	0.00	0.81	0.63	40 02
50	16.39	16.38	33.417	24.447	349.2	0.200	5.05	220.5	90.3	5.1	0.59	1.8	0.33	0.00	0.53	0.46	50 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

## CALCOFI CRUISE 1511

STATION 90.0 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY		N03*	P04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C							ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	21.85	21.85	33.521	23.138	472.4	0.000	5.19	226.8	103.0	1.7	0.25	0.0	0.02	0.00	0.16	0.03	0	0.25	0.06	
2	21.85	21.85	33.521	23.138	472.4	0.009	5.19	226.8	103.0	1.7	0.25	0.0	0.02	0.00	0.16	0.03	2	0.03	21	
10	21.84	21.84	33.521	23.140	472.6	0.047	5.19	226.6	102.9	1.7	0.24	0.0	0.01	0.00	0.16	0.03	10	0.16	19	
10	21.84	21.84	33.529	23.147	472.0	0.047													10	20
20	ISL	20.07	D 20.07	33.406	D 23.531	435.7	0.093	5.56	D 242.6	D 106.8	1.9	0.27	0.0	0.01	0.00	0.25	0.06	0.25	0.06	
25	18.96	18.96	33.344	23.769	413.1	0.114	5.83	254.8	109.6	2.1	0.28	0.0	0.00	0.00	0.29	0.07	0.29	0.07	25	18
30	ISL	18.50	D 18.49	33.300	D 23.852	405.4	0.135	5.98	D 260.9	D 111.4	2.3	0.30	0.0	0.00	0.00	0.30	0.08	0.30	0.08	30
40	17.54	17.54	33.369	24.138	378.4	0.173	5.74	250.9	105.0	2.8	0.35	0.0	0.00	0.00	0.31	0.11	0.40	0.17		
50	16.66	16.65	33.428	24.393	354.4	0.210	5.45	238.0	98.0	3.6	0.40	0.0	0.01	0.00	0.41	0.26	0.50	0.16		
62	14.74	14.73	33.359	24.769	318.8	0.250	5.03	219.8	87.1	5.3	0.62	2.5	0.10	0.00	0.72	0.66	0.63	0.15		
75	14.29	14.28	33.464	24.945	302.4	0.291	4.43	193.7	76.1	7.5	0.84	6.3	0.04	0.00	0.29	0.44	0.76	0.14		
87	13.22	13.21	33.479	25.176	280.7	0.326	4.12	179.9	69.1	9.6	1.03	9.8	0.02	0.00	0.13	0.19	0.88	0.13		
100	12.60	12.59	33.504	25.318	267.4	0.361	3.89	170.0	64.5	11.4	1.17	12.2	0.03	0.00	0.09	0.12	101	12		
112	12.40	12.38	33.628	25.454	254.8	0.393	3.38	147.8	55.9	14.2	1.36	14.7	0.02	0.00	0.04	0.08	113	11		
125	11.68	11.67	33.572	25.546	246.2	0.425	3.63	158.5	59.0	14.2	1.36	15.2	0.02	0.00	0.04	0.08	126	10		
140	11.64	11.62	33.711	25.663	235.6	0.461	3.09	135.0	50.2	17.2	1.53	17.5	0.02	0.00	0.02	0.06	141	0.09		
150	ISL	11.36	D 11.34	33.738	D 25.736	228.8	0.488	2.99	D 130.0	D 48.3	18.9	1.62	18.7	0.02	0.00	0.02	0.05	151		
170	10.95	10.93	33.854	25.900	213.6	0.528	2.60	113.6	41.7	22.3	1.80	21.2	0.01	0.00	0.01	0.04	171	0.08		
200	10.30	10.28	34.086	26.195	186.1	0.588	2.00	87.3	31.6	29.5	2.09	25.3	0.01	0.00	0.00	0.03	202	0.07		
230	9.42	9.40	34.122	26.371	169.7	0.642	1.97	86.1	30.6	33.5	2.17	27.2	0.01	0.00			232	0.06		
250	ISL	9.33	D 9.30	34.171	D 26.426	165.0	0.680	1.60	D 69.5	D 24.8	36.7	2.30	28.0	0.01	0.00			252		
270	9.21	9.18	34.238	26.498	158.5	0.708	1.24	54.2	19.2	39.8	2.43	28.8	0.01	0.00			272	0.05		
300	ISL	9.06	D 9.03	34.261	D 26.540	155.1	0.761	1.12	D 48.7	D 17.3	42.4	2.49	30.0	0.01	0.00			302		
321	8.83	8.79	34.267	26.583	151.3	0.787	1.01	44.2	15.5	44.2	2.54	30.8	0.01	0.00			324	0.04		
380	8.13	8.09	34.286	26.705	140.4	0.873	0.70	30.5	10.5	52.1	2.71	33.3	0.02	0.00			383	0.03		
400	ISL	7.95	D 7.91	34.289	D 26.736	137.7	0.908	0.66	D 28.8	D 10.0	54.3	2.76	33.9	0.02	0.00			403		
440	7.61	7.56	34.293	26.789	133.2	0.955	0.54	23.4	8.0	58.6	2.86	35.1	0.02	0.00			444	0.02		
500	ISL	6.80	D 6.76	34.309	D 26.915	121.5	1.040	0.33	D 14.3	D 4.8	69.9	3.03	37.0	0.02	0.00			504		
516	6.60	6.55	34.321	26.951	118.0	1.050	0.29	12.6	4.2	72.9	3.07	37.5	0.02	0.00			520	0.01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

## CALCOFI CRUISE 1511

STATION 90.0 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY		N03*	P04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C							ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	21.96	21.96	33.542	23.123	473.7	0.000	5.14	224.7	102.3	1.8	0.21	0.1	0.01	0.01	0.16	0.04	0	0.25	0.06	
2	21.96	21.96	33.542	23.124	473.8	0.010	5.14	224.7	102.3	1.8	0.21	0.1	0.01	0.01	0.16	0.04	2	0.04	18	
10	21.97	21.97	33.540	23.121	474.4	0.047	5.15	225.1	102.5	1.8	0.22	0.0	0.01	0.01	0.15	0.03	10	0.16		
10	21.97	21.97	33.543	23.123	474.2	0.047												10	0.17	
20	21.75	21.75	33.524	23.169	470.3	0.095	5.21	227.8	103.3	1.8	0.22	0.0	0.02	0.02	0.16	0.03	20	0.15		
30	17.83	17.82	33.336	24.044	387.0	0.138	5.81	253.9	106.9	2.5	0.29	0.0	0.01	0.01	0.33	0.10	30	0.14		
40	17.14	17.13	33.364	24.231	369.6	0.175	5.72	249.8	103.8	3.0	0.32	0.0	0.01	0.00	0.42	0.17	40	0.13		
50	15.86	15.85	33.306	24.480	346.0	0.211	5.67	248.0	100.4	3.4	0.39	0.2	0.02	0.00	1.04	0.62	50	0.12		
60	15.33	15.32	33.461	24.718	323.7	0.245	4.80	209.6	84.1	5.8	0.64	3.5	0.10	0.00	0.50	0.59	60	0.11		
70	14.69	14.68	33.477	24.869	309.5	0.276	4.49	196.4	77.8	7.1	0.76	5.4	0.05	0.00	0.30	0.42	71	0.10		
75	ISL	14.49	D 14.48	33.492	D 24.925	304.4	0.293	4.34	D 190.5	D 74.8	7.9	0.84	6.5	0.04	0.00	0.26	0.35	76		
85	13.82	13.80	33.536	25.099	288.0	0.321	3.98	174.1	67.7	9.6	0.99	8.8	0.03	0.01	0.18	0.21	86	0.09		
100	12.86	12.85	33.608	25.348	264.6	0.363	3.52	153.6	58.6	12.6	1.22	12.0	0.02	0.03	0.07	0.12	101	0.08		
120	12.31	12.29	33.736	25.555	245.4	0.414	2.95	129.0	48.7	16.5	1.44	16.0	0.02	0.00	0.03	0.08	121	0.07		
125	ISL	12.27	D 12.25	33.735	D 25.562	244.8	0.429	3.00	D 130.6	D 49.4	17.1	1.48	16.6	0.02	0.00	0.02	0.07	126		
141	11.46	11.45	33.796	25.761	226.2	0.463	2.87	125.2	46.4	19.3	1.61	18.4	0.02	0.00	0.01	0.06	142	0.06		
150	ISL	10.80	D 10.78	33.907	D 25.967	206.7	0.486	2.62	D 113.6	D 41.9	21.3	1.70	19.7	0.02	0.01	0.01	0.05	151		
170	10.57	10.55	33.996	26.077	196.6	0.524	2.28	99.6	36.3	26.0	1.90	22.5	0.02	0.02	0.00	0.04	171	0.05		
200	10.00	9.97	34.067	26.232	182.5	0.581	2.10	91.7	33.0	29.9	2.02	24.6	0.02	0.01	0.00	0.03	202	0.04		
230	9.44	9.41	34.085	26.340	172.7	0.634	2.01	87.9	31.3	33.0	2.08	25.9	0.03	0.02			232	0.03		
250	ISL	9.33	D 9.31	34.135	D 26.396	167.8	0.671	1.81	D 78.7	D 28.1	35.6	2.18	26.7	0.						

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 37.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33	11.1 N	118 23.2 W	02/11/2015	2149	UTC	1177 m	280	17 kn	300 04 06	1	1008.4 mb	19.6 C	16.7 C	31 m	4/8	SC	021		
0	21.96	21.96	33.583	23.153	470.9	0.000	5.11	223.2	101.7	2.1	0.24	0.1	0.01	0.02	0.17	0.03	0		
3	21.96	21.96	33.583	23.154	471.0	0.014	5.11	223.2	101.7	2.1	0.24	0.1	0.01	0.02	0.17	0.03	3	22	
10	21.96	21.95	33.576	23.151	471.5	0.047	5.13	224.3	102.1						0.17	0.03	10	20	
10	21.96	21.95	33.575	23.151	471.5	0.045											10	21	
20	21.93	21.92	33.576	23.160	471.1	0.094	5.13	224.1	102.0	2.0	0.22	0.0	0.01	0.00	0.17	0.04	20	19	
30	18.59	18.59	33.345	23.862	404.4	0.138	5.72	249.8	106.7	2.3	0.27	0.0	0.01	0.01	0.27	0.07	30	18	
40	16.58	16.57	33.320	24.328	360.2	0.176	5.70	249.1	102.4	3.2	0.37	0.1	0.02	0.01	0.53	0.31	40	17	
50	15.54	15.54	33.315	24.558	338.5	0.211	5.51	240.7	96.9	3.9	0.46	0.4	0.07	0.01	0.93	0.66	50	15	
50	15.54	15.54	33.311	24.555	338.9	0.211											50	16	
60	14.84	14.83	33.374	24.758	319.8	0.244	5.00	218.6	86.8	5.4	0.63	3.1	0.07	0.01	0.41	0.40	60	14	
70	14.29	14.28	33.503	24.974	299.5	0.275	4.45	194.3	76.4	7.4	0.81	5.6	0.03	0.00	0.23	0.28	71	13	
75	ISL 13.60	D 13.59	33.497	D 25.114	286.3	0.292	4.22	183.8	71.4	8.7	0.92	7.4	0.03	0.00	0.18	0.23	76		
85	13.10	13.09	33.570	25.270	271.6	0.318	3.76	164.2	65.0	11.4	1.14	11.0	0.02	0.00	0.09	0.13	86	12	
100	ISL 12.40	D 12.38	33.704	D 25.513	248.9	0.359	3.19	139.1	52.8	14.9	1.37	14.4	0.02	0.00	0.04	0.08	101		
101	12.43	12.42	33.688	25.493	250.8	0.359	3.16	137.8	52.2	15.1	1.39	14.6	0.02	0.01	0.04	0.07	102	11	
120	11.78	11.76	33.777	25.687	232.7	0.405	2.90	126.6	47.3	18.1	1.55	17.0	0.02	0.01	0.02	0.05	121	10	
125	ISL 11.67	D 11.66	33.809	D 25.732	228.6	0.420	2.81	0122.5	D 45.8	18.7	1.59	17.5	0.02	0.01	0.02	0.05	126		
140	11.40	11.38	33.856	25.820	220.6	0.451	2.68	117.2	43.5	20.6	1.69	18.8	0.02	0.02	0.01	0.05	141	09	
150	ISL 11.31	D 11.29	33.979	D 25.931	210.2	0.475	2.66	115.7	42.9	22.1	1.73	19.8	0.02	0.02	0.01	0.04	151		
170	10.30	10.28	33.912	26.059	198.3	0.514	2.60	113.7	41.2	25.2	1.82	21.6	0.02	0.01	0.00	0.03	171	08	
200	9.95	9.92	34.108	26.272	178.6	0.571	1.93	84.3	30.3	30.9	2.08	24.6	0.01	0.00	0.00	0.03	202	07	
230	9.49	9.46	34.170	26.398	167.2	0.622	1.71	74.5	26.5	35.2	2.21	26.0	0.01	0.00			232	06	
250	ISL 9.22	D 9.19	34.194	D 26.461	161.5	0.659	1.59	69.1	D 24.6	37.8	2.26	27.0	0.01	0.00			252		
270	8.80	8.78	34.182	26.518	156.3	0.687	1.55	67.6	25.7	40.4	2.30	28.1	0.01	0.01			272	05	
300	ISL 8.66	D 8.62	34.224	D 26.575	151.5	0.738	1.26	D 54.9	D 19.3	43.6	2.40	29.2	0.01	0.01			302		
320	8.47	8.44	34.235	26.612	148.3	0.764	1.15	50.1	17.5	45.7	2.47	29.9	0.01	0.01			323	04	
380	7.55	7.51	34.266	26.774	133.3	0.848	0.68	29.5	10.1	57.4	2.73	32.9	0.01	0.01			383	03	
400	ISL 7.44	D 7.40	34.282	D 26.803	130.9	0.879	0.58	D 25.3	D 8.6	59.9	2.78	33.6	0.01	0.01			403		
440	7.10	7.06	34.300	26.865	125.4	0.926	0.41	18.0	6.1	65.0	2.87	35.0	0.01	0.02			444	02	
500	ISL 6.67	D 6.62	34.311	D 26.934	119.4	1.005	0.32	D 13.8	D 4.6	71.9	2.96	35.8	0.02	0.03			504		
515	6.54	6.49	34.317	26.956	117.5	1.017	0.28	12.4	4.1	73.6	2.98	36.0	0.02	0.03			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; SECONDARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	55.1 N	118 56.3 W	02/11/2015	1733	UTC	1695 m	300	19 kn	270 04 06	2	1011.0 mb	18.0 C	17.0 C	26 m	8/8	SC	020		
0	20.90	20.90	33.485	23.368	450.3	0.000	5.20	227.0	101.3	1.7	0.24	0.1	0.01	0.00	0.18	0.04	0		
3 A	20.90	20.90	33.485	23.369	450.4	0.014	5.20	227.0	101.3	1.7	0.24	0.1	0.01	0.00	0.18	0.04	3	24	
10	20.90	20.90	33.484	23.370	450.6	0.045	5.17	225.9	100.9	1.7	0.25	0.1	0.01	0.01	0.18	0.05	10	21	
11	20.90	20.90	33.484	23.370	450.6	0.047											10	23	
11	20.90	20.90	33.487	23.372	450.5	0.049											11	22	
16 A	20.87	20.87	33.482	23.377	450.2	0.072	5.22	227.9	101.7	1.7	0.26	0.1	0.01	0.01	0.18	0.05	16	20	
20	ISL 20.63	D 20.63	33.444	D 23.411	447.1	0.091	5.25	D 228.9	D 101.8	1.6	0.27	0.1	0.01	0.01	0.20	0.05	20		
21 A	20.41	20.41	33.426	23.456	442.8	0.095	5.27	230.1	101.8	1.6	0.27	0.1	0.01	0.01	0.20	0.05	21	19	
30	ISL 19.16	D 19.15	33.306	D 23.691	420.8	0.134	5.46	D 238.1	D 103.0	1.3	0.29	0.1	0.01	0.01	0.26	0.10	30		
32	19.03	19.03	33.309	23.725	417.5	0.142	5.50	240.3	103.5	1.3	0.29	0.1	0.01	0.01	0.27	0.11	32	18	
38 A	16.62	16.61	33.171	24.204	371.9	0.166	5.87	256.5	105.4	1.4	0.33	0.0	0.01	0.02	0.39	0.22	38	16	
38	16.62	16.61	33.179	24.210	371.4	0.166											38	17	
50	ISL 13.95	D 13.94	33.143	D 24.767	318.6	0.209	5.74	D 250.2	D 97.6	4.3	0.56	3.2	0.20	0.02	0.63	0.35	50		
55	13.01	13.00	33.148	24.960	300.2	0.222	5.37	234.7	89.6	5.5	0.65	4.5	0.27	0.02	0.73	0.40	55	15	
72 A	11.45	11.44	33.314	25.386	259.9	0.270	4.48	195.5	72.3	11.9	1.12	12.2	0.09	0.02	0.12	0.15	73	14	
75 ISL	11.34	D 11.33	33.342	D 25.428	256.0	0.280	4.39	D 191.2	D 70.8	12.2	1.14	12.6	0.08	0.00	0.11	0.15	76		
82	11.21	11.20	33.360	25.466	252.6	0.296	4.32	188.7	69.5	13.0	1.19	13.5	0.05	0.00	0.09	0.13	83	13	
92 A	10.90	10.89	33.416	25.565	243.4	0.320	4.13	180.3	65.9	14.6	1.29	15.0	0.03	0.00	0.07	0.11	93	12	
100	ISL 10.68	D 10.67	33.465	D 25.641	236.3	0.342	3.96	D 172.4	D 63.0	15.7	1.35	16.0	0.03	0.00	0.06	0.09	101		
106	10.54	10.53	33.490	25.685	232.2	0.354	3.90	170.4	61.9	16.6	1.40	16.8	0.03	0.02	0.0				

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 53.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.34	20.34	33.445	23.487	439.0	0.000	5.24	228.8	101.1	1.7	0.25	0.0	0.01	0.00	0.18	0.05	0		
2	20.34	20.34	33.445	23.487	439.1	0.009	5.24	228.8	101.1	1.7	0.25	0.0	0.01	0.00	0.18	0.05	2	23	
10	20.07	20.07	33.445	23.560	432.5	0.044	5.28	230.6	101.3	1.7	0.26	0.1	0.01	0.03	0.17	0.06	10	21	
10	20.07	20.07	33.445	23.560	432.5	0.043											10	22	
20	19.56	19.56	33.376	23.640	425.2	0.087	5.41	236.6	103.0	1.7	0.27	0.0	0.01	0.01	0.25	0.10	20	20	
30	19.48	19.47	33.366	23.654	424.3	0.129	5.39	235.6	102.3	1.7	0.26	0.1	0.01	0.01	0.26	0.13	30	19	
40	18.28	18.27	33.275	23.887	402.4	0.170	5.49	240.1	101.9	2.0	0.30	0.2	0.02	0.02	0.89	0.40	40	18	
50	15.78	15.77	33.187	24.408	352.8	0.208	5.52	241.4	97.5	3.5	0.44	1.9	0.13	0.02	0.69	0.37	50	16	
50	15.78	15.77	33.186	24.408	352.9	0.208											50	17	
60	14.69	14.68	33.161	24.625	332.4	0.242	5.48	239.7	94.7	4.4	0.54	3.0	0.19	0.02	0.59	0.38	60	15	
69	13.40	13.39	33.171	24.901	306.3	0.271	5.20	227.2	87.4	6.4	0.72	5.7	0.17	0.02	0.34	0.22	70	14	
75	13.28	D 13.27	33.177	D 24.930	303.6	0.292	5.10	222.2	85.6	7.0	0.77	6.6	0.14	0.02	0.28	0.22	76		
85	12.37	12.35	33.215	25.139	283.9	0.319	4.93	215.6	81.2	8.1	0.86	8.1	0.10	0.01	0.18	0.22	86	13	
100	ISL 11.42	D 11.41	33.363	D 25.430	256.5	0.362	4.39	191.0	70.8	11.8	1.12	12.2	0.04	0.02	0.09	0.13	101		
101	11.36	11.35	33.346	25.428	256.7	0.362	4.35	190.0	70.1	12.0	1.14	12.5	0.04	0.02	0.09	0.13	102	12	
120	11.08	11.06	33.433	25.547	245.8	0.410	4.04	176.7	64.9	14.2	1.30	14.6	0.03	0.02	0.06	0.11	121	11	
125	ISL 10.85	D 10.84	33.475	D 25.619	239.0	0.425	3.91	170.4	62.5	15.5	1.36	15.6	0.03	0.02	0.05	0.10	126		
140	10.16	10.14	33.610	25.846	217.7	0.456	3.53	154.0	55.5	19.4	1.53	18.6	0.03	0.01	0.02	0.06	141	10	
150	ISL 9.79	D 9.77	33.692	D 25.971	205.9	0.481	3.32	144.4	51.8	21.9	1.62	20.1	0.03	0.01	0.02	0.05	151		
170	9.44	9.42	33.834	26.142	190.1	0.517	2.90	126.9	45.0	27.1	1.81	23.1	0.03	0.01	0.01	0.03	171	09	
200	ISL 9.07	D 9.05	33.981	D 26.316	174.0	0.575	2.41	105.0	37.2	32.1	2.01	25.2	0.02	0.02	0.01	0.03	202		
201	9.03	9.01	33.976	26.319	173.8	0.573	2.40	104.7	36.9	32.3	2.02	25.3	0.02	0.02	0.01	0.03	203	08	
230	8.75	8.72	34.045	26.418	164.9	0.622	2.13	93.0	32.5	36.2	2.11	27.0	0.02	0.01			232	07	
250	ISL 8.62	D 8.59	34.096	D 26.478	159.5	0.659	1.86	D 81.0	D 28.4	38.6	2.20	27.8	0.02	0.00			252		
270	8.39	8.37	34.119	26.532	154.8	0.686	1.77	D 77.1	D 26.9	41.0	2.28	28.7	0.02	0.00			272	06	
300	ISL 8.10	D 8.07	34.195	D 26.637	145.3	0.736	1.21	D 52.4	D 18.2	47.0	2.47	30.5	0.02	0.00			302		
319	7.97	7.94	34.218	26.674	142.1	0.759	1.02	44.5	15.3	50.8	2.59	31.7	0.02	0.00			322	05	
380	7.46	7.42	34.233	26.761	134.5	0.843	0.78	33.9	11.5	56.7	2.74	33.5	0.01	0.02			383	04	
400	ISL 7.35	D 7.31	34.254	D 26.794	131.7	0.876	0.70	30.3	10.3	59.0	2.78	34.1	0.01	0.02			403		
440	6.98	6.93	34.261	26.852	126.5	0.922	0.54	23.5	7.9	63.6	2.86	35.2	0.01	0.01			444	03	
500	ISL 6.56	D 6.52	34.289	D 26.930	119.7	1.002	0.38	16.5	5.5	71.3	2.98	36.7	0.01	0.03			504		
516	6.45	6.40	34.298	26.953	117.6	1.015	0.34	14.7	4.9	73.4	3.01	37.1	0.01	0.04			520	01	
516	6.45	6.40	34.299	26.954	117.6	1.014											520	02	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; SECONDARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.74	19.74	33.305	23.539	434.0	0.000	5.35	233.9	102.1	1.4	0.26	0.0	0.01	0.01	0.14	0.04	0		
2	19.74	19.73	33.305	23.540	434.1	0.009	5.35	233.9	102.1	1.4	0.26	0.0	0.01	0.01	0.14	0.04	2	20	
10	19.75	19.74	33.305	23.537	434.6	0.043	5.34	233.6	101.9	1.4	0.25	0.0	0.01	0.01	0.13	0.04	10	19	
20	ISL 19.74	D 19.74	33.305	D 23.539	434.9	0.087	5.33	D 232.4	D 101.6	1.4	0.25	0.0	0.01	0.01	0.14	0.04	20		
25	19.73	19.72	33.301	23.542	434.8	0.109	5.35	233.6	101.9	1.4	0.25	0.0	0.01	0.01	0.14	0.04	25	18	
30	ISL 19.67	D 19.67	33.299	D 23.554	433.9	0.131	5.34	D 232.8	D 101.6	1.4	0.25	0.0	0.01	0.01	0.17	0.05	30		
40	19.04	19.03	33.275	23.698	420.5	0.173	5.43	237.3	102.2	1.5	0.26	0.0	0.01	0.01	0.23	0.07	40	17	
50	15.47	15.46	33.064	24.382	355.3	0.212	5.94	259.6	104.1	2.5	0.28	0.0	0.01	0.02	0.15	0.04	50	16	
62	14.22	14.21	33.081	24.664	328.8	0.253	5.78	252.7	98.9	3.4	0.39	0.4	0.06	0.02	0.42	0.38	62	15	
75	13.02	13.01	33.078	24.906	305.9	0.294	5.45	238.1	90.8	5.2	0.62	4.0	0.13	0.02	0.25	0.30	76	14	
87	11.69	11.68	33.108	25.182	279.8	0.329	5.16	225.6	83.7	7.8	0.87	8.3	0.05	0.02	0.16	0.22	88	13	
100	10.91	10.89	33.175	25.376	261.4	0.364	4.84	211.6	77.2	11.1	1.12	12.3	0.04	0.02	0.12	0.14	101	12	
112	10.27	10.26	33.255	25.548	245.3	0.395	4.57	199.5	71.9	13.6	1.27	14.9	0.03	0.03	0.08	0.10	113	11	
124	9.68	9.67	33.433	25.786	222.8	0.423	4.03	176.1	62.7	18.6	1.51	18.9	0.02	0.02	0.03	0.04	125	10	
125	ISL 9.68	D 9.66	33.445	D 25.797	221.8	0.428	3.96	D 172.3	D 61.6	18.8	1.52	19.1	0.02	0.02	0.03	0.04	126		
139	9.45	9.44	33.561	25.924	210.0	0.455	3.66	159.2	56.4	21.6	1.65	21.0	0.02	0.06	0.01	0.03	140	09	
150	ISL 9.30	D 9.29	33.676	D 26.038	199.4	0.481	3.40	D 147.9	D 52.5	23.9	1.73	22.3	0.02	0.05	0.01	0.03	151		
169	9.08	9.06	33.826	26.193	185.1	0.515	2.96	129.3	45.5	28.0	1.86	24.5	0.02	0.03	0.00	0.02	170	08	
200	8.64	8.62	33.924	26.338	171.7	0.570	2.91	127.1	44.4	31.7	1.93	25.9	0.02	0.04	0.00	0.02	202	07	
229	8.29	8.27	33.979	26.436															

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
32	5.1 N	120 38.3 W	01/11/2015	1646	UTC	3822 m	340	14 kn	300 03 07	0	1017.6 mb	19.7 C	18.5 C	31 m	0/8	017		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.90	19.90	33.290	23.486	439.1	0.000	5.28	230.9	101.1	1.4	0.28	0.0	0.01	0.02	0.14	0.01	0	
3 A	19.90	19.90	33.290	23.487	439.2	0.013	5.28	230.9	101.1	1.4	0.28	0.0	0.01	0.02	0.14	0.01	3	24
10 ISL	19.87 D	19.87	33.289	23.492	438.9	0.044	5.28	0230.4	0101.0	1.5	0.28	0.0	0.01	0.03	0.13	0.03	10	22
11	19.89	19.89	33.289	23.488	439.3	0.048	5.29	231.3	101.2	1.5	0.28	0.0	0.01	0.03	0.13	0.03	11	22
11	19.89	19.89	33.290	23.489	439.3	0.047											11	23
19 A	19.81	19.81	33.304	23.521	436.5	0.083	5.29	231.1	101.0	1.5	0.27	0.0	0.01	0.02	0.17	0.00	19	21
20 ISL	19.81 D	19.80	33.304	23.522	436.5	0.088	5.29	0230.7	0101.0	1.5	0.27	0.0	0.01	0.02	0.18	0.01	20	
25 A	19.81	19.80	33.304	23.523	436.6	0.110	5.29	231.3	101.1	1.5	0.26	0.0	0.01	0.01	0.21	0.01	25	20
30 ISL	19.77 D	19.76	33.316	23.542	435.0	0.132	5.28	0230.5	0100.8	1.5	0.27	0.0	0.01	0.01	0.26	0.01	30	
35	19.01	19.01	33.288	23.714	418.8	0.153	5.42	236.9	102.0	1.6	0.27	0.0	0.01	0.01	0.32	0.01	35	19
45 A	16.23	16.22	33.116	24.251	367.7	0.192	5.95	259.8	105.9	2.2	0.27	0.0	0.01	0.02	0.41	0.05	45	18
50 ISL	16.09 D	16.08	33.102	24.273	365.8	0.212	5.95	0259.2	0105.6	2.3	0.28	0.0	0.01	0.02	0.38	0.10	50	
57	15.63	15.62	33.106	24.378	355.9	0.235											57	17
58	15.60	15.59	33.106	24.385	355.3	0.239	5.90	257.9	103.8	2.4	0.29	0.0	0.01	0.02	0.35	0.18	58	16
71	14.09	14.08	33.110	24.713	324.4	0.283	5.75	251.1	98.0	3.2	0.45	0.6	0.09	0.03	0.39	0.18	72	15
75 ISL	13.66 D	13.65	33.137	24.823	313.9	0.298	5.57	0242.8	094.2	4.0	0.52	1.9	0.09	0.03	0.35	0.16	76	
86 A	12.55	12.54	33.122	25.031	294.3	0.330	5.31	232.0	87.7	6.2	0.71	5.4	0.09	0.02	0.24	0.13	87	14
93	11.83	11.82	33.124	25.168	281.2	0.350	5.22	228.0	84.9	6.8	0.78	6.6	0.07	0.02	0.21	0.17	94	13
100 ISL	10.96 D	10.95	33.134	25.334	265.5	0.372	5.03	0219.1	080.3	9.2	0.98	10.1	0.03	0.01	0.17	0.11	101	
101	10.89	10.88	33.130	25.343	264.7	0.372	5.02	219.2	80.0	9.6	1.01	10.6	0.03	0.01	0.16	0.10	102	12
110 A	10.33	10.32	33.165	25.468	252.8	0.395	4.90	214.2	77.2	11.3	1.13	12.4	0.03	0.05	0.12	0.12	111	11
125	9.92	9.90	33.313	25.654	235.5	0.431	4.42	193.2	69.1	15.7	1.37	16.4	0.02	0.03	0.08	0.06	126	10
141	9.61	9.59	33.473	25.830	219.0	0.468	3.91	170.7	60.7	19.5	1.55	19.3	0.02	0.05	0.03	0.03	142	09
150 ISL	9.46 D	9.44	33.576	25.936	209.1	0.490	3.68	0160.0	056.9	21.6	1.63	20.6	0.02	0.04	0.02	0.03	151	
170	9.10	9.08	33.737	26.121	191.9	0.527	3.19	139.3	49.1	26.2	1.80	23.5	0.01	0.01	0.00	0.02	171	08
200	8.63	8.61	33.909	26.329	172.6	0.582	2.80	122.1	42.6	31.5	1.95	25.8	0.01	0.02	0.00	0.02	202	07
230	8.26	8.24	33.982	26.443	162.3	0.632	2.45	0106.5	037.0	36.7	2.08	28.0	0.01				232	06
250 ISL	8.08 D	8.05	34.030	26.508	156.4	0.668	2.18	094.8	032.8	41.0	2.22	29.5	0.01				252	
269	7.79	7.76	34.062	26.576	150.2	0.697	1.82	79.3	27.2	45.0	2.35	30.9	0.01				271	05
300 ISL	7.32 D	7.29	34.076	26.654	143.0	0.743	1.53	066.7	022.7	50.7	2.48	32.8	0.01				302	
320	7.12	7.09	34.083	26.688	140.0	0.768	1.36	59.3	20.0	54.3	2.57	34.0	0.01				323	04
380	6.65	6.61	34.144	26.801	129.9	0.849	0.85	36.9	12.3	63.4	2.79	36.3	0.01				383	03
400 ISL	6.54 D	6.50	34.166	26.834	127.1	0.879	0.73	31.8	010.6	66.1	2.84	36.8	0.01				403	
440	6.22	6.18	34.186	26.891	121.9	0.925	0.58	25.4	8.4	71.3	2.93	37.9	0.01				444	02
500 ISL	5.90 D	5.86	34.225	26.963	115.7	1.001	0.42	18.1	06.0	79.3	3.04	39.1	0.01				504	
515	5.79	5.75	34.246	26.994	112.9	1.013	0.35	15.3	5.0	81.3	3.07	39.4	0.01				519	01

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
31	45.1 N	121 18.9 W	01/11/2015	1050	UTC	3706 m	340	12 kn	0	1016.5 mb	19.2 C	18.6 C	31 m	0/8	016			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.83	19.83	33.360	23.557	432.3	0.000	5.35	233.6	102.2	1.2	0.26	0.0	0.01	0.01	0.17	0.06	0	
2	19.83	19.83	33.360	23.558	432.3	0.009	5.35	233.6	102.2	1.2	0.26	0.0	0.01	0.01	0.17	0.06	2	20
10	19.84	19.84	33.360	23.555	433.0	0.043	5.31	231.8	101.4	1.2	0.25	0.0	0.02	0.01	0.17	0.05	10	19
20 ISL	19.85 D	19.84	33.361	23.555	433.3	0.157	5.29	0230.6	0101.0	1.2	0.25	0.0	0.02	0.01	0.18	0.05	20	
25	19.84	19.84	33.362	23.558	433.3	0.108	5.31	231.8	101.4	1.2	0.25	0.0	0.02	0.01	0.18	0.05	25	18
30 ISL	19.85 D	19.84	33.361	23.556	433.6	0.200	5.28	0230.3	0100.9	1.2	0.25	0.0	0.02	0.01	0.21	0.06	30	
40	19.79	19.78	33.344	23.560	433.7	0.173	5.35	233.5	102.1	1.2	0.26	0.0	0.02	0.02	0.26	0.08	40	17
50	15.72	15.71	33.131	24.377	355.8	0.213	5.98	261.3	105.4	2.3	0.33	0.0	0.02	0.02	0.33	0.23	50	16
62	13.88	13.87	33.060	24.719	323.5	0.254	5.89	257.4	100.0	3.2	0.43	0.6	0.06	0.12	0.44	0.39	62	15
75	12.95	12.94	33.128	24.958	300.9	0.294	5.44	237.5	90.5	5.0	0.65	4.1	0.23	0.02	0.22	0.23	76	14
87	11.55	11.53	33.162	25.250	273.2	0.329	4.97	217.2	80.4	8.5	0.98	10.0	0.06	0.00	0.15	0.17	88	13
100	10.59	10.58	33.187	25.440	255.3	0.363	4.85	212.1	76.9	10.7	1.10	12.1	0.04	0.00	0.11	0.15	101	12
112	9.71	9.70	33.304	25.681	232.5	0.392	4.75	207.3	73.8	14.4	1.25	14.9	0.03	0.01	0.07	0.10	113	11
125	9.40	9.39	33.479	25.867	215.0	0.421	4.04	176.4	62.4	19.7	1.53	19.3	0.02	0.00	0.03	0.07	126	10
140	9.41	9.39																

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
31 25.1 N	121 59.4 W	01/11/2015	0350	UTC	3979 m	330 08 kn			1017.9 mb	19.6 C	18.8 C			015				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.23	20.23	33.352	23.445	443.0	0.000	5.27	230.2	101.4	1.9	0.26	0.0	0.01	0.10	0.09	0.02	0	
2	20.23	20.23	33.352	23.445	443.1	0.009	5.27	230.2	101.4	1.9	0.26	0.0	0.01	0.10	0.09	0.02	2 24	
10	20.23	20.23	33.352	23.448	443.1	0.044	5.29	231.3	101.9	1.9	0.26	0.0	0.01	0.09	0.02	10 22		
10	20.23	20.23	33.349	23.446	443.4	0.046										10 23		
20	ISL	20.13 D	20.12	33.349	23.474	441.1	0.089	5.27	0230.0	0101.3	1.9	0.25	0.0	0.01	0.09	0.02	20	
26	20.12	20.11	33.349	23.476	441.1	0.115	5.26	229.9	101.1	1.9	0.25	0.0	0.01	0.09	0.03	26 21		
30	ISL	20.12 D	20.11	33.350	23.478	441.2	0.134	5.26	0229.7	0101.1	1.9	0.25	0.0	0.01	0.09	0.02	30	
40	20.11	20.10	33.350	23.479	441.4	0.177	5.27	230.3	101.3	1.9	0.24	0.0	0.01	0.02	0.10	0.02	40 20	
50	20.10	20.09	33.353	23.486	441.2	0.221	5.27	230.2	101.2	1.9	0.24	0.0	0.01	0.01	0.11	0.03	50 19	
62	19.40	19.39	33.324	23.645	426.4	0.273	5.42	236.7	102.7	1.8	0.25	0.0	0.01	0.01	0.17A	0.07A	62 18	
75	ISL	17.86 D	17.85	33.225	23.954	397.3	0.329	5.77	0251.5	0106.1	2.0	0.23	0.0	0.01	0.20	0.07	76	
76	17.68	17.66	33.232	24.004	392.5	0.330	5.78	252.4	105.9	2.0	0.23	0.0	0.01	0.20	0.07	77 17		
87	15.81	15.79	33.187	24.403	354.6	0.372	5.82	254.1	102.7	2.5	0.27	0.0	0.01	0.20	0.15	88 16		
100	14.55	14.54	33.205	24.692	327.4	0.416	5.64	246.4	97.1	3.3	0.34	0.4	0.06	0.02	0.21	0.15	101 15	
112	13.07	13.05	33.163	24.963	301.6	0.454	5.42	237.0	90.6	4.9	0.55	2.8	0.20	0.00	0.20	0.15	113 14	
125	11.63	11.62	33.133	25.214	277.7	0.491	5.19	226.8	84.1	6.9	0.07	0.01	0.17	0.13	126 13			
140	10.23	10.21	33.253	25.556	245.2	0.530	4.64	202.7	72.9	13.4	1.26	14.6	0.02	0.01	0.07	0.09	141 12	
150	ISL	9.58 D	9.57	33.425	25.797	222.3	0.558	4.47	0194.4	0 69.3	16.5	1.40	16.9	0.02	0.00	0.05	0.07	151
170	9.12	9.10	33.615	26.021	201.3	0.597	3.66	160.0	56.3	22.8	1.68	21.4	0.01	0.00	0.01	0.02	171 11	
200	8.67	8.65	33.865	26.288	176.6	0.653	3.01	131.4	45.9	30.4	1.92	25.2	0.02	0.02	0.00	0.02	202 10	
229	8.31	8.29	33.969	26.425	164.0	0.703	2.78	121.3	42.0	35.0	2.00	26.8	0.02	0.02	0.00	0.02	231 09	
250	ISL	8.04 D	8.01	34.015	26.502	156.9	0.740	2.48	0108.0	0 37.4	39.5	2.13	28.5	0.02	0.00		252	
270	7.71	7.68	34.030	26.562	151.4	0.768	2.20	95.9	32.8	43.7	2.25	30.0	0.02	0.00		272 08		
300	ISL	7.25 D	7.23	34.054	26.646	143.7	0.816	1.78	0 77.3	0 26.3	50.1	2.43	32.3	0.02	0.00		302	
319	7.07	7.04	34.070	26.686	140.2	0.839	1.50	65.6	22.1	54.2	2.55	33.7	0.02	0.00		322 07		
380	6.65	6.61	34.130	26.791	130.9	0.922	0.93	0 40.4	0 13.5	62.7	2.79	36.2	0.02	0.03		383 06		
400	ISL	6.66 D	6.62	34.165	26.818	128.7	0.952	0.78	0 34.0	0 11.4	65.7	2.85	36.8	0.01	0.02		403	
440	6.18	6.14	34.176	26.890	122.1	0.998	0.62	27.0	8.9	71.9	2.97	38.1	0.01	0.01		444 05		
500	ISL	5.94 D	5.90	34.234	26.966	115.5	1.075	0.41	0 17.9	0 5.9	78.4	3.06	39.1	0.01	0.01		504	
515	5.86	5.81	34.238	26.979	114.4	1.087	0.37	16.2	5.3	80.0	3.08	39.3	0.01	0.01		519 04		
600	ISL	5.38 D	5.33	34.298	27.087	104.8	1.186	0.25	0 10.8	0 3.5	90.0	3.17	40.7	0.01	0.02		605	
650	5.11	5.05	34.334	27.147	99.3	1.231	0.21	9.1	2.9	95.8	3.22	41.5	0.01	0.02		656 03		
700	ISL	4.93 D	4.88	34.386	27.209	93.8	1.286	0.24	0 10.2	0 3.3							706	
800	ISL	4.47 D	4.41	34.422	27.290	86.5	1.377	0.32	0 13.8	0 4.4							807	
900	ISL	4.18 D	4.11	34.458	27.350	81.4	1.462	0.42	0 18.3	0 5.8							908	
1000	ISL	3.90 D	3.82	34.481	27.399	77.1	1.542	0.53	0 23.1	0 7.3							1009	
1100	ISL	3.64 D	3.56	34.504	27.444	73.2	1.618	0.65	0 28.3	0 8.8							1111	
1200	ISL	3.41 D	3.32	34.521	27.482	69.9	1.691	0.76	0 33.0	0 10.2							1212	
1300	ISL	3.16 D	3.07	34.538	27.519	66.5	1.760	0.88	0 38.4	0 11.9							1313	
1400	ISL	2.94 D	2.84	34.554	27.552	63.4	1.826	1.01	0 43.7	0 13.4							1415	
1500	ISL	2.78 D	2.67	34.565	27.577	61.2	1.889	1.11	0 48.4	0 14.8							1516	
1600	ISL	2.63 D	2.52	34.576	27.599	59.2	1.950	1.22	0 52.9	0 16.1							1617	
1800	ISL	2.26 D	2.14	34.606	27.655	53.7	2.064	1.57	0 68.1	0 20.5							1820	
2000	ISL	2.10 D	1.96	34.621	27.682	51.5	2.171	1.79	0 77.9	0 23.4							2024	
2200	ISL	1.95 D	1.80	34.636	27.707	49.4	2.274	2.02	0 87.8	0 26.3							2227	
2400	ISL	1.84 D	1.67	34.649	27.728	47.8	2.373	2.24	0 97.2	0 29.0							2431	
2600	ISL	1.76 D	1.57	34.656	27.742	46.9	2.469	2.39	0 103.9	0 30.9							2635	
2800	ISL	1.68 D	1.48	34.662	27.755	46.1	2.564	2.53	0 109.8	0 32.6							2839	
3000	ISL	1.64 D	1.41	34.666	27.764	45.8	2.658	2.63	0 114.2	0 33.8							3043	
3200	ISL	1.59 D	1.34	34.670	27.773	45.4	2.751	2.75	0 119.5	0 35.3							3247	
3400	ISL	1.56 D	1.30	34.673	27.780	45.4	2.844	2.83	0 123.0	0 36.3							3452	
3501		1.55	1.28	34.676	27.784	45.4	3.294	2.89	126.2	37.1	172.7	2.66	37.5	0.02	0.05		3555 01	
3501		1.55	1.28	34.675	27.783	45.5	3.294										3555 02	

A) SECOND FLUOROMETER READING NOT RECORDED CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS  
D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
31 5.1 N	122 39.1 W	31/10/2015	2043	UTC	4071 m	360 09 kn	310 04 05	1	1017.6 mb	19.5 C	18.5 C	6/8	ST	014				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.56	20.56	33.389	23.386	448.6	0.000	5.24	228.9	101.5	2.0	0.24	0.0	0.01	0.00	0.07	0.02	0	
3	20.56	20.56	33.389	23.387	448.7	0.014	5.24	228.9	101.5	2.0	0.24	0.0	0.01	0.00	0.07	0.02	20 20	
10	20.46	20.46	33.384	23.412	446.6	0.045	5.24	229.0	101.4	2.0	0.25	0.0	0.01	0.00	0.09	0.02	10 19	
20	ISL	20.39 D	20.39	33.383	23.428	445.5	0.090	5.23	0228.3	0101.3	2.0	0.24	0.0	0.				

RV OCEANUS

CALCOFI CRUISE 1511

STATION 91.7 26.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	21.48	21.48	33.429	23.170	469.3	0.000	5.38	235.3	106.1	1.9	0.28	0.0	0.02	0.00	0.26	0.09	0		
2	21.48	21.48	33.429	23.170	469.3	0.009	5.38	235.3	106.1	1.9	0.28	0.0	0.02	0.00	0.26	0.09	2	04	
5	21.28	21.28	33.431	23.227	464.0	0.023	5.50	240.4	108.0	1.9	0.27	0.0	0.02	0.32	0.30	0.11	5	03	
10	20.56	20.56	33.424	23.415	446.3	0.046	5.67	248.0	109.9	2.7	0.35	0.0	0.03	0.13	0.63	0.27	10	02	
14	19.71	19.71	33.421	23.635	425.4	0.064	5.60	244.9	106.9	3.2	0.38	0.0	0.04	0.78	0.82	0.34	14	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	21.73	21.73	33.475	23.136	472.5	0.000	5.30	231.7	105.0	2.3	0.29	0.0	0.02	0.02	0.39	0.17	0		
2	21.73	21.73	33.475	23.136	472.6	0.010	5.30	231.7	105.0	2.3	0.29	0.0	0.02	0.02	0.39	0.17	2	08	
6	21.05	21.05	33.475	23.322	455.0	0.028	5.29	231.4	103.5	2.3	0.28	0.0	0.02	0.00	0.39	0.16	6	07	
10	21.11	21.11	33.452	23.288	458.4	0.046	5.39	235.7	105.6	2.7	0.29	0.0	0.02	0.00	0.71	0.35	10	06	
20	17.90	17.89	33.377	24.057	385.4	0.089	5.56	243.0	102.4	3.9	0.37	0.5	0.37	0.22	1.52	0.75	20	05	
30	16.60	16.59	33.390	24.376	355.3	0.126	5.48	239.7	98.5	3.9	0.41	0.0	0.04	0.00	1.01	0.77	30	04	
40	16.08	16.07	33.416	24.515	342.3	0.161	5.05	220.7	89.8	5.1	0.56	2.0	0.18	0.05	0.60	0.54	40	03	
50	15.77	15.76	33.436	24.601	334.5	0.194	4.81	210.3	85.1	5.9	0.66	3.4	0.12	0.60	0.39	0.50	50	02	
58	15.62	15.61	33.453	D 24.648	330.2	0.222	4.72	D 205.5	D 83.1								58	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	22.63	22.63	33.541	22.934	491.8	0.000	5.13	224.1	103.2	1.9	0.23	0.0	0.01	0.00	0.15	0.04	0		
2	22.63	22.63	33.541	22.934	491.9	0.010	5.13	224.1	103.2	1.9	0.23	0.0	0.01	0.00	0.15	0.04	2	20	
10	22.63	22.63	33.541	22.935	492.2	0.049	5.11	223.2	102.8	1.9	0.22	0.0	0.01	0.00	0.14	0.03	10	19	
20	22.09	22.08	33.534	23.085	478.3	0.098	5.23	228.4	104.2	1.9	0.23	0.0	0.01	0.00	0.15	0.04	20	18	
30	18.84	18.84	33.421	23.859	404.7	0.142	5.74	250.7	107.7	3.0	0.29	0.0	0.01	0.00	0.26	0.09	30	17	
40	17.26	17.25	33.354	24.194	373.0	0.181	5.71	249.5	103.9	3.0	0.33	0.0	0.01	0.00	0.26	0.14	40	16	
50	16.74	16.73	33.393	24.347	358.8	0.217	5.50	240.3	99.1	3.9	0.39	0.0	0.02	0.00	0.42	0.38	50	15	
60	15.36	15.35	33.501	24.742	321.4	0.251	4.53	198.1	79.5	6.8	0.75	4.4	0.05	0.02	0.34	0.40	60	14	
70	14.74	14.73	33.501	24.879	308.6	0.283	4.24	185.1	73.4	8.2	0.87	6.6	0.03	0.00	0.20	0.27	71	13	
75	ISL 14.53	D 14.51	33.536	D 24.951	301.9	0.299	4.11	D 179.1	D 70.9	8.7	0.91	7.2	0.03	0.00	0.17	0.24	76		
85	14.09	14.07	33.524	25.034	294.2	0.328	4.01	175.2	68.5	9.5	0.99	8.4	0.03	0.00	0.12	0.18	86	12	
100	13.06	13.05	33.548	25.262	272.9	0.371	3.69	161.2	61.8	12.0	1.19	11.8	0.03	0.00	0.04	0.10	101	11	
120	12.18	12.17	33.630	25.497	250.9	0.423	3.25	142.0	53.4	15.0	1.39	14.9	0.02	0.00	0.02	0.07	121	10	
125	ISL 12.07	D 12.05	33.677	D 25.555	245.5	0.437	3.18	D 138.6	D 52.2	16.0	1.45	15.8	0.02	0.00	0.02	0.07	126		
140	11.65	11.63	33.733	25.678	234.1	0.472	2.79	121.9	45.4	19.1	1.64	18.5	0.02	0.00	0.01	0.06	141	09	
150	ISL 11.57	D 11.55	33.795	D 25.741	228.3	0.496	2.67	D 116.3	D 43.4	20.7	1.71	19.5	0.02	0.00	0.01	0.05	151		
170	11.09	11.07	33.899	25.911	212.6	0.539	2.31	101.0	37.2	23.7	1.86	21.5	0.02	0.02	0.01	0.04	171	08	
200	10.60	10.58	34.045	26.111	194.2	0.600	2.01	87.6	31.9	27.9	2.05	23.8	0.02	0.00	0.00	0.03	202	07	
230	10.10	10.08	34.129	26.264	180.2	0.656	1.82	79.4	28.7	30.9	2.13	25.3	0.02	0.00			232	06	
250	ISL 9.47	D 9.44	34.133	D 26.373	170.0	0.692	1.92	D 83.4	D 29.8	33.8	2.17	26.6	0.02	0.00			252		
270	8.98	8.95	34.121	26.442	163.6	0.724	1.89	82.6	29.1	36.8	2.20	27.8	0.02	0.00			272	05	
300	ISL 8.72	D 8.68	34.222	D 26.564	152.6	0.773	1.32	D 57.2	D 20.1	42.6	2.40	29.6	0.02	0.00			302		
320	8.54	8.51	34.248	26.612	148.4	0.802	1.02	44.4	15.5	46.5	2.53	30.8	0.02	0.00			323	04	
380	7.92	7.89	34.284	26.734	137.5	0.888	0.66	28.7	9.9	53.9	2.71	33.0	0.02	0.05			383	03	
400	ISL 7.67	D 7.63	34.298	D 26.782	133.1	0.917	0.56	D 24.2	D 8.3	57.3	2.77	33.9	0.02	0.00			403		
440	7.23	7.19	34.294	26.843	127.6	0.968	0.42	18.2	6.2	64.1	2.88	35.6	0.02	0.00			444	02	
500	ISL 6.69	D 6.65	34.315	D 26.934	119.5	1.044	0.32	D 14.1	D 4.7	70.7	2.98	37.1	0.02	0.00			504		
515	6.64	6.59	34.306	26.934	119.7	1.060	0.31	13.6	4.6	72.4	3.00	37.5	0.02	0.12			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	005
0	22.51	22.51	33.566	22.989	486.6	0.000	5.19	226.6	104.2	2.4	0.24	0.0	0.01	0.00	0.18	0.04	0
2	22.51	22.50	33.566	22.989	486.6	0.010	5.19	226.6	104.2	2.4	0.24	0.0	0.01	0.00	0.18	0.04	2 21
10	22.51	22.51	33.566	22.989	487.0	0.049	5.25	229.4	105.5	2.4	0.23	0.0	0.01	0.00	0.18	0.05	10 20
20	ISL 22.51 D	22.51	33.577 D	22.998	486.6	0.098	5.11	0223.2	0102.7	2.5	0.24	0.0	0.01	0.00	0.22	0.06	20
25	21.27	21.26	33.481	23.270	460.8	0.121	5.55	242.5	109.0	2.5	0.25	0.0	0.01	0.00	0.24	0.07	25 19
30	ISL 19.27 D	19.26	33.402 D	23.736	416.5	0.144	5.86	0255.6	0110.8	2.7	0.28	0.0	0.01	0.00	0.27	0.08	30
40	17.94	17.93	33.384	24.054	386.5	0.183	5.75	251.1	106.0	3.0	0.33	0.0	0.01	0.00	0.34	0.11	40 18
50	16.66	16.65	33.399	24.370	356.6	0.220	5.53	241.8	99.5	3.5	0.38	0.0	0.01	0.00	0.38	0.28	50 17
55	15.89	15.89	33.347	24.505	343.9	0.238	5.52	242.1	97.8	3.6	0.42	0.0	0.03	0.00	0.82	0.62	55 16
62	15.39	15.38	33.374	24.639	331.3	0.261	5.12	223.6	89.8	4.8	0.58	2.3	0.12	0.00	0.47	0.43	62 15
75	14.60	14.59	33.486	24.896	307.1	0.303	4.55	198.9	78.6	6.9	0.76	4.9	0.04	0.00	0.20	0.20	76 14
87	13.39	13.37	33.521	25.175	280.7	0.338	4.07	177.9	68.6	9.6	1.01	9.2	0.03	0.02	0.08	0.15	88 13
100	12.68	12.66	33.570	25.354	264.0	0.374	3.74	163.6	62.2	11.8	1.17	12.0	0.03	0.00	0.05	0.11	101 12
112	12.37	12.35	33.660	25.485	251.9	0.405	3.25	142.2	53.7	14.8	1.37	15.0	0.03	0.58	0.03	0.08	113 11
125	11.99	11.97	33.789	25.657	235.8	0.436	2.73	119.5	44.8	18.2	1.60	17.7	0.02	0.23	0.02	0.06	126 10
140	11.62	11.60	33.846	25.771	225.3	0.471	2.35	102.7	38.2	21.1	1.76	19.7	0.02	0.00	0.01	0.04	141 09
150	ISL 11.29 D	11.27	33.846 D	25.831	219.7	0.495	2.50	0108.9 D	040.4	21.9	1.78	20.3	0.02	0.00	0.01	0.04	151
170	10.92	10.90	33.877	25.923	211.4	0.536	2.44	0106.2 D	39.1	23.4	1.82	21.4	0.02	0.00	0.01	0.04	171 08
200	10.41	10.38	34.016 D	26.122	193.0	0.600	2.14	093.3 D	34.0								202 07
230	10.00	9.97	34.106	26.263	180.3	0.653	1.93	84.1	30.3	31.0	2.11	25.6	0.02	0.00			232 06
250	ISL 9.37 D	9.34	34.142 D	26.396	167.8	0.691	1.77	077.2 D	27.5	34.3	2.18	26.7	0.02	0.00			252
270	9.18	9.15	34.188	26.463	161.8	0.721	1.60	69.8	24.7	37.6	2.25	27.9	0.02	0.00			272 05
300	ISL 8.67 D	8.64	34.191 D	26.546	154.2	0.772	1.48	064.3 D	22.6	42.0	2.36	29.5	0.02	0.00			302
320	8.42	8.38	34.213	26.603	149.0	0.798	1.26	55.1	19.2	44.9	2.43	30.5	0.02	0.00			323 04
380	7.95	7.91	34.263	26.714	139.4	0.885	0.81	35.3	12.1	52.5	2.66	32.8	0.02	0.02			383 03
400	ISL 7.82 D	7.78	34.280 D	26.746	136.6	0.918	0.69	029.8 D	10.3	55.6	2.72	33.5	0.02	0.00			403
440	7.35	7.30	34.294	26.827	129.3	0.966	0.48	20.9	7.1	61.7	2.84	35.1	0.02	0.00			444 02
500	ISL 6.71 D	6.66	34.309 D	26.927	120.2	1.047	0.34	014.7 D	4.9	70.0	2.96	36.9	0.02	0.00			504
516	6.60	6.56	34.316	26.947	118.4	1.060	0.30	13.0	4.3	72.1	2.99	37.4	0.02	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	006
0	22.13	22.13	33.540	23.074	478.4	0.000	5.14	224.5	102.5	2.3	0.28	0.0	0.01	0.21	0.05	0	
2	22.13	22.13	33.540	23.075	478.5	0.010	5.14	224.5	102.5	2.3	0.28	0.0	0.01	0.21	0.05	2 20	
10	22.14	22.14	33.539	23.072	479.1	0.048	5.14	224.7	102.6	2.3	0.24	0.0	0.01	0.62	0.20	0.06	10 19
20	22.05	22.05	33.541	23.099	477.0	0.096	5.17	225.9	103.0	2.3	0.25	0.0	0.01	0.15	0.22	0.06	20 18
30	19.62	19.61	33.418	23.658	423.9	0.141	5.75	251.3	109.5	3.0	0.30	0.0	0.01	0.00	0.39	0.15	30 17
40	17.56	17.55	33.413	24.169	375.5	0.181	5.58	243.6	102.1	3.7	0.37	0.0	0.02	0.00	0.52	0.30	40 16
50	17.05	17.05	33.424	24.297	363.6	0.218	5.27	230.3	95.6	4.3	0.46	0.4	0.09	0.00	0.99	0.75	50 15
60	16.69	16.68	33.426	24.385	355.5	0.254	4.95	216.3	89.1	5.0	0.54	2.1	0.06	0.00	0.40	0.39	60 14
70	16.31	16.30	33.487	24.519	343.1	0.289	4.63	202.4	82.8	5.9	0.68	3.4	0.04	0.00	0.20	0.22	71 13
75	ISL 16.28 D	16.26	33.498 D	24.536	341.7	0.307	4.61	0200.9 D	82.3	6.1	0.70	3.7	0.04	0.00	0.17	0.20	76
85	15.65	15.63	33.463	24.652	330.9	0.340	4.61	201.3	81.3	6.3	0.73	4.2	0.04	0.00	0.12	0.17	86 12
100	14.31	14.29	33.548	25.008	297.3	0.387	4.11	179.7	70.7	8.7	0.96	7.4	0.04	0.00	0.06	0.11	101 11
121	12.42	12.41	33.683	25.493	251.4	0.444	3.16	138.1	52.3	15.3	1.41	14.9	0.02	0.00	0.02	0.06	122 10
125	ISL 12.08 D	12.06	33.681 D	25.557	245.3	0.456	3.30	0143.7 D	54.1	16.5	1.48	15.9	0.02	0.00	0.02	0.06	126
139	11.76	11.74	33.865	25.760	226.3	0.487	2.48	108.1	40.4	20.4	1.74	19.1	0.02	0.00	0.01	0.05	140 09
150	ISL 11.53 D	11.51	33.939 D	25.861	216.9	0.514	2.28	099.0 D	37.0	21.7	1.80	19.9	0.02	0.00	0.01	0.04	151
170	11.29	11.27	33.985	25.940	209.9	0.554	2.16	94.2	34.9	24.0	1.90	21.4	0.02	0.03	0.01	0.03	171 08
200	10.46	10.44	34.165 D	26.229	183.0	0.616	1.86	81.4	29.6	28.8	2.10	23.9	0.02	0.01	0.00	0.03	202 07
230	10.09	10.06	34.227	26.343	172.8	0.667	1.41	61.4 D	22.3	33.4	2.27	25.7	0.02	0.00			232 06
250	ISL 9.56 D	9.53	34.251 D	26.451	162.7	0.704	1.39	60.4 D	21.7	36.2	2.33	26.9	0.02	0.00			252
270	9.35	9.32	34.265	26.496	158.8	0.732	1.24	54.3	19.3	38.9	2.38	28.0	0.02	0.04			272 05
300	ISL 8.79 D	8.76	34.236 D	26.563	152.7	0.783	1.24	53.7 D	18.9	42.9	2.48	29.4	0.02	0.09			302
320	8.56	8.53	34.254	26.614	148.2	0.809	1.08	47.3	16.5	45.5	2.54	30.4	0.02	0.12			323 04
380	8.08	8.05	34.264	26.695	141.3	0.896	0.82	35.7	12.3	51.2	2.63	32.0	0.02	0.14			383 03
400	ISL 7.95 D	7.91	34.285 D	26.732	138.1	0.929	0.70	30.6 D	10.6	53.							

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	22.36	22.36	33.575	23.036	482.1	0.000	5.05	220.6	101.3	2.0	0.26	0.0	0.01	0.00	0.18	0.02	0		
3 A	22.36	22.36	33.575	23.036	482.2	0.015	5.05	220.6	101.3	2.0	0.26	0.0	0.01	0.00	0.18	0.02	3	24	
10	22.37	22.36	33.579	23.038	482.3	0.048	5.09	222.3	102.1	2.1	0.29	0.0	0.01	0.00	0.17	0.03	10	22	
10	22.37	22.36	33.576	23.036	482.5	0.047											10	23	
13 A	22.36	22.36	33.576	23.038	482.5	0.063	5.06	220.8	101.4	1.9	0.24	0.0	0.01	0.00	0.16	0.04	13	21	
18 A	22.37	22.36	33.586	23.045	482.1	0.087	5.06	221.0	101.5	1.9	0.26	0.0	0.01	0.00	0.20	0.03	18	20	
20 ISL	22.37	d	22.37	33.577	d	23.037	482.9	0.097	5.05	d220.5	d101.3	2.0	0.26	0.0	0.01	0.00	0.22	0.05	20
30 ISL	22.28	d	22.27	33.574	d	23.062	480.9	0.146	5.08	d221.7	d101.6	2.0	0.27	0.0	0.01	0.00	0.30	0.14	30
32 A	20.35	20.34	33.547	23.566	432.8	0.154	5.13	223.8	99.0	2.0	0.27	0.0	0.01	0.00	0.32	0.15	32	19	
41	16.73	16.72	33.244	24.234	369.2	0.190	5.87	255.9	105.6	2.4	0.36	0.0	0.01	0.00	0.67	0.30	41	18	
50	15.78	15.78	33.206	24.421	351.7	0.223	5.89	256.6	104.0	2.7	0.39	0.0	0.04	0.00	0.40	0.26	50	17	
60 A	14.55	14.54	33.289	24.754	320.1	0.256	5.35	233.3	92.3	4.4	0.55	1.9	0.11	0.00	0.20	0.20	60	16	
70	13.80	13.79	33.313	24.930	303.6	0.287	4.91	214.0	83.4	6.4	0.75	5.4	0.12	0.00	0.16	0.17	71	15	
75 ISL	13.31	d	13.30	33.329	d	25.042	293.0	0.304	4.75	d206.9	d79.8	7.1	0.80	6.5	0.08	0.00	0.15	0.16	76
78 A	12.93	12.92	33.319	25.109	286.7	0.311	4.73	206.2	78.9	7.5	0.83	7.2	0.06	0.00	0.14	0.15	79	14	
86	12.05	12.04	33.271	25.242	274.1	0.333	4.76	207.4	77.9	8.9	0.97	9.8	0.04	0.00	0.10	0.13	87	13	
95	11.43	11.42	33.289	25.370	262.0	0.357	4.60	200.2	74.2	10.5	1.07	11.8	0.03	0.00	0.05	0.10	96	12	
100 ISL	11.33	d	11.35	33.311	d	25.400	259.4	0.373	4.56	d198.4	d73.5	11.7	1.13	12.9	0.03	0.00	0.05	0.09	101
110	10.68	10.66	33.399	25.591	241.2	0.395	4.22	183.6	67.0	14.1	1.26	15.3	0.02	0.00	0.04	0.07	111	11	
124	10.29	10.28	33.468	25.712	230.1	0.428	4.01	174.4	63.2	16.3	1.37	17.1	0.02	0.04	0.02	0.05	125	10	
125 ISL	10.28	d	10.27	33.472	d	25.716	229.7	0.434	4.01	d174.5	d63.2	16.5	1.38	17.3	0.02	0.00	0.02	0.05	126
140	9.86	9.85	33.578	25.870	215.2	0.464	3.73	162.2	58.2	19.6	1.52	19.5	0.02	0.00	0.00	0.03	141	09	
150 ISL	9.60	d	9.58	33.672	d	25.988	204.3	0.489	3.49	d151.7	d54.2	22.1	1.61	21.0	0.02	0.00	0.00	0.03	151
170	9.15	9.13	33.822	26.178	186.5	0.524	3.05	132.6	46.9	27.1	1.80	23.9	0.02	0.00	0.00	0.02	171	08	
199	8.91	8.89	33.916	26.290	176.4	0.577	2.72	118.4	41.7	30.8	1.94	25.7	0.01	0.00			201	07	
200 ISL	8.90	d	8.88	33.922	d	26.297	175.8	0.583	2.72	d118.3	d41.7	30.9	1.95	25.8	0.01	0.00		202	
232	8.50	8.48	34.017	26.434	163.3	0.633	2.32	100.8	35.2	36.5	2.11	28.0	0.02	0.00			234	06	
250 ISL	8.36	d	8.34	34.032	d	26.468	160.4	0.667	2.20	d95.7	d33.3	37.9	2.14	28.5	0.02	0.00		252	
270	8.28	8.25	34.046	26.491	158.5	0.694	2.14	93.1	32.4	39.5	2.17	29.0	0.02	0.01			272	05	
300 ISL	7.94	d	7.90	34.099	d	26.585	150.0	0.746	1.79	d77.7	d26.8	45.3	3.10	0.02	0.00			302	
319	7.69	7.66	34.124	26.640	145.0	0.768	1.47	64.1	22.0	49.0	2.45	32.2	0.02	0.00			322	04	
381	7.62	7.58	34.286	26.780	132.9	0.855	0.63	27.3	9.4	57.3	2.79	34.0	0.01	0.00			384	03	
400 ISL	7.54	d	7.50	34.298	d	26.801	131.2	0.886	0.53	d23.2	d7.9	59.0	2.82	34.4	0.01	0.00		403	
439	7.25	7.21	34.301	26.846	127.4	0.930	0.46	20.1	6.8	62.5	2.87	35.3	0.01	0.00			443	02	
500 ISL	6.83	d	6.79	34.309	d	26.910	121.9	1.014	0.36	d15.8	d5.3	67.9	2.95	36.6	0.01	0.00		504	
516	6.77	6.72	34.311	26.921	121.1	1.026	0.35	15.2	5.1	69.3	2.97	36.9	0.01	0.00			520	01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	22.19	22.19	33.573	23.082	477.7	0.000	5.10	222.9	101.9	2.0	0.30	0.0	0.01	0.00	0.18	0.04	0		
2	22.19	22.19	33.573	23.082	477.8	0.010	5.10	222.9	101.9	2.0	0.30	0.0	0.01	0.00	0.18	0.04	2	21	
10	21.93	21.92	33.574	23.158	470.9	0.048	5.10	222.9	101.4	1.9	0.26	0.0	0.01	0.00	0.18	0.04	10	19	
10	21.93	21.92	33.553	23.142	472.4	0.048											10	20	
20	17.35	17.34	33.228	24.076	383.6	0.090	6.00	262.4	109.4	2.0	0.31	0.0	0.01	0.00	0.27	0.11	20	18	
30 ISL	15.92	d	15.91	33.208	d	24.391	353.9	0.128	6.02	d260.8	d106.7	2.3	0.36	0.0	0.01	0.00	0.33	0.23	30
31	15.69	15.68	33.192	24.431	350.1	0.131	6.03	263.3	106.2	2.4	0.36	0.0	0.01	0.00	0.34	0.24	31	17	
40	14.52	14.51	33.181	24.676	326.9	0.161	5.80	253.7	99.9	3.2	0.45	0.5	0.06	0.00	0.43	0.35	40	16	
50	13.57	13.56	33.177	24.870	308.6	0.193	5.51	240.9	93.0	4.6	0.61	3.0	0.18	0.00	0.34	0.36	50	15	
60	12.71	12.70	33.219	d	25.074	289.4	0.224	5.18	d225.5	d85.9							60	14	
71	12.13	12.12	33.239	25.202	277.5	0.254	4.84	211.4	79.3	8.6	0.96	9.5	0.06	0.00	0.15	0.28	72	13	
75 ISL	12.04	d	12.03	33.247	d	25.225	275.4	0.267	4.81	d209.4	d78.6	8.8	0.98	9.8	0.05	0.00	0.15	0.27	76
84	11.75	11.74	33.252	25.282	270.2	0.290	4.74	207.0	77.0	9.4	1.02	10.5	0.05	0.00	0.14	0.26	85	12	
100 ISL	10.63	d	10.61	33.357	d	25.567	243.3	0.333	4.31	d187.6	d68.4	13.3	1.26	14.5	0.03	0.00	0.08	0.13	101
101	10.56	10.55	33.342	25.567	243.3	0.333	4.34	189.9	68.9	13.5	1.27	14.8	0.03	0.00	0.08	0.12	102	11	
120	10.13	10.12	33.470	25.740	227.2	0.378	4.01	175.0	62.9	16.9	1.41	17.5	0.02	0.00	0.04	0.07	126		
125 ISL	10.06</																		

RV OCEANUS

## CALCOFI CRUISE 1511

STATION 93.3 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	19.43	19.43	33.420	23.706	418.1	0.000	5.35	233.6	101.5	1.7	0.31	0.0	0.01	0.00	0.17	0.05	0		
2	19.43	19.43	33.420	23.706	418.2	0.008	5.35	233.6	101.5	1.7	0.31	0.0	0.01	0.00	0.17	0.05	2	20	
10	19.44	19.43	33.420	23.706	418.5	0.042	5.34	233.3	101.3	1.7	0.28	0.0	0.01	0.00	0.17	0.05	10	19	
20	ISL	19.38	33.419	D 19.38	33.419	0.7	0.084	5.36	D 233.7	D 101.5	1.7	0.29	0.0	0.01	0.00	0.19	0.05	20	
26	19.38	19.37	33.423	23.724	417.4	0.109	5.34	233.5	101.3	1.7	0.29	0.0	0.01	0.00	0.20	0.05	26	18	
30	ISL	19.37	19.36	33.426	D 23.729	417.1	0.126	5.34	D 233.0	D 101.3	1.8	0.31	0.0	0.01	0.00	0.24	0.08	30	
40	16.73	16.72	33.184	24.188	373.5	0.165	5.79	252.8	104.1	2.2	0.35	0.0	0.01	0.00	0.35	0.16	40	17	
50	14.71	14.70	33.125	24.594	335.0	0.201	5.94	259.5	102.6	3.3	0.46	0.5	0.05	0.15	0.44	0.31	50	16	
62	12.92	12.92	33.157	24.985	298.0	0.239	5.35	233.9	89.2	6.3	0.75	5.5	0.18	0.00	0.32	0.32	62	15	
75	12.05	12.05	33.144	25.141	283.4	0.277	5.08	221.8	83.0	7.8	0.90	8.4	0.09	0.03	0.23	0.21	76	14	
87	11.39	11.38	33.208	25.314	267.1	0.310	4.81	210.0	77.5	9.9	1.06	10.9	0.06	0.00	0.18	0.22	88	13	
100	10.22	10.20	33.346	25.628	237.4	0.342	4.34	189.6	68.3	14.4	1.29	15.6	0.02	0.00	0.08	0.12	101	12	
112	9.91	9.90	33.441	25.755	225.6	0.370	4.13	180.2	64.5	17.2	1.41	17.9	0.02	0.00	0.05	0.08	113	11	
125	9.82	9.80	33.553	25.858	216.1	0.399	3.83	167.2	59.8	19.5	1.53	19.4	0.02	0.04	0.03	0.05	126	10	
140	9.54	9.53	33.743	26.052	198.0	0.430	3.28	143.2	50.9	24.1	1.71	22.3	0.02	0.00	0.01	0.04	141	09	
150	ISL	9.57	D 9.55	33.834	D 26.119	191.8	0.451	3.08	D 134.1	D 47.9	25.7	1.78	23.2	0.02	0.00	0.01	0.04	151	
170	9.42	9.40	33.932	26.221	182.6	0.487	2.66	116.1	41.2	29.0	1.91	24.9	0.01	0.00	0.00	0.03	171	08	
200	9.01	8.99	33.998	26.340	171.8	0.540	2.44	106.4	37.5	32.9	2.02	26.7	0.02	0.00	0.00	0.03	202	07	
230	9.03	9.01	34.114	26.428	164.1	0.591	1.95	85.2	30.1	36.2	2.19	27.8	0.01	0.10			232	06	
250	ISL	9.02	D 8.99	34.196	D 26.494	158.3	0.625	1.61	D 70.0	D 24.8	39.3	2.30	28.9	0.02	0.00			252	
269	8.59	8.56	34.194	26.560	152.2	0.653	1.43	62.6	21.9	42.3	2.41	29.9	0.02	0.00			271	05	
300	ISL	8.27	D 8.24	34.237	D 26.643	144.8	0.701	1.10	D 47.9	D 16.7	47.4	2.51	31.6	0.02	0.00			302	
320	7.84	7.81	34.208	26.685	140.9	0.728	1.11	48.5	16.6	50.8	2.57	32.7	0.02	0.00			323	04	
380	7.47	7.44	34.280	26.796	131.2	0.810	0.60	26.0	8.9	59.4	2.80	34.8	0.02	0.04			383	03	
400	ISL	7.38	D 7.34	34.284	D 26.813	129.9	0.839	0.55	D 23.8	D 8.1	61.4	2.84	35.4	0.02	0.00			403	
441	7.05	7.01	34.300	26.873	124.7	0.788	0.43	19.0	6.4	65.3	2.91	36.5	0.02	0.00			445	02	
500	ISL	6.64	D 6.59	34.307	D 26.934	119.4	0.964	0.36	D 15.6	D 5.2	71.2	2.98	37.7	0.02	0.00			504	
515	6.58	6.54	34.312	26.946	118.5	0.978	0.34	15.0	5.0	72.7	3.00	38.0	0.02	0.03			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	20.55	20.55	33.426	23.417	445.7	0.000	5.27	230.3	102.1	1.7	0.28	0.0	0.01	0.00	0.19	0.05	0		
2	20.55	20.55	33.426	23.417	445.7	0.009	5.27	230.3	102.1	1.7	0.28	0.0	0.01	0.00	0.19	0.05	2	21	
10	20.56	20.55	33.425	23.417	446.1	0.045	5.24	229.0	101.5	1.6	0.29	0.0	0.01	0.06	0.19	0.05	10	19	
10	20.56	20.55	33.429	23.419	445.9	0.044											10	20	
20	ISL	20.56	D 20.56	33.425	D 23.416	446.6	0.090	5.23	D 228.2	D 101.4	1.6	0.29	0.0	0.01	0.00	0.19	0.05	20	
26	20.56	20.55	33.433	23.424	446.1	0.116	5.24	229.0	101.5	1.6	0.29	0.0	0.01	0.00	0.19	0.05	26	18	
30	ISL	20.55	D 20.55	33.424	D 23.418	446.9	0.135	5.22	D 228.0	D 101.2	1.6	0.29	0.0	0.01	0.00	0.19	0.06	30	
40	19.98	19.97	33.418	23.566	433.1	0.178	5.27	230.4	101.0	1.7	0.29	0.0	0.01	0.00	0.20	0.06	40	17	
50	ISL	16.56	D 16.55	33.285	D 24.306	362.7	0.220	6.17	D 269.0	D 110.7	3.1	0.37	0.0	0.01	0.00	0.35	0.15	50	
51	16.35	16.34	33.282	24.352	358.3	0.221	6.18	270.0	110.4	3.2	0.38	0.0	0.01	0.00	0.36	0.16	51	16	
62	13.57	13.57	33.237	24.916	304.6	0.258	5.57	243.3	94.0	5.4	0.62	2.9	0.21	0.00	0.59	0.53	62	15	
74	11.81	11.80	33.275	25.289	269.2	0.292	4.73	206.7	77.0	9.4	0.99	10.0	0.07	0.00	0.21	0.26	75	14	
75	ISL	11.85	D 11.84	33.286	D 25.290	269.2	0.297	4.65	D 202.4	D 75.7	9.6	1.00	10.2	0.07	0.00	0.21	0.25	76	
87	11.50	11.49	33.321	25.383	260.6	0.327	4.49	196.0	72.5	11.2	1.11	12.2	0.04	0.00	0.15	0.21	88	13	
100	10.74	10.73	33.423	25.597	240.5	0.359	4.14	181.1	66.0	14.1	1.28	14.9	0.03	0.00	0.10	0.12	101	12	
113	10.17	10.15	33.519	25.772	224.0	0.390	3.85	168.4	60.6	17.5	1.44	17.9	0.02	0.00	0.04	0.08	114	11	
125	9.97	9.95	33.727	25.968	205.6	0.415	3.26	142.3	51.1	22.0	1.66	20.7	0.02	0.00	0.01	0.04	126	10	
140	9.85	9.83	33.823	26.064	196.8	0.446	2.92	127.7	45.7	24.7	1.82	22.4	0.02	0.01	0.01	0.04	141	09	
150	ISL	9.80	D 9.79	33.892	D 26.126	191.3	0.467	2.73	D 119.0	D 42.8	26.2	1.86	23.2	0.02	0.00	0.01	0.04	151	
170	9.27	9.25	33.949	26.258	179.0	0.502	2.60	113.7	40.2	29.4	1.95	24.7	0.02	0.00	0.00	0.03	171	08	
200	8.79	8.77	34.023	26.393	166.7	0.554	2.38	104.1	36.5	34.1	2.06	26.8	0.02	0.01	0.00	0.03	202	07	
232	8.42	8.40	34.072	26.489	158.1	0.606	2.07	D 90.0	D 31.4	38.7	2.21	28.6	0.02	0.05			234	06	
250	ISL	8.31	D 8.28	34.087	D 26.519	155.5	0.637	1.94	D 84.6	D 29.4	41.7	2.29	29.6	0.02	0.04			252	
270	7.96	7.94	34.112	26.590	148.9	0.665	1.69	73.7	25.4	45.0	2.38	30.7	0.02	0.03			272	05	
300	ISL	7.79	D 7.76	34.149	D 26.645														

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	50.8 N	119 34.3 W	30/10/2015	1927	UTC	1938 m	350	15 kn	320 04 00	0	1012.6 mb	20.1 C	17.4 C	28 m	0/8	0.15	0.05	0
0	20.68	20.68	33.426	23.383	448.9	0.000	5.24	228.9	101.7	1.6	0.37	0.0	0.01	0.00	0.15	0.05	0	
3 A	20.68	20.68	33.426	23.384	449.0	0.014	5.24	228.9	101.7	1.6	0.37	0.0	0.01	0.00	0.15	0.05	3	
10	20.67	20.67	33.422	23.383	449.3	0.045	5.26	229.7	102.1	1.6	0.26	0.0	0.01	0.04	0.15	0.04	10	
10	20.67	20.67	33.423	23.386	449.1	0.044											10	
17 A	20.65	20.65	33.423	23.390	449.0	0.076	5.26	229.7	102.0	1.6	0.29	0.0	0.01	1.00	0.16	0.04	17	
20 ISL	20.65	D 20.65	33.423	D 23.391	449.0	0.090	5.23	D 228.3	D 101.6	1.6	0.27	0.0	0.01	0.00	0.16	0.04	20	
22 A	20.64	20.63	33.423	23.395	448.8	0.099	5.25	229.4	101.9	1.6	0.25	0.0	0.01	0.00	0.16	0.05	22	
30 ISL	20.64	D 20.63	33.423	D 23.396	449.0	0.136	5.23	D 228.0	D 101.4	1.6	0.26	0.0	0.01	0.00	0.16	0.04	30	
32	20.62	20.61	33.422	23.401	448.6	0.144	5.25	229.1	101.9	1.6	0.26	0.0	0.01	0.00	0.17	0.04	32	
41 A	17.82	17.82	33.311	24.026	389.1	0.181	5.78	252.5	106.3	2.4	0.31	0.0	0.01	0.00	0.26	0.10	41	
50 ISL	15.23	D 15.22	33.117	D 24.475	346.5	0.216	6.15	D 268.1	D 107.4	3.5	0.42	0.8	0.06	0.00	0.50	0.34	50	
53	14.22	14.21	33.130	24.700	325.0	0.224	5.86	256.0	100.2	3.9	0.46	1.0	0.08	0.00	0.58	0.42	53	
64	13.02	13.01	33.205	25.003	296.3	0.259	5.29	231.4	88.4	5.4	0.64	4.2	0.16	0.01	0.32	0.29	65	
66	12.83	12.82	33.205	25.039	292.9	0.264	5.28	230.8	87.8	6.5	0.73	5.4	0.20	0.00	0.36	0.33	67	
75 ISL	12.24	D 12.23	33.265	D 25.201	277.7	0.292	4.79	D 208.8	D 78.7	8.6	0.91	8.7	0.10	0.00	0.24	0.25	76	
76 A	11.85	11.84	33.268	25.277	270.5	0.293	4.80	209.8	78.2	8.8	0.93	9.1	0.09	0.00	0.22	0.25	77	
89	11.31	11.30	33.346	25.437	255.6	0.327	4.40	192.3	70.9	11.7	1.14	12.8	0.04	0.00	0.14	0.19	90	
100 A	10.28	10.27	33.374	25.640	236.3	0.354	4.29	187.4	67.6	13.8	1.26	15.0	0.03	0.00	0.08	0.15	101	
112	10.04	10.03	33.428	25.722	228.7	0.382	4.16	181.7	65.2	16.4	1.39	17.1	0.02	0.00	0.05	0.09	113	
125	10.02	10.00	33.479	25.766	224.8	0.411	4.00	174.7	62.7	17.5	1.44	17.8	0.02	0.00	0.04	0.08	126	
140	9.62	9.61	33.639	25.958	206.9	0.444	3.59	156.9	55.9	21.3	1.61	20.6	0.02	0.03	0.02	0.05	141	
150 ISL	9.54	D 9.53	33.760	D 26.066	196.9	0.467	3.25	D 141.3	D 50.4	23.9	1.71	22.0	0.02	0.07	0.01	0.04	151	
170	9.18	9.16	33.908	26.241	180.6	0.502	2.79	121.8	43.0	29.1	1.90	24.7	0.01	0.14	0.00	0.03	171	
199	8.89	8.87	34.038	26.388	167.1	0.553	2.32	101.4	35.6	34.1	2.06	26.8	0.01	0.02	0.00	0.03	201	
200 ISL	8.85	D 8.83	34.047	D 26.402	165.8	0.557	2.30	D 100.1	D 35.3	34.3	2.06	26.9	0.01	0.00			202	
230	8.48	8.46	34.082	26.488	158.2	0.603	1.98	D 86.3	D 30.2	38.8	2.21	28.7	0.01	0.00			232	
250 ISL	8.33	D 8.31	34.121	D 26.542	153.3	0.637	1.79	D 77.9	D 27.1	41.6	2.30	29.7	0.01	0.00			252	
270	8.13	8.10	34.134	26.583	149.8	0.665	1.58	68.8	23.8	44.4	2.39	30.7	0.01	0.02			272	
300 ISL	7.80	D 7.77	34.152	D 26.646	144.2	0.712	1.36	D 59.2	D 20.4	48.1	2.53	31.8	0.01	0.07			302	
320	7.87	7.83	34.210	26.682	141.2	0.737	1.06	46.1	15.8	50.5	2.63	32.5	0.02	0.10			323	
381	7.48	7.44	34.268	26.786	132.2	0.820	0.66	29.0	9.9	58.2	2.81	34.5	0.01	0.00			384	
400 ISL	7.15	D 7.11	34.262	D 26.828	128.3	0.850	0.61	D 26.5	D 9.0	60.4	2.85	35.0	0.01	0.00			403	
439	7.03	6.99	34.291	26.868	125.1	0.894	0.45	19.5	6.6	64.8	2.94	36.1	0.01	0.00			443	
500 ISL	6.40	D 6.35	34.286	D 26.949	117.6	0.975	0.38	D 16.5	D 5.5	73.2	3.01	38.0	0.01	0.00			504	
515	6.24	6.19	34.287	26.971	115.7	0.985	0.39	16.8	5.6	75.3	3.03	38.5	0.01	0.00			519	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	30.8 N	120 14.8 W	31/10/2015	0131	UTC	3951 m	340	18 kn	330 05 05	0	1011.8 mb	19.5 C	18.2 C	0/8	0.08	0.15	0.03	0
0	20.14	20.14	33.229	23.377	449.5	0.000	5.27	230.6	101.3	1.6	0.30	0.0	0.01	0.00	0.11	0.03	2	
2	20.14	20.14	33.229	23.377	449.6	0.009	5.27	230.6	101.3	1.6	0.30	0.0	0.01	0.00	0.11	0.03	20	
10	20.15	20.14	33.230	23.376	450.0	0.045	5.28	231.0	101.5	1.7	0.29	0.0	0.01	0.00	0.11	0.03	10	
20 ISL	20.14	D 20.14	33.239	D 23.385	449.6	0.090	5.28	D 230.3	D 101.4	1.6	0.28	0.0	0.01	0.00	0.11	0.03	20	
25	20.14	20.13	33.234	23.383	450.0	0.113	5.28	231.0	101.5	1.6	0.28	0.0	0.01	0.00	0.12	0.03	25	
30 ISL	20.12	D 20.11	33.244	D 23.396	448.9	0.136	5.27	D 230.2	D 101.3	1.7	0.28	0.0	0.01	0.00	0.13	0.04	30	
40	17.51	17.51	33.125	23.959	395.5	0.178	5.97	261.2	109.1	2.1	0.28	0.0	0.01	0.00	0.16	0.05	40	
50	16.64	16.63	33.122	24.162	376.4	0.216	5.98	260.4	106.9	2.2	0.26	0.0	0.01	0.00	0.20	0.09	50	
62	15.85	15.84	33.026	24.269	366.5	0.261	6.00	262.5	106.0	2.3	0.29	0.0	0.01	0.00	0.21	0.13	62	
75	14.46	14.45	33.012	24.560	339.1	0.307	5.82	245.5	100.0	2.8	0.40	0.1	0.02	0.02	0.25	0.15	76	
87	12.61	12.60	33.044	24.958	301.2	0.345	5.50	240.3	90.9	4.5	0.62	3.2	0.25	0.00	0.21	0.15	88	
100 ISL	12.14	D 12.13	33.103	D 25.095	288.5	0.385	5.14	D 223.8	D 84.1	7.5	0.89	8.2	0.06	0.00	0.15	0.15	101	
101	11.91	11.90	33.094	25.131	285.0	0.386	5.11	223.4	83.3	7.7	0.91	8.6	0.05	0.00	0.15	0.15	102	
112	10.95	10.94	33.184	25.375	261.9	0.416	4.80	210.0	76.7	10.6	1.12	12.1	0.03	0.00	0.11	0.16	113	
125	10.33	10.31	33.219	25.512	249.0	0.450	4.66	203.8	73.5	12.9	1.24	14.3	0.03	0.00	0.09	0.10	126	
142	9.63	9.62	33.364	25.741	227.5	0.490	4.28	187.1	66.5	17.5	1.44	17.9	0.03	0.00	0.04	0.09	143	
150 ISL	9.49	D 9.47	33.438	D 25.822	219.9	0.510	4.13	D 179.9	D 64.0	18.9</								

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	10.8 N	120 55.2 W	31/10/2015	0740	UTC	3827 m	340	14 kn									012	
0	20.19	20.19	33.252	23.381	449.1	0.000	5.30	231.6	101.8	1.5	0.27	0.0	0.01	0.03	0.13	0.04	0	
2	20.19	20.18	33.252	23.382	449.1	0.009	5.30	231.6	101.8	1.5	0.27	0.0	0.01	0.03	0.13	0.04	2 20	
10	20.19	20.19	33.253	23.381	449.5	0.045	5.26	229.9	101.1	1.4	0.27	0.0	0.01	0.04	0.13	0.03	10 19	
20	ISL	20.17 D	20.17	33.252	23.388	449.3	0.090	5.25	D229.2	D101.0	1.4	0.26	0.0	0.01	0.06	0.14	0.04	20
25	20.17	20.17	33.252	23.387	449.6	0.112	5.26	230.1	101.2	1.4	0.26	0.0	0.01	0.07	0.14	0.04	25 18	
30	ISL	20.17 D	20.16	33.251	23.388	449.7	0.135	5.25	D229.2	D100.9	1.5	0.26	0.0	0.01	0.00	0.14	0.04	30
40	19.91	19.90	33.248	23.455	443.7	0.180	5.29	231.5	101.2	1.5	0.26	0.0	0.01	0.00	0.15	0.04	40	
50	ISL	17.52 D	17.51	33.102	D 23.940	397.6	0.223	5.96	D259.9	D108.8	2.0	0.28	0.0	0.01	0.00	0.19	0.07	50
51	17.40	17.39	33.081	23.953	396.5	0.226	5.98	261.3	108.9	2.1	0.28	0.0	0.01	0.02	0.20	0.07	51 16	
62	16.49	16.48	33.048	24.141	378.8	0.268	5.97	261.2	106.9	2.1	0.29	0.0	0.01	0.03	0.22	0.11	62 15	
75	ISL	15.27 D	15.26	33.032	D 24.402	354.2	0.317	5.89	D256.8	D102.9	2.3	0.36	0.0	0.01	0.17	0.22	0.17	76
76	15.24	15.22	33.004	24.388	355.6	0.320	5.91	258.5	103.1	2.3	0.37	0.0	0.01	0.18	0.22	0.17	77 14	
87	13.85	13.84	33.024	24.697	326.3	0.357	5.81	254.0	98.5	3.0	0.45	0.1	0.02	0.12	0.22	0.19	88 13	
100	12.75	12.73	33.037	24.928	304.5	0.398	5.38	235.2	89.2	5.4	0.71	4.8	0.20	0.03	0.19	0.22	101 12	
111	11.53	11.51	33.080	25.191	279.5	0.430	5.09	222.5	82.2	8.0	1.16	9.0	0.05	0.12	0.19	0.11	111	
125	ISL	10.44 D	10.43	33.271	D 25.533	247.1	0.468	4.56	D198.6	D 72.1	12.8	1.25	14.2	0.02	0.02	0.08	0.12	126
126	10.44	10.42	33.256	25.522	248.2	0.470	4.54	198.6	71.8	13.2	1.26	14.6	0.02	0.02	0.08	0.11	127 10	
139	9.99	9.98	33.325	25.651	236.1	0.501	4.36	190.6	68.2	15.3	1.37	16.4	0.02	0.05	0.06	0.08	140 09	
150	ISL	9.77 D	9.75	33.458	D 25.793	222.8	0.528	4.15	D180.5	D 64.6	18.3	1.49	18.4	0.02	0.00	0.04	0.06	151
170	9.31	9.29	33.655	26.022	201.4	0.569	3.39	148.1	52.3	23.8	1.72	22.3	0.01	0.00	0.00	0.02	171 08	
200	8.72	8.70	33.904	26.311	174.4	0.625	2.71	118.4	41.4	32.1	1.98	26.4	0.01	0.00	0.00	0.02	202 07	
230	8.32	8.29	33.978	26.431	163.4	0.676	2.47	107.8	37.3								232 06	
250	ISL	8.09 D	8.06	34.022	D 26.501	157.1	0.709	2.22	D 96.7	D 33.5	40.3	2.19	28.9	0.01	0.00			252
270	7.79	7.77	34.026	26.547	152.9	0.739	2.02	88.3	30.2	43.6	2.27	30.0	0.01	0.00			272 05	
300	ISL	7.55 D	7.52	34.066	D 26.615	146.9	0.786	1.72	D 74.8	D 25.6	48.4	2.42	32.0	0.01	0.00			302
320	7.30	7.27	34.077	26.659	142.9	0.814	1.46	63.7	21.6	51.6	2.52	33.4	0.01	0.00			323 04	
380	6.85	6.81	34.139	26.771	132.9	0.896	0.90	39.3	13.2	61.2	2.76	35.9	0.01	0.00			383 03	
400	ISL	6.81 D	6.77	34.180	D 26.809	129.7	0.924	0.76	D 33.0	D 11.1	64.0	2.82	36.5	0.01	0.00			403
440	6.41	6.37	34.184	26.865	124.6	0.974	0.60	26.1	8.7	69.8	2.94	37.8	0.01	0.02			444 02	
500	ISL	6.05 D	6.01	34.244	D 26.960	116.2	1.048	0.43	D 18.5	D 6.1	76.6	3.04	38.9	0.01	0.04			504
516	6.01	5.97	34.244	26.965	115.9	1.065	0.37	16.1	5.3	78.4	3.07	39.2	0.01	0.04			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
30	50.8 N	121 35.3 W	31/10/2015	1323	UTC	4093 m	360	14 kn									013	
0	20.10	20.10	33.259	23.409	446.5	0.000	5.28	230.6	101.3	1.7	0.26	0.0	0.01	0.00	0.13	0.04	0	
2	20.10	20.10	33.259	23.409	446.6	0.009	5.28	230.6	101.3	1.7	0.26	0.0	0.01	0.00	0.13	0.04	2 20	
10	20.10	20.10	33.259	23.410	446.8	0.045	5.27	230.1	101.1	1.7	0.26	0.0	0.01	0.01	0.13	0.04	10 19	
20	ISL	20.10 D	20.10	33.259	D 23.410	447.2	0.090	5.26	D229.4	D100.9	1.7	0.27	0.0	0.01	0.00	0.13	0.04	20
25	20.11	20.10	33.260	23.411	447.3	0.112	5.26	230.1	101.1	1.7	0.27	0.0	0.01	0.00	0.12	0.04	25 18	
30	ISL	20.11 D	20.10	33.259	D 23.410	447.6	0.135	5.27	D229.9	D101.1	1.7	0.27	0.0	0.01	0.00	0.12	0.04	30
40	20.11	20.10	33.259	23.411	447.9	0.179	5.31	232.1	101.9	1.7	0.27	0.0	0.01	0.00	0.13	0.04	40 17	
50	20.06	20.05	33.259	23.424	447.1	0.224	5.28	230.6	101.2	1.7	0.26	0.0	0.01	0.00	0.13	0.04	50 16	
62	17.28	17.27	33.134	24.022	390.2	0.274	5.94	259.6	108.0	2.1	0.25	0.0	0.01	0.00	0.18	0.07	62 15	
75	15.78	15.77	33.115	24.353	358.9	0.323	5.86	256.3	103.5	2.3	0.30	0.0	0.01	0.00	0.22	0.18	76 14	
88	14.42	14.40	33.104	24.641	331.8	0.367	5.76	251.9	98.9	2.8	0.38	0.1	0.03	0.10	0.23	0.24	89 13	
100	13.12	13.11	33.118	24.917	305.6	0.406	5.46	238.5	91.2	4.9	0.56	3.0	0.22	0.00	0.18	0.20	101 12	
113	11.45	11.44	33.123	25.238	275.0	0.443	5.13	224.0	82.7	8.2	0.89	8.8	0.03	0.00	0.10	0.19	114 11	
124	10.68	10.67	33.176	25.417	258.1	0.473	4.84	211.5	76.8	11.3	1.12	12.7	0.02	0.00	0.09	0.12	125 10	
125	ISL	10.55 D	10.54	33.219	D 25.473	252.8	0.479	4.71	D205.0	D 74.5	11.5	1.13	12.8	0.02	0.00	0.09	0.12	126
140	9.96	9.94	33.278	25.620	239.0	0.512	4.61	201.5	72.1	14.4	1.28	15.4	0.02	0.01	0.06	0.09	141 09	
150	ISL	9.69 D	9.68	33.395	D 25.756	226.3	0.539	4.25	D185.2	D 66.2	17.4	1.41	17.5	0.02	0.10	0.04	0.07	151
170	9.13	9.11	33.638	26.037	199.9	0.578	3.70	161.6	56.9	23.3	1.68	21.7	0.01	0.27	0.01	0.02	171 08	
200	8.77	8.75	33.843	26.255	179.7	0.635	2.99	130.8	45.8	29.3	1.88	25.1	0.01	0.09	0.00	0.02	202 07	
230	8.37	8.34	33.974	26.421	164.4	0.687	2.72	118.9	41.2								232 06	
250	ISL	8.10 D	8.07	34.007	D 26.487	158.4	0.723	2.36	D102.5	D 35.5								

## PRIMARY PRODUCTIVITY CASTS

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 49.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
35 5.3 N	120 46.6 W	08/11/2015	1352 UTC		1145 - 1735 PST	1147 PST	1730 PST	592.4 mg C/m <sup>2</sup>	051

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m <sup>3</sup> )
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1 2 MEAN DARK
2	16.08	33.275	24.403	5.75	102.2	2.8	0.35	0.1	0.04	0.02	2.39	0.62	49.8 49.6 49.7 0.33	
6	16.09	33.277	24.404	5.78	102.7	2.8	0.34	0.1	0.04	0.02	2.28	0.57	38.9 41.0 40.0 0.31	
7	16.09	33.270	24.397	5.75	102.3	2.8	0.38	0.1	0.04	0.02	2.27	0.53	33.9 34.1 34.0 0.37	
10	16.08	33.279	24.406	5.75	102.1	2.8	0.36	0.1	0.04	0.03	2.28	0.57		
13	16.04	33.274	24.414	5.77	102.4	2.8	0.36	0.1	0.04	0.03	2.41	0.60	19.4 16.5 17.9 0.32	
25	15.50	33.274	24.535	5.76	101.3	3.1	0.38	0.4	0.05	0.12	3.43	0.72	1.6 0.97 1.3 0.28	
31	15.21	33.270	24.595	5.71	99.8	4.0	0.45	0.9	0.12	0.20	4.03	0.71	0.62 0.68 0.65 0.30	

RV OCEANUS

CALCOFI CRUISE 1511

STATION 76.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 3.3 N	122 56.5 W	07/11/2015	1724 UTC	21 m	1145 - 1740 PST	1155 PST	1737 PST	192.6 mg C/m <sup>2</sup>	046

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m <sup>3</sup> )
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1 2 MEAN DARK
3	17.77	33.334	24.054	5.50	101.2	1.6	0.26	0.0	0.01	0.00	0.29	0.10	80. A 4.6 4.6 4.6 0.67	
13	17.77	33.313	24.039	5.51	101.3	1.6	0.27	0.0	0.01	0.00	0.28	0.09	39. 4.5 4.6 4.5 0.55	
17	17.76	33.313	24.040	5.53	101.6	1.6	0.30	0.0	0.01	0.00	0.30	0.10	29. 4.8 4.9 4.9 0.58	
24	17.77	33.316	24.042	5.52	101.4	1.6	0.27	0.0	0.01	0.00	0.28	0.09		
30	17.75	33.314	24.045	5.51	101.2	1.6	0.29	0.0	0.01	0.01	0.28	0.09	11. 3.3 3.4 3.3 0.64	
40	14.50	33.092	24.611	6.00	103.1	2.8	0.38	0.0	0.02	0.00	0.61	0.30		
49	13.98	33.156	24.770	5.78	98.4	3.5	0.48	0.9	0.06	0.05	0.50	0.33		
56	13.00	33.128	24.946	5.50	91.7	5.1	0.65	4.2	0.20	0.00	0.40	0.32	1.7 0.77 0.57 0.67 0.64	
66	12.29	33.174	25.120	5.08	83.5	6.9	0.88	8.1	0.16	0.00	0.32	0.31		
75	10.96	33.172	25.363	4.90	78.3	10.3	1.07	12.2	0.04	0.02	0.20	0.19	0.42 0.24 0.30 0.27 0.47	

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 19.0 N	120 48.1 W	05/11/2015	1754 UTC	15 m	1145 - 1740 PST	1147 PST	1734 PST	869.9 mg C/m <sup>2</sup>	038

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m <sup>3</sup> )
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1 2 MEAN DARK
3	17.07	33.355	24.236	5.65	102.4	2.9	0.35	0.0	0.02	0.00	1.61	0.39	74. A 27.9 28.0 27.9 0.67	
9	17.04	33.354	24.245	5.65	102.3	2.9	0.34	0.0	0.02	0.00	1.62	0.44	40. 28.7 31.0 29.9 0.65	
12	17.03	33.354	24.246	5.63	102.0	2.8	0.33	0.0	0.02	0.00	1.66	0.44	29. 26.9 27.6 27.3 0.49	
22	17.00	33.354	24.254	5.62	101.8	2.8	0.33	0.0	0.02	0.00	1.78	0.43	11. 24.0 23.5 23.8 0.55	
32	14.55	33.296	24.758	5.20	89.6	6.3	0.65	4.0	0.16	0.09	1.24	0.45		
42	12.80	33.338	25.148	4.92	81.7	9.6	0.93	8.7	0.17	0.03	0.72	0.45	1.4 2.2 2.1 2.1 0.39	
52	11.69	33.429	25.430	4.05	65.9	13.5	1.20	13.6	0.07	0.00	0.42	0.21	0.49 0.36 0.37 0.36 0.35	

RV OCEANUS

CALCOFI CRUISE 1511

STATION 80.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 9.0 N	123 13.3 W	06/11/2015	1736 UTC	25 m	1145 - 1745 PST	1156 PST	1746 PST	235.7 mg C/m <sup>2</sup>	042

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m <sup>3</sup> )
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1 2 MEAN DARK
3	17.71	33.292	24.036	5.54	101.6	1.6	0.27	0.0	0.02	0.07	0.26	0.06	83. A 4.2 4.2 4.2 0.52	
10	17.71	33.291	24.035	5.54	101.7	1.6	0.27	0.0	0.01	0.00	0.24	0.07		
15	17.71	33.292	24.036	5.57	102.2	1.6	0.27	0.0	0.01	0.00	0.23	0.07	40. 4.0 4.2 4.1 0.59	
20	17.70	33.292	24.041	5.56	102.0	1.6	0.27	0.0	0.01	0.00	0.26	0.07	29. 4.3 4.4 4.3 0.62	
37	15.59	33.220	24.475	5.65	99.4	1.8	0.27	0.0	0.01	0.00	0.28	0.10	10. 3.8 3.9 3.9 0.55	
47	14.30	32.899	24.506	6.05	103.5	2.7	0.35	0.0	0.01	0.04	0.33	0.26		
58	14.36	33.180	24.711	5.79	99.3	3.3	0.29	0.1	0.04	0.01	0.28	0.24		
68	12.90	33.159	24.990	5.50	91.6	4.9	0.48	2.7	0.16	0.00	0.25	0.25	1.5 0.85 0.68 0.77 0.44	
78	12.08	33.136	25.131	5.35	87.5	6.5	0.69	5.7	0.09	0.00	0.19	0.25		
89	11.27	33.141	25.284	5.01	80.6	9.1	0.98	10.4	0.04	0.00	0.16	0.19	0.42 0.31 0.22 0.26 0.37	

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 42.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 10.7 N	119 30.5 W	04/11/2015	1746 UTC	21 m	1136 - 1745 PST	1142 PST	1730 PST	482.6 mg C/m <sup>2</sup>	034

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m <sup>3</sup> )
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1 2 MEAN DARK
3	18.88	33.398	23.829	5.43	102.0	2.2	0.30	0.0	0.01	0.00	0.45	0.18	80. 11.8 12.7 12.3 0.48	
13	18.89	33.389	23.821	5.43	102.0	2.2	0.31	0.0	0.01	0.00	0.45	0.17	39. 11.9 11.7 11.8 0.48	
17	18.88	33.390	23.823	5.43	102.0	2.2	0.30	0.0	0.01	0.00	0.51	0.20	29. 12.4 12.7 12.5 0.47	
24	18.81	33.385	23.838	5.45	102.1	2.2	0.30	0.0	0.01	0.00	0.52	0.19		
31	18.46	33.337	23.890	5.49	102.3	2.1	0.31	0.0	0.01	0.00	0.50	0.22	10. 9.3 9.4 9.4 0.31	
40	17.08	33.246	24.154	5.63	102.0	1.9	0.32	0.0	0.02	0.02	0.78	0.55		
49	15.26	33.304	24.613	5.44	95.2	4.0	0.49	0.5	0.13	0.00	0.79	0.53	2.4 2.8 2.6 0.30	
76	12.36	33.450	25.321	4.02	66.3	11.2	1.16	11.7	0.03	0.00	0.06	0.10	0.39 0.29 0.02 0.16 0.37	

A) INCUBATION LIGHT INTENSITIES WERE 58.7, 38.7, 29.2, 10.7, 1.51, 0.43 PERCENT RESPECTIVELY.

RV OCEANUS

CALCOFI CRUISE 1511

STATION 83.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
32 54.7 N	122 7.7 W	09/11/2015	1826 UTC	46 m	1150 - 1745 PST	1152 PST	1741 PST	202.7 mg C/m <sup>2</sup>	056								
<b>DEPTH</b> <b>TEMP</b> <b>SALINITY</b> <b>SIGMA</b> <b>OXYGEN</b> <b>OXY</b> <b>SI03*</b> <b>P04*</b> <b>N03*</b> <b>N02*</b> <b>NH4*</b> <b>CHL-A</b> <b>PHAE0</b> <b>LIGHT</b> <b>UPTAKE (mg C/m<sup>3</sup>)</b>																	
m	DEG C	THETA	mL/L	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK	
3	19.19	33.387	23.743	5.38	101.5	2.0	0.25	0.0	0.01	0.00	0.13	0.03	90. A	2.1	1.7	1.9	0.21
15	19.18	33.379	25.739	5.38	101.6	2.3	0.25	0.0	0.01	0.00	0.11	0.03	61.	2.1	2.2	2.1	0.16
36	19.18	33.379	23.741	5.37	101.4	2.0	0.25	0.0	0.02	0.00	0.12	0.03	30.	2.1	2.1	2.1	0.17
47	19.14	33.376	23.750	5.38	101.5	2.0	0.25	0.0	0.02	0.00	0.13	0.03					
57	16.91	33.159	24.128	5.98	107.9	2.3	0.25	0.0	0.01	0.00	0.19	0.06					
66	16.14	33.116	24.273	5.96	106.0	2.4	0.26	0.0	0.01	0.00	0.18	0.08	11.	2.0	1.8	1.9	0.16
87	14.83	33.127	24.571	5.83	101.0	2.9	0.31	0.0	0.01	0.01	0.24	0.18					
107	11.96	33.181	25.191	5.32	86.9	6.1	0.67	4.8	0.13	0.04	0.18	0.16					
126	10.51	33.295	25.539	4.52	71.6	12.7	1.25	14.5	0.03	0.00	0.08	0.10	1.5	0.32	0.19	0.25	0.19
137	9.93	33.321	25.658	4.55	71.0	15.0	1.31	15.7	0.02	0.00	0.05	0.07					
150	9.55	33.426	25.803	4.30	66.7	17.6	1.43	18.0	0.02	0.00	0.03	0.04					
163	9.30	33.541	25.934	4.14	63.8	20.0	1.48	19.4	0.02	0.00	0.01	0.05	0.43	0.01	0.01	0.01	0.15

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 33.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
33 53.4 N	118 29.4 W	03/11/2015	1749 UTC	31 m	1140 - 1730 PST	1137 PST	1728 PST	247.9 mg C/m <sup>2</sup>	028								
<b>DEPTH</b> <b>TEMP</b> <b>SALINITY</b> <b>SIGMA</b> <b>OXYGEN</b> <b>OXY</b> <b>SI03*</b> <b>P04*</b> <b>N03*</b> <b>N02*</b> <b>NH4*</b> <b>CHL-A</b> <b>PHAE0</b> <b>LIGHT</b> <b>UPTAKE (mg C/m<sup>3</sup>)</b>																	
m	DEG C	THETA	mL/L	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK	
19	18.20	33.321	23.941	5.75	106.5	2.0	0.27	0.0	0.00	0.00	0.36	0.14	39.	7.8	7.3	7.6	0.63
2	20.20	33.447	23.526	5.43	104.6	1.7	0.24	0.0	0.00	0.00	0.28	0.09	91.	8.1	8.1	8.1	0.53
10	19.98	33.428	23.571	5.47	104.8	1.8	0.25	0.0	0.00	0.00	0.28	0.12					
25	17.27	33.243	24.106	5.89	107.2	2.6	0.33	0.0	0.00	0.00	0.43	0.22	29.	7.6	8.1	7.8	0.41
35	16.05	33.246	24.392	5.62	99.9	3.6	0.42	0.6	0.21	0.00	0.51	0.33					
45	15.17	33.282	24.616	5.24	91.5	5.0	0.57	2.4	0.38	0.00	0.33	0.30	11.	3.5	3.5	3.5	0.39
51	14.96	33.319	24.689	4.90	85.2	6.6	0.70	4.1	0.31	0.00	0.23	0.31	8.0	0.76	0.69	0.72	0.41

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
32 39.4 N	121 2.0 W	11/11/2015	1813 UTC	26 m	1150 - 1730 PST	1148 PST	1728 PST	216.1 mg C/m <sup>2</sup>	064								
<b>DEPTH</b> <b>TEMP</b> <b>SALINITY</b> <b>SIGMA</b> <b>OXYGEN</b> <b>OXY</b> <b>SI03*</b> <b>P04*</b> <b>N03*</b> <b>N02*</b> <b>NH4*</b> <b>CHL-A</b> <b>PHAE0</b> <b>LIGHT</b> <b>UPTAKE (mg C/m<sup>3</sup>)</b>																	
m	DEG C	THETA	mL/L	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK	
2	18.38	33.314	23.888	5.46	101.5	1.6	0.28	0.0	0.02	0.00	0.19	0.06	89. A	4.0	4.0	4.0	0.32
10	18.38	33.304	23.882	5.47	101.8	1.6	0.27	0.0	0.02	0.01	0.18	0.06					
15	18.38	33.303	23.882	5.47	101.7	1.5	0.29	0.0	0.02	0.02	0.19	0.06	41.	3.6	3.7	3.7	0.26
21	18.38	33.309	23.887	5.48	101.9	1.5	0.28	0.0	0.02	0.00	0.20	0.06	29.	4.3	3.7	4.0	0.25
39	18.29	33.313	23.914	5.45	101.2	1.5	0.28	0.0	0.02	0.00	0.19	0.07	10.0	3.2	2.9	3.0	0.30
50	15.18	33.153	24.513	6.00	104.6	2.0	0.34	0.0	0.01	0.01	0.29	0.19					
61	13.97	33.151	24.768	5.70	97.0	3.7	0.44	1.0	0.10	0.00	0.37	0.31					
71	12.32	33.145	25.093	5.38	88.5	5.6	0.63	4.4	0.15	0.00	0.23	0.36	1.5	0.91	0.67	0.79	0.27
82	11.02	33.155	25.338	4.97	79.5	9.4	0.97	10.5	0.03	0.00	0.16	0.18					
92	10.62	33.201	25.446	4.79	76.0	11.3	1.11	12.7	0.03	0.00	0.12	0.15	0.44	0.17	0.19	0.18	0.20

RV OCEANUS

CALCOFI CRUISE 1511

STATION 86.7 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
31 19.4 N	123 44.6 W	10/11/2015	1742 UTC	35 m	1200 - 1739 PST	1159 PST	1737 PST	142.9 mg C/m <sup>2</sup>	060								
<b>DEPTH</b> <b>TEMP</b> <b>SALINITY</b> <b>SIGMA</b> <b>OXYGEN</b> <b>OXY</b> <b>SI03*</b> <b>P04*</b> <b>N03*</b> <b>N02*</b> <b>NH4*</b> <b>CHL-A</b> <b>PHAE0</b> <b>LIGHT</b> <b>UPTAKE (mg C/m<sup>3</sup>)</b>																	
m	DEG C	THETA	mL/L	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK	
2	19.91	33.489	23.634	5.29	101.3	2.0	0.26	0.0	0.01	0.00	0.12	0.06	92. A	1.9	2.0	2.0	0.17
13	19.91	33.482	23.628	5.28	102.2	2.0	0.24	0.0	0.01	0.00	0.14	0.02					
22	19.91	33.487	23.635	5.30	101.5	2.0	0.26	0.0	0.01	0.00	0.12	0.02	38.	1.8	1.6	1.7	0.15
27	19.91	33.491	23.638	5.29	101.4	2.0	0.25	0.0	0.00	0.00	0.11	0.03	31.	1.8	1.9	1.9	0.15
40	19.91	33.482	23.633	5.30	101.4	2.0	0.25	0.0	0.00	0.00	0.12	0.03					
51	19.90	33.480	23.635	5.29	101.3	2.0	0.25	0.0	0.00	0.00	0.22	0.07	11.	1.5	1.4	1.4	0.15
67	17.73	33.342	24.075	5.81	106.7	2.2	0.24	0.0	0.00	0.00	0.22	0.23					
81	17.04	33.383	24.271	5.73	103.9	2.3	0.25	0.0	0.00	0.00	0.21	0.20					
96	16.02	33.394	24.515	5.57	99.0	2.7	0.30	0.2	0.06	0.00	0.20	0.23	1.5	0.63	0.50	0.56	0.13
104	15.44	33.360	24.619	5.51	96.7	3.1	0.34	0.5	0.13	0.00	0.21	0.15					
115	14.09	33.304	24.866	5.43	92.6	3.8	0.44	1.6	0.19	0.00	0.16	0.14					
122	13.37	33.225	24.952	5.36	90.1	4.6	0.56	3.3	0.05	0.00	0.13	0.10	0.47	0.08	0.10	0.09	0.15

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 55.1 N	118 56.3 W	02/11/2015	1733 UTC	26 m	1145 - 1730 PST	1139 PST	1726 PST	294.9 mg C/m<sup>2</sup>	020



</tbl\_r

RV OCEANUS

CALCOFI CRUISE 1511

STATION 90.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 5.1 N	120 38.3 W	01/11/2015	1646 UTC	31 m	1145 - 1737 PST	1146 PST	1737 PST	224.7 mg C/m <sup>2</sup>	017

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAE0 μg/L	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
														1	2	MEAN	DARK
3	19.90	33.290	23.487	5.28	101.1	1.4	0.28	0.0	0.01	0.02	0.14	0.01	86. A	3.2	3.3	3.2	0.37
11	19.89	33.289	23.488	5.29	101.2	1.5	0.28	0.0	0.01	0.03	0.13	0.03					
19	19.81	33.304	23.521	5.29	101.0	1.5	0.27	0.0	0.01	0.02	0.17	0.00	39.	2.9	3.7	3.3	0.30
25	19.81	33.304	23.523	5.29	101.1	1.5	0.26	0.0	0.01	0.01	0.21	0.01	29.	3.1	3.1	3.1	0.50
35	19.01	33.288	23.714	5.42	102.0	1.6	0.27	0.0	0.01	0.01	0.32	0.01					
45	16.23	33.116	24.251	5.95	105.9	2.2	0.27	0.0	0.01	0.02	0.41	0.05	11.	3.3	2.7	3.0	0.32
58	15.60	33.106	24.385	5.90	103.8	2.4	0.29	0.0	0.01	0.02	0.35	0.18					
71	14.09	33.110	24.713	5.75	98.0	3.2	0.45	0.6	0.09	0.03	0.39	0.18					
86	12.55	33.122	25.031	5.31	87.7	6.2	0.71	5.4	0.09	0.02	0.24	0.13	1.4	0.65	0.68	0.67	0.27
93	11.83	33.124	25.168	5.22	84.9	6.8	0.78	6.6	0.07	0.02	0.21	0.17					
101	10.89	33.130	25.343	5.02	80.0	9.6	1.01	10.6	0.03	0.01	0.16	0.10					
110	10.33	33.165	25.468	4.90	77.2	11.3	1.13	12.4	0.03	0.05	0.12	0.12	0.43	0.02	0.04	0.03	0.37

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 30.8 N	118 12.9 W	29/10/2015	1807 UTC	22 m	1230 - 1745 PST	1137 PST	1734 PST	162.4 mg C/m <sup>2</sup>	007

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAE0 μg/L	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
														1	2	MEAN	DARK
3	22.36	33.575	23.036	5.05	101.3	2.0	0.26	0.0	0.01	0.00	0.18	0.02	81. A	4.0	3.9	3.9	0.32
10	22.37	33.579	23.038	5.09	102.1	2.1	0.29	0.0	0.01	0.00	0.17	0.03					
13	22.36	33.576	23.038	5.06	101.4	1.9	0.24	0.0	0.01	0.00	0.16	0.04	40.	1.5	2.9	2.2	0.35
18	22.37	33.586	23.045	5.06	101.5	1.9	0.26	0.0	0.01	0.00	0.20	0.03	28.	3.3	3.0	3.1	0.37
32	20.35	33.547	23.566	5.13	99.0	2.0	0.27	0.0	0.01	0.00	0.32	0.15	11.	2.8	2.5	2.7	0.31
41	16.73	33.244	24.234	5.87	105.6	2.4	0.36	0.0	0.01	0.00	0.67	0.30					
50	15.78	33.206	24.421	5.89	104.0	2.7	0.39	0.0	0.04	0.00	0.40	0.26					
60	14.55	33.289	24.754	5.35	92.3	4.4	0.55	1.9	0.11	0.00	0.20	0.20	1.5	1.2	1.1	1.1	0.27
70	13.80	33.313	24.930	4.91	83.4	6.4	0.75	5.4	0.12	0.00	0.16	0.17					
78	12.93	33.319	25.109	4.73	78.9	7.5	0.83	7.2	0.06	0.00	0.14	0.15	0.43	0.21	0.26	0.23	0.26

RV OCEANUS

CALCOFI CRUISE 1511

STATION 93.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
31 50.8 N	119 34.3 W	30/10/2015	1927 UTC	28 m	1235 - 1800 PST	1142 PST	1739 PST	204.2 mg C/m <sup>2</sup>	010

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN ml/L	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAE0 μg/L	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
														1	2	MEAN	DARK
3	20.68	33.426	23.384	5.24	101.7	1.6	0.37	0.0	0.01	0.00	0.15	0.05	85. A	3.0	3.1	3.0	0.43
10	20.67	33.422	23.383	5.26	102.1	1.6	0.26	0.0	0.01	0.04	0.15	0.04					
17	20.65	33.423	23.390	5.26	102.0	1.6	0.29	0.0	0.01	1.00	0.16	0.04	39.	2.6	2.6	2.6	0.56
22	20.64	33.423	23.395	5.25	101.9	1.6	0.25	0.0	0.01	0.00	0.16	0.05	30.	3.5	2.8	3.1	0.46
32	20.62	33.422	23.401	5.25	101.9	1.6	0.26	0.0	0.01	0.00	0.17	0.04					
41	17.82	33.311	24.026	5.78	106.3	2.4	0.31	0.0	0.01	0.00	0.26	0.10	11.	3.3	3.4	3.3	0.36
53	14.22	33.130	24.700	5.86	100.2	3.9	0.46	1.0	0.08	0.00	0.58	0.42					
64	13.02	33.205	25.003	5.29	88.4	5.4	0.64	4.2	0.16	0.01	0.32	0.29					
66	12.83	33.205	25.039	5.28	87.8	6.5	0.73	5.4	0.20	0.00	0.36	0.33					
76	11.85	33.268	25.277	4.80	78.2	8.8	0.93	9.1	0.09	0.00	0.22	0.25	1.6	0.69	0.67	0.68	0.37
89	11.31	33.346	25.437	4.40	70.9	11.7	1.14	12.8	0.04	0.00	0.14	0.19					
100	10.28	33.374	25.640	4.29	67.6	13.8	1.26	15.0	0.03	0.00	0.08	0.15	0.42	0.13	0.11	0.12	0.33

A) INCUBATION LIGHT INTENSITIES WERE 58.7, 38.7, 29.2, 10.7, 1.51, 0.43 PERCENT RESPECTIVELY.

## CalCOFI Cruise 1511

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
76.7	49.0	35 05.3	120 46.6	11/08	0649	0654	129	41	109	109
76.7	51.0	35 01.3	120 55.1	11/08	0420	0441	462	171	89	43
76.7	55.0	34 53.3	121 11.9	11/08	0103	0125	409	210	56	56
76.7	60.0	34 43.3	121 32.9	11/07	2109	2131	422	214	69	69
76.7	70.0	34 23.3	122 14.7	11/07	1518	1540	478	202	46	36
76.7	80.0	34 03.3	122 56.5	11/07	0833	0855	378	218	21	21
76.7	90.0	33 43.3	123 38.0	11/07	0341	0404	413	207	56	56
76.7	100.0	33 23.3	124 19.4	11/06	2151	2213	453	208	35	35
80.0	51.0	34 27.0	120 31.5	11/05	0746	0752	124	40	64	64
80.0	55.0	34 19.0	120 48.1	11/05	1129	1151	448	199	13	13
80.0	60.0	34 09.1	121 09.0	11/05	1546	1608	457	208	35	35
80.0	70.0	33 49.0	121 50.6	11/05	2137	2159	504	211	48	48
80.0	80.0	33 29.0	122 32.0	11/06	0328	0350	446	205	45	45
80.0	90.0	33 09.0	123 13.3	11/06	0843	0905	409	211	27	27
80.0	100.0	32 49.0	123 54.4	11/06	1558	1619	455	207	51	51
81.7	43.5	34 24.2	119 48.0	11/04	0717	0719	51	12	20	20
81.8	46.9	34 16.4	120 01.6	11/04	1839	1901	417	212	26	26
83.3	39.4	34 15.9	119 19.7	11/04	0404	0406	56	10	36	36
83.3	40.6	34 13.0	119 24.6	11/04	1318	1321	70	28	28	28
83.3	42.0	34 10.7	119 30.5	11/04	1112	1124	236	114	8	8
83.3	51.0	33 52.7	120 08.0	11/08	1605	1614	182	88	22	22
83.3	55.0	33 44.7	120 24.6	11/08	1944	2006	417	211	34	34
83.3	60.0	33 34.7	120 45.3	11/08	2342	0004	380	213	66	66
83.3	70.0	33 14.7	121 26.5	11/09	0550	0612	439	209	46	46
83.3	80.0	32 54.7	122 07.7	11/09	1142	1204	431	206	42	19
83.3	90.0	32 34.7	122 48.9	11/09	1720	1742	442	210	104	27
83.3	100.0	32 14.7	123 29.5	11/09	2303	2325	422	213	90	52
83.3	110.0	31 54.7	124 10.2	11/10	0448	0510	412	204	46	29
86.7	33.0	33 53.4	118 29.4	11/03	1054	1058	82	34	49	49
86.7	35.0	33 49.4	118 37.7	11/03	1332	1354	458	204	15	4
86.7	40.0	33 39.3	118 58.4	11/03	1758	1820	413	218	24	24
86.7	45.0	33 29.4	119 19.1	11/12	0511	0533	395	208	28	28
86.7	50.0	33 19.4	119 39.8	11/12	0128	0134	120	54	75	50
86.7	55.0	33 09.4	120 00.4	11/11	2158	2219	397	212	50	50
86.7	60.0	32 59.4	120 20.9	11/11	1749	1811	394	213	51	46
86.7	70.0	32 39.4	121 02.0	11/11	1142	1204	433	204	23	23
86.7	80.0	32 19.4	121 42.9	11/11	0447	0508	422	207	38	38
86.7	90.0	31 59.4	122 23.6	11/10	2238	2259	464	210	19	19
86.7	100.0	31 39.4	123 04.2	11/10	1644	1705	455	206	11	11
86.7	110.0	31 19.4	123 44.6	11/10	1052	1114	422	211	9	9
86.8	32.5	33 53.3	118 26.7	11/03	0847	0849	43	14	47	47
88.5	30.1	33 40.4	118 05.1	11/03	0445	0446	38	14	186	186
90.0	27.7	33 29.6	117 44.8	11/03	0212	0213	38	15	160	160
90.0	28.0	33 29.1	117 46.1	11/03	0100	0109	226	87	27	27
90.0	30.0	33 25.1	117 54.3	11/02	2233	2255	426	209	91	28
90.0	35.0	33 15.1	118 15.0	11/02	1813	1834	475	202	97	17
90.0	37.0	33 11.0	118 23.2	11/02	1511	1532	412	214	12	12
90.0	45.0	32 55.1	118 56.3	11/02	0824	0846	432	206	32	32
90.0	53.0	32 39.1	119 28.9	11/02	0306	0328	510	207	77	77
90.0	60.0	32 25.1	119 57.5	11/01	1753	1814	423	212	31	31
90.0	70.0	32 05.1	120 38.3	11/01	1028	1050	413	201	22	22
90.0	80.0	31 45.1	121 18.9	11/01	0411	0432	444	188	29	29
90.0	90.0	31 25.1	121 59.4	10/31	2223	2244	402	211	30	30
90.0	100.0	31 05.1	122 39.1	10/31	1409	1431	422	212	26	26
91.7	26.4	33 14.8	117 27.8	10/28	1643	1645	44	15	45	45
93.3	26.7	32 57.4	117 18.3	10/28	2106	2117	268	104	37	37
93.3	28.0	32 54.8	117 23.7	10/28	2324	2346	460	216	63	22
93.3	30.0	32 50.8	117 31.9	10/29	0221	0242	480	201	94	17
93.3	35.0	32 40.7	117 52.4	10/29	0707	0729	443	206	5	5
93.3	40.0	32 30.8	118 12.8	10/29	1150	1211	497	191	14	10
93.3	45.0	32 20.8	118 33.2	11/12	1922	1944	431	214	49	49
93.3	50.0	32 10.8	118 53.6	11/12	1546	1607	440	203	34	34
93.3	55.0	32 00.8	119 14.1	10/30	0830	0852	433	212	14	14
93.3	60.0	31 50.8	119 34.3	10/30	1238	1300	475	192	21	21
93.3	70.0	31 30.8	120 14.8	10/30	1852	1913	384	226	31	31
93.3	80.0	31 10.8	120 55.2	10/31	0047	0108	431	199	33	33
93.3	90.0	30 50.8	121 35.3	10/31	0640	0701	377	213	21	21
93.4	26.4	32 57.0	117 16.8	10/28	1930	1932	53	14	38	38