

data report

CalCOFI Cruise 1604
1 - 22 April, 2016

CC Reference 17 - 02
15 Jun., 2017

**UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIFORNIA 92093**

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 1604
1 - 22 April, 2016**

**CC Reference 17 - 02
15 Jun 2017**

CONTENTS

Introduction	3
Literature Cited.....	9
CalCOFI Cruise 1604	
List of Figures	11
Personnel	22
Tabulated Rosette Cast Data	23
Tabulated Primary Productivity Data	64
Tabulated Macrozooplankton Data	67

INTRODUCTION

The data presented in this report were collected during cruise 1604* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV Bell M. Shimada . The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Wildlife, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruise were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

STANDARD PROCEDURES

CTD/Rosette Cast Data

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911+, Serial number 3161-936) with a rosette was deployed at each station on this cruise. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 515 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. Additional bottle depths also appear in combined hydrographic and primary productivity casts. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures were converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P158. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen analyses were performed with an Ocean Data Facility of Scripps Institution of Oceanography designed automated oxygen titrator using photometric end-point detection based on the absorption of 365nm wavelength ultra-violet light. A computer using PC software controlled the titration of the samples and the data logging. The method used a modified Winkler titration following the technique of Carpenter (1965) with modifications by Culberson (1991), but with higher concentrations of thiosulfate solution (50 g/l). Standard KIO₃ solutions prepared ashore were run at the beginning of each run. Reagent and sea water blanks were determined to account for presence of oxidizing or reducing materials.

* The first two digits represent the year and the last digits the month of the cruise.

Nutrient samples were analyzed at sea using a QuAAtro continuous flow analyzer (SEAL Analytical). Dissolved silicate, nitrate, and nitrite were analyzed using a modification of the method described by Armstrong (1967) and Gordon et al. (1992). Phosphate was measured with a modification of the Murphy and Riley (1962) protocol and ammonium is analyzed using a modified fluorometric method described by Kerouel and Aminot (1997). Samples were collected in 45ml high-density polypropylene screw top tubes which were acid washed and rinsed with sample three times prior to filling. Standardizations and cadmium-reduction coil efficiency determinations were performed at the beginning of every run. Drift and baseline corrections were performed in each run using a high standard and blank respectively inserted before and after sample sets. A sample of reference material for nutrients in seawater (RMNS), produced by KANSO technos (www.kanso.co.jp) was included in every run and those data were monitored throughout the cruise and available to adjust values for nitrate, nitrite, phosphate, and silicate if appropriate. The mean values for $\text{NO}_2 + \text{NO}_3$, PO_4 , and dissolved reactive silicate species (SIL) for the cruise were calculated and compared to certified manufacturer values (see table below). A separate reference sample was used to monitor ammonium stability throughout the cruise. Samples not analyzed immediately after collection were refrigerated and run the following day.

1604SH	$\text{NO}_2 + \text{NO}_3$ ($\mu\text{mol/L}$)	PO_4 ($\mu\text{mol/L}$)	SIL ($\mu\text{mol/L}$)
Mean \pm SD (n=31)	36.42 ± 0.57	2.59 ± 0.02	109.82 ± 0.90
Certified Value* (Lot CB)	36.78	2.58	111.82

*Converted from $\mu\text{mol/kg}$ using assumed lab temperature of 20°C and salinity 34.374 provided by manufacturer

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll-*a* and phaeopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

Primary Productivity Sampling

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from ^{14}C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with a cruise average of 9.25 μCi of ^{14}C as NaHCO_3 (200 μl of stock solution) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the

mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

Ancillary Programs

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data:* Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 5 meters. The data were logged in one-second increments using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG Thermosalinographs for internal and external measurements, and a WetLabs C-star transmissometer and Wetlabs FLNTU and Eco-triplet fluorometers. The data has been processed to show 10 minute averages.
- 2) *ADCP:* Continuously sample profiles of currents using the RDI/Teledyne Acoustic Doppler Current Profiler. This will be dependent on the ability to sync the ADCP's output with the EK60 and ME70. The EK60 and ME70 will hold priority over the ADCP. The ADCP raw data are collected and archived for potential data processing ashore. The National Centers for Environmental Information (NCEI) in collaboration with the E.Firing Acoustic Doppler Current Profiler (ADCP) Laboratory at the University of Hawaii have established the Joint Archive for Shipboard ADCP (JASADCP). The JASADCP is responsible for the acquisition, review, documentation, archival, and distribution of shipboard ADCP data sets, data may be accessed through their website (<http://ilikai.soest.hawaii.edu/sadcp/index.html>). Shipboard ADCP data is acquired by University of Hawaii Data Acquisition System (UDHAS) and uses Common Ocean Data Access System (CODAS) processing to incrementally build a dataset of averaged, edited ocean velocities for each ADCP and ping type specified. Processed data and plots are served on the shipboard network, and daily status summaries are emailed and available online (http://currents.soest.hawaii.edu/uhdas_fromships.html).
- 3) *Underway Sea Surface pCO₂ and pH measurements:* Automated shipboard analysis of the partial pressure of CO₂ and pH were made from the ship's underway flow-through system. pCO₂ measurements were taken with the Shipboard Underway pCO₂ Environmental Recorder (SUPER-CO₂) sold by Sunburst Sensors designed with a showered equilibrator and a LI-COR 840A CO₂/H₂O non-dispersive infrared gas analyzer. pH measurements were taken with a Honeywell Durafet based on Ion Selective Field Effect Transistor (ISFET) technology. The Durafet pH sensor was calibrated before and after the cruise. pCO₂ was calibrated with standard gases traceable to NIST every 4 hours, along with an atmospheric sample. Temperature and salinity were also sampled using a SeaBird Thermosalinograph (SBE45). Measurements were recorded every 4 seconds. (T. Martz, SIO)
- 4) *California Current Ecosystem Long Term Ecological Research Program:* The CCE-LTER program augments standard CalCOFI measurements to further characterize the lower trophic levels as well as the carbon system. Measurements of particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen, taxon-specific phytoplankton pigments, flow-cytometric counts of bacteria and picoautotrophs and the determination of mesozooplankton size structure using a Laser Optical Plankton Counter are sampled for all CalCOFI stations. On CalCOFI lines 90 and 80 measurements also include microscopic counts of heterotrophic and autotrophic phytoplankton for biomass and abundance and mesozooplankton community structure sampled with the Planktonic Rate Processes in Oligotrophic Ocean Systems (PRPOOS) tow net. (M. Ohman, SIO)
- 5) *Advanced Laser Fluorometer Analyzer (ALFA):* Continuous underway analysis of phytoplankton pigment groups and variable fluorescence (F_v/F_m). ALFA, developed by A. Chekalyuk at Lamont-Doherty Earth Observatory, uses laser stimulated emission at 405 and 532 nm together with spectral deconvolution analysis to distinguish fluorescence from three types of phycoerythrin, chlorophyll-*a*, and chromophoric dissolved organic matter (CDOM). The ALFA is useful for differentiating the contribution of cyanobacteria and cryptophytes from other phytoplankton taxa present in natural phytoplankton assemblages, as well as for assessing phytoplankton photophysiological status. Ralf Goericke used the Custom Laser Analytical Spectroscopic System developed by Alex Chekalyuk to characterize phytoplankton community structure and phytoplankton photosynthetic capacity. The instrument is using passive fluorometry to measure of chromophoric organic matter (COM), chlorophylls and phycobiliprotein pigments that are characteristic of some cyanobacteria and cryptophyte algae. It is using active fluorometry to measure variable fluorescence (F_v/F_m), a proxy for the photosynthetic capacity of the phytoplankton. The measurements have been carried out in the past on water from the ship's clean seawater system (ALF system).

On this cruise those routine measurements were expanded to include bottle samples from the CalCOFI CTD casts to provide depth-resolved data for those variables. (R. Goericke, SIO)

6) *Southern California Coastal Ocean Observing System (SCCOOS) Nearshore Observations:* The objective of these observations is to extend CalCOFI time series to the nearshore. Nearshore observations consist of 8 stations at the ends and interspersed with current CalCOFI lines on the 20 m isobath with a standard set of CalCOFI hydrographic observations as well as a CalBOBL net tow, particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen and taxon-specific phytoplankton pigments data. Dave Checkley assessed the response of the Laser Optical Plankton Counter (LOPC) to known types of zooplankton. The LOPC has been deployed in one side of the bongo net during its routine deployment on quarterly CalCOFI cruises since 2005. The LOPC is, in essence, a low-resolution line-scan camera. It generates coarse images of objects larger than about one millimeter that pass through it into the bongo net. On 1611SR, Checkley inspected the plankton collected in the port side of the routine bongo deployment prior to its preservation in ethanol. Individual plankters of specific types were removed from samples. These were then passed through an LOPC in the laboratory equipped with a flow cell through which water moved at the same rate it moves through the LOPC in the bongo net in the sea. The response of the LOPC to each plankter was recorded. The types used included euphausiids, copepods, pteropods, pyrosome salps and radiolarians. The data will be analyzed ashore to develop rules with which to classify particles sensed and counted by the LOPC in the bongo net deployments in the sea over the past 11 years. From this, it is hoped that estimates of the distribution and abundance of euphausiids, large copepods and pelagic tunicates (salps and doliolids) in the CalCOFI region may be estimated. (R. Goericke, SIO; D. Checkley, SIO)

7) *Inorganic Carbon System:* The CalCOFI group collected samples for the characterization of the inorganic carbon system at selected locations along the cruise track with 14 profile and 8 additional surface water stations. Total inorganic carbon and alkalinity will be measured which will allow the calculation of pH and pCO₂. The objectives of these measurements are first the long-term characterization of the inorganic carbon system and its response to changing ocean climate and second measurements of pH in the coastal zone in order to monitor the impact of 'corrosive' waters on benthic ecosystems in the Southern California Bight. (R. Goericke, SIO)

8) *Marine Mammal Observations:* During daylight transits, visual line-transect surveys were conducted by marine mammal observers focusing on cetaceans. Acoustic line-transect surveys were performed using a towed hydrophone array which consists of multiple hydrophone elements that sample sounds up to 100 kHz allowing for localization of calling animals. Acoustic monitoring also takes place on individual stations using sonobuoys. (J. Hildebrand, SIO)

9) *Microbial Diversity and Gene Expression:* Samples suitable for purification of DNA and RNA from bacterial and microbial eukaryotic biomass are collected for molecular diversity assays targeted to various genetic marker loci (16S and 18S rRNA). DNA samples are collected at every station, in parallel with particulate organic matter (POM) samples, on Whatman GF/F filters. RNA samples are collected in parallel with primary productivity samples on 0.2 µM sterivex filters with a maximum filtration time of 30 min. Additional samples from the mixed layer, chlorophyll max, and two depths below the euphotic zone are collected along lines 80 and 90. (A. Allen, SIO and JCVI)

10) *Harmful Algal Bloom Sampling:* CalCOFI will collect surface and mixed layer water samples at select stations for phycotoxin (domoic acid) analysis and *Pseudo-nitzschia* cell counts. We are examining the dynamics of coastal phytoplankton blooms that lead to detrimental effects on both human and ecosystem health in response to rapid and long-term climate variability in the California Current System. A major goal of this project is the collection of toxin data outside of the very nearshore pier sampling currently funded by the NOAA Integrated Ocean Observing System via the two regional associations in California. Given that the warm anomaly broke temperature records as far back as 1900 and is now interacting with one of the top three ENSO events on record, it is important to quickly capture the influence of these climatic phenomena on harmful algal blooms (C. Anderson and R. Kudela, UCSC).

TABULATED DATA

CTD/Rosette Cast Data

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discrete sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

Primary Productivity Data

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume ($\text{cm}^3/1000\text{m}^3$ strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

D: CTD salinity value listed in place of normal shipboard salinity analysis.

ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

REFERENCES

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Bernhardt, H., and Wilhelms, A., (1967). "The continuous determination of low level iron, soluble phosphate and total phosphate with the AutoAnalyzer," Technicon Symposia, I, pp.385-389 .
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kerouel, R., Aminot, A., 1997. Fluorometric determination of ammonia in sea and estuarine waters by direct segmented flow analysis. *Mar. Chem.* Vol. 57, no. 3-4, pp. 265-275.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Threlkeld and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the ^{14}C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.

Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.

Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.

Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

FIGURES

Cruise 1604

1. CalCOFI Cruise 1604 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D

CALCOFI CRUISE 1604

4 - 7 April 2016

POTENTIAL DENSITY (σ_0) ALONG CALCOFI LINE 90




FIGURE 5A






FIGURE 5B

CALCOFI CRUISE 1604

4 - 7 April 2016



SALINITY ALONG CALCOFI LINE 90



CALCOFI CRUISE 1604

4 - 7 April 2016

NITRATE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90



CALCOFI CRUISE 1604

4 - 7 April 2016

CHLOROPHYLL-a ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

CALCOFI CRUISE 1604

4 - 7 April 2016

OXYGEN (mL/L) ALONG CALCOFI LINE 90




FIGURE 5I




FIGURE 5J




FIGURE 5K

PERSONNEL

CalCOFI Cruise 1604

SHIP'S CAPTAIN

Sarah Duncan, R/V *Bell M. Shimada*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Legs)
Hays, Amy (Chief Scientist)	Fishery Biologist, NMFS	1-3
Dovel, Shonna	Staff Research Associate, SIO	1-2
Faber, David	Staff Research Associate, SIO	1
Hall, Amy	Volunteer	1-3
Klemmedson, Angela	Scientific Aid, CDFW	1-3
Manion, Sue	Fishery Biologist, NMFS	1-3
McGrath, Jennifer	Volunteer	1-3
Roadman, Megan	Staff Research Associate, SIO	1-2
Rodgers-Wolgast, Jennifer	Staff Research Associate, SIO	1-2
Schuller, Daniel	Staff Research Associate, SIO	1-2
Simonis, Anne	Marine Mammal Observer, MPL	1-3
Webb, Sophie	Bird Observer, FAIER	1-3
Whitaker, Katherine	Marine Mammal Observer, MPL	1-3
Wilkinson, James	Information Systems Analyst, SIO	1-2
Wolgast, David	Staff Research Associate, SIO	1-2

Leg 1: San Diego to Dana Point, California, 1-7 April, 2016

Leg 2: Dana Point to Santa Barbara, California, 7-16 April, 2016

Leg 3: Santa Barbara to San Francisco, California, 16-23 April, 2016

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 60.0 53.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
37 50.7 N	123 5.8 W	22/04/2016	0041	UTC	90 m	180 08 kn	170 02 07	1	1011.9 mb	15.7	14.5	C	7/8	SC	098			
0	14.34	14.34	32.422	24.125	378.1	0.000	6.27	273.9	107.1						0.46	0.40	0	
2	14.34	14.34	32.422	24.126	378.1	0.008	6.27	273.9	107.1						0.46	0.40	2 06	
10	12.55	12.55	32.625	D 24.642	329.1	0.036	6.56	286.4	108.0						1.46	0.55	10 05	
20	10.70	10.70	33.183	D 25.415	255.8	0.066	4.54	198.2	72.1						0.32	0.17	20 04	
30	ISL 10.50	D 10.49	33.469	D 25.673	231.5	0.090	6.60	D287.2	D104.5						0.45	0.39	30	
50	9.20	9.20	33.699	D 26.069	194.3	0.133	3.24	141.2	49.9						0.69	0.84	50 03	
70	8.97	8.96	33.767	D 26.161	185.9	0.171	2.47	107.9	37.9						0.24	0.86	71 02	
75	ISL 8.87	D 8.86	33.782	D 26.188	183.4	0.181	2.46	D107.0	D 37.7						0.34	1.19	76	
80	8.82	8.81	33.791	26.203	182.1	0.189	2.47	108.0	37.8						0.44	1.53	81 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 60.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
37 36.7 N	123 36.1 W	22/04/2016	0436	UTC	3303 m	200 17 kn			1011.1 mb	14.9	C	14.4	C	099				
0	14.92	14.92	32.363	23.958	394.1	0.000	6.02	262.9	104.0						0.15	0.04	0	
2	14.92	14.92	32.363	23.958	394.1	0.008	6.02	262.9	103.9						0.15	0.04	2 12	
10	15.10	15.09	32.364	D 23.921	397.9	0.036	6.09	265.9	105.5						0.14	0.02	10 11	
20	ISL 13.39	D 13.39	32.308	D 24.233	368.4	0.075	6.24	D272.1	D104.4						0.17	0.03	20	
26	13.26	13.26	32.301	D 24.253	366.7	0.097	6.24	272.6	104.1						0.19	0.04	26 10	
30	ISL 13.25	D 13.25	32.307	D 24.260	366.1	0.112	6.22	D271.2	D103.8						0.24	0.08	30	
50	ISL 12.84	D 12.83	32.425	D 24.434	350.1	0.184	6.25	D272.6	D103.5						0.50	0.24	50	
62	12.75	12.74	32.641	D 24.618	332.9	0.225	5.98	261.0	98.9						0.65	0.34	63 09	
75	ISL 12.10	D 12.09	32.898	D 24.943	302.2	0.267	5.48	D238.7	D 89.5						0.37	0.25	76	
87	10.98	10.97	33.186	D 25.371	261.6	0.301	4.84	211.3	77.4						0.11	0.16	88 08	
100	ISL 10.38	D 10.37	33.290	D 25.557	244.2	0.334	4.43	D192.9	D 69.9						0.06	0.13	101	
102	10.22	10.21	33.300	25.591	240.9	0.339	4.35	189.8	68.4						0.06	0.12	103 07	
125	ISL 8.97	D 8.96	33.499	D 25.952	206.9	0.391	4.02	D174.8	D 61.5						0.03	0.09	126	
126	8.93	8.92	33.509	D 25.966	205.6	0.393	4.01	175.2	61.4						0.03	0.09	127 06	
141	8.83	8.82	33.657	D 26.098	193.4	0.423	3.48	151.9	53.2						0.04	0.10	142 05	
150	ISL 8.73	D 8.71	33.737	D 26.177	186.0	0.440	3.39	D147.6	D 51.8						0.04	0.10	151	
200	ISL 8.30	D 8.28	33.962	D 26.420	163.8	0.528	2.85	D123.8	D 43.0						0.03	0.11	202	
202	8.29	8.27	33.964	D 26.424	163.5	0.532	2.66	116.0	40.2						0.03	0.11	204 04	
250	ISL 7.68	D 7.65	34.023	D 26.562	151.1	0.608	2.15	D 93.6	D 32.1								252	
271	7.53	7.51	34.034	D 26.591	148.6	0.640	1.97	86.0	29.3								273 03	
300	ISL 7.28	D 7.25	34.058	D 26.646	143.8	0.682	1.69	D 73.7	D 25.0								303	
381	6.51	6.48	34.118	D 26.799	130.0	0.794	0.97	42.3	14.1								384 02	
400	ISL 6.34	D 6.31	34.123	D 26.825	127.7	0.819	0.92	D 39.8	D 13.2								403	
500	ISL 5.57	D 5.53	34.154	D 26.947	116.8	0.942	0.60	D 26.3	D 8.6								504	
515	5.56	5.51	34.166	26.959	115.9	0.957	0.51	22.1	7.2								520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 60.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
37 16.7 N	124 19.6 W	22/04/2016	1003	UTC	3714 m	230 18 kn			1009.5 mb	14.0	C	13.0	C	100				
0	14.89	14.89	32.716	24.237	367.5	0.000	5.97	260.7	103.3						0.13	0.03	0	
2	14.89	14.89	32.716	24.237	367.5	0.007	5.97	260.7	103.3						0.13	0.03	2 12	
10	ISL 14.88	D 14.87	32.717	D 24.240	367.4	0.034	5.95	D259.4	D102.9						0.13	0.04	10 10	
11	14.86	14.86	32.717	D 24.243	367.2	0.037	5.99	261.4	103.5						0.13	0.04	11 11	
20	ISL 13.98	D 13.98	32.730	D 24.439	348.8	0.070	6.10	D265.8	D103.5						0.13	0.04	20 10	
25	13.91	13.90	32.732	D 24.456	347.4	0.087	6.07	265.1	102.9						0.14	0.03	25 10	
30	ISL 13.84	D 13.84	32.732	D 24.469	346.2	0.105	6.06	D264.4	D102.7						0.17	0.06	30	
50	ISL 13.68	D 13.68	32.740	D 24.510	343.0	0.174	6.05	D263.9	D102.2						0.33	0.16	50	
62	13.21	13.20	32.713	D 24.584	336.2	0.215	6.08	265.5	101.6						0.43	0.22	63 09	
75	ISL 13.09	D 13.08	32.718	D 24.613	333.8	0.259	5.98	D260.8	D 99.7						0.40	0.29	76	
87	13.52	13.51	32.948	D 24.706	325.4	0.299	5.76	251.5	97.0						0.38	0.34	88 08	
99	12.81	12.79	33.095	D 24.962	301.3	0.337	5.35	233.6	88.9						0.24	0.22	100 07	
100	ISL 12.60	D 12.58	33.099	D 25.005	297.2	0.340	5.37	D235.8	D 88.7						0.23	0.21	101	
125	10.78	10.77	33.270	D 25.473	252.9	0.409	4.23	184.8	67.4						0.04	0.06	126 06	
140	10.14	10.12	33.406	D 25.690	232.5	0.446	3.91	170.8	61.5						0.02	0.04	141 05	
150	ISL 9.57	D 9.55	33.534	D 25.885	214.0	0.468	3.85	D167.5	D 59.7						0.02	0.04	151	
200	ISL 8.74	D 8.71	33.808	D 26.233	181.7	0.568	3.00	D130.5	D 45.8									

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 60.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
36 56.7 N	125 3.1 W	22/04/2016	1532	UTC	4328 m	260 25 kn	270 04 06	1	1010.1 mb	14.7 C	11.4 C	7/8	SC	101				
0	14.69	14.69	32.737	24.294	362.0	0.000	6.00	262.0	103.4						0.15	0.03	0	
3	14.69	14.69	32.737	24.294	362.1	0.011	6.00	262.0	103.4						0.15	0.03	3 12	
9	14.68	14.68	32.730	24.292	362.5	0.028	5.99	261.6	103.2						0.14	0.03	9 11	
10 ISL	14.69 D	14.69	32.731	24.290	362.7	0.031	6.00	261.5	D 103.4						0.14	0.03	10	
20 ISL	14.59 D	14.59	32.801	D 24.367	355.7	0.067	6.01	262.1	D 103.4						0.15	0.06	20	
25	14.50	14.50	32.856	D 24.428	350.0	0.085	6.05	264.1	103.9						0.16	0.07	25 10	
30 ISL	14.34 D	14.33	32.823	D 24.438	349.2	0.103	6.06	264.2	D 103.7						0.25	0.11	30	
50 ISL	13.31 D	13.30	32.861	D 24.679	326.8	0.171	6.15	268.1	D 103.1						0.64	0.26	50	
59	12.86	12.85	32.816	D 24.732	321.9	0.200	6.06	264.4	100.5						0.81	0.33	59 09	
75 ISL	12.15 D	12.14	33.014	D 25.023	294.6	0.250	5.29	230.4	D 86.5						0.51	0.33	76	
88	11.86	11.85	33.230	D 25.246	273.8	0.287	4.74	206.8	77.2						0.27	0.33	89 08	
100	11.16	11.14	33.210	D 25.359	263.2	0.322	4.70	205.0	75.4						0.16	0.13	101 07	
125 ISL	10.08 D	10.06	33.451	D 25.734	227.9	0.381	3.77	164.0	D 59.1						0.04	0.08	126	
126	10.02	10.00	33.478	D 25.766	224.9	0.384	3.74	163.1	58.6						0.04	0.08	127 06	
143	9.44	9.42	33.597	D 25.956	207.1	0.421	3.43	149.8	53.2						0.01	0.06	144 05	
150 ISL	9.32 D	9.31	33.653	D 26.018	201.3	0.435	3.33	D 144.8	D 51.4						0.01	0.06	151	
196	8.58	8.56	33.876	D 26.310	174.3	0.522	3.25	141.9	49.5						0.01	0.06	198 04	
200 ISL	8.50 D	8.48	33.883	D 26.328	172.6	0.529	3.37	D 146.5	D 51.1								202	
250 ISL	8.05 D	8.02	34.009	D 26.496	157.5	0.612	2.37	D 103.1	D 35.6								252	
271	7.81	7.79	34.033	D 26.550	152.7	0.645	2.02	88.2	30.3								273 03	
300 ISL	7.44 D	7.41	34.048	D 26.616	146.7	0.689	1.82	D 79.1	D 27.0								303	
382	6.53	6.50	34.096	D 26.779	131.9	0.804	1.07	46.7	15.6								385 02	
400 ISL	6.41 D	6.38	34.106	D 26.803	129.9	0.828	0.94	D 40.7	D 13.6								403	
500 ISL	5.73 D	5.69	34.159	D 26.933	118.3	0.953	0.58	D 25.1	D 8.2								504	
516	5.64	5.60	34.173	D 26.954	116.4	0.971	0.51	22.0	7.2								521 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 52.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
37 18.5 N	122 36.9 W	21/04/2016	1925	UTC	92 m	180 11 kn	190 03 07	2	1013.2 mb	14.5 C	14.3 C	8/8	SC	097				
0	13.58	13.58	33.035	24.756	318.0	0.000	7.32	319.8	123.6						1.71	0.57	0	
2	13.58	13.58	33.035	24.756	318.1	0.006	7.32	319.8	123.6						1.71	0.57	2 07	
10	12.62	12.62	33.036	D 24.948	300.0	0.031	7.57	330.5	125.2						3.79	1.25	10 06	
20	11.47	11.47	33.130	D 25.236	272.8	0.060	5.79	252.8	93.5						10.71	2.60	20 05	
30 ISL	10.42 D	10.41	33.493	D 25.706	228.4	0.085	4.36	D 189.6	D 68.9						7.32	2.04	30	
50	9.71	9.70	33.673	D 25.967	204.0	0.129	2.84	123.8	44.2						0.53	0.91	50 04	
70	9.25	9.24	33.825	D 26.161	185.9	0.168	2.07	90.3	32.0						0.80	1.46	71 03	
75 ISL	9.25 D	9.24	33.825	D 26.161	186.0	0.178	2.05	D 89.3	D 31.7						0.74	1.45	76	
81	9.25	9.24	33.824	D 26.161	186.2	0.189	2.07	90.3	31.9						0.67	1.44	82 02	
84	9.25	9.24	33.826	D 26.163	186.1	0.196	2.06	90.0	31.9						0.70	1.45	85 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
37 12.5 N	122 49.9 W	21/04/2016	1629	UTC	296 m	160 08 kn	230 01 08	5	1013.2 mb	13.9 C	13.8 C	8/8	SC	096				
0	13.33	13.33	33.033	24.805	313.4	0.000	7.11	310.6	119.4						0.07	0.02	0	
2	13.33	13.33	33.033	24.805	313.4	0.006	7.11	310.6	119.4						0.07	0.02	2 10	
10	12.32	12.32	33.140	D 25.085	286.9	0.031	7.22	315.3	118.7						0.23	0.08	10 09	
20	11.56	11.56	33.170	D 25.251	271.4	0.059	6.39	279.1	103.5						4.19	0.93	20 08	
30 ISL	11.13 D	11.13	33.218	D 25.366	260.7	0.085	6.09	D 265.1	D 97.6						2.89	0.74	30	
50	9.91	9.91	33.417	D 25.733	226.2	0.133	3.90	170.3	61.0						0.29	0.35	50 07	
70	9.00	8.99	33.628	D 26.047	196.7	0.177	3.54	154.7	54.4						0.18	0.25	71 06	
75 ISL	8.93 D	8.92	33.670	D 26.090	192.7	0.187	3.37	D 146.8	D 51.7						0.19	0.30	76	
100	9.00	8.99	33.863	D 26.231	179.9	0.234	2.51	109.6	38.6						0.28	0.55	101 05	
120	8.89	8.88	33.911	D 26.288	175.0	0.269	2.19	95.6	33.6						0.24	0.53	121 04	
125 ISL	8.86 D	8.85	33.918	D 26.297	174.2	0.278	2.18	D 94.7	D 33.3						0.24	0.55	126	
140	8.68	8.67	33.952	D 26.352	169.2	0.304	2.26	98.7	34.5						0.23	0.63	141 03	
150 ISL	8.58 D	8.57	33.954	D 26.369	167.7	0.321	2.29	D 99.8	D 34.9						0.22	0.58	151	
200	8.33	8.30	34.011	D 26.455	160.6	0.404	2.06	89.0	30.9						0.19	0.32	202 02	
250 ISL	8.12 D	8.09	34.059	D 26.524	154.9	0.483	1.72	D 74.7	D 25.9								252	
270																		

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
37	2.4 N	123 11.9 W	21/04/2016	1248	UTC	2609 m	120 04 kn										095
0	13.54	13.54	33.013	D 24.746	319.0	0.000	6.90	301.4	116.4						0.07	0.02	0
2	13.54	13.54	33.013	D 24.746	319.0	0.006	6.90	301.4	116.4						0.07	0.02	2 12
10	12.63	12.63	33.049	D 24.955	299.3	0.031	6.69	292.0	110.6						0.06	0.06	10 11
20	11.81	11.81	33.154	D 25.192	277.0	0.061	6.49	283.4	105.6						0.11	0.07	20 10
30	ISL	10.49	D 10.48	33.374	D 25.602	238.3	0.086	5.07	D 220.6	D 80.2					0.11	0.13	30
50		9.50	9.50	33.531	D 25.890	211.3	0.132	4.04	176.1	62.6					0.10	0.24	50 09
71		9.15	9.14	33.725	D 26.099	191.9	0.174	3.17	138.1	48.8					0.13	0.35	72 08
75	ISL	9.08	D 9.07	33.747	D 26.127	189.2	0.182	3.01	D 131.1	D 46.3					0.13	0.37	76
100	ISL	8.67	D 8.66	33.889	D 26.303	173.0	0.228	2.55	D 111.0	D 38.9					0.12	0.48	101
101		8.65	8.64	33.890	D 26.307	172.6	0.230	2.58	112.7	39.4					0.11	0.48	102 07
121		8.18	8.16	33.991	D 26.459	158.5	0.263	2.27	99.0	34.2					0.12	0.63	122 06
125	ISL	8.09	D 8.08	34.004	D 26.482	156.4	0.269	2.04	D 88.6	D 30.7					0.11	0.54	126
140		7.88	7.86	34.008	D 26.517	153.3	0.292	2.19	95.7	32.9					0.05	0.20	141 05
150	ISL	8.05	D 8.03	34.065	D 26.538	151.6	0.308	1.80	D 78.3	D 27.1					0.05	0.18	151
200		7.52	7.50	34.055	D 26.607	145.7	0.383	1.78	77.9	26.5					0.02	0.08	202 04
250	ISL	7.10	D 7.08	34.088	D 26.693	138.3	0.454	1.35	D 58.6	D 19.8							252
270		6.95	6.92	34.088	D 26.714	136.5	0.482	1.31	57.2	19.2							272 03
300	ISL	6.80	D 6.77	34.121	D 26.761	132.5	0.523	0.98	D 42.5	D 14.3							303
381		6.11	6.08	34.144	D 26.871	122.9	0.627	0.71	31.0	10.2							384 02
400	ISL	5.91	D 5.88	34.149	D 26.900	120.2	0.651	0.63	D 27.4	D 9.0							403
500	ISL	5.40	D 5.36	34.202	D 27.006	111.1	0.767	0.38	D 16.7	D 5.4							504
516		5.34	5.30	34.214	D 27.022	109.7	0.782	0.37	16.1	5.2							521 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
36	42.5 N	123 54.9 W	21/04/2016	0728	UTC	3912 m	200 07 kn										094
0	15.55	15.55	32.577	23.986	391.4	0.000	5.97	260.9	104.6						0.10	0.04	0
3	15.55	15.55	32.577	23.986	391.5	0.012	5.97	260.9	104.6						0.10	0.04	3 12
10	14.18	14.18	32.564	D 24.270	364.6	0.033	6.12	267.3	104.2						0.10	0.02	10 11
20	ISL	13.90	D 13.90	32.565	D 24.328	359.4	0.069	6.12	D 266.9	D 103.7					0.11	0.02	20
24		13.82	13.82	32.562	D 24.343	358.1	0.084	6.10	266.5	103.1					0.11	0.02	24 10
30	ISL	13.87	D 13.87	32.626	D 24.382	354.6	0.105	6.11	D 266.5	D 103.5					0.19	0.08	30
50	ISL	13.78	D 13.77	32.833	D 24.563	337.9	0.175	6.05	D 263.5	D 102.3					0.45	0.27	50
62		13.05	13.04	32.832	D 24.707	324.4	0.215	5.91	258.1	98.4					0.60	0.38	63 09
75	ISL	11.85	D 11.84	32.995	D 25.065	290.6	0.255	5.50	D 239.5	D 89.4					0.38	0.27	76
88		11.35	11.34	33.072	D 25.216	276.4	0.293	5.02	219.1	80.7					0.16	0.15	89 08
100		10.82	10.81	33.213	D 25.420	257.3	0.329	4.51	197.0	71.8					0.11	0.13	101 07
125		9.74	9.73	33.444	D 25.785	223.0	0.385	3.86	168.7	60.2					0.04	0.09	126 06
141		9.15	9.14	33.539	D 25.955	207.0	0.420	3.87	169.1	59.6					0.05	0.08	142 05
150	ISL	9.40	D 9.38	33.709	D 26.050	198.3	0.438	3.14	D 136.7	D 48.6					0.05	0.09	151
200	ISL	8.77	D 8.74	33.940	D 26.332	172.4	0.532	2.48	D 108.0	D 37.9					0.04	0.14	202
201		8.75	8.73	33.943	D 26.336	172.0	0.533	2.46	107.5	37.7					0.04	0.14	203 04
250	ISL	8.09	D 8.07	34.010	D 26.491	158.0	0.615	2.26	D 98.2	D 34.0							252
270		8.08	8.06	34.041	D 26.517	155.9	0.646	1.98	86.4	29.8							272 03
300	ISL	7.60	D 7.57	34.041	D 26.589	149.4	0.693	1.88	D 82.0	D 28.1							302
379		6.98	6.95	34.101	D 26.723	137.6	0.807	1.17	51.0	17.2							382 02
400	ISL	6.83	D 6.80	34.122	D 26.760	134.3	0.836	1.00	D 43.5	D 14.7							403
500	ISL	6.26	D 6.21	34.204	D 26.903	121.9	0.965	0.51	D 22.3	D 7.4							504
516		6.26	6.21	34.229	D 26.922	120.3	0.987	0.43	18.8	6.2							521 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
36	22.5 N	124 37.9 W	21/04/2016	0207	UTC	4189 m	160 07 kn	220 04 07	1	1013.1 mb	16.2 C	15.5 C	6/8	SC	093		
0	15.79	15.79	32.754	24.069	383.5	0.000	5.91	258.1	104.1						0.09	0.03	0
2	15.79	15.79	32.754	24.069	383.5	0.008	5.91	258.1	104.1						0.09	0.03	2 12
10	15.29	15.29	32.987	D 24.360	356.1	0.034	5.90	257.8	103.1						0.10	0.02	10 11
20	ISL	14.78	D 14.77	32.973	D 24.460	346.9	0.069	5.90	D 259.7	D 103.0					0.11	0.02	20
25		14.71	14.70	32.967	D 24.470	346.0	0.087	5.95	259.9	102.7					0.11	0.03	25 10
30	ISL	14.68	D 14.67	32.967	D 24.477	345.5	0.104	5.97	D 260.3	D 103.0					0.14	0.04	30

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 63.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY							
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	
36	2.4 N	125 20.4 W	20/04/2016	2018	UTC	4581 m	170	11 kn	230	04	07	1	1013.6 mb	17.9	C 16.2 C	6/8	SC 092
0	15.97	15.97	32.964	24.191	371.9	0.000	5.81	253.4	102.9						0.08	0.02	0
2	15.97	15.96	32.964	24.191	371.9	0.007	5.81	253.4	102.9						0.08	0.02	2 12
10	15.73	15.73	32.963	D 24.243	367.2	0.034	5.80	253.0	102.2						0.08	0.01	10 11
20	ISL	15.23	D 15.23	32.988	D 24.374	355.1	0.070	5.85	255.1	102.1					0.07	0.01	20
25	15.12	15.11	32.985	D 24.396	353.1	0.088	5.88	256.1	102.3						0.06	0.01	25 10
30	ISL	15.04	D 15.03	32.982	D 24.412	351.8	0.105	5.89	256.6	102.3					0.07	0.02	30
50	ISL	14.83	D 14.82	32.961	D 24.442	349.6	0.176	5.90	D 259.6	D 103.0					0.13	0.04	50
63	14.43	14.42	32.927	D 24.501	344.3	0.222	5.95	259.4	102.1						0.17	0.06	64 09
75	ISL	14.08	D 14.06	32.905	D 24.558	339.2	0.263	6.07	D 264.6	D 103.4					0.11	0.05	76
88	13.76	13.75	33.002	D 24.698	326.2	0.307	5.91	257.5	100.0						0.05	0.04	89 08
100	ISL	12.18	D 12.16	33.109	D 25.093	288.7	0.344	5.31	D 231.4	D 87.1					0.18	0.20	101
102	12.14	12.12	33.150	25.133	284.9	0.350	5.23	227.8	85.6						0.20	0.22	103 07
125	ISL	10.75	D 10.73	33.291	D 25.495	250.8	0.412	4.59	D 200.0	D 73.1					0.13	0.13	126
2	15.97	15.96	32.964	24.191	371.9	0.007	5.81	253.4	102.9						0.08	0.02	2 12
10	15.73	15.73	32.963	D 24.243	367.2	0.034	5.80	253.0	102.2						0.08	0.01	10 11
25	15.12	15.11	32.985	D 24.396	353.1	0.088	5.88	256.1	102.3						0.06	0.01	25 10
63	14.43	14.42	32.927	D 24.501	344.3	0.222	5.95	259.4	102.1						0.17	0.06	64 09
88	13.76	13.75	33.002	D 24.698	326.2	0.307	5.91	257.5	100.0						0.05	0.04	89 08
102	12.14	12.12	33.150	25.133	284.9	0.353	5.23	227.8	85.6						0.20	0.22	103 07
126	10.67	10.65	33.296	D 25.513	249.1	0.415	4.69	204.2	74.5						0.13	0.12	127 06
140	9.92	9.91	33.375	D 25.702	231.2	0.449	4.50	196.0	70.4						0.05	0.05	141 05
203	8.53	8.51	33.783	D 26.245	180.6	0.579	3.52	153.0	53.4						0.00	0.02	205 04
270	7.86	7.84	34.047	D 26.554	152.3	0.691	1.92	83.6	28.8								272 03
381	6.71	6.68	34.109	D 26.765	133.4	0.851	1.03	44.9	15.1								384 02
515	5.57	5.52	34.185	26.973	114.6	1.022	0.48	21.1	6.9								519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY							
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	
36	47.2 N	122 3.5 W	19/04/2016	1432	UTC	213 m	080	12 kn	300	02	10	1	1015.0 mb	13.5	C 10.5 C	1/8	AC 086
0	12.48	12.48	33.217	25.113	284.0	0.000	7.54	328.6	124.5						7.87	2.23	0
1	12.48	12.48	33.217	D 25.113	284.0	0.003	7.54	328.6	124.5						7.87	2.23	1 09
10	12.40	12.40	33.211	D 25.124	283.2	0.029	7.43	323.5	122.4						8.10	2.58	10 08
20	11.57	11.56	33.264	D 25.323	264.6	0.056	6.61	288.0	107.1						10.12	2.61	20 07
30	ISL	10.74	D 10.74	33.293	D 25.494	248.5	0.082	4.85	D 211.2	D 77.2					6.94	1.87	30
50	9.50	9.49	33.510	D 25.874	212.8	0.129	3.75	162.7	57.9						0.58	0.37	50 06
70	9.24	9.23	33.717	D 26.079	193.7	0.170	2.96	128.9	45.7						0.13	0.32	71 05
75	ISL	9.18	D 9.17	33.750	D 26.114	190.5	0.179	2.89	D 125.6	D 44.5					0.14	0.32	76
100	ISL	9.05	D 9.04	33.830	D 26.197	183.1	0.226	2.69	D 116.9	D 41.3					0.15	0.35	101
101	9.04	9.03	33.835	26.204	182.5	0.226	2.73	118.8	42.0						0.16	0.35	102 04
121	9.03	9.02	33.828	D 26.200	183.3	0.265	2.75	119.5	42.2						0.14	0.26	122 03
125	ISL	9.03	D 9.01	33.828	D 26.201	183.3	0.273	2.71	D 117.8	D 41.6					0.14	0.27	126
141	8.96	8.94	33.866	D 26.242	179.8	0.302	2.76	120.2	42.4						0.15	0.28	142 02
150	ISL	9.00	D 8.98	33.901	D 26.263	177.9	0.318	2.42	D 105.5	D 37.2					0.14	0.27	151
200	ISL	8.41	D 8.39	34.010	D 26.441	161.9	0.404	1.92	D 83.3	D 29.1					0.12	0.21	202
201	8.39	8.37	34.017	D 26.449	161.1	0.402	1.98	86.3	30.1						0.12	0.21	203 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY							
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	
36	37.3 N	122 25.0 W	19/04/2016	1804	UTC	2631 m	300	07 kn	320	02	10	1	1015.8 mb	15.2	C 12.9 C	4/8	ST 087
0	14.14	14.14	32.826	24.479	344.4	0.000	6.44	281.3	109.8						0.09	0.03	0
2	14.14	14.14	32.826	D 24.479	344.5	0.007	6.44	281.3	109.8						0.09	0.03	2 12
9	12.92	12.91	32.808	D 24.713	322.3	0.031	6.50	284.0	108.0						0.11	0.05	9 11
10	ISL	12.89	D 12.89	32.819	D 24.727	321.0	0.034	6.46	D 281.5	D 107.3					0.11	0.05	10
20	ISL	12.43	D 12.43	32.799	D 24.801	314.3	0.066	6.58	D 286.8	D 108.2					0.17	0.06	20
25	12.20	12.20	32.846	D 24.880	306.9	0.081	6.28	274.4	102.9						0.20	0.06	25 10
30	ISL	11.72	D 11.72	32.906	D 25.017	294.0	0.096	5.98	D 260.4	D 96.9					0.20	0.08	30
50	ISL	10.63	D 10.63	33.209	D 25.448	253.3	0.152	4.83	D 210.1	D 76.5					0.21	0.15	50
63	10.43	10.42	33.309	D 25.562	242.8	0.184	4.69	205.0	74.2						0.22	0.20	64 09
75	ISL	10.37	D 10.36	33.330	D 25.589	240.5	0.213	4.70	D 204.6	D 74.2					0.2		

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C						ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
36	27.0 N	122 46.2 W	19/04/2016	2149	UTC	2946 m	040	01 kn	310	01 08	4	1014.9	mb	16.1	C 14.8	C	7/8	ST	088	
0	14.13	14.13	32.380	24.137		376.9	0.000	6.23	272.3	105.9						0.12	0.03	0		
2	14.13	14.13	32.380	24.138		377.0	0.008	6.23	272.3	105.9						0.12	0.03	2	12	
10	13.04	13.04	32.401	D 24.373		354.8	0.037	6.43	280.9	106.8						0.10	0.03	10	11	
20	12.89	12.89	32.396	D 24.400		352.5	0.073	6.30	275.4	104.4						0.39	0.05	20	10	
30	ISL	12.92	D 12.92	32.540	D 24.505	342.8	0.108	6.26	D 273.0	D 103.9						0.49	0.16	30		
50	ISL	12.00	D 11.99	32.725	D 24.826	312.6	0.174	5.80	D 252.7	D 94.4						0.70	0.37	50		
51	11.99	11.98	32.768	D 24.862		309.3	0.177	5.78	252.7	94.2						0.71	0.38	51	09	
70	11.19	11.18	33.093	D 25.260		271.8	0.232	4.93	215.3	79.1						0.30	0.44	71	08	
75	ISL	10.83	D 10.83	33.209	D 25.414	257.2	0.246	4.71	D 204.9	D 75.0						0.27	0.41	76		
100	9.51	9.50	33.488	25.857		215.5	0.303	3.89	169.8	60.3						0.08	0.27	101	07	
121	9.25	9.24	33.681	D 26.050		197.6	0.349	3.33	145.6	51.5						0.05	0.13	122	06	
125	ISL	9.19	D 9.19	33.701	D 26.076	195.2	0.357	3.26	D 141.9	D 50.2						0.05	0.13	126		
141	8.94	8.92	33.811	D 26.202		183.5	0.388	2.96	129.1	45.4						0.05	0.13	142	05	
150	ISL	8.77	D 8.76	33.879	D 26.281	176.2	0.404	2.73	D 118.9	D 41.8						0.05	0.13	151		
200	ISL	8.32	D 8.29	33.991	D 26.441	161.9	0.489	2.34	D 101.9	D 35.4						0.03	0.13	202		
201	8.31	8.29	33.992	D 26.442		161.8	0.491	2.38	103.8	36.0						0.03	0.13	203	04	
250	ISL	7.85	D 7.85	34.051	D 26.557	151.6	0.568	1.92	D 83.5	D 28.8									252	
270	7.67	7.64	34.054	D 26.588		149.0	0.599	1.79	78.3	26.8									272	03
300	ISL	7.46	D 7.43	34.093	D 26.648	143.7	0.643	1.43	D 62.3	D 21.3									302	
381	6.66	6.63	34.131	D 26.789		131.1	0.755	0.89	38.7	12.9									384	02
400	ISL	6.51	D 6.47	34.133	D 26.812	129.1	0.780	0.81	D 35.1	D 11.7									403	
500	ISL	5.87	D 5.83	34.201	D 26.948	117.1	0.904	0.45	D 19.7	D 6.5									504	
515	5.77	5.72	34.220	26.976		114.5	0.915	0.44	19.0	6.2									520	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C						ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
36	7.2 N	123 28.9 W	20/04/2016	0327	UTC	3594 m	190	06 kn	190	06						0.14	0.01	0		
0	16.10	16.10	32.908	24.116		379.0	0.000	5.87	256.5	104.2						0.14	0.01	2	12	
2	16.10	16.10	32.908	24.116		379.0	0.008	5.87	256.5	104.2						0.14	0.01	10	11	
10	15.13	15.13	32.909	D 24.334		358.5	0.034	5.92	258.5	103.0						0.16	0.04	20	10	
20	14.89	14.89	32.914	D 24.389		353.6	0.069	5.97	260.9	103.4						0.21	0.06	30		
30	ISL	14.79	D 14.78	32.917	D 24.415	351.5	0.105	5.97	D 260.3	D 103.2						0.29	0.12	50	09	
50	14.36	14.35	33.018	D 24.585		335.8	0.174	5.97	260.9	102.4						0.47	0.21	71	08	
70	12.89	12.88	33.151	D 24.987		298.0	0.238	5.29	230.9	88.0						0.41	0.19	76		
75	ISL	12.68	D 12.67	33.173	D 25.044	292.7	0.253	5.21	D 226.8	D 86.3						0.10	0.09	101	07	
100	10.53	10.52	33.331	D 25.563		243.7	0.321	4.11	179.6	65.1						0.01	0.05	121	06	
120	9.63	9.62	33.482	D 25.833		218.3	0.367	3.69	161.0	57.3						0.01	0.05	126		
125	ISL	9.57	D 9.55	33.519	D 25.872	214.6	0.378	3.62	D 157.5	D 56.2						0.01	0.05	141	05	
140	9.22	9.20	33.626	D 26.013		201.5	0.409	3.47	151.6	53.5						0.01	0.04	141	05	
150	ISL	9.01	D 8.99	33.681	D 26.089	194.4	0.429	3.49	D 151.9	D 53.6						0.01	0.04	151		
200	ISL	8.51	D 8.49	33.971	D 26.395	166.3	0.520	2.52	D 109.8	D 38.4						0.00	0.03	202		
201	8.50	8.48	33.972	D 26.398		166.0	0.522	2.52	109.8	38.2						0.00	0.03	203	04	
250	ISL	7.72	D 7.69	34.005	D 26.541	153.0	0.601	2.48	D 107.9	D 37.1									252	
270	7.47	7.44	34.024	D 26.592		148.5	0.631	2.07	90.3	30.7									272	03
300	ISL	7.17	D 7.15	34.053	D 26.657	142.6	0.675	1.64	D 71.5	D 24.3									302	
380	6.39	6.35	34.084	D 26.788		130.9	0.786	1.09	47.7	15.8									383	02
400	ISL	6.21	D 6.17	34.088	D 26.814	128.5	0.812	1.00	D 43.5	D 14.4									403	
500	ISL	5.71	D 5.67	34.203	D 26.970	114.8	0.935	0.45	D 19.6	D 6.4									504	
515	5.57	5.53	34.217	26.998		112.2	0.947	0.42	18.3	6.0									517	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	S103*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C						ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
35	47.0 N	124 11.3 W	20/04/2016	0851	UTC	3984 m	200	08 kn	200	08						0.09	0.02	0	
0	15.74	15.74	32.981	24.254		365.8	0.000	5.81	253.2	102.3						0.09	0.02	2	12
2	15.74	15.74	32.981	24.254		365.9	0.007	5.81	253.2	102.3						0.09	0.02	10	11
10	15.38	15.38	32.968	D 24.32															

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 66.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
35 27.2 N	124 54.2 W	20/04/2016	1421	UTC	4432 m	170 08 kn	240	02 08	1	1012.7 mb	15.6	C 15.3 C	7/8	SC 091				
0	15.45	15.45	32.945 D	24.290	362.4	0.000	5.88	256.2	102.9						0.13	0.02	0	
3	15.45	15.45	32.945 D	24.290	362.5	0.005	5.88	256.2	102.9						0.13	0.02	3 12	
10 ISL	15.14 D	15.14	32.946 D	24.359	356.2	0.031	5.93	258.5	103.2						0.12	0.05	10	
11	15.16	15.16	32.944 D	24.354	356.7	0.035	5.94	258.8	103.4						0.12	0.05	11 11	
20 ISL	14.67 D	14.66	32.945 D	24.461	346.7	0.066	5.98	260.5	103.0						0.14	0.05	20	
26	14.56	14.56	32.953 D	24.490	344.1	0.087	6.00	261.6	103.3						0.15	0.04	26 10	
30 ISL	14.54 D	14.53	32.959 D	24.500	343.3	0.101	6.00	261.7	103.2						0.17	0.06	30	
50 ISL	14.38 D	14.37	32.977 D	24.549	339.3	0.170	6.03	262.9	D 103.4						0.28	0.14	50	
61	13.89	13.88	32.959 D	24.637	331.2	0.207	6.02	262.3	102.1						0.35	0.18	62 09	
75 ISL	13.62 D	13.61	32.974 D	24.705	325.2	0.253	5.94	259.1	D 100.3						0.31	0.19	76	
88	11.79	11.78	33.239 D	25.265	271.9	0.293	4.95	215.7	80.6						0.28	0.21	89 08	
100	11.05	11.04	33.302 D	25.449	254.6	0.324	4.29	186.9	68.7						0.10	0.10	101 07	
125 ISL	9.98 D	9.97	33.486 D	25.778	223.7	0.384	3.65	D 159.0	D 57.2						0.02	0.05	126	
3	15.45	15.45	32.945 D	24.290	362.5	0.005	5.88	256.2	102.9						0.13	0.02	3 12	
11	15.16	15.16	32.944 D	24.354	356.7	0.035	5.94	258.8	103.4						0.12	0.05	11 11	
26	14.56	14.56	32.953 D	24.490	344.1	0.087	6.00	261.6	103.3						0.15	0.04	26 10	
61	13.89	13.88	32.959 D	24.637	331.2	0.207	6.02	262.3	102.1						0.35	0.18	62 09	
88	11.79	11.78	33.239 D	25.265	271.9	0.293	4.95	215.7	80.6						0.28	0.21	89 08	
100	11.05	11.04	33.302 D	25.449	254.6	0.326	4.29	186.9	68.7						0.10	0.10	101 07	
126	9.96	9.95	33.495 D	25.788	222.7	0.386	3.65	158.8	57.1						0.02	0.05	127 06	
141	9.59	9.57	33.539 D	25.885	213.8	0.419	3.60	156.7	55.9						0.01	0.04	142 05	
201	8.45	8.43	33.905 D	26.353	170.3	0.536	3.22	139.9	48.8						0.00	0.04	203 04	
271	7.81	7.78	34.052 D	26.565	151.2	0.649	1.91	83.1	28.6								273 03	
380	6.56	6.53	34.082 D	26.764	133.4	0.805	1.13	49.2	16.4								383 02	
516	5.49	5.45	34.186 D	26.982	113.6	0.977	0.50	21.6	7.1								520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
36 10.7 N	121 43.9 W	19/04/2016	0852	UTC	339 m	110 05 kn											085	
0	12.19	12.19	33.459 D	25.356	260.9	0.000	5.80	252.8	95.4						2.31	0.48	0	
2	12.19	12.19	33.459 D	25.356	261.0	0.005	5.80	252.8	95.4						2.31	0.48	2 11	
9	11.68	11.68	33.452 D	25.447	252.5	0.021	5.66	D 246.6	D 92.0								9 10	
10 ISL	11.62 D	11.62	33.456 D	25.461	251.1	0.023	5.64	D 245.8	D 91.6								10	
19	11.14	11.13	33.492 D	25.579	240.2	0.045	5.54	241.2	89.0						3.94	1.46	19 09	
20 ISL	11.11 D	11.10	33.496 D	25.587	239.4	0.048	5.54	D 241.2	D 89.0						3.90	1.44	20	
30 ISL	10.83 D	10.82	33.528 D	25.662	232.6	0.072	5.21	D 226.6	D 83.1						3.55	1.23	30	
50	10.52	10.52	33.603 D	25.775	222.3	0.118	4.59	D 199.8	D 72.8						2.84	0.83	50 08	
70	10.13	10.12	33.664 D	25.889	211.9	0.161	3.93	171.0	61.8						1.15	0.55	71 07	
75 ISL	10.14 D	10.13	33.668 D	25.891	211.8	0.172	3.93	D 170.9	D 61.8						1.02	0.54	76	
100	9.57	9.56	33.790 D	26.083	194.0	0.223	2.95	128.5	45.9						0.34	0.47	101 06	
122	9.20	9.18	33.948 D	26.268	177.0	0.264	2.27	98.6	35.0						0.17	0.35	123 05	
125 ISL	9.16 D	9.14	33.960 D	26.283	175.6	0.270	2.23	D 97.2	D 34.5						0.16	0.35	126	
140	9.07	9.05	33.979 D	26.313	173.1	0.296	2.10	91.5	32.4						0.13	0.31	141 04	
150 ISL	8.97 D	8.96	33.994 D	26.340	170.6	0.313	2.05	D 89.0	D 31.4						0.12	0.29	151	
200 ISL	8.26 D	8.24	34.106 D	26.540	152.5	0.395	1.48	D 64.4	D 22.4						0.06	0.22	202	
201	8.26	8.23	34.106 D	26.540	152.5	0.396	1.48	64.6	22.5						0.06	0.21	203 03	
250 ISL	8.02 D	8.00	34.133 D	26.597	147.9	0.470	1.31	D 57.0	D 19.7								252	
270	7.79	7.76	34.150 D	26.646	143.6	0.500	1.16	50.6	17.4								272 02	
300 ISL	7.63 D	7.60	34.153 D	26.672	141.6	0.543	1.09	D 47.2	D 16.2								302	
328	7.43	7.40	34.170 D	26.714	138.0	0.579	0.97	42.3	14.4								331 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
36 2.8 N	122 0.6 W	19/04/2016	0544	UTC	1305 m	320 09 kn											084	
0	13.51	13.51	32.859 D	24.634	329.6	0.000	6.37	277.9	107.1						0.62	0.02	0	
2	13.51	13.51	32.859 D	24.634	329.7	0.007	6.37	277.9	107.1						0.62	0.02	2 12	
10	12.96	12.96	32.851 D	24.737	320.1	0.033	6.15	268.7	102.4						0.87	0.12	10 11	
20	11.33	11.33	33.134 D	25.264	270.1	0.062	5.36	234.0	86.3						0.84	0.22	20 10	
30 ISL	10.92 D	10.92	33.206 D	25.395	257.9	0.089	5.15	D 224.1	D 82.1						0.76	0.31	30	
50	10.22	10.22	33.358 D															

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
35 52.9 N	122 22.3 W	19/04/2016	0133	UTC	3095 m	020 07 kn	320 04 14	1	1017.3 mb	15.6	C 14.4	C	3/8	CS	083			
0	15.00	15.00	32.526	24.066	383.7	0.000	6.19	270.1	107.1						0.15	0.06	0	
2	15.00	15.00	32.526	24.066	383.8	0.008	6.19	270.1	107.1						0.15	0.06	2 12	
10	13.23	13.22	32.515	D 24.425	349.9	0.037	6.27	273.9	104.7						0.09	0.03	10 11	
20	12.99	12.99	32.527	D 24.481	344.8	0.072	6.31	275.7	104.9						0.13	0.06	20 10	
30 ISL	12.92	D 12.91	32.536	D 24.503	342.9	0.107	6.28	D 273.6	D 104.1						0.77	0.23	30	
50	12.05	12.04	32.836	D 24.903	305.3	0.172	5.68	248.0	92.7						2.07	0.56	50 09	
70	10.72	10.71	33.237	D 25.456	253.1	0.228	4.97	216.8	79.0						0.57	0.38	71 08	
75 ISL	10.47	D 10.46	33.320	D 25.564	242.9	0.241	4.84	D 211.8	D 76.9						0.48	0.35	76	
100	9.48	9.47	33.562	D 25.919	209.6	0.294	3.57	155.7	55.3						0.06	0.21	101 07	
121	9.10	9.09	33.759	D 26.135	189.5	0.340	3.04	132.5	46.7						0.08	0.32	122 06	
125 ISL	9.05	D 9.04	33.779	D 26.158	187.4	0.348	2.98	D 129.6	D 45.8						0.07	0.34	126	
140	8.99	8.98	33.828	D 26.207	183.0	0.376	2.83	123.3	43.4						0.05	0.40	141 05	
150 ISL	8.87	D 8.85	33.877	D 26.264	177.8	0.394	2.71	D 118.1	D 41.6						0.05	0.36	151	
200	8.18	8.16	33.983	D 26.455	160.5	0.479	2.49	108.5	37.5						0.02	0.13	202 04	
250 ISL	7.52	D 7.49	34.034	D 26.593	148.0	0.557	1.97	D 85.7	D 29.3								252	
270	7.25	7.22	34.040	D 26.635	144.2	0.587	1.83	79.7	27.0								272 03	
300 ISL	7.02	D 6.99	34.051	D 26.676	140.7	0.630	1.60	D 69.5	D 23.5								302	
380	6.22	6.19	34.106	D 26.826	127.1	0.738	0.91	39.7	13.1								383 02	
400 ISL	6.15	D 6.12	34.121	D 26.848	125.3	0.763	0.80	D 35.0	D 11.6								403	
500 ISL	5.48	D 5.44	34.192	D 26.989	112.7	0.884	0.42	D 18.1	D 5.9								504	
516	5.40	5.36	34.195	D 27.000	111.8	0.902	0.43	18.7	6.1								520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
35 32.8 N	123 4.5 W	18/04/2016	1953	UTC	3848 m	130 01 kn	320 01 08	1	1018.7 mb	14.6	C 14.0	C	2/8	ST	082			
0	15.56	15.56	32.936	D 24.259	365.4	0.000	5.85	255.4	102.7						0.08	0.02	0	
2	15.56	15.56	32.936	D 24.259	365.4	0.004	5.85	255.4	102.7						0.08	0.02	2 12	
10	14.96	14.96	32.923	D 24.381	354.0	0.033	5.90	257.6	102.3						0.09	0.02	10 11	
20 ISL	14.80	D 14.80	32.934	D 24.424	350.3	0.068	5.93	D 258.5	D 102.5						0.10	0.02	20	
25	14.78	14.77	32.931	D 24.428	350.0	0.086	5.90	257.5	101.9						0.10	0.02	25 10	
30 ISL	14.76	D 14.75	32.930	D 24.431	349.9	0.103	5.93	D 258.4	D 102.4						0.12	0.03	30	
50 ISL	14.71	D 14.70	32.932	D 24.444	349.3	0.174	5.91	D 257.7	D 102.0						0.18	0.06	50	
62	14.07	14.06	32.895	D 24.552	339.4	0.216	6.00	262.1	102.2						0.23	0.08	63 09	
75 ISL	13.87	D 13.86	32.932	D 24.621	333.2	0.260	5.93	D 258.5	D 100.6						0.33	0.27	76	
87	13.36	13.35	33.053	D 24.818	314.7	0.299	5.47	238.6	91.8						0.43	0.44	88 08	
100 ISL	11.89	D 11.88	33.070	D 25.115	286.5	0.338	5.30	D 231.0	D 86.3						0.21	0.19	101	
103	11.53	11.52	33.147	D 25.242	274.4	0.345	4.92	214.7	79.5						0.15	0.14	104 07	
125 ISL	9.54	D 9.53	33.306	D 25.710	230.0	0.403	4.74	D 206.2	D 73.4						0.04	0.05	126	
126	9.59	9.57	33.294	D 25.693	231.6	0.405	4.67	204.0	72.5						0.04	0.04	127 06	
142	8.98	8.97	33.505	D 25.956	206.9	0.441	4.25	185.4	65.1						0.01	0.03	143 05	
150 ISL	8.84	D 8.82	33.580	D 26.037	199.3	0.457	4.25	D 185.0	D 64.9						0.01	0.02	151	
200 ISL	8.54	D 8.52	33.919	D 26.350	170.5	0.550	4.06	D 176.8	D 61.8						0.00	0.02	202	
202	8.53	8.50	33.922	D 26.355	170.2	0.554	4.02	175.5	61.1						0.00	0.02	204 04	
250 ISL	8.01	D 7.98	34.010	D 26.502	156.9	0.633	2.44	D 106.2	D 36.7								252	
270	7.54	7.51	33.993	D 26.558	151.7	0.664	2.63	114.8	39.1								272 03	
300 ISL	7.24	D 7.21	34.020	D 26.622	146.0	0.709	2.13	D 92.8	D 31.5								302	
380	6.33	6.30	34.070	D 26.785	131.1	0.821	1.20	52.2	17.3								383 02	
400 ISL	6.27	D 6.23	34.100	D 26.817	128.4	0.847	1.02	D 44.4	D 14.7								403	
500 ISL	5.72	D 5.68	34.196	D 26.950	116.7	0.971	0.56	D 24.2	D 7.9								504	
515	5.57	5.53	34.182	D 26.970	114.9	0.983	0.50	21.6	7.1								519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
35 12.9 N	123 46.8 W	18/04/2016	1345	UTC	4103 m	030 04 kn	340 02 07	1	1016.8 mb	14.3	C 14.1	C	1/8	AS	081			
0	15.78	15.78	33.031	D 24.283	363.0	0.000	5.79	252.7	102.1						0.07	0.01	0	
2	15.78	15.78	33.031	D 24.283	363.1	0.007	5.79	252.7	102.1						0.07	0.01	2 12	
9	15.77	15.77	33.027	D 24.283	363.4	0.029	5.79	252.9	102.2						0.07	0.02	9 11	
10 ISL	15.66	D 15.66	33.026	D 24.306	363.1	0.033	5.78	D 252.1	D 101.8						0.07	0.02	10	
20	15.35	15.35	33.024	D 24.374	355.1	0.069	5.82	254.0	101.7						0.08	0.02	20 10	
30 ISL	15.32	D 15.31	33.023	D 24.382	354.7	0.105	5.81	D 253.3	D 101.6						0.09	0.02	30	
50	15.29	15.28	33.021	D 24.389	354.7	0.176	5.81	253.6	101.4						0.10	0.03	50 09	
75	14.30	14.29	33.044	D 24.619	333.5	0.263	5.77	252.0	98.8					</				

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 70.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP			
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db				
34 53.0 N	124 28.7 W	18/04/2016	0837	UTC	4353 m	180 02 kn										080			
0	15.52	15.52	33.023	24.336	358.0	0.000	5.82	254.0	102.1						0.06	0.01	0		
2	15.52	15.52	33.023	24.336	358.1	0.007	5.82	254.0	102.1						0.06	0.01	2 12		
10	15.45	15.44	33.011	24.343	357.7	0.033	5.83	254.8	102.2						0.06	0.02	10 11		
20	ISL	15.17 D	15.17	33.012	D 24.405	352.1	0.068	5.86	D255.5	D102.1						0.08	0.04	20	
25	15.12	15.12	33.004	D 24.410	351.8	0.086	5.85	255.7	101.9						0.09	0.05	25 10		
30	ISL	15.10 D	15.09	33.002	D 24.414	351.6	0.104	5.86	D255.4	D101.9						0.10	0.05	30	
49	14.60	14.59	32.973	D 24.499	344.0	0.171	5.91	258.2	101.8						0.11	0.04	49 09		
50	ISL	14.52 D	14.51	32.964	D 24.509	343.2	0.174	5.91	D257.5	D101.6						0.12	0.04	50	
75	ISL	14.11 D	14.10	33.004	D 24.627	332.7	0.259	5.89	D256.6	D100.4						0.43	0.28	76	
81	13.85	13.84	33.024	D 24.695	326.3	0.279	5.80	253.2	98.4						0.51	0.33	82 08		
100	ISL	12.67 D	12.66	33.191	D 25.062	291.7	0.338	5.34	D232.8	D 88.5						0.29	0.29	101	
101	12.71	12.69	33.213	25.072	290.8	0.341	5.21	227.6	86.4						0.27	0.29	102 07		
125	10.93	10.91	33.323	D 25.489	251.4	0.406	5.01	218.7	80.0						0.09	0.07	126 06		
140	10.05	10.03	33.366	D 25.674	234.0	0.443	4.63	202.3	72.6						0.05	0.04	141 05		
150	ISL	9.72 D	9.71	33.439	D 25.785	223.5	0.466	4.38	D190.9	D 68.3						0.05	0.04	151	
200	8.60	8.58	33.770	D 26.224	182.5	0.569	3.44	150.1	52.3									252	
250	ISL	8.24 D	8.22	33.976	D 26.441	162.8	0.656	2.67	D116.3	D 40.4								302	
270	7.92	7.89	33.990	D 26.500	157.4	0.688	2.47	108.0	37.1									383 02	
300	ISL	7.38 D	7.35	33.972	D 26.565	151.4	0.735	2.80	D121.7	D 41.4								403	
380	6.12	6.09	33.978	D 26.739	135.3	0.850	2.03	88.5	29.2									504	
400	ISL	5.96 D	5.92	33.990	D 26.769	132.6	0.877	1.82	D 79.3	D 26.1									519 01
500	ISL	5.13 D	5.09	34.062	D 26.926	118.2	1.004	1.05	D 45.8	D 14.8									
515	5.18	5.13	34.100	26.951	116.1	1.018	0.90	39.4	12.7										

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μg/L	μg/L	db	
35 38.7 N	121 15.9 W	17/04/2016	0422	UTC	32 m	340 13 kn										074	
0	10.60	10.60	33.656	25.800	218.7	0.000	4.58	199.7	72.8						1.20	0.46	0
2	10.60	10.60	33.656	25.800	218.7	0.004	4.58	199.7	72.8						1.20	0.46	2 04
10	10.48	10.48	33.627	25.798	219.1	0.022	4.35	189.9	69.0						1.12	0.47	10 03
20	10.40	10.40	33.621	D 25.808	218.4	0.044	4.21	183.8	66.7						1.02	0.47	20 02
24	10.20	10.20	33.626	25.846	214.8	0.053	3.94	172.0	62.1						0.88	0.34	24 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP		
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μg/L	μg/L	db			
35 28.8 N	121 36.5 W	17/04/2016	0716	UTC	982 m	330 07 kn										075			
0	12.48	12.48	33.434	25.282	268.0	0.000	6.75	294.3	111.5						5.97A	0.99A	0		
3	12.48	12.48	33.434	25.282	268.1	0.008	6.75	294.3	111.5						5.97A	0.99A	3 12		
10	ISL	11.88 D	11.88	33.401	D 25.370	259.9	0.027	5.97	D259.9	D 97.4						5.21	1.24	10	
11	11.87	11.87	33.402	D 25.374	259.5	0.030	6.16	268.9	100.5						5.10	1.27	11 11		
20	11.83	11.83	33.406	D 25.384	258.7	0.053	5.97	260.3	97.3						7.18	0.70	20 10		
30	ISL	11.75 D	11.75	33.424	D 25.413	256.3	0.079	5.88	D255.9	D 95.6						5.22	0.66	30	
50	ISL	10.35 D	10.35	33.519	D 25.738	225.7	0.128	4.07	D177.0	D 64.2						1.31	0.57	50	
51	10.28	10.27	33.528	D 25.758	223.9	0.130	4.10	178.9	64.7						1.11	0.56	51 09		
70	9.71	9.70	33.672	D 25.966	204.5	0.171	3.23	140.8	50.3						0.96	0.39	71 08		
75	ISL	9.52 D	9.51	33.751	D 26.059	195.7	0.181	3.09	D134.3	D 47.9						0.90	0.39	76	
100	8.91	8.90	33.817	26.210	181.9	0.226	2.93	127.9	44.9						0.58	0.40	101 07		
120	8.62	8.60	33.856	D 26.286	175.0	0.264	3.10	135.1	47.2						0.40	0.31	121 06		
125	ISL	8.57 D	8.56	33.878	D 26.311	172.8	0.273	3.02	D131.6	D 46.0						0.36	0.29	126	
139	8.53	8.51	33.916	D 26.348	169.5	0.297	2.91	126.8	44.2						0.25	0.24	140 05		
150	ISL	8.45 D	8.44	33.945	D 26.382	166.5	0.316	2.79	D121.4	D 42.4						0.23	0.25	151	
200	8.24	8.22	34.085	D 26.525	153.9	0.397	1.80	78.7	27.3						0.16	0.25	202 04		
250	ISL	7.51 D	7.49	34.060	D 26.614	146.0	0.472	1.71	D 74.5	D 25.5								252	
271	7.14	7.11	34.057	D 26.664	141.4	0.503	1.60	69.9	23.6									273 03	
300	ISL	6.82 D	6.79	34.079	D 26.726	135.8	0.543	1.25	D 54.3	D 18.3								302	
382	6.59	6.55	34.159	D 26.821	128.0	0.652	0.78	34.1	11.4									385 02	
400	ISL	6.39 D	6.36	34.151	D 26.841	126.2	0.675	0.73	D 31.7	D 10.6									403
500	ISL	5.99 D	5.95	34.257	D 26.978	114.4	0.797	0.34	D 14.7	D 4.9									504
516	5.88	5.84	34.260	D 26.994	113.0	0.815	0.32	14.1	4.6									52	

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
35 18.3 N	121 57.8 W	17/04/2016	1050	UTC	2367 m	340 06 kn											
0	12.39	12.39	33.458	25.319	264.4	0.000	6.63	289.2	109.3						4.34	1.27	0
3	12.39	12.39	33.458	25.319	264.5	0.008	6.63	289.2	109.3						4.34	1.27	3 12
10	11.74	11.74	33.453 D	25.437	253.4	0.026	6.48	282.8	105.4						5.19	1.44	10 11
20	11.66	11.66	33.457 D	25.456	252.0	0.052	5.96	260.3	96.9						5.98	1.59	20 10
30 ISL	11.64 D	11.64	33.468 D	25.468	251.0	0.077	5.84	0254.4 D	94.9						4.35	1.34	30
49	9.88	9.88	33.464 D	25.930	207.4	0.121	3.65	159.4	57.2						1.24	0.85	49 09
50 ISL	9.85 D	9.85	33.665 D	25.936	206.9	0.123	3.62	0157.4 D	56.6						1.20	0.83	50
70	9.20	9.20	33.702 D	26.072	194.4	0.163	3.16	137.7	48.7						0.42	0.45	71 08
75 ISL	9.03 D	9.02	33.712 D	26.108	191.0	0.173	3.17	0137.9 D	48.7						0.39	0.43	76
100 ISL	8.97 D	8.96	33.884 D	26.253	177.8	0.220	2.59	0112.7 D	39.8						0.23	0.33	101
102	9.00	8.98	33.913 D	26.271	176.1	0.219	2.58	112.7	39.7						0.22	0.32	103 07
120	8.56	8.55	33.914 D	26.341	169.8	0.255	2.70	117.7	41.1						0.17	0.36	121 06
125 ISL	8.53 D	8.52	33.930 D	26.358	168.3	0.263	2.64	0115.0 D	40.2						0.17	0.34	126
140	8.58	8.57	33.967 D	26.379	166.6	0.288	2.38	103.8	36.2						0.19	0.28	141 05
150 ISL	8.63 D	8.62	34.011 D	26.406	164.3	0.305	2.14	093.2 D	32.7						0.17	0.27	151
200	8.01	7.99	34.057 D	26.538	152.6	0.385	1.93	84.0	29.0						0.09	0.22	202 04
250 ISL	7.84 D	7.82	34.134 D	26.625	145.2	0.460	1.29	056.3 D	19.4								252
270	7.59	7.56	34.147 D	26.672	141.0	0.489	1.15	50.2	17.2								272 03
300 ISL	7.39 D	7.36	34.160 D	26.711	137.7	0.531	1.01	043.9 D	15.0								302
382	6.48	6.44	34.196 D	26.864	123.8	0.639	0.58	25.3	8.4								385 02
400 ISL	6.27 D	6.24	34.192 D	26.889	121.6	0.661	0.52	022.8 D	7.6								403
500 ISL	5.44 D	5.40	34.222 D	27.017	110.1	0.778	0.33	014.4 D	4.7								504
516	5.56	5.52	34.273	27.043	108.0	0.786	0.29	12.5	4.1								520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34 58.6 N	122 40.0 W	17/04/2016	1617	UTC	4091 m	310 06 kn	350 02 06	0	1016.5 mb	14.5 C	13.8 C	0/8					
0	14.53	14.53	32.912	24.463	345.9	0.000	5.95	259.8	102.3						0.15	0.05	0
2	14.53	14.53	32.912	24.463	346.0	0.007	5.95	259.8	102.3						0.15	0.05	2 12
9	14.47	14.47	32.906 D	24.473	345.2	0.028	5.95	259.8	102.1						0.17	0.06	9 11
10 ISL	14.47 D	14.46	32.907 D	24.474	345.2	0.032	5.97	0260.0 D	102.4						0.17	0.06	10
20	14.30	14.30	32.928 D	24.525	340.7	0.066	5.94	259.5	101.7						0.16	0.09	20 10
30 ISL	14.26 D	14.25	32.926 D	24.533	340.2	0.100	5.98	0260.8 D	102.3						0.20	0.08	30
50	13.64	13.63	33.023 D	24.737	321.4	0.167	5.60	244.3	94.5						0.27	0.08	50 09
70	12.91	12.90	33.105 D	24.948	301.8	0.230	5.70	248.7	94.8						0.09	0.07	71 08
75 ISL	12.78 D	12.77	33.071 D	24.947	302.0	0.245	5.71	0248.7 D	94.7						0.09	0.08	76
100 ISL	11.90 D	11.88	33.282 D	25.279	270.9	0.317	4.62	0201.3 D	75.4						0.11	0.14	101
101	11.97	11.96	33.331 D	25.303	268.7	0.320	4.63	201.9	75.6						0.11	0.14	102 07
119	11.10	11.09	33.545 D	25.630	237.9	0.366	3.62	158.1	58.2						0.07	0.14	120 06
125 ISL	10.74 D	10.73	33.572 D	25.715	229.9	0.380	3.57	0155.2 D	56.8						0.06	0.13	126
140	9.99	9.98	33.608 D	25.872	215.1	0.414	3.28	143.3	51.5						0.03	0.09	141 05
150 ISL	9.71 D	9.69	33.630 D	25.937	209.2	0.435	3.34	0145.2 D	52.0						0.03	0.09	151
200	9.31	9.28	33.883 D	26.202	185.0	0.534	2.55	111.1	39.4						0.02	0.06	202 04
250 ISL	8.34 D	8.31	33.953 D	26.409	165.9	0.623	2.84	0123.7 D	43.0								252
271	8.42	8.39	34.063 D	26.484	159.4	0.657	1.90	83.0	28.9								273 03
300 ISL	7.85 D	7.82	34.057 D	26.565	151.9	0.703	1.90	083.1 D	28.6								302
381	7.27	7.23	34.158 D	26.729	137.4	0.821	1.00	043.6 D	14.8								384 02
400 ISL	6.78 D	6.74	34.127 D	26.771	133.3	0.847	0.98	042.8 D	14.4								403
500 ISL	5.80 D	5.75	34.151 D	26.918	119.8	0.974	0.64	028.0 D	9.2								504
515	5.80	5.75	34.172 D	26.935	118.4	0.989	0.58	25.2	8.2								519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34 38.4 N	123 21.9 W	17/04/2016	2159	UTC	4044 m	330 05 kn	340 03 07	1	1017.2 mb	16.8 C	15.3 C	3/8					
0	15.31	15.31	32.918	24.300	361.5	0.000	5.92	258.6	103.4						0.11	0.03	0
2	15.31	15.31	32.918	24.300	361.5	0.007	5.92	258.6	103.4						0.11	0.03	2 12
10	14.72	14.72	32.911 D	24.423	350.1	0.033	5.90	257.7	101.8						0.09	0.02	10 11
20 ISL	14.62 D	14.62	32.908 D	24.443	348.5	0.067	5.91	0257.7 D	101.8						0.10	0.03	20 10
25	14.59	14.59	32.906 D	24.448	348.2	0.085	5.91	258.0	101.7						0.10	0.03	25 10

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 73.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
34	18.6 N	124 3.9 W	18/04/2016	0327	UTC	3217 m	070 08 kn	5.76	251.7	102.8	0.05	0.01	0				
0	16.30	16.30	33.060	24.189	372.0	0.000		5.76	251.7	102.8	0.05	0.01	0				
2	16.30	16.30	33.060	24.189	372.1	0.007		5.76	251.7	102.8	0.05	0.01	2	12			
10	15.86	15.86	33.057	24.287	363.1	0.034		5.79	252.7	102.2	0.06	0.05	10	11			
20	ISL	15.72 D	15.72	33.067	D 24.325	359.7	0.070	5.77	D 251.4	D 101.6	0.06	0.02	20				
26	15.69	15.69	33.098	D 24.357	356.9	0.092		5.77	251.8	101.6	0.06	0.01	26	10			
30	ISL	15.67 D	15.66	33.093	D 24.359	356.9	0.106	5.77	D 251.6	D 101.6	0.06	0.02	30				
50	ISL	15.61 D	15.60	33.087	D 24.368	356.6	0.178	5.79	D 252.2	D 101.7	0.10	0.04	50				
62	15.60	15.59	33.195	D 24.453	349.0	0.221		5.76	251.3	101.3	0.12	0.05	63	09			
75	ISL	14.87 D	14.86	33.141	D 24.572	338.0	0.266	5.80	D 253.0	D 100.6	0.30	0.17	76				
88	14.19	14.18	33.117	D 24.698	326.3	0.309		5.76	251.4	98.4	0.48	0.29	89	08			
100	ISL	13.07 D	13.06	33.136	D 24.941	303.3	0.347	5.40	D 235.2	D 90.1	0.34	0.29	101				
102	12.91	12.90	33.123	24.963	301.2	0.353		5.28	230.7	87.9	0.32	0.29	103	07			
125	ISL	10.85 D	10.83	33.230	D 25.430	257.0	0.418	4.58	D 199.6	D 73.0	0.10	0.10	126				
126	10.83	10.82	33.235	D 25.436	256.4	0.420		4.53	197.6	72.1	0.10	0.09	127	06			
140	10.02	10.00	33.307	D 25.633	237.8	0.455		4.42	193.1	69.3	0.04	0.05	141	05			
150	ISL	9.56 D	9.55	33.348	D 25.740	227.7	0.479	4.59	D 200.0	D 71.2	0.03	0.04	151				
200	ISL	8.82 D	8.80	33.767	D 26.188	186.0	0.583	3.46	D 150.6	D 52.9	0.01	0.02	202				
203	8.81	8.79	33.774	D 26.196	185.4	0.589		3.39	147.9	51.8	0.00	0.02	205	04			
250	ISL	8.28 D	8.25	33.980	D 26.439	163.0	0.671	2.67	D 116.2	D 40.4	252						
271	8.04	8.01	34.012	D 26.500	157.6	0.705		2.34	102.3	35.3	0.00	0.02	273	03			
300	ISL	7.83 D	7.80	34.075	D 26.581	150.3	0.750	1.77	D 77.1	D 26.5	302						
381	6.76	6.72	34.092	D 26.746	135.3	0.867		1.16	50.4	16.9	0.00	0.02	384	02			
400	ISL	6.78 D	6.75	34.141	D 26.782	132.3	0.893	0.88	D 38.4	D 12.9	403						
500	ISL	5.75 D	5.70	34.146	D 26.920	119.5	1.020	0.66	D 28.6	D 9.4	504						
515	5.67	5.62	34.159	26.940	117.7	1.035		0.59	25.7	8.4	0.00	0.01	519	01			

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 49.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
35	5.3 N	120 46.6 W	13/04/2016	0906	UTC	64 m	100 02 kn	6.21	270.8	101.6	3.5	0.73	5.7	0.15	0.36	8.26	1.87	0
0	11.98	11.98	33.578	25.489	248.2	0.000		6.21	270.8	101.6	3.5	0.73	5.7	0.15	0.36	8.26	1.87	2
2	11.98	11.98	33.578	25.489	248.3	0.005		6.21	270.8	101.6	3.5	0.73	5.7	0.15	0.36	8.26	1.87	09
5	11.98	11.98	33.583	25.494	247.9	0.012		6.22	271.2	101.8	3.3	0.69	5.6	0.15	0.34	8.07	1.71	5
9	11.96	11.95	33.579	25.495	247.9	0.022		6.19	270.2	101.3	3.4	0.67	5.6	0.15	0.36	8.78	1.69	9
9	11.96	11.95	33.578	25.494	248.0	0.022		6.10	D 265.8	D 99.8	3.8	0.71	6.1	0.15	0.46	8.50	1.67	9
10	ISL	11.94 D	11.93	33.579	D 25.499	247.6	0.025		4.62	D 201.1	D 74.0							10
20	10.96	10.96	33.634	D 25.720	226.8	0.049		4.22	184.1	67.4	12.7	1.49	14.7	0.23	2.31	2.60	1.79	29
29	10.80	10.80	33.656	D 25.766	222.7	0.069		4.22	184.1	67.4	12.7	1.49	14.7	0.23	2.31	2.60	1.79	04
30	ISL	10.79 D	10.79	33.660	D 25.771	222.2	0.072	4.13	D 179.6	D 65.9	12.9	1.50	14.8	0.23	2.33	2.56	1.81	30
39	10.63	10.62	33.678	D 25.814	218.3	0.091		3.93	171.6	62.6	14.5	1.62	16.0	0.24	2.48	2.25	2.03	39
50	10.49	10.48	33.702	D 25.858	214.4	0.115		3.62	158.0	57.5	18.4	1.75	17.8	0.25	2.15	2.24	2.62	50
60	10.46	10.46	33.712	D 25.870	213.5	0.136		3.52	153.4	55.8	20.2	1.82	18.7	0.27	1.86	2.30	3.29	60

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
35	1.1 N	120 55.2 W	13/04/2016	1100	UTC	236 m	330 21 kn	5.73	250.0	94.5	8.1	0.81	6.8	0.35	0.44	1.85	0.56	0
0	12.44	12.44	33.251	25.147	280.8	0.000		5.73	250.0	94.5	8.1	0.81	6.8	0.35	0.44	1.85	0.56	2
2	12.44	12.44	33.251	25.147	280.8	0.006		5.73	250.0	94.5	8.1	0.81	6.8	0.35	0.44	1.85	0.56	16
10	12.45	12.44	33.252	25.148	281.0	0.028		5.72	249.7	94.4	7.7	0.81	6.7	0.33	0.42	1.94	0.59	10
10	12.45	12.44	33.251	25.147	281.1	0.027		5.73	249.7	94.4	7.7	0.81	6.7	0.33	0.42	1.94	0.59	15
20	11.85	11.85	33.270	25.275	269.2	0.056		5.25	229.0	85.5	11.0	1.07	10.3	0.36	0.76	1.11	0.50	20
30	ISL	11.14 D	11.14	33.396	D 25.504	247.6	0.082	4.44	D 193.4	D 71.3	14.1	1.34	13.4	0.33	1.12	1.17	0.84	30
30	11.14	11.14	33.396	D 25.504	247.6	0.082		4.44	D 193.4	D 71.3							12	
39	10.70	10.70	33.681	D 25.803	219.4	0.103		4.31	D 187.6	D 68.7							39	
50	10.32	10.32	33.750	25.924	208.2	0.126		3.37	147.2	53.4	20.2	1.87	19.7	0.26	1.83	1.29	1.52	50
59	10.25	10.24	33.758	25.943	206.5	0.145		3.27	142.8	51.7	21.7	1.70	20.6	0.				

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	
34 53.2 N	121 12.0 W	13/04/2016	1420	UTC	561 m	330 22 kn	340 05 07	1	1021.5 mb	13.3	C 11.7 C	14 m	1/8	ST	064			
0	14.80	14.80	33.313	24.716	321.8	0.000	5.96	260.1	103.3	1.6	0.37	0.0	0.01	0.01	0.35	0.16	0	
3	14.80	14.80	33.313	24.716	321.9	0.010	5.96	260.1	103.3	1.6	0.37	0.0	0.01	0.01	0.35	0.16	3 21	
10	14.80	14.79	33.309	24.714	322.3	0.032	5.94	259.0	102.8	1.6	0.37	0.0	0.00	0.00	0.34	0.16	10 19	
11	14.80	14.80	33.318	24.721	321.7	0.034											11 20	
20	ISL	14.75 D	14.75	33.311	D 24.725	321.6	0.065	5.90	D 257.3	D 102.2	1.5	0.37	0.0	0.01	0.00	0.40	0.19	20
21		14.67	14.67	33.331	24.759	318.4	0.068	5.94	259.2	102.7	1.5	0.37	0.0	0.01	0.01	0.40	0.20	21 18
30		14.04	14.04	33.344	24.901	305.1	0.096	5.80	252.9	98.9	2.4	0.48	0.6	0.08	0.51	0.92	0.41	30 17
41		13.11	13.11	33.361	25.104	286.1	0.128	5.17	225.6	86.5	6.0	0.79	5.3	0.28	0.79	0.32	0.27	41 16
50		12.34	12.33	33.358	25.253	272.1	0.153	4.78	208.7	78.8	8.7	0.99	9.0	0.28	0.42	0.21	0.22	50 15
60		11.44	11.44	33.371	25.430	255.4	0.180	4.30	187.8	69.5	11.8	1.21	13.0	0.26	0.06	0.11	0.19	60 14
69		10.57	10.56	33.464	25.659	233.8	0.202	3.74	163.3	59.4	16.5	1.48	17.9	0.07	0.00	0.07	0.16	70 13
75	ISL	10.26 D	10.25	33.493	D 25.735	226.7	0.217	3.64	D 158.4	D 57.4	17.2	1.51	18.5	0.07	0.00	0.06	0.16	76
85		10.13	10.12	33.504	25.766	223.9	0.238	3.63	158.4	57.1	18.4	1.57	19.5	0.07	0.00	0.06	0.18	86 12
100		9.74	9.73	33.606	25.911	210.5	0.271	3.39	147.7	52.8	21.2	1.68	21.6	0.04	0.00	0.04	0.15	101 11
120		9.38	9.36	33.733	26.070	195.7	0.311	3.05	132.9	47.2	24.6	1.82	23.7	0.04	0.00	0.03	0.10	121 10
125	ISL	9.31 D	9.30	33.773	D 26.112	191.8	0.323	2.97	D 129.4	D 46.0	25.5	1.86	24.2	0.03	0.00	0.03	0.09	126
140		9.12	9.10	33.862	26.214	182.5	0.349	2.72	118.7	41.9	28.2	1.96	25.7	0.03	0.00	0.02	0.08	141 09
150	ISL	8.97 D	8.96	33.919	D 26.281	176.2	0.369	2.63	D 114.5	D 40.4	29.8	2.01	26.4	0.03	0.00	0.02	0.08	151
170		8.75	8.73	33.981	26.366	168.6	0.402	2.35	102.4	35.9	32.9	2.10	27.8	0.01	0.00	0.02	0.08	171 08
200	ISL	8.44 D	8.42	34.047	D 26.466	159.6	0.454	2.05	D 89.3	D 31.2	36.8	2.22	29.3	0.02	0.00	0.01	0.06	202
201		8.45	8.42	34.047	26.465	159.7	0.453	2.10	91.6	31.9	37.0	2.22	29.3	0.02	0.00	0.01	0.06	203 07
232		8.14	8.11	34.095	26.550	152.1	0.501	1.70	74.3	25.7	42.0	2.37	31.1	0.02	0.00		234 06	
250	ISL	7.94 D	7.92	34.129	D 26.606	147.1	0.531	1.42	D 62.0	D 21.4	45.2	2.47	32.0	0.02	0.00		252	
272		7.76	7.73	34.154	26.653	142.9	0.560	1.22	53.0	18.2	49.1	2.59	33.2	0.02	0.00		274 05	
300	ISL	7.45 D	7.42	34.179	D 26.717	137.1	0.603	0.99	D 42.9	D 14.7	53.4	2.68	34.2	0.02	0.00		302	
320		7.32	7.29	34.196	26.749	134.4	0.626	0.88	38.5	13.1	56.5	2.75	35.0	0.01	0.00		323 04	
381		6.88	6.84	34.207	26.821	128.3	0.706	0.67	29.3	9.8	63.3	2.88	36.6	0.01	0.00		384 03	
400	ISL	6.76 D	6.72	34.215	D 26.844	126.4	0.736	0.61	D 26.3	D 8.8	65.7	2.92	37.1	0.01	0.00		403	
440		6.41	6.37	34.234	26.906	120.8	0.780	0.49	21.3	7.1	70.7	3.01	38.1	0.02	0.00		444 02	
500	ISL	5.85 D	5.81	34.268	D 27.004	111.8	0.856	0.33	D 14.4	D 4.8	80.3	3.13	39.7	0.02	0.00		504	
515		5.76	5.72	34.275	27.021	110.3	0.866	0.32	13.8	4.5	82.8	3.16	40.1	0.03	0.00		519 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	
34 43.2 N	121 33.0 W	13/04/2016	1839	UTC	946 m	330 23 kn	350 05 08	1	1023.1 mb	13.4	C 12.0 C	17 m	3/8	ST	065			
0	14.54	14.54	32.901	24.453	346.9	0.000	6.09	266.0	104.8						0.34	0.08	0	
2 A	14.54	14.54	32.901	24.453	346.9	0.007	6.09	266.0	104.8						0.34	0.08	2 23	
10 ISL	14.56 D	14.56	32.901	D 24.450	347.5	0.032	6.12	D 266.8	D 105.3						0.32	0.09	10	
12 A	14.52	14.52	32.900	24.456	346.9	0.042	6.13	267.4	105.3	2.0	0.29	0.0	0.02	0.04	0.31	0.09	12 21	
12		14.52	14.52	32.900	24.456	346.9	0.041										12 22	
16 A	14.50	14.50	32.900	24.462	346.5	0.056	6.10	266.3	104.8	1.8	0.32	0.0	0.01	0.12	0.32	0.14	16 20	
20 ISL	14.47 D	14.47	32.900	D 24.468	346.1	0.066	6.11	D 266.4	D 104.9	1.8	0.30	0.0	0.01	0.06	0.32	0.14	20	
23		14.42	14.42	32.903	24.482	344.9	0.080	6.11	266.8	104.8	1.7	0.29	0.0	0.01	0.01	0.32	0.14	23 19
29 A	14.25	14.25	32.925	24.534	340.0	0.100	6.03	263.1	103.0	1.7	0.31	0.0	0.02	0.03	0.52	0.09	29 17	
29		14.25	14.25	32.927	24.536	339.9	0.100										29 18	
30 ISL	14.23 D	14.22	32.936	D 24.548	338.8	0.101	6.04	D 263.3	D 103.2	1.7	0.31	0.0	0.02	0.03	0.56	0.11	30	
38		13.77	13.76	32.986	24.682	326.2	0.130	5.89	257.0	99.7	1.8	0.34	0.0	0.07	0.01	0.88	0.30	38 16
48 A	13.44	13.43	33.065	24.810	314.3	0.162	5.99	261.4	100.8	2.1	0.45	0.3	0.08	1.03	0.33	0.15	48	
50 ISL	13.60 D	13.59	33.128	D 24.827	312.8	0.166	5.93	D 258.6	D 100.2	2.8	0.50	1.4	0.08	0.00	0.31	0.16	50	
60 A	12.03	12.03	33.069	25.087	288.1	0.199	5.20	227.0	84.9	6.1	0.73	6.7	0.11	0.00	0.22	0.21	60 14	
70		11.19	11.18	33.169	25.320	266.1	0.227	4.87	212.6	78.2	9.4	0.96	10.7	0.08	0.00	0.19	0.28	71 13
75 ISL	11.35 D	11.34	33.249	D 25.353	263.2	0.238	4.79	D 208.7	D 77.2	10.8	1.07	12.3	0.07	0.00	0.16	0.23	76	
86		10.72	10.71	33.326	25.526	246.8	0.268	4.20	183.1	66.7	13.8	1.32	15.9	0.06	0.05	0.09	0.13	87 12
100		10.52	10.51	33.423	25.636	236.7	0.302	3.88	169.3	61.5	15.9	1.44	17.8	0.05	0.00	0.08	0.15	101 11
121		9.69	9.67	33.524	25.856	216.1	0.349	3.70	161.3	57.5	19.4	1.59	20.7	0.03	0.00	0.05	0.09	122 10
125 ISL	9.71 D	9.69	33.523	D 25.852	216.6	0.357	3.74	D 162.7	D 58.2	20.1	1.63	21.1	0.03	0.00	0.05	0.09	126	
140		9.62	9.60	33.655	25.972	205.6	0.389	3.19	139.4	49.7	22.5	1.76	22.9	0.03	0.00	0.03	0.09	141 09
150 ISL	9.45 D	9.43	33.769	D 26.088	194.7	0.409	2.95	D 128.2	D 45.7	24.0	1.80	23.7						

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
34 23.2 N	122 14.8 W	14/04/2016	0039	UTC	4051 m	320 21 kn	320 06 07	1	1021.2 mb	14.4 C	12.3 C	4/8	SC	066			
0	14.77	14.77	32.862	24.375	354.3	0.000	5.96	260.2	102.9	1.7	0.29	0.0	0.01	0.28	0.12	0.04	0
2	14.77	14.77	32.862	24.375	354.4	0.007	5.96	260.2	102.9	1.7	0.29	0.0	0.01	0.28	0.12	0.04	2 20
10	14.77	14.76	32.863	24.377	354.5	0.036	5.99	261.4	103.4	2.3	0.28	0.0	0.02	0.08	0.12	0.05	10 19
20 ISL	14.73 D	14.72	32.861	D 24.384	354.1	0.071	5.94	D 259.1	D 102.5	2.0	0.27	0.0	0.02	0.04	0.12	0.04	20
26	14.68	14.68	32.862	24.395	353.2	0.092	5.96	260.3	102.8	1.9	0.27	0.0	0.02	0.02	0.12	0.04	26 18
30 ISL	14.64 D	14.64	32.869	D 24.409	352.0	0.107	5.91	D 257.7	D 101.8	1.8	0.26	0.0	0.02	0.00	0.12	0.04	30
40	14.30	14.29	32.877	24.488	344.8	0.141	5.94	259.3	101.6	1.5	0.25	0.0	0.02	0.00	0.14	0.05	40 17
50	14.28	14.27	32.910	24.519	342.1	0.175	5.97	260.7	102.1	1.5	0.28	0.0	0.02	0.00	0.20	0.06	50 16
62	14.16	14.15	32.939	24.565	338.1	0.216	5.96	260.4	101.8	1.5	0.30	0.0	0.02	0.07	0.33	0.15	63 15
75	13.65	13.64	32.915	24.653	330.1	0.260	5.87	256.1	99.0	1.8	0.32	0.0	0.10	0.00	0.56	0.28	76 14
87	11.75	11.74	33.079	25.149	282.9	0.296	5.21	227.3	84.5	6.3	0.72	6.7	0.08	0.03	0.25	0.24	88 13
100	10.35	10.34	33.196	25.489	250.6	0.331	4.78	208.6	75.3	11.7	1.12	13.3	0.04	0.04	0.10	0.09	101 12
112	9.80	9.78	33.260	25.632	237.2	0.360	4.66	203.3	72.5	14.2	1.26	15.5	0.04	0.04	0.06	0.06	113 11
125	9.47	9.46	33.367	25.769	224.4	0.390	4.65	202.8	71.9	15.9	1.30	16.6	0.03	0.00	0.03	0.04	126 10
140	9.21	9.20	33.447	25.874	214.7	0.423	4.55	198.7	70.1	17.4	1.35	17.7	0.03	0.00	0.02	0.03	141 09
150 ISL	8.87 D	8.85	33.512	D 25.979	204.8	0.447	4.34	D 188.7	D 66.3	19.7	1.47	19.4	0.03	0.00	0.01	0.03	151
170	8.97	8.95	33.714	26.122	191.7	0.484	3.56	155.3	54.6	24.4	1.71	23.0	0.03	0.00	0.00	0.03	171 08
200	8.83	8.81	33.893	26.285	176.9	0.539	2.81	122.5	43.0	29.4	1.94	26.2	0.03	0.00	0.01	0.04	202 07
230	8.22	8.19	33.974	26.443	162.3	0.590	2.62	114.2	39.5	34.8	2.05	28.2	0.03	0.00			232 06
250 ISL	8.02 D	7.99	34.036	D 26.522	155.0	0.625	2.14	D 93.0	D 32.2	39.5	2.23	30.1	0.03	0.00			252
270	7.77	7.74	34.072	26.587	149.1	0.652	1.70	73.9	25.4	44.1	2.40	32.1	0.03	0.00			272 05
300 ISL	7.49 D	7.46	34.091	D 26.642	144.3	0.700	1.50	D 65.3	D 22.3	49.7	2.51	33.9	0.03	0.00			302
320	6.97	6.94	34.073	26.701	138.6	0.725	1.39	60.6	20.4	53.4	2.59	35.0	0.03	0.00			323 04
380	6.34	6.31	34.071	26.783	131.3	0.806	1.18	51.4	17.0	61.3	2.74	37.2	0.03	0.00			383 03
400 ISL	6.15 D	6.11	34.093	D 26.827	127.3	0.836	0.98	42.4	D 14.0	64.7	2.80	38.0	0.03	0.00			403
440	5.82	5.78	34.101	26.875	123.0	0.882	0.83	36.0	11.8	71.7	2.92	39.6	0.03	0.00			444 02
500 ISL	5.73 D	5.68	34.198	D 26.963	115.5	0.959	0.47	D 20.4	D 6.7	79.8	3.08	40.9	0.03	0.00			504
516	5.48	5.43	34.195	26.991	112.7	0.973	0.43	18.6	6.1	82.0	3.12	41.3	0.03	0.00			520 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
34 3.1 N	122 56.6 W	14/04/2016	0610	UTC	4266 m	320 15 kn	320 15	kn	1022.0 mb	14.5 C	12.6 C	067					
0	15.08	15.08	32.914	24.349	356.8	0.000	5.92	258.3	102.8	1.8	0.30	0.0	0.01	0.12	0.01	0	
2	15.08	15.07	32.914	24.349	356.9	0.007	5.92	258.3	102.8	1.8	0.30	0.0	0.01	0.12	0.01	2 20	
10	15.07	15.07	32.914	24.351	357.0	0.036	5.87	256.3	102.0	1.8	0.28	0.0	0.01	0.11	0.04	10 19	
20 ISL	14.96 D	14.95	32.915	D 24.377	354.8	0.072	5.84	D 254.6	D 101.3	1.8	0.28	0.0	0.01	0.00	0.13	0.03	20
26	14.77	14.76	32.920	24.422	350.7	0.093	5.90	257.6	101.9	1.8	0.28	0.0	0.01	0.00	0.13	0.02	18 14
30 ISL	14.75 D	14.75	32.918	D 24.423	350.7	0.107	5.87	D 256.0	D 101.4	1.8	0.28	0.0	0.01	0.00	0.14	0.02	30
41	14.72	14.71	32.919	24.432	350.2	0.145	5.93	258.8	102.3	1.8	0.28	0.0	0.01	0.00	0.14	0.03	41 17
50	14.26	14.26	32.908	24.519	342.1	0.176	5.96	260.4	101.9	1.7	0.29	0.0	0.01	0.05	0.20	0.08	50 16
64	14.25	14.24	32.981	24.581	336.7	0.224	6.02	262.9	102.9	1.7	0.30	0.0	0.01	0.00	0.31	0.10	65 15
74	13.97	13.96	32.960	24.622	333.1	0.257	5.90	257.6	100.3	1.9	0.32	0.1	0.03	0.02	0.59	0.31	75 14
75 ISL	14.00 D	13.99	32.992	D 24.640	331.3	0.262	5.87	D 255.7	D 99.8	2.0	0.33	0.1	0.04	0.02	0.58	0.31	76
88	13.88	13.87	33.073	24.729	323.3	0.303	5.67	247.6	96.3	2.7	0.40	0.9	0.17	0.02	0.49	0.30	89 13
100	13.18	13.16	33.132	24.917	305.6	0.341	5.41	236.1	90.5	4.2	0.57	3.6	0.13	0.00	0.24	0.27	101 12
111	12.32	12.30	33.171	25.115	287.0	0.374	5.12	223.7	84.3	6.1	0.95	6.5	0.07	0.00	0.15	0.20	112 11
125 ISL	10.75 D	10.74	33.239	D 25.454	254.7	0.414	4.62	D 201.3	D 73.5	10.7	1.22	12.4	0.03	0.00	0.07	0.09	126
126	10.58	10.57	33.232	25.478	252.4	0.414	4.65	203.1	73.7	11.0	1.24	12.8	0.03	0.00	0.07	0.08	127 10
142	9.85	9.83	33.378	25.717	229.9	0.453	4.23	184.5	66.0	15.9	1.37	17.4	0.02	0.00	0.02	0.04	143 09
150 ISL	9.62 D	9.60	33.449	D 25.810	221.1	0.473	4.13	D 179.9	D 64.2	17.9	1.46	18.7	0.02	0.00	0.02	0.04	151
170	9.23	9.21	33.670	26.047	198.9	0.513	3.50	152.7	53.9	22.8	1.68	22.0	0.02	0.00	0.01	0.05	171 08
200	8.98	8.96	33.918	26.282	177.3	0.569	2.58	112.4	39.6	30.0	1.97	26.1	0.01	0.00	0.00	0.03	202 07
230	8.68	8.66	34.028	26.414	165.2	0.620	2.07	90.1	31.5	35.2	2.19	28.5	0.01	0.00			232 06
250 ISL	8.35 D	8.32	34.039	D 26.475	159.7	0.657	1.99	D 86.7	D 30.2	37.7	2.22	29.3	0.01	0.00			252
271	7.98	7.95	34.032	26.525	155.1	0.686	2.09	91.1	31.4	40.3	2.25	30.2	0.01	0.00			273 05
300 ISL	7.70 D	7.67	34.058	D 26.587	149.7	0.735	1.87	D 81.4	D 27.9	44.6	2.46	31.6	0.01	0.00			302
322	7.33	7.30	34.048	26.632	145.5	0.763	1.79	78.1	26.5	47.9	2.62	32.6	0.01	0.00			325 04
380	6.56	6.53	34.048	26.737	135.9	0.845	1.39	60.8	20.3	57.8	2						

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	068	
0	15.93	15.93	33.127	24.323	359.3	0.000	5.77	252.0	102.2	2.0	0.28	0.0	0.00	0.00	0.11	0.01	0	
2	15.93	15.93	33.127	24.323	359.3	0.007	5.77	252.0	102.2	2.0	0.28	0.0	0.00	0.00	0.11	0.01	2 20	
10	15.94	15.94	33.126	24.322	359.7	0.036	5.74	250.8	101.7	1.9	0.27	0.0	0.00	0.00	0.10	0.02	10 19	
20	ISL	15.94 D	15.93	33.120	D 24.318	360.4	0.072	5.76	D 251.1	D 102.0	1.9	0.28	0.0	0.00	0.00	0.11	0.02	20
26	15.72	15.72	33.116	24.364	356.2	0.094	5.77	251.9	101.7	1.9	0.28	0.0	0.00	0.01	0.11	0.03	26 18	
30	ISL	15.68 D	15.68	33.113	D 24.371	355.8	0.109	5.82	D 253.7	D 102.5	1.9	0.29	0.0	0.00	0.01	0.13	0.03	30
41	14.91	14.90	33.118	24.544	339.5	0.146	5.89	257.2	102.1	2.1	0.31	0.0	0.00	0.01	0.18	0.04	41 17	
50	14.82	14.81	33.194	24.623	332.3	0.176	5.91	258.0	102.3	2.2	0.32	0.0	0.00	0.03	0.29	0.09	50 16	
61	14.51	14.50	33.201	24.695	328.8	0.212	5.92	258.6	101.9	2.5	0.35	0.0	0.00	0.02	0.49	0.19	61 15	
75	ISL	13.68 D	13.67	33.250	D 24.906	306.0	0.259	5.44	D 236.8	D 92.0	3.8	0.50	1.7	0.14	0.01	0.59	0.32	76
76	13.76	13.74	33.250	24.875	309.0	0.260	5.49	D 239.3	D 93.1	3.9	0.51	1.8	0.15	0.01	0.60	0.33	77 14	
88	12.98	12.97	33.287	25.075	290.2	0.296	5.15	224.7	85.9	5.9	0.73	5.7	0.07	0.01	0.20	0.17	89 13	
99	12.37	12.36	33.297	25.202	278.3	0.327	4.76	208.0	78.5	8.5	0.95	9.3	0.03	0.01	0.12	0.12	100 12	
100	ISL	12.23 D	12.22	33.304	D 25.234	275.3	0.332	4.73	D 206.0	D 77.7	8.8	0.97	9.6	0.03	0.01	0.11	0.12	101
114	11.21	11.20	33.345	25.455	254.4	0.367	4.27	186.5	68.7	12.3	1.23	13.8	0.02	0.01	0.07	0.10	115 11	
125	10.53	10.52	33.437	25.647	236.3	0.394	3.82	166.7	60.5	16.0	1.47	17.5	0.02	0.01	0.04	0.17	126 10	
139	9.93	9.92	33.479	25.781	223.7	0.426	3.71	162.0	58.0	18.3	1.57	19.5	0.01	0.00	0.01	0.05	140 09	
150	ISL	9.59 D	9.57	33.549	D 25.894	213.2	0.453	3.64	D 158.3	D 56.5	19.8	1.60	20.2	0.01	0.00	0.01	0.04	151
170	9.07	9.05	33.649	26.056	198.0	0.491	3.68	160.6	56.5	22.5	1.66	21.5	0.01	0.01	0.01	0.02	171 08	
200	ISL	8.76 D	8.74	33.828	D 26.245	180.7	0.551	3.24	D 140.9	D 49.4	27.5	1.85	24.3	0.01	0.00	0.00	0.02	202
202	8.73	8.71	33.841	26.260	179.3	0.552	3.20	139.7	48.9	27.8	1.86	24.5	0.01	0.00	0.00	0.02	204 07	
231	8.47	8.44	33.929	26.370	169.3	0.602	2.86	124.8	43.4	31.7	1.97	26.5	0.01	0.00		233 06		
250	ISL	8.25 D	8.22	33.977	D 26.442	162.8	0.637	2.60	D 113.0	D 39.2	34.5	2.04	27.5	0.01	0.00		252	
271	8.02	7.99	33.998	26.492	158.3	0.668	2.59	113.0	38.9	37.7	2.12	28.7	0.01	0.00		273 05		
300	ISL	7.69 D	7.66	34.023	D 26.561	152.1	0.717	2.23	D 96.9	D 33.2	42.4	2.27	30.5	0.01	0.00		302	
321	7.41	7.38	34.033	26.609	147.7	0.744	1.96	85.7	29.1	45.9	2.37	31.8	0.01	0.00		324 04		
381	7.18	7.14	34.153	26.737	136.5	0.830	0.99	43.3	14.6	55.9	2.73	35.0	0.01	0.00		384 03		
400	ISL	6.91 D	6.87	34.156	D 26.777	132.8	0.860	0.89	D 38.8	D 13.1	59.1	2.78	35.9	0.01	0.00		403	
440	6.39	6.35	34.148	26.840	127.0	0.907	0.76	33.2	11.0	65.7	2.90	37.7	0.01	0.00		444 02		
500	ISL	6.08 D	6.03	34.188	D 26.913	120.7	0.988	0.56	D 24.4	D 8.1	72.9	3.01	39.1	0.01	0.00		504	
515	5.94	5.89	34.190	26.932	118.9	1.000	0.51	22.4	7.4	74.6	3.04	39.5	0.01	0.00		519 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	069	
0	16.36	16.36	33.232	24.306	360.8	0.000	5.66	247.0	101.2	1.6	0.22	0.0	0.01	0.06	0.02	0		
2 A	16.36	16.36	33.232	24.307	360.9	0.007	5.66	247.0	101.2	1.6	0.22	0.0	0.01	0.06	0.02	2 24		
10	16.36	16.36	33.232	24.308	361.0	0.036	5.66	246.9	101.2	1.8	0.24	0.0	0.01	0.05	0.06	0.02	10 23	
10	16.36	16.36	33.232	24.308	361.1	0.036											10 23	
19 A	16.36	16.35	33.232	24.310	361.2	0.069	5.69	248.0	101.6	1.6	0.23	0.0	0.01	0.00	0.06	0.02	19 21	
20	ISL	16.36 D	16.35	33.233	D 24.310	361.2	0.069	5.69	D 248.2	D 101.7	1.6	0.23	0.0	0.01	0.00	0.06	0.02	20
24 A	16.35	16.35	33.235	24.312	361.1	0.087	5.68	247.4	101.4	1.5	0.23	0.0	0.01	0.03	0.07	0.02	24 20	
30	ISL	16.36 D	16.35	33.232	D 24.310	361.5	0.105	5.68	D 247.7	D 101.5	1.5	0.22	0.0	0.01	0.00	0.07	0.02	30
34	16.35	16.35	33.232	24.311	361.6	0.123	5.69	248.2	101.7	1.5	0.22	0.0	0.01	0.00	0.07	0.02	34 19	
43 A	16.29	16.28	33.227	24.322	360.9	0.155	5.68	247.5	101.3	1.5	0.22	0.0	0.01	0.00	0.07	0.02	43 18	
50	ISL	16.28 D	16.27	33.225	D 24.325	360.9	0.178	5.70	D 248.3	D 101.6	1.5	0.22	0.0	0.01	0.00	0.08	0.02	50
56	16.26	16.25	33.226	24.328	360.7	0.202	5.68	247.5	101.2	1.5	0.22	0.0	0.01	0.00	0.09	0.02	56 17	
66	16.22	16.21	33.231	24.342	359.7	0.238	5.70	248.4	101.5	1.5	0.21	0.0	0.01	0.00	0.10	0.02	67 16	
75	ISL	16.14 D	16.13	33.229	D 24.360	358.4	0.269	5.71	D 248.7	D 101.5	1.5	0.23	0.0	0.01	0.00	0.13	0.03	76
76 A	16.18	16.17	33.240	24.360	358.4	0.274	5.68	247.7	101.1	1.5	0.23	0.0	0.01	0.00	0.14	0.03	77 15	
86	16.09	16.08	33.294	24.422	352.9	0.310	5.69	247.9	101.1	1.6	0.22	0.0	0.01	0.00	0.19	0.06	87 14	
94 A	16.01	16.00	33.484	24.586	337.5	0.337	5.56	242.3	98.8	2.2	0.21	0.0	0.01	0.00	0.32	0.28	95 12	
95	15.99	15.97	33.486	24.594	336.8	0.340										96 13		
100	ISL	15.33 D	15.31	33.349	D 24.635	332.9	0.356	5.62	D 245.0	D 98.4	2.5	0.26	0.4	0.04	0.00	0.33	0.29	101
110	14.38	14.36	33.335	24.829	314.6	0.389	5.46	238.0	93.8	2.9	0.35	1.0	0.09	0.10	0.33	0.31	111 11	
125	ISL	13.49 D	13.47	33.290	D 24.978	300.7	0.435	5.34	D 232.9	D 90.1	4.0	0.46	2.8	0.08	0.00	0.23	0.32	126
126	13.49	13.47	33.295	24.982	300.3	0.438	5.38	234.5	90.7	4.0	0.47	2.9	0.08	0.00	0.22	0.32	127 10	
141	11.39	11.37	33.226	25.330	267.0	0.481	4.99	21										

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 50.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
0	13.08	13.08	33.630	25.316	264.7	0.000	5.08	221.6	85.2	5.2	1.11	8.5	0.25	1.55	0.52	0.18	0	
2	13.08	13.08	33.630	25.316	264.8	0.005	5.08	221.6	85.2	5.2	1.11	8.5	0.25	1.55	0.52	0.18	2 05	
5	13.09	13.09	33.630	25.314	265.0	0.013	5.10	222.4	85.5	5.1	1.10	8.4	0.25	1.47	0.47	0.21	5 04	
10	12.96	12.96	33.634	25.344	262.4	0.026	4.98	217.2	83.3	5.4	1.14	9.0	0.26	1.64	0.46	0.18	10 02	
10	12.96	12.96	33.633	25.343	262.5	0.026											10 03	
20	12.78	12.78	33.634	25.379	259.3	0.053	4.84	211.0	80.6	5.6	1.17	9.4	0.26	1.76	0.58	0.26	20 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
0	12.92	12.92	33.641	25.356	260.9	0.000	4.88	213.0	81.6	5.9	1.11	8.9	0.24	1.70	0.47	0.20	0	
3	12.92	12.92	33.641	25.356	261.0	0.008	4.88	213.0	81.6	5.9	1.11	8.9	0.24	1.70	0.47	0.20	3 10	
5	12.92	12.92	33.641	25.356	261.0	0.013	4.87	212.5	81.4	5.8	1.13	8.8	0.24	1.69	0.48	0.26	5 09	
10	12.92	12.92	33.640	25.356	261.2	0.026	4.88	212.7	81.5	5.8	1.12	8.9	0.24	1.67	0.46	0.19	10 07	
10	12.92	12.92	33.641	25.357	261.1	0.026											10 08	
20	12.80	12.80	33.642	25.381	259.1	0.052	4.79	208.9	79.8	6.2	1.15	9.3	0.25	1.67	0.46	0.22	20 06	
30	12.59	12.59	33.643	25.424	255.3	0.078	4.66	203.1	77.2	6.2	1.21	9.8	0.26	1.80	0.40	0.23	30 05	
40	12.45	12.45	33.642	25.451	253.0	0.103	4.61	201.3	76.3	6.3	1.20	10.0	0.27	1.74	0.35	0.24	40 04	
50	12.29	12.28	33.643	25.483	250.2	0.128	4.37	190.7	72.1	7.4	1.30	11.2	0.29	1.80	0.39	0.38	50 03	
60	11.85	11.84	33.663	25.582	241.1	0.153	3.76	164.1	61.5	10.5	1.54	14.4	0.34	1.79	0.49	0.76	60 02	
70	11.70	11.69	33.691	25.632	236.6	0.177	3.53	154.0	57.5	12.7	1.60	15.6	0.34	1.66	0.51	1.33	71 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
0	12.41	12.41	33.345	25.226	273.2	0.000	5.80	253.1	95.7								2.76 0.93 0	
2	12.41	12.41	33.345	25.226	273.3	0.006	5.80	253.1	95.7								2.76 0.93 2 22	
10	12.41	12.41	33.345	25.226	273.5	0.027	5.79	252.7	95.5	7.4	0.88	7.0	0.30	0.42	2.78 0.89	10 19		
15	12.41	12.41	33.348	25.230	273.3	0.040											14 23	
11	12.42	12.41	33.345	25.226	273.6	0.029											11 21	
10	12.41	12.41	33.344	25.226	273.6	0.027											10 20	
20	12.37	12.36	33.356	25.245	272.1	0.055	5.73	250.2	94.5	7.3	0.86	6.8	0.29	0.64	2.52 0.72	20 18		
30	12.17	12.16	33.363	25.289	268.1	0.082	5.53	241.3	90.8	8.4	0.96	8.1	0.27	0.97	1.68 0.60	30 17		
41	11.49	11.48	33.400	25.444	253.6	0.110	4.73	206.5	76.6	11.7	1.21	12.1	0.27	1.78	0.45 0.34	41 16		
50 ISL	11.14	11.13	33.648	25.700	229.5	0.133	3.69	160.7	59.4	14.8	1.52	16.0	0.33	1.74	0.29 0.53	50		
51	11.14	11.14	33.640	25.694	230.1	0.135	3.84	167.3	61.7	15.1	1.55	16.4	0.34	1.74	0.27 0.55	51 15		
60	10.72	10.71	33.735	25.843	216.1	0.155	3.19	139.3	50.9	19.5	1.74	18.9	0.33	0.91	0.21 0.54	60 14		
70	10.47	10.46	33.821	25.954	205.8	0.176	2.79	121.6	44.2	23.2	1.93	22.6	0.26	0.35	0.23 0.62	71 13		
75 ISL	10.39	10.38	33.870	26.007	200.9	0.187	2.29	99.5	36.2	23.8	1.94	22.8	0.27	0.30	0.22 0.63	76		
86	10.30	10.29	33.869	26.022	199.7	0.208	2.31	100.6	36.5	25.1	1.97	23.4	0.28	0.19	0.22 0.68	87 12		
100 ISL	10.24	10.23	33.912	26.065	195.9	0.237	2.12	92.2	33.5	26.1	2.03	23.8	0.22	0.26	0.23 0.63	101		
101	10.24	10.23	33.913	26.067	195.8	0.238	2.16	94.3	34.2	26.2	2.03	23.9	0.21	0.26	0.23 0.62	102 11		
120	9.79	9.77	33.972	26.190	184.4	0.274	2.07	90.5	32.5	29.2	2.13	25.8	0.03	0.43	0.13 0.30	121 10		
125 ISL	9.71	9.69	33.978	26.208	182.9	0.284	2.07	90.1	32.3	29.8	2.13	25.9	0.03	0.33	0.12 0.27	126		
140	9.43	9.41	34.008	26.278	176.5	0.310	1.96	85.4	30.4	31.6	2.12	26.1	0.01	0.03	0.09 0.20	141 09		
150 ISL	9.38	9.37	34.047	26.316	173.1	0.329	1.82	79.0	28.2	32.7	2.15	26.8	0.01	0.05	0.10 0.18	151		
171	9.15	9.13	34.040	26.349	170.3	0.364	1.93	84.2	29.8	34.9	2.21	28.2	0.01	0.09	0.12 0.13	172 08		
200 ISL	9.05	9.03	34.130	26.436	162.7	0.414	1.32	57.3	20.3	39.3	2.40	29.3	0.02	0.26	0.07 0.14	202		
202	9.03	9.00	34.132	26.441	162.3	0.416	1.35	58.7	20.7	39.6	2.41	29.4	0.02	0.27	0.06 0.14	204 07		
231	8.61	8.58	34.156	26.527	154.5	0.462	1.12	49.0	17.1	44.9	2.53	30.8	0.00	0.65		233 06		
250 ISL	8.40	8.37	34.173	26.573	150.5	0.492	1.18	51.3	17.9	46.3	2.56	31.2	0.00	0.00		252		
270	8.26	8.23	34.178	26.599	148.4	0.521	1.08	46.9	16.3	47.8	2.59	31.8	0.00	0.00		272 05		
300 ISL	8.02	7.99	34.198	26.650	143.9	0.567	1.02	44.5	15.4	50.0	2.64	32.8	0.00	0.00		302		
321	7.76	7.73	34.214	26.701	139.4	0.594	0.94	40.8	14.0	51.6	2.68	33.6	0.00	0.01		324 04		
380	7.20	7.16	34.237	26.800	130.5	0.674	0.69	30.1	10.2	59.7	2.85	35.7	0.00	0.02		383 03		
400 ISL	6.92	6.88	34.242	26.843	126.6	0.703	0.58	25.4	8.6	62.4	2.90	36.5	0.00	0.04		403		
441	6.52	6.48	34.239	26.895	122.0	0.750	0.51	22.1	7.4	67.9	3.00	38.1	0.00	0.08		445 02		
500 ISL	5.99	5.95	34.282	26.997	112.6	0.824	0.32	13.8	4.6	74.5	3.11	39.4	0.00	0.04		504		
519	5.94	5.89	34.286	27.008	111.8	0.841	0.32	14.0	4.6	76.6	3.14	39.9	0.00	0.03		523 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	1016.7 mb	13.9 C	11.1 C					072			
0	14.50	14.50	33.325	24.788	314.9	0.000	5.88	256.7	101.3	1016.7 mb	13.9 C	11.1 C	2.1	0.41	0.5	0.07	0.17	0.68	0.22	0
3	14.50	14.50	33.325	24.788	315.0	0.009	5.88	256.7	101.3	1016.7 mb	13.9 C	11.1 C	2.1	0.41	0.5	0.07	0.17	0.68	0.22	3 21
10	14.50	14.50	33.325	24.791	315.0	0.032	5.87	256.2	101.1	1016.7 mb	13.9 C	11.1 C	2.1	0.43	0.5	0.07	0.14	0.66	0.22	10 19
10	14.50	14.50	33.325	24.788	315.2	0.032													10 20	
20	14.51	14.50	33.327	24.790	315.4	0.063	5.86	255.9	101.0	1016.7 mb	13.9 C	11.1 C	2.1	0.41	0.5	0.07	0.13	0.66	0.27	20 18
30	14.51	14.50	33.324	24.788	315.9	0.095	5.86	255.8	101.0	1016.7 mb	13.9 C	11.1 C	2.1	0.41	0.5	0.07	0.14	0.65	0.27	30 17
40	14.51	14.50	33.326	24.790	316.1	0.126	5.86	255.8	101.0	1016.7 mb	13.9 C	11.1 C	2.0	0.41	0.5	0.07	0.20	0.63	0.22	40 16
50	14.47	14.46	33.325	24.798	315.6	0.158	5.86	255.7	100.9	1016.7 mb	13.9 C	11.1 C	2.1	0.43	0.6	0.08	0.18	0.63	0.28	50 15
62	12.73	12.72	33.347	25.169	280.5	0.194	5.23	228.4	86.9	5.1	0.73	4.6	0.37	0.64	0.25	0.17	63	14		
72	11.27	11.26	33.361	25.454	253.4	0.220	4.15	181.2	66.9	12.3	1.32	14.3	0.16	0.01	0.11	0.14	73	13		
75	ISL	11.12 D	11.11	33.380	25.497	249.4	0.229	4.05	0.176.3 D	65.0	13.2	1.37	15.0	0.14	0.01	0.10	0.14	76		
86	10.39	10.38	33.441	25.673	232.8	0.254	3.82	166.7	60.3	16.5	1.53	17.9	0.05	0.01	0.05	0.11	87	12		
100	ISL	9.94 D	9.93	33.600	25.873	214.1	0.287	3.40	0.148.2 D	53.3	20.3	1.71	20.7	0.09	0.00	0.10	0.18	101		
101	9.92	9.91	33.592	25.871	214.3	0.288	3.46	151.0	54.2	20.6	1.72	20.9	0.09	0.00	0.10	0.18	102	11		
121	9.34	9.33	33.757	26.095	193.4	0.331	2.93	0.127.7 D	45.4									122 10		
125	ISL	9.30 D	9.29	33.778	26.118	191.3	0.338	2.95	0.128.2 D	45.5	24.5	1.84	23.3	0.05	0.00	0.06	0.14	126		
140	9.25	9.24	33.821	26.159	187.7	0.367	2.78	121.3	43.0	26.9	1.91	24.8	0.03	0.00	0.03	0.11	141	09		
150	ISL	9.18 D	9.17	33.825	26.174	186.5	0.386	2.80	0.121.7 D	43.1	28.5	1.96	25.5	0.03	0.00	0.03	0.11	151		
169	9.01	8.99	33.959	26.308	174.1	0.420	2.34	102.1	36.0	31.6	2.06	26.8	0.02	0.00	0.03	0.11	170	08		
200	8.73	8.71	34.048	26.421	163.9	0.472	1.94	84.8	29.7	36.6	2.22	28.7	0.02	0.00	0.02	0.10	202	07		
231	8.18	8.16	34.097	26.545	152.6	0.521	1.67	72.8	25.2	42.0	2.37	30.8	0.02	0.04			233 06			
250	ISL	7.93 D	7.91	34.113	26.594	148.1	0.551	1.49	0.165.0 D	22.4	44.7	2.45	31.6	0.02	0.05			252		
270	7.88	7.86	34.159	26.639	144.3	0.579	1.24	54.2	18.6	47.5	2.54	32.5	0.02	0.07			272 05			
300	ISL	7.70 D	7.67	34.169	26.674	141.5	0.624	1.07	0.146.4 D	15.9	51.8	2.64	33.7	0.02	0.04			302		
322	7.38	7.35	34.175	26.725	136.8	0.652	0.96	41.7	14.2	55.0	2.72	34.6	0.02	0.01			325 04			
379	6.85	6.81	34.204	26.823	128.1	0.728	0.67	29.0	9.8	63.1	2.88	36.7	0.01	0.00			382 03			
400	ISL	6.52 D	6.48	34.207	26.869	123.8	0.758	0.59	0.125.4 D	8.5	65.9	2.93	37.3	0.01	0.00			403		
442	6.27	6.23	34.225	26.915	119.8	0.805	0.46	20.2	6.7	71.3	3.02	38.7	0.01	0.00			446 02			
500	ISL	5.88 D	5.84	34.239	26.977	114.4	0.878	0.36	0.158.5 D	5.2	78.4	3.10	40.0	0.01	0.00			504		
515	5.74	5.69	34.247	27.002	112.1	0.890	0.34	15.0	4.9	80.2	3.12	40.3	0.01	0.00			519 01			

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
m	DEG C	DEG C		THETA			ml/L	μmol/Kg	PCT	1021.6 mb	14.5 C	11.6 C					071		
0	15.55	15.55	33.167	24.440	348.1	0.000	5.90	257.4	103.6	1021.6 mb	14.5 C	11.6 C	2.1	0.31	0.0	0.00	0.20	0.04	0
2	15.55	15.55	33.167	24.440	348.2	0.007	5.90	257.4	103.6	1021.6 mb	14.5 C	11.6 C	2.1	0.31	0.0	0.00	0.20	0.04	2 20
10	15.55	15.55	33.165	24.438	348.6	0.035	5.86	255.9	103.0	1021.6 mb	14.5 C	11.6 C	2.0	0.31	0.0	0.00	0.08	0.20	0.03
20	ISL	15.55 D	15.55	33.165	24.438	348.9	0.070	5.88	0.125.6 D	103.4	2.1	0.31	0.0	0.00	0.04	0.20	0.03	20 19	
21	15.55	15.54	33.164	24.439	348.9	0.073	5.87	0.125.6	103.2	2.1	0.31	0.0	0.00	0.04	0.20	0.03	21 18		
30	ISL	15.49 D	15.49	33.171	24.457	347.5	0.105	5.89	0.125.6 D	103.5	2.1	0.32	0.0	0.00	0.06	0.22	0.05	30	
31	15.47	15.47	33.178	24.467	346.6	0.108	5.91	257.8	103.6	1021.6 mb	14.5 C	11.6 C	2.1	0.32	0.0	0.00	0.06	0.23	0.05
41	14.88	14.87	33.259	24.660	328.5	0.142	5.95	259.8	103.3	1021.6 mb	14.5 C	11.6 C	2.3	0.34	0.0	0.00	0.09	0.42	0.13
50	ISL	14.53 D	14.52	33.274	24.747	320.5	0.172	5.86	0.125.4 D	101.0	3.1	0.43	0.5	0.14	0.08	1.08	0.45	50	
52	14.19	14.19	33.254	24.801	315.3	0.178	5.72	249.6	97.8	1021.6 mb	14.5 C	11.6 C	3.3	0.45	0.6	0.17	0.08	1.22	0.52
60	13.51	13.50	33.247	24.937	302.6	0.202	5.53	241.2	93.2	1021.6 mb	14.5 C	11.6 C	3.8	0.51	1.8	0.28	0.01	0.85	0.46
70	12.86	12.85	33.319	25.123	285.1	0.232	4.93	215.3	82.1	1021.6 mb	14.5 C	11.6 C	7.2	0.84	7.5	0.05	0.02	0.31	0.29
75	ISL	12.15 D	12.14	33.309	25.252	272.9	0.247	4.97	0.216.6 D	81.5	8.5	0.95	9.3	0.05	0.04	0.25	0.24	76	
86	11.45	11.44	33.347	25.413	257.8	0.275	4.34	189.4	70.1	11.6	1.19	13.4	0.03	0.07	0.13	0.12	87	12	
100	10.34	10.33	33.385	25.638	236.4	0.309	3.99	174.3	63.0	15.4	1.43	17.7	0.02	0.05	0.05	0.06	101	11	
122	9.48	9.46	33.529	25.895	212.4	0.359	3.67	160.0	56.8	20.0	1.63	21.2	0.01	0.00	0.01	0.04	123	10	
125	ISL	9.42 D	9.40	33.551	25.921	209.9	0.367	3.63	0.158.2 D	56.2	20.4	1.65	21.4	0.01	0.00	0.01	0.04	126	
141	9.20	9.19	33.636	26.023	200.6	0.398	3.41	148.6	52.5	22.6	1.73	22.8	0.01	0.06	0.00	0.04	142	09	
150	ISL	9.11 D	9.09	33.707	26.094	194.0	0.418	3.29	0.143.3 D	50.7	24.0	1.79	23.6	0.01	0.04	0.00	0.04	151	
170	8.92	8.91	33.807	26.202	184.2	0.454	2.97	129.7	45.6	27.1	1.91	25.5	0.01	0.01	0.00	0.04	171	08	
200	8.63	8.61	33.938	26.351	170.5	0.507	2.63	114.8</td											

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 80.0 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db
32 49.0 N	123 54.4 W	14/04/2016	2329	UTC	4391 m	360 21 kn	360 05 09	1	1021.6 mb	16.8 C	12.0 C	21 m	2/8	SC 070			
0	15.81	15.81	33.043	24.286	362.8	0.000	5.78	252.2	102.0	1.7	0.33	0.0	0.01	1.57	0.07	0.01	0
2	15.81	15.81	33.043	24.286	362.8	0.007	5.78	252.2	102.0	1.7	0.33	0.0	0.01	1.57	0.07	0.01	2 22
10	15.81	15.81	33.042	24.286	363.1	0.036	5.81	253.8	102.7	1.8	0.28	0.0	0.01	0.00	0.07	0.02	10 20
11	15.81	15.81	33.042	24.286	363.1	0.038											10 21
20 ISL	15.59 D	15.59	33.054 D	24.345	357.9	0.069	5.81	0253.4	0102.2	1.7	0.27	0.0	0.01	0.00	0.08	0.02	20
26	15.38	15.38	33.026	24.370	355.7	0.094	5.83	254.4	102.0	1.7	0.26	0.0	0.01	0.00	0.08	0.02	26 19
30 ISL	15.22 D	15.22	33.021 D	24.401	352.8	0.105	5.84	0255.5	0102.2	1.7	0.26	0.0	0.01	0.00	0.09	0.02	30
40	14.90	14.89	33.015	24.468	346.8	0.143	5.84	254.8	101.2	1.6	0.27	0.0	0.01	0.19	0.12	0.04	40 18
50	14.69	14.69	32.980	24.484	345.5	0.178	5.85	255.5	101.0	1.6	0.28	0.0	0.01	0.14	0.16	0.06	50 17
62	14.20	14.19	33.226	24.778	317.8	0.218	5.63	245.5	96.2	2.8	0.37	0.7	0.04	0.01	0.53	0.29	62 15
63	13.88	13.87	33.221	24.842	311.7	0.220											64 16
75	12.81	12.80	33.207	25.047	292.5	0.257	5.29	231.1	88.0	4.9	0.61	4.6	0.06	0.00	0.37	0.31	76 14
87	12.34	12.32	33.364	25.260	272.5	0.291	4.69	204.6	77.2	8.7	1.01	9.5	0.03	0.07	0.13	0.12	88 13
100	11.46	11.44	33.349	25.413	258.1	0.325	4.34	189.4	70.1	11.5	1.21	13.3	0.03	0.00	0.08	0.09	101 12
112	10.64	10.62	33.396	25.596	240.8	0.355	3.96	172.9	62.9	14.4	1.38	16.4	0.03	0.00	0.06	0.08	113 11
125	9.99	9.97	33.481	25.773	224.2	0.385	3.74	163.4	58.6	17.6	1.55	19.1	0.02	0.00	0.02	0.05	126 10
141	9.27	9.25	33.643	26.018	201.0	0.419	3.39	148.1	52.4	22.3	2.3	22.3	0.02	0.00	0.01	0.04	142 09
150 ISL	9.19 D	9.18	33.691 D	26.068	196.5	0.436	3.36	0146.2 D	51.8	24.0	1.80	23.2	0.02	0.00	0.01	0.04	151
170	8.97	8.95	33.841	26.221	182.4	0.475	2.83	123.5	43.4	27.7	1.94	25.4	0.02	0.02	0.01	0.05	171 08
200	8.75	8.72	33.931	26.328	172.8	0.528	2.51	109.6	38.4	31.1	2.04	26.9	0.02	0.01	0.00	0.04	202 07
230	8.41	8.38	34.010	26.443	162.4	0.579	2.28	99.6	34.6	35.5	2.15	28.6	0.01	0.01			232 06
250 ISL	8.03 D	8.00	34.021 D	26.509	156.3	0.611	2.27	98.7 D	34.1	38.8	2.22	29.6	0.01	0.02			252
271	7.67	7.64	34.033	26.571	150.6	0.643	2.05	89.6	30.6	42.2	2.30	30.7	0.02	0.04			273 05
300 ISL	7.41 D	7.38	34.055 D	26.626	145.7	0.686	1.75	076.1 D	26.0	47.2	2.44	32.5	0.01	0.00			302
320	7.21	7.18	34.076	26.671	141.7	0.714	1.58	68.9	23.3	50.7	2.54	33.6	0.01	0.00			323 04
380	6.79	6.76	34.133	26.774	132.7	0.797	1.00	43.7	14.7	58.4	2.77	36.1	0.01	0.00			383 03
400 ISL	6.59 D	6.56	34.141 D	26.807	129.6	0.826	0.86 D	37.4 D	12.5	62.1	2.84	36.9	0.01	0.00			403
440	6.20	6.16	34.178	26.888	122.2	0.873	0.62	27.0	8.9	69.3	2.98	38.4	0.01	0.00			444 02
500 ISL	5.90 D	5.86	34.215 D	26.956	116.4	0.949	0.46 D	20.0 D	6.6	76.4	3.08	39.6	0.01	0.00			504
515	5.81	5.76	34.228	26.978	114.4	0.962	0.38	16.7	5.5	78.2	3.11	39.9	0.01	0.00			519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 81.7 43.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db
34 24.1 N	119 48.1 W	12/04/2016	2219	UTC	29 m	200 03 kn	250 01 06	1	1020.4 mb	18.0 C	15.4 C	1/8	CU	059			
0	15.13	15.13	33.572	24.844	309.7	0.000	6.58	286.9	114.9	1.2	0.44	0.8	0.05	0.58	0.87	0.17	0
2	15.13	15.13	33.572	24.844	309.7	0.006	6.58	286.9	114.9	1.2	0.44	0.8	0.05	0.58	0.87	0.17	2 05
6	14.97	14.97	33.578	24.883	306.1	0.019	6.63	289.3	115.5	1.1	0.41	0.7	0.06	0.50	0.85A	0.20A	6 04
10 ISL	14.82 D	14.82	33.572 D	24.911	305.5	0.031	6.63	0288.9	0115.1	1.1	0.43	0.8	0.06	0.61	0.85	0.23	10
11	14.83	14.83	33.574	24.910	303.7	0.034	6.64	289.8	115.4	1.1	0.44	0.8	0.06	0.64	0.85	0.23	11 03
16	14.69	14.69	33.578	24.943	300.7	0.049	6.66	290.4	115.3	1.1	0.45	0.8	0.07	0.70	0.82	0.25	16 02
20	14.58	14.57	33.574	24.966	298.6	0.061	6.64	289.4	114.6	1.2	0.45	0.9	0.07	0.68	0.83	0.24	20 01

A) SECOND FLUOROMETER READING RECALCULATED BECAUSE ACID RATIO > TAU OF PURE CHL-A

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 81.8 46.9

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db
34 16.4 N	120 1.7 W	12/04/2016	1845	UTC	576 m	300 13 kn	310 02 06	1	1022.1 mb	14.7 C	12.7 C	10 m	1/8	ST	058		
0	13.43	13.43	33.477	25.127	282.6	0.000	6.94	303.2	117.1	0.7	0.32	0.6	0.07	0.24	2.80	0.92	0
2 A	13.43	13.43	33.477	25.128	282.7	0.006	6.94	303.2	117.1	0.7	0.32	0.6	0.07	0.24	2.80	0.92	2 24
8 A	13.32	13.32	33.476	25.150	280.7	0.023	6.95	303.4	116.9	0.3	0.31	0.4	0.07	0.14	2.43	1.16	8 23
9 A	13.27	13.27	33.479	25.162	279.6	0.025	6.92	302.4	116.4	0.3	0.33	0.6	0.07	0.22	2.46	1.31	9 22
10 ISL	13.21 D	13.21	33.486 D	25.178	278.1	0.029	6.85	0298.3	0115.0	1.2	0.43	1.8	0.09	0.41	2.60	1.35	10
16 A	12.14	12.14	33.601	25.477	249.8	0.044	5.49	239.6	90.1	6.9	1.05	9.0	0.21	1.55	3.43	1.64	16 21
20 ISL	11.60 D	11.60	33.541 D	25.532	244.7	0.054	5.35	0233.0	0 D 86.9	8.3	1.15	9.9	0.23	1.84	2.93	1.75	20
28 A	11.79	11.78	33.661	25.591	239.3	0.073	4.84	211									

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 39.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP		
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	15.11	15.11	33.591	24.862	307.9	0.000	7.62	332.7	133.1	0.0	0.13	0.0	0.01	0.03	1.58	0.41	0		
2	15.11	15.11	33.591	24.862	307.9	0.006	7.62	332.7	133.1	0.0	0.13	0.0	0.01	0.03	1.58	0.41	2 05		
6	14.85	14.85	33.590	24.918	302.8	0.018	7.73	337.5	134.3	0.1	0.11	0.0	0.03	0.01	1.65	0.42	6 04		
10 ISL	13.91	D	13.90	33.593	D	25.121	283.6	0.030	7.72	D336.5	D131.6	0.2	0.29	0.0	0.05	0.11	2.32	0.87	10
11	13.80	13.79	33.597	25.146	281.2	0.033	7.02	306.5	119.4	0.2	0.34	0.0	0.05	0.14	2.48	0.99	11 02		
11	13.80	13.79	33.594	25.144	281.4	0.032											11 03		
15	13.60	13.60	33.607	25.194	276.7	0.044	6.09	265.7	103.1	0.4	0.50	1.0	0.11	0.33	4.40	1.69	15 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP		
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	15.37	15.37	33.577	24.794	314.4	0.000	6.68	291.6	117.3	0.2	0.31	0.0	0.02	0.13	0.61	0.19	0		
2	15.37	15.37	33.577	24.794	314.4	0.006	6.68	291.6	117.3	0.2	0.31	0.0	0.02	0.13	0.61	0.19	2 06		
6	14.07	14.06	33.573	25.072	288.1	0.018	6.70	292.7	114.6	0.3	0.32	0.0	0.03	0.15	0.80	0.25	6 05		
10 ISL	13.82	D	13.81	33.575	D	25.125	283.2	0.030	6.87	D299.4	D116.9	0.4	0.36	0.1	0.05	0.37	3.48	0.72	10
11	13.71	13.71	33.578	25.149	280.9	0.033	6.81	297.2	115.6	0.4	0.37	0.1	0.05	0.43	4.14	0.83	11 03		
11	13.71	13.71	33.577	25.148	281.0	0.032											11 04		
20 ISL	13.26	D	13.26	33.577	D	25.240	272.5	0.058	5.75	D250.7	D 96.8	3.0	0.70	3.9	0.15	1.10	4.15	0.62	20
21	13.29	13.29	33.577	25.235	273.1	0.060	5.66	247.3	95.3	3.2	0.74	4.3	0.16	1.17	4.15	0.60	21 02		
25	13.21	13.20	33.583	25.256	271.2	0.071	5.76	251.6	96.8	3.1	0.73	4.1	0.14	1.16	4.41	0.60	25 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 42.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP	
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	14.18	14.18	33.549	25.030	291.9	0.000	5.84	255.1	100.1	3.9	0.62	3.0	0.11	0.83	0.78	0.31	0	
2	14.18	14.18	33.549	25.030	292.0	0.006	5.84	255.1	100.1	3.9	0.62	3.0	0.11	0.83	0.78	0.31	2 11	
10	13.77	13.77	33.565	25.127	283.0	0.029	5.61	245.1	95.4	4.6	0.72	4.1	0.13	0.94	0.73	0.47	10 09	
10	13.77	13.77	33.565	25.128	282.9	0.028											10 10	
20	13.67	13.67	33.574	25.155	280.7	0.057	5.51	240.6	93.5	5.2	0.77	4.8	0.15	0.98	0.74	0.68	20 08	
30 ISL	12.97	D	12.97	33.601	D	25.317	265.5	0.085	5.64	D245.7	D 94.3	5.2	0.88	5.4	0.16	1.91	1.37	1.28 30
31	12.92	12.92	33.603	25.328	264.5	0.087	5.39	235.1	89.9	5.2	0.89	5.5	0.16	2.00	1.43	1.34	31 07	
40	12.23	12.23	33.630	25.483	249.9	0.110	4.45	194.2	73.2	11.1	1.23	10.9	0.24	1.62	1.17	1.78	40 06	
50	11.88	11.87	33.666	25.579	241.1	0.135	4.01	175.0	65.5	14.5	1.37	13.5	0.27	1.19	0.74	1.75	50 05	
60	11.25	11.24	33.738	25.751	224.9	0.158	3.29	143.5	53.0	18.9	1.62	17.4	0.27	0.69	0.62	1.61	60 04	
75	10.29	10.28	33.870	26.024	199.2	0.190	2.47	107.7	39.0	25.3	1.90	22.7	0.08	0.00	0.34	0.96	76 03	
100	9.82	9.81	33.989	26.197	183.4	0.238	2.16	94.1	33.8	29.4	2.06	24.6	0.05	0.01	0.34	0.77	101 02	
111	9.85	9.84	34.028	26.222	181.3	0.258	2.06	89.7	32.2	29.9	2.11	24.9	0.04	0.00	0.30	0.54	112 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES SAMP		
m	DEG C	DEG C	THETA				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
0	13.40	13.40	33.582	25.214	274.4	0.000	5.34	233.1	90.0	7.7	0.87	7.0	0.16	0.18	1.72	0.52	0		
3	13.40	13.40	33.582	25.214	274.5	0.008	5.34	233.1	90.0	7.7	0.87	7.0	0.16	0.18	1.72	0.52	3 11		
9	13.40	13.40	33.577	25.211	274.9	0.025	5.32	232.3	89.7	7.7	0.87	7.0	0.16	0.17	1.76	0.59	9 09		
9	13.40	13.40	33.587	25.220	274.2	0.026											9 10		
10 ISL	13.40	D	13.40	33.577	D	25.211	275.0	0.028	5.33	D232.0	D 89.8	7.7	0.87	7.1	0.16	0.17	1.75	0.59	10
20	13.26	13.26	33.591	25.251	271.5	0.055	5.25	229.2	88.3	8.0	0.89	7.4	0.16	0.22	1.62	0.53	20 08		
30	13.20	13.20	33.585	25.259	271.0	0.082	5.17	225.7	86.8	8.5	0.93	7.9	0.16	0.30	1.56	0.54	30 07		
40	12.93	12.92	33.615	25.337	263.9	0.109	5.04	219.9	84.1	9.4	0.99	8.7	0.17	0.40	1.39	0.54	40 06		
50	12.27	12.27	33.636	25.481	250.4	0.134	4.33	188.9	71.3	13.2	1.23	12.3	0.19	0.56	0.89	0.48	50 05		
60	12.23	12.22	33.643	25.496	249.3	0.159	4.23	184.8	69.7	13.7	1.26	12.9	0.20	0.54	0.80	0.55	60 04		
70	11.99	11.98	33.665	25.558	243.7	0.184	4.02	175.7	65.9	15.3	1.35	14.1	0.19	0.56	0.75	0.54	71 03		
75 ISL	11.25	D	11.24</td																

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	14.70	14.70	33.326	24.747	318.9	0.000	6.38	278.6	110.3	0.5	0.33	0.1	0.03	0.19	0.53	0.10	0
3	14.70	14.70	33.326	24.747	319.0	0.010	6.38	278.6	110.3	0.5	0.33	0.1	0.03	0.19	0.53	0.10	3 21
9	14.70	14.70	33.328	24.748	319.0	0.029	6.36	277.6	110.0	0.1	0.33	0.0	0.02	0.16	0.58	0.10	9 19
10 ISL	14.70 D	14.70	33.326	24.748	319.1	0.032	6.34	D276.1	D109.6	0.2	0.34	0.1	0.02	0.19	0.60	0.12	10
10	14.70	14.70	33.326	24.748	319.1	0.030											10 20
20 ISL	13.82 D	13.82	33.422	D 25.006	294.8	0.063	6.39	D278.4	D108.6	0.7	0.46	1.2	0.07	0.51	0.78	0.31	20
21	13.69	13.69	33.424	D 25.035	292.1	0.066	6.39	279.0	108.3	0.7	0.47	1.4	0.08	0.54	0.79	0.32	21 18
30	12.90	12.89	33.414	25.187	277.8	0.091	6.12	267.4	102.1	1.7	0.63	3.3	0.12	0.91	0.82	0.47	30 17
40	12.23	12.22	33.429	25.328	264.7	0.118	5.45	237.9	89.6	5.1	0.91	7.4	0.17	1.12	1.27	1.04	40 16
50	11.43	11.42	33.468	25.507	247.8	0.144	4.45	194.3	71.9	12.6	1.29	13.8	0.18	0.80	1.11	0.61	50 15
60	11.46	11.45	33.594	25.601	239.2	0.168	4.27	186.3	69.1	14.2	1.40	14.7	0.23	1.20	1.50	0.75	60 14
70	11.16	11.15	33.613	25.671	232.8	0.192	3.87	168.8	62.2	16.3	1.51	16.6	0.23	0.87	1.54	0.79	71 13
75 ISL	10.93 D	10.92	33.634	D 25.728	227.5	0.205	3.81	D165.9	D 61.0	17.5	1.56	18.0	0.19	0.62	1.25	0.67	76
85	10.21	10.20	33.617	25.841	216.8	0.226	3.29	143.4	51.8	19.8	1.66	20.6	0.11	0.66	0.44	86 12	
100	9.77	9.76	33.646	25.937	208.0	0.257	3.18	138.9	49.6	21.2	1.73	21.7	0.07	0.02	0.49	0.35	101 11
120	9.08	9.07	33.792	26.164	186.7	0.297	2.87	125.3	44.2	26.6	1.89	25.2	0.04	0.00	0.20	0.20	121 10
125 ISL	9.06 D	9.04	33.813	D 26.185	184.9	0.308	2.88	D125.5	D 44.3	27.5	1.92	25.5	0.03	0.00	0.20	0.21	126
141	8.79	8.77	33.911	26.304	173.8	0.335	2.59	113.0	39.6	30.4	2.02	26.8	0.03	0.00	0.22	0.22	142 09
150 ISL	8.70 D	8.68	33.957	D 26.355	169.2	0.352	2.55	D111.0	D 38.9	31.7	2.06	27.3	0.03	0.00	0.20	0.24	151
170	8.50	8.49	34.003	26.421	163.3	0.384	2.28	99.4	34.6	34.8	2.15	28.4	0.02	0.00	0.15	0.29	171 08
200 ISL	8.29 D	8.27	34.072	D 26.508	155.5	0.434	1.87	D 81.1	D 28.2	39.2	2.29	30.0	0.02	0.00	0.09	0.14	202
201	8.29	8.27	34.070	26.506	155.8	0.433	1.89	82.7	28.7	39.3	2.29	30.1	0.02	0.00	0.09	0.14	203 07
230	7.89	7.87	34.103	26.593	147.9	0.477	1.57	68.3	23.5	44.2	2.44	31.9	0.02	0.00			232 06
250 ISL	7.75 D	7.72	34.142	D 26.645	143.3	0.509	1.31	D 56.9	D 19.6	47.6	2.54	32.9	0.01	0.00			252
270	7.48	7.45	34.152	26.692	139.0	0.535	1.16	50.4	17.2	51.0	2.63	33.9	0.01	0.00			272 05
300 ISL	7.33 D	7.30	34.191	D 26.744	134.5	0.579	0.90	D 39.2	D 13.4	54.4	2.72	34.8	0.01	0.00			302
321	7.25	7.22	34.202	26.765	132.9	0.604	0.80	34.9	11.8	56.8	2.79	35.4	0.01	0.00			324 04
381	6.77	6.73	34.226	26.851	125.4	0.682	0.59	25.7	8.6	63.9	2.94	37.2	0.01	0.00			384 03
400 ISL	6.65 D	6.62	34.234	D 26.872	123.6	0.709	0.52	D 22.7	D 7.6	66.3	2.96	37.8	0.01	0.00			403
441	6.15	6.12	34.223	26.929	118.3	0.755	0.47	20.4	6.8	71.5	3.01	38.9	0.02	0.01			445 02
500 ISL	5.86 D	5.82	34.271	D 27.005	111.7	0.828	0.33	D 14.2	D 4.7	78.9	3.13	40.1	0.01	0.00			504
515	5.75	5.70	34.289	27.033	109.1	0.839	0.29	12.7	4.2	80.7	3.16	40.4	0.01	0.00			519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	14.13	14.13	33.443	24.957	298.9	0.000	6.89	300.7	117.9	0.6	0.33	0.3	0.04	0.20	1.46	0.21	0
3	14.13	14.13	33.443	24.957	299.0	0.009	6.89	300.7	117.9	0.6	0.33	0.3	0.04	0.20	1.46	0.21	3 21
10	13.96	13.96	33.482	25.024	292.8	0.030	6.95	303.5	118.6	0.9	0.41	1.0	0.05	0.52	1.80	0.38	10 19
11	13.96	13.96	33.489	25.029	292.3	0.031											10 20
20	11.52	11.51	33.546	25.551	242.8	0.057	4.70	205.3	76.0	10.7	1.31	12.9	0.23	0.76	3.65	1.13	20 18
30	11.29	11.29	33.531	25.581	240.3	0.081	4.34	189.4	70.0	12.5	1.34	14.4	0.22	0.61	3.24	1.12	30 17
40	11.07	11.06	33.586	25.664	232.6	0.104	4.24	185.0	68.1	15.3	1.42	15.7	0.21	0.73	1.59	0.92	40 16
50	10.53	10.53	33.610	25.778	222.0	0.127	3.62	157.9	57.4	18.6	1.62	19.0	0.20	0.49	1.65	0.79	50 15
60	10.34	10.34	33.642	25.836	216.8	0.149	3.25	141.9	51.4	20.3	1.74	20.7	0.13	0.11	1.24	0.75	60 14
70	9.85	9.84	33.667	25.940	207.0	0.170	3.14	136.9	49.1	21.9	1.76	22.1	0.08	0.08	1.29	0.87	71 13
75 ISL	9.69 D	9.68	33.695	D 25.988	202.6	0.182	3.13	D136.4	D 48.9	22.9	1.80	22.7	0.07	0.00	1.03	0.75	76
86	9.83	9.82	33.825	26.067	195.3	0.202	2.68	116.8	41.9	25.0	1.89	23.9	0.05	0.00	0.47	0.50	87 12
100	9.51	9.49	33.874	26.159	186.9	0.229	2.59	113.2	40.3	27.0	1.97	25.1	0.05	0.03	0.34	0.44	101 11
120	9.22	9.20	33.874	26.206	182.8	0.266	2.67	116.3	41.1	28.0	1.97	25.6	0.04	0.00	0.32	0.40	121 10
125 ISL	9.02 D	9.01	33.893	D 26.252	178.4	0.277	2.62	D114.2	D 40.3	28.7	1.99	26.0	0.04	0.00	0.31	0.38	126
141	8.79	8.78	33.931	26.318	172.4	0.303	2.52	109.9	38.5	31.0	2.05	27.3	0.04	0.00	0.30	0.34	142 09
150 ISL	8.68 D	8.67	33.964	D 26.362	168.5	0.321	2.43	D105.6	D 37.0	32.5	2.08	27.8	0.04	0.00	0.26	0.31	151
171	8.37	8.36	34.011	26.447	160.8	0.353	2.31	100.6	35.0	36.0	2.15	28.9	0.03	0.00	0.16	0.23	172 08
200 ISL	8.09 D	8.07	34.027	D 26.502	156.0	0.402	2.21	D 95.9	D 33.2	38.5	2.21	29.8	0.03	0.00	0.13	0.28	202
201	8.09	8.07	34.025	26.501	156.1	0.401	2.21	96.5	33.3	38.6	2.21	29.8	0.03	0.00	0.12	0.28	203 07
231	7.93	7.90	34.086	D 26.573	149.8	0.450	1.70	D 74.0	D 25.5								233 06
250 ISL	7.90 D	7.87	34.121	D 26.606	147.0	0.478	1.53	D 66.5	D 22.9	45.3	2.43	32.0	0.03	0.00			252
270	7.77																

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
33 14.7 N	121 26.7 W	11/04/2016	2225	UTC	3831 m	320 10 kn	340 03 08	1	1020.3 mb	16.2 C	13.6 C	28 m	4/8	SC	054			
0	16.44	16.44	33.136	24.215	369.5	0.000	5.69	248.3	101.7	2.2	0.39	0.1	0.02	0.11	0.09	0.01	0	
2	16.44	16.44	33.136	24.215	369.6	0.007	5.69	248.3	101.7	2.2	0.39	0.1	0.02	0.11	0.09	0.01	2 21	
10	16.34	16.34	33.128	24.233	368.2	0.037	5.69	248.5	101.6	1.9	0.28	0.0	0.01	0.00	0.09	0.01	10 19	
10	16.34	16.34	33.149	24.249	366.6	0.038											10 20	
20	ISL 15.96 D	15.96	33.151 D	24.338	358.6	0.074	5.74	0250.3	0101.7	1.9	0.29	0.0	0.01	0.00	0.11	0.02	20	
25	15.68	15.68	33.149	24.398	352.9	0.091	5.79	252.8	102.0	1.9	0.30	0.0	0.01	0.00	0.12	0.02	25 18	
30	ISL 15.63 D	15.63	33.149 D	24.410	352.0	0.109	5.80	0252.9	0102.1	1.8	0.29	0.0	0.01	0.00	0.12	0.02	30	
40	15.56	15.56	33.149	24.425	350.9	0.144	5.79	253.0	101.9	1.8	0.28	0.0	0.01	0.00	0.12	0.02	40 17	
50	15.48	15.47	33.156	24.451	348.8	0.179	5.82	254.3	102.2	1.8	0.31	0.0	0.01	0.00	0.14	0.03	50 16	
62	15.31	15.30	33.175	24.504	344.1	0.220	5.86	255.6	102.4	1.8	0.32	0.0	0.01	0.00	0.25	0.03	63 15	
75	14.94	14.93	33.305	24.683	327.4	0.264	5.83	254.5	101.3	2.0	0.33	0.0	0.01	0.00	0.44	0.22	76 14	
87	14.03	14.01	33.213	24.807	315.9	0.303	5.68	247.8	96.7	2.8	0.44	0.9	0.19	0.00	0.54	0.27	88 13	
100	13.33	13.32	33.290	25.008	297.0	0.342	5.39	235.5	90.7	4.3	0.62	3.8	0.10	0.00	0.31	0.26	101 12	
113	11.35	11.34	33.240	25.348	264.6	0.379	4.93	215.4	79.5	8.2	0.89	9.1	0.07	0.00	0.19	0.16	114 11	
125	10.57	10.56	33.267	25.507	249.6	0.410	4.62	201.8	73.2	11.8	1.17	13.4	0.06	0.00	0.10	0.10	126 10	
140	9.62	9.61	33.436	25.799	221.9	0.445	4.22	184.4	65.6	17.1	1.45	18.0	0.03	0.00	0.03	0.05	141 09	
150	ISL 9.41 D	9.40	33.529 D	25.906	211.9	0.470	4.01	0274.5	0162.0	20.0	1.60	20.1	0.02	0.00	0.02	0.05	151	
170	9.69	9.67	33.814	26.085	195.5	0.507	2.84	123.7	44.2	26.0	1.90	24.2	0.02	0.00	0.00	0.04	171 08	
200	9.74	9.72	34.062	26.270	178.7	0.563	1.90	82.7	29.7	31.0	2.18	26.2	0.02	0.00	0.00	0.04	202 07	
230	8.87	8.85	34.054	26.406	166.1	0.615	1.98	86.4	30.4	35.4	2.23	28.2	0.02	0.00			232 06	
250	ISL 8.57 D	8.54	34.066 D	26.463	161.0	0.651	2.01	0287.5	030.6	38.0	2.32	29.1	0.02	0.00			252	
270	8.60	8.57	34.139	26.516	156.4	0.679	1.54	67.1	23.5	40.5	2.41	29.9	0.02	0.00			272 05	
300	ISL 8.22 D	8.19	34.154 D	26.586	150.2	0.730	1.38	020.1	020.9	44.2	2.51	31.2	0.01	0.00			302	
321	8.07	8.03	34.177	26.628	146.5	0.756	1.23	53.8	18.6	46.8	2.58	32.0	0.01	0.00			324 04	
380	7.18	7.14	34.192	26.768	133.6	0.839	0.83	36.0	12.2	57.6	2.81	35.5	0.01	0.00			383 03	
400	ISL 7.01 D	6.97	34.209 D	26.805	130.3	0.871	0.71	30.8	10.4	60.2	2.86	36.0	0.01	0.00			403	
440	6.75	6.71	34.227	26.855	125.9	0.916	0.58	25.1	8.4	65.2	2.96	37.2	0.00	0.00			444 02	
500	ISL 6.38 D	6.33	34.270 D	26.939	118.6	0.997	0.38	16.4 D	5.5	72.3	3.08	38.6	0.01	0.00			504	
516	6.24	6.19	34.278	26.964	116.4	1.009	0.35	15.4	5.1	74.2	3.11	38.9	0.01	0.00			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
32 54.6 N	122 7.7 W	11/04/2016	1718	UTC	4095 m	020 10 kn	350 02 07	1	1020.0 mb	16.0 C	14.4 C	21 m	7/8	SC	053			
0	16.07	16.07	33.206	24.353	356.4	0.000	5.76	251.7	102.4	1.9	0.31	0.0	0.00	0.00	0.21	0.04	0	
2 A	16.07	16.07	33.206	24.353	356.4	0.007	5.76	251.7	102.4	1.9	0.31	0.0	0.00	0.00	0.21	0.04	2 24	
10 ISL	15.64 D	15.64	33.245 D	24.480	344.6	0.036	5.90	0257.1	0103.9	1.9	0.32	0.0	0.01	0.00	0.23	0.05	10	
11	15.45	15.45	33.236	24.516	341.3	0.039	5.88	257.0	103.2	1.9	0.32	0.0	0.01	0.00	0.23	0.05	11 22	
11	15.45	15.45	33.241	24.519	340.9	0.037											11 23	
14 A	15.31	15.30	33.222	24.537	339.3	0.049	5.88	256.7	102.8	2.1	0.32	0.0	0.01	0.00	0.22	0.05	14 21	
19 A	15.29	15.28	33.222	24.541	339.1	0.066	5.87	256.4	102.7	2.1	0.32	0.0	0.00	0.00	0.25	0.05	19 20	
20 ISL	15.29 D	15.29	33.222 D	24.541	339.2	0.070	5.88	0256.3	0102.8	2.1	0.32	0.0	0.00	0.00	0.25	0.05	20	
30 ISL	15.22 D	15.21	33.232 D	24.565	337.2	0.104	5.88	0256.4	0102.7	2.0	0.32	0.0	0.00	0.00	0.28	0.07	30	
36 A	15.18	15.18	33.237	24.576	336.3	0.123	5.89	257.1	102.7	2.0	0.32	0.0	0.00	0.00	0.29	0.09	36 19	
47	15.05	15.05	33.241	24.608	333.7	0.160	5.86	256.2	102.1	2.1	0.33	0.0	0.00	0.00	0.42	0.13	47 18	
50 ISL	14.99 D	14.98	33.245 D	24.625	332.2	0.171	5.87	0255.8	0102.0	2.1	0.34	0.0	0.00	0.00	0.49	0.16	50	
59 A	14.85	14.84	33.254	24.663	328.8	0.200	5.86	255.8	101.5	2.3	0.35	0.0	0.01	0.00	0.69	0.27	59 17	
66	14.71	14.70	33.288	24.720	323.6	0.223	5.84	254.9	100.9	2.4	0.38	0.0	0.05	0.01	1.21	0.48	67 15	
67	14.71	14.70	33.287	24.720	323.6	0.224											67 16	
73 A	14.84	14.82	33.376	24.761	319.9	0.245	5.96	260.2	103.3	1.4	0.38	0.0	0.02	0.09	0.76	0.30	74 14	
75 ISL	14.78 D	14.77	33.390 D	24.783	317.9	0.253	5.95	0259.4	0103.1	1.5	0.39	0.1	0.03	0.15	0.72	0.30	76	
85	14.31	14.30	33.380	24.876	309.3	0.283	5.84	254.9	100.1	2.0	0.45	0.4	0.07	0.47	0.54	0.26	86 13	
95	13.66	13.64	33.370	25.004	297.3	0.313	5.70	248.9	96.5	3.6	0.59	2.1	0.14	1.01	0.24	0.22	96 12	
100 ISL	13.61 D	13.60	33.398 D	25.036	294.5	0.330	5.62	0245.0	0195.1	5.1	0.69	4.0	0.17	0.77	0.21	0.21	101	
110	12.75	12.73	33.359	25.178	281.0	0.357	4.98	217.7	82.8	8.1	0.90	7.8	0.24	0.30	0.14	0.18	111 11	
125	11.30	11.28	33.410	25.490	251.4	0.397	4.16	181.8	67.1	13.3	1.28	14.3	0.13	0.00	0.08	0.12	126 10	
140	10.34	10.32	33.570	25.784	223.6	0.432	3.44	150.2	54.3	18.7	1.61	19.3	0.03	0.00	0.03	0.08	141 09	
150 ISL	10.11 D	10.09	33.703 D	25.927	210.2	0.457	3.29	0143.3	0151.8	20.5	1.69	20.4	0.02	0.00	0.03	0.08	151	
170	9.97	9.95	33.779	26.010	202.7	0.496	2.81	122.7	44.1	24.0	1.86	22.7	0.02	0.03	0.02			

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	34.8 N	122 48.7 W	11/04/2016	0952	UTC	4303 m	340	06 kn											052
0	16.50	16.50	33.137	24.202	370.8	0.000	5.69	248.5	101.9	2.2	0.29	0.1	0.02	0.01	0.07	0.01	0.01	0	
2	16.50	16.50	33.137	24.202	370.9	0.007	5.69	248.5	101.9	2.2	0.29	0.1	0.02	0.01	0.07	0.01	0.01	2	
9	16.35	16.35	33.130	24.231	368.4	0.033	5.69	248.5	101.6	1.8	0.30	0.0	0.02	0.02	0.07	0.01	0.01	19	
9	16.35	16.35	33.132	24.232	368.2	0.035												20	
10	ISL	16.16	D 16.16	33.128	D 24.273	364.4	0.037	5.70	D 248.5	D 101.4	1.8	0.30	0.0	0.01	0.00	0.07	0.01	10	
20	ISL	15.93	D 15.92	33.136	D 24.333	359.0	0.074	5.72	D 249.4	D 101.3	1.8	0.29	0.0	0.01	0.00	0.07	0.01	20	
25	15.80	15.79	33.149	24.372	355.4	0.091	5.73	250.5	101.3	1.7	0.28	0.0	0.01	0.00	0.06	0.01	0.01	18	
30	ISL	15.77	D 15.77	33.135	D 24.367	356.1	0.110	5.75	D 250.5	D 101.4	1.7	0.28	0.0	0.01	0.00	0.07	0.01	30	
39	15.74	15.73	33.138	24.378	355.4	0.141	5.75	251.0	101.4	1.7	0.27	0.0	0.01	0.00	0.08	0.02	0.02	17	
50	15.69	15.68	33.135	24.387	354.9	0.180	5.75	251.1	101.3	1.6	0.29	0.0	0.02	0.00	0.10	0.02	50	16	
61	15.51	15.50	33.130	24.424	351.7	0.219	5.81	253.6	101.9	1.7	0.27	0.0	0.01	0.00	0.15	0.04	61	15	
75	14.71	14.70	33.125	24.595	355.8	0.267	5.86	256.0	101.2	1.9	0.31	0.0	0.00	0.00	0.24	0.15	76	14	
87	14.22	14.21	33.171	24.734	322.9	0.306	5.77	252.0	98.7	2.2	0.36	0.0	0.05	0.01	0.46	0.42	88	13	
100	ISL	13.44	D 13.43	33.190	D 24.909	306.4	0.350	5.38	D 234.4	D 90.6	3.7	0.54	3.0	0.07	0.00	0.28	0.30	101	
101	13.23	13.21	33.192	24.954	302.2	0.350	5.40	235.8	90.5	3.8	0.55	3.2	0.08	0.00	0.26	0.30	102	12	
112	11.85	11.83	33.211	25.234	275.5	0.382	4.87	212.9	79.4	8.0	0.92	9.3	0.04	0.00	0.12	0.13	113	11	
125	ISL	10.39	D 10.38	33.291	D 25.556	249.4	0.419	4.44	D 193.4	D 70.1	12.7	1.26	14.6	0.03	0.00	0.06	0.07	126	
126	10.36	10.35	33.299	D 25.568	243.8	0.421	4.43	193.2	69.8	13.0	1.29	15.1	0.03	0.00	0.05	0.06	127	10	
140	9.83	9.82	33.413	25.747	227.0	0.449	4.11	179.6	64.2	16.5	1.45	18.0	0.02	0.00	0.02	0.04	141	09	
150	ISL	9.53	D 9.52	33.541	D 25.896	212.9	0.477	3.66	D 159.3	D 56.8	19.1	1.57	19.8	0.02	0.00	0.02	0.04	151	
171	9.20	9.18	33.725	26.094	194.5	0.514	3.18	138.8	49.0	24.5	1.81	23.5	0.02	0.00	0.00	0.02	172	08	
200	ISL	8.93	D 8.90	33.870	D 26.252	180.0	0.574	2.85	D 124.1	D 43.7	28.2	1.93	25.3	0.01	0.00	0.00	0.02	202	
202	8.85	8.82	33.875	26.268	178.5	0.572	2.87	125.3	43.9	28.5	1.94	25.4	0.01	0.00	0.00	0.02	204	07	
230	8.49	8.47	33.972	26.400	166.4	0.620	2.64	115.0	40.0	32.8	2.03	27.1	0.00	0.00			232	06	
250	ISL	8.28	D 8.25	34.019	D 26.470	160.2	0.659	2.33	D 101.3	D 35.2	36.1	2.14	28.4	0.00	0.00			252	
270	8.01	7.99	34.034	26.521	155.5	0.685	2.19	95.5	32.9	39.3	2.24	29.7	0.00	0.00			272	05	
300	ISL	7.65	D 7.62	34.083	D 26.613	147.2	0.737	1.65	D 71.7	D 24.6	45.2	2.43	31.8	0.00	0.00			302	
321	7.52	7.49	34.123	26.664	142.7	0.760	1.33	58.2	19.8	49.2	2.57	33.3	0.00	0.00			324	04	
380	7.06	7.02	34.183	26.777	132.6	0.842	0.85	37.3	12.6	57.3	2.80	35.6	0.01	0.00			383	03	
400	ISL	6.88	D 6.84	34.189	D 26.807	130.0	0.876	0.72	D 31.4	D 10.6	60.3	2.85	36.2	0.01	0.00			403	
440	6.57	6.53	34.213	26.867	124.6	0.919	0.57	25.0	8.3	66.3	2.96	37.6	0.01	0.00			444	02	
500	ISL	6.25	D 6.20	34.248	D 26.939	118.4	1.001	0.39	D 16.9	D 5.6	73.3	3.07	39.0	0.00	0.00			504	
517	6.03	5.99	34.246	26.965	116.0	1.012	0.39	17.0	5.6	75.3	3.10	39.3	0.00	0.00			521	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD			
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N04*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32	14.7 N	123 29.5 W	11/04/2016	0429	UTC	4201 m	330	09 kn										051	
0	16.58	16.58	33.117	24.169	373.9	0.000	5.71	249.6	102.5	3.1	0.29	0.0	0.01	0.21	0.08	0.02	0		
2	16.58	16.58	33.117	24.169	374.0	0.008	5.71	249.6	102.5	3.1	0.29	0.0	0.01	0.21	0.08	0.02	2		
10	16.06	16.06	33.119	24.288	362.9	0.037	5.70	249.1	101.2	1.9	0.28	0.0	0.01	0.02	0.08	0.01	10		
10	16.06	16.06	33.119	24.289	362.9	0.036											19		
20	ISL	15.79	D 15.78	33.133	D 24.362	356.2	0.073	5.76	D 250.9	D 101.6	1.9	0.28	0.0	0.01	0.00	0.08	0.02	20	
26	15.74	15.73	33.140	24.379	354.8	0.094	5.75	251.3	101.5	2.0	0.28	0.0	0.01	0.00	0.09	0.02	18		
30	ISL	15.73	D 15.72	33.131	D 24.375	355.4	0.109	5.77	D 251.3	D 101.7	1.9	0.28	0.0	0.01	0.00	0.00	0.02	30	
40	15.70	15.69	33.133	24.384	354.9	0.144	5.77	252.0	101.7	1.9	0.29	0.0	0.01	0.00	0.13	0.02	40		
50	15.54	15.53	33.140	24.424	351.3	0.179	5.79	252.9	101.7	2.0	0.28	0.0	0.01	0.00	0.17	0.03	50		
61	15.30	15.29	33.156	24.491	345.3	0.218	5.81	253.7	101.5	2.1	0.29	0.0	0.01	0.00	0.23	0.08	61		
75	15.07	15.05	33.169	24.552	339.9	0.266	5.81	253.9	101.2	2.1	0.31	0.0	0.01	0.00	0.37	0.17	76		
87	15.03	15.01	33.222	24.603	335.5	0.306	5.79	252.8	100.7	1.9	0.37	0.0	0.02	0.06	0.53	0.16	88		
100	ISL	14.40	D 14.39	33.204	D 24.722	324.4	0.352	5.63	D 246.2	D 97.0	2.5	0.41	0.7	0.12	0.09	0.37	0.17	101	
101	14.35	14.34	33.207	24.735	323.2	0.352	5.66	247.2	97.1	2.6	0.41	0.7	0.12	0.09	0.36	0.17	102		
112	13.78	13.76	33.192	24.844	313.1	0.387	5.49	239.6	93.0	3.5	0.50	2.2	0.17	0.01	0.24	0.17	113		
125	ISL	12.13	D 12.12	33.194	D 25.168	282.2	0.429	5.12	D 223.1	D 83.9	7.5	0.84	8.2	0.06	0.00	0.15	0.12	126	
126	11.78	11.76	33.200	25.240	275.3	0.429	4.98	217.7	81.0	7.8	0.87	8.6	0.05	0.00	0.14	0.12	127		
140	10.29	10.27	33.309	25.589	242.1	0.465	4.41	192.4	69.4	14.0	1.30	15.6	0.02	0.00	0.06	0.05	141		
150	ISL	9.97	D 9.95	33.387	D 25.704	231.2	0.												

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SiO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
31 54.6 N	124 10.1 W	10/04/2016	2243	UTC	4250 m	300 07 kn	300 02 08	1	1015.6 mb	17.2	C 15.1	C 38 m	6/8	ST	050		
0	16.85	16.85	33.299	24.246	366.6	0.000	5.61	245.0	101.2	2.2	0.24	0.1	0.01	0.08	0.07	0.01	
2	16.85	16.85	33.299	24.246	366.7	0.007	5.61	245.0	101.2	2.2	0.24	0.1	0.01	0.08	0.07	0.01	
10	16.68	16.68	33.294	24.282	363.6	0.037	5.62	245.5	101.1	1.9	0.22	0.0	0.00	0.08	0.01	10	
10	16.68	16.68	33.290	24.279	363.8	0.037										10	
20	ISL 16.80 D	16.80	33.350 D	24.297	362.5	0.073	5.59	0243.6	0100.8	1.8	0.23	0.0	0.00	0.00	0.09	0.02	
25	16.21	16.20	33.241	24.351	357.5	0.091	5.68	248.2	101.2	1.7	0.24	0.0	0.00	0.00	0.09	0.03	
30	ISL 15.97 D	15.97	33.210 D	24.381	354.8	0.109	5.70	0248.6	0101.1	1.7	0.25	0.0	0.00	0.00	0.11	0.04	
40	15.27	15.26	33.081	24.437	349.7	0.144	5.79	253.0	101.2	1.6	0.27	0.0	0.00	0.00	0.15	0.06	
50	15.13	15.12	33.082	24.469	347.0	0.179	5.82	254.1	101.3	1.7	0.27	0.0	0.00	0.00	0.22	0.10	
62	14.97	14.96	33.074	24.498	344.6	0.221	5.83	254.5	101.1	1.7	0.29	0.0	0.00	0.00	0.27	0.15	
75	14.28	14.27	33.041	24.620	335.3	0.265	5.82	254.1	99.6	1.7	0.32	0.0	0.02	0.00	0.41	0.35	
88	13.65	13.64	33.198	24.872	309.6	0.307	5.49	240.0	92.9	3.5	0.53	2.6	0.12	0.00	0.11	89	
100	12.96	12.94	33.226	25.033	294.6	0.343	5.24	228.9	87.4	5.1	0.70	5.3	0.04	0.00	0.09	0.15	
112	12.51	12.49	33.324	25.197	279.2	0.377	4.89	213.4	80.8	7.5	0.90	8.4	0.02	0.00	0.07	0.08	
125	10.82	10.80	33.336	25.518	248.6	0.412	4.33	189.0	69.0	12.1	1.23	14.0	0.01	0.00	0.04	0.07	
140	9.99	9.98	33.362	25.680	233.3	0.448	4.40	192.3	68.9	14.3	1.31	16.0	0.01	0.00	0.03	0.05	
150	ISL 9.62 D	9.60	33.456 D	25.816	220.5	0.474	4.40	0191.7	0 D 68.4	16.0	1.37	17.1	0.01	0.00	0.02	0.04	
171	9.19	9.18	33.581	25.982	205.1	0.515	4.13	180.3	63.6	19.6	1.49	19.6	0.00	0.00	0.02	0.02	
200	8.82	8.80	33.837	26.243	180.9	0.571	3.94	171.9	60.2	24.3	1.58	21.7	0.00	0.00	0.00	0.02	
231	8.38	8.36	33.931	26.384	167.9	0.626	3.69	161.0	55.9	28.8	1.71	23.6	0.01	0.00		233	
250	ISL 8.17 D	8.14	33.956 D	26.437	163.2	0.661	3.55	0154.3	0 D 53.5	32.0	1.80	24.9	0.01	0.00		252	
271	7.82	7.79	33.973	26.503	157.1	0.691	3.31	144.4	49.5	35.6	1.90	26.4	0.01	0.00		273	
300	ISL 7.47 D	7.44	33.995 D	26.570	151.1	0.740	2.75	0119.4	0 D 40.8	42.7	2.20	30.2	0.01	0.00		302	
320	7.23	7.20	34.027	26.630	145.6	0.765	1.93	84.4	28.5	47.6	2.41	32.8	0.00	0.00		323	
381	6.46	6.43	34.072	26.769	132.8	0.850	1.19	52.1	17.3	60.6	2.76	37.0	0.00	0.00		384	
400	ISL 6.29 D	6.25	34.091 D	26.808	129.3	0.881	1.00	0 D 43.5	0 D 14.4	63.4	2.82	37.7	0.00	0.00		403	
441	6.05	6.01	34.127	26.866	124.1	0.927	0.76	33.1	10.9	69.6	2.95	39.3	0.01	0.00		445	
500	ISL 5.72 D	5.68	34.182 D	26.951	116.6	1.005	0.52	0 D 22.4	0 D 7.3	77.2	3.08	40.4	0.01	0.00		504	
515	5.64	5.60	34.191	26.968	115.1	1.015	0.48	20.9	6.8	79.1	3.11	40.7	0.01	0.00		519	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 85.4 35.8

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SiO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
34 0.1 N	118 50.0 W	08/04/2016	0506	UTC	51 m	290 12 kn			1013.2 mb	14.9	C 14.3	C				036	
0	15.41	15.41	33.541	24.759	317.7	0.000	6.40	279.3	112.4	1.3	0.38	0.0	0.03	0.23	1.14	0.41	
2	15.41	15.40	33.541	24.759	317.8	0.006	6.40	279.3	112.4	1.3	0.38	0.0	0.03	0.23	1.14	0.41	
6	15.42	15.42	33.541	24.757	318.1	0.019	6.36	277.8	111.8	1.3	0.39	0.0	0.01	0.15	1.12	0.38	
10	15.31	15.31	33.539	24.780	316.1	0.032	6.35	277.4	111.4	1.3	0.39	0.0	0.01	0.25	1.07	0.41	
20	14.20	14.20	33.547	25.025	293.1	0.062	6.03	263.4	105.4	1.8	0.51	1.5	0.09	0.66	1.17	0.40	
30	13.54	13.53	33.557	25.169	279.6	0.091	5.36	234.1	90.7	4.3	0.78	4.8	0.18	1.06	1.07	0.57	
40	12.70	12.69	33.592	25.364	261.3	0.118	4.21	183.8	70.0	10.7	1.23	10.5	0.34	1.46	0.53	0.61	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 33.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SiO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
33 53.3 N	118 29.4 W	07/04/2016	2316	UTC	56 m	190 04 kn			1013.2 mb	16.2	C 15.4	C	08 m	8/8	ST	034	
0	15.86	15.86	33.562	24.676	325.7	0.000	6.52	284.6	115.6	2.1	0.38	0.0	0.01	0.00	1.43	0.33	
2	15.86	15.85	33.562	24.676	325.7	0.007	6.52	284.6	115.6	2.1	0.38	0.0	0.01	0.00	1.43	0.33	
6	15.60	15.60	33.568	24.737	320.0	0.019	6.50	283.5	114.6	2.1	0.38	0.0	0.01	0.02	1.42	0.43	
10	ISL 15.45 D	15.45	33.563 D	24.766	317.4	0.033	6.48	0282.6	0114.0	2.2	0.40	0.1	0.02	0.03	1.49	0.50	
11	15.28	15.28	33.562	24.805	313.7	0.035	6.47	282.2	113.3	2.2	0.41	0.1	0.03	0.03	1.51	0.52	
11	15.28	15.28	33.563	24.805	313.7	0.034										11	
20	14.07	14.07	33.560	25.061	289.6	0.062	6.19	270.1	105.8	3.0	0.53	1.4	0.10	0.27	3.59	0.91	
30	13.73	13.72	33.565	25.137	282.7	0.091	5.66	247.0	96.1	4.4	0.71	4.0	0.18	0.69	1.86	0.56	
40	12.84	12.83	33.559	25.311	266.4	0.119	4.59	200.5	76.6	10.0	1.10	9.6	0.29	0.73	1.14	0.75	
45	12.55	12.54	33.558	25.367	261.1	0.132	4.16	181.7	68.9	12.1	1.24	12.2	0.27	0.49	1.03	0.95	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33 49.4 N	118 37.6 W	08/04/2016	0136	UTC	651 m	260 13 kn	260 01 07	7	1012.8 mb	15.0	C 14.4 C	8/8	CU	035				
0	15.15	15.15	33.569	24.837	310.3	0.000	6.34	276.5	110.7	4.4	0.49	0.5	0.06	0.35	0.68	0.27	0	
2	15.15	15.15	33.569	24.837	310.4	0.006	6.34	276.5	110.7	4.4	0.49	0.5	0.06	0.35	0.68	0.27	2 21	
10	14.75	14.74	33.575	24.929	301.8	0.031	6.18	269.7	107.1	5.2	0.56	1.8	0.10	0.12	1.48	0.56	10 19	
10	14.75	14.74	33.570	24.926	302.2	0.032											10 20	
20	13.18	13.17	33.585	25.264	270.3	0.059	4.93	215.2	82.8	9.4	0.99	8.3	0.31	0.61	0.99	0.51	20 18	
30	ISL	12.56 D	12.56	33.596 D	25.394	258.2	0.086	4.37	0190.3 D	72.4	12.2	1.21	11.6	0.39	0.46	0.86	0.51	30
31	12.50	12.49	33.599	25.408	256.8	0.088	4.23	184.8	70.1	12.5	1.23	11.9	0.39	0.45	0.85	0.51	31 17	
40	11.85	11.84	33.620	25.549	243.7	0.111	3.67	160.2	59.9	15.5	1.44	15.5	0.37	0.05	0.40	0.42	40 16	
50	11.09	11.08	33.678	25.733	226.4	0.134	3.14	137.0	50.4	18.9	1.65	18.9	0.15	0.12	0.23	0.33	50 15	
60	10.70	10.70	33.751	25.858	214.7	0.157	2.86	124.8	45.6	21.2	1.76	20.8	0.06	0.00	0.18	0.33	60 14	
70	10.52	10.51	33.821	25.945	206.6	0.178	2.66	116.1	42.3	22.8	1.86	21.8	0.06	0.04	0.19A	0.47A	71 13	
75	ISL	10.41 D	10.40	33.862 D	25.996	201.9	0.189	2.53	0110.3 D	40.2	23.4	1.89	22.2	0.05	0.00	0.15	0.40	76
86	10.36	10.35	33.887	26.025	199.4	0.210	2.44	106.4	38.6	24.8	1.94	23.0	0.03	0.00	0.07	0.24	87 12	
100	10.17	10.16	33.967	26.120	190.7	0.237	2.24	97.8	35.3	27.0	2.03	24.2	0.02	0.00	0.05	0.17	101 11	
120	9.95	9.93	34.018	26.200	183.6	0.275	2.10	91.7	33.0	28.8	2.11	25.2	0.01	0.00	0.06	0.15	121 10	
125	ISL	9.90 D	9.89	34.028 D	26.215	182.3	0.286	2.10 D	91.4 D	33.0	29.5	2.14	25.5	0.01	0.00	0.06	0.15	126
140	9.75	9.74	34.081	26.281	176.3	0.311	1.86	81.2	29.1	31.6	2.22	26.3	0.01	0.01	0.04	0.12	141 09	
150	ISL	9.61 D	9.60	34.109 D	26.326	172.2	0.330	1.78	77.6 D	27.8	32.6	2.25	26.7	0.01	0.00	0.04	0.12	151
171	9.46	9.44	34.152	26.386	166.9	0.364	1.62	70.5	25.1	34.7	2.32	27.7	0.01	0.00	0.05	0.11	172 08	
200	9.13	9.11	34.194	26.474	159.2	0.411	1.44	62.7	22.2	37.9	2.41	28.9	0.00	0.00	0.03	0.11	202 07	
230	8.73	8.71	34.209	26.549	152.6	0.458	1.28	56.0	19.6	41.1	2.49	30.1	0.00	0.00			232 06	
250	ISL	8.52 D	8.50	34.224 D	26.594	148.6	0.492	1.11 D	48.4 D	16.9	43.6	2.56	30.9	0.00	0.00			252
270	8.36	8.34	34.238	26.630	145.5	0.517	1.00	43.7	15.2	46.1	2.62	31.6	0.00	0.00			272 05	
300	ISL	8.14 D	8.11	34.252 D	26.675	141.7	0.565	0.80	37.3 D	12.9	49.7	2.70	32.7	0.00	0.00			302
320	7.91	7.87	34.263	26.719	137.7	0.588	0.77	33.5	11.5	52.1	2.76	33.3	0.00	0.00			323 04	
380	7.32	7.29	34.288	26.823	128.5	0.668	0.50	21.8	7.4	60.0	2.94	35.3	0.00	0.08			383 03	
400	ISL	7.02 D	6.98	34.296 D	26.872	124.0	0.699	0.41 D	17.9 D	6.1	63.6	2.99	35.9	0.00	0.00			403
440	6.65	6.61	34.313	26.936	118.2	0.742	0.31	13.3	4.5	70.7	3.08	37.2	0.01	0.00			444 02	
500	ISL	6.21 D	6.17	34.335 D	27.011	111.6	0.818	0.22 D	9.4 D	3.1	78.3	3.17	38.1	0.02	0.00			504
515	6.09	6.05	34.339	27.030	109.9	0.828	0.21	9.2	3.1	80.2	3.19	38.3	0.02	0.00			504	
																	519 01	

A) SECOND FLUOROMETER READING RECALCULATED BECAUSE ACID RATIO > TAU OF PURE CHL-A

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
33 39.3 N	118 58.6 W	08/04/2016	1856	UTC	729 m	240 06 kn	320 01 08	2	1014.7 mb	15.5	C 15.1 C	17 m	8/8	SC	040			
0	15.97	15.97	33.536	24.629	330.1	0.000	6.12	267.3	108.8	0.2	0.27	0.0	0.01	0.03	0.48	0.12	0	
2 A	15.97	15.97	33.536	24.629	330.1	0.007	6.12	267.3	108.8	0.2	0.27	0.0	0.01	0.03	0.48	0.12	2 24	
10 ISL	15.47 D	15.47	33.527 D	24.735	320.4	0.033	6.09	265.4	107.1	0.7	0.33	0.0	0.01	0.07	0.65	0.20	10	
12 A	15.25	15.25	33.526	24.783	315.9	0.039	6.08	265.5	106.5	0.8	0.35	0.0	0.02	0.08	0.69	0.23	12 22	
12 A	15.25	15.25	33.536	24.791	315.1	0.038											12 23	
15 A	15.07	15.07	33.524	24.821	312.4	0.048	6.00	262.1	104.7	0.8	0.36	0.0	0.02	0.08	0.74	0.25	15 21	
20 ISL	14.81 D	14.81	33.520 D	24.874	307.5	0.064	5.82	253.8	101.1	1.7	0.46	1.0	0.08	0.22	0.89	0.30	20	
22	14.39	14.38	33.512	24.959	299.4	0.070	5.75	251.2	99.0	2.1	0.50	1.3	0.11	0.27	0.95	0.33	22 20	
28 A	13.22	13.22	33.499	25.189	277.7	0.087	4.59	200.6	77.2	8.8	1.01	9.0	0.24	0.26	0.54	0.23	28 19	
30 ISL	12.91 D	12.90	33.508 D	25.257	271.2	0.094	4.54	0197.7 D	75.7	9.4	1.05	9.6	0.23	0.22	0.52	0.25	30	
38	12.29	12.28	33.507	25.377	260.0	0.114	3.97	173.2	65.3	11.7	1.22	12.4	0.18	0.08	0.42	0.31	38 18	
48 A	12.04	12.03	33.519	25.435	254.7	0.140	3.83	167.1	62.7	12.8	1.29	13.7	0.14	0.00	0.34	0.28	48 17	
50 ISL	11.99 D	11.99	33.516 D	25.441	254.2	0.146	3.80	0165.3 D	62.1	13.1	1.31	13.9	0.13	0.00	0.33	0.29	50	
60 A	11.66	11.65	33.561	25.539	245.1	0.170	3.58	156.4	58.2	14.5	1.39	15.2	0.11	0.00	0.29	0.30	60 16	
70	11.07	11.06	33.665	25.727	227.5	0.193	3.20	139.6	51.4	18.0	1.57	18.1	0.04	0.00	0.16	0.24	71 15	
75 ISL	10.97 D	10.96	33.679 D	25.756	224.8	0.207	3.15	0137.1 D	50.5	18.8	1.61	18.7	0.04	0.00	0.18	0.24	76	
85	10.71	10.70	33.737	25.847	216.3	0.227	2.94	128.2	46.8	20.3	1.69	19.9	0.03	0.00	0.22	0.23	86 14	
100	10.44	10.43	33.864	25.994	202.7	0.258	2.56	111.6	40.6	23.6	1.85	21.8	0.02	0.00	0.19	0.29	101 13	
120	10.04	10.03	33.983	26.155	187.8	0.297	2.18	94.9	34.2	27.4	2.02	23.9	0.02	0.00	0.10	0.14	121 12	
125 ISL	10.00 D	9.99	33.996 D	26.173	186.3	0.309	2.17	0.94	34.1	28.1	2.05	24.2	0.02	0.00	0.09	0.14	126	
140	9.87	9.86	34.075	26.257	178.6</td													

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
33 29.2 N	119 18.9 W	08/04/2016	2315	UTC	1642 m	110 04 kn											
0	14.33	14.33	33.450	24.921	302.3	0.000	7.84	341.8	134.8	0.3	0.30	0.1	0.04	0.16	3.08	1.15	0
2	14.33	14.33	33.450	24.921	302.4	0.006	7.84	341.8	134.8	0.3	0.30	0.1	0.04	0.16	3.08	1.15	2 21
10	13.69	13.69	33.465	25.067	288.7	0.030	6.54	285.4	110.8	0.9	0.47	1.3	0.09	0.73	2.64	1.37	10 19
10	13.69	13.69	33.462	25.065	288.9	0.031											10 20
20	13.45	13.44	33.474	25.123	283.7	0.058	6.26	273.2	105.6	2.3	0.60	2.7	0.13	1.08	1.64	1.67	20 18
30	13.13	13.12	33.481	25.193	277.3	0.086	5.94	259.3	99.6	4.6	0.76	4.7	0.19	1.11	1.87	1.50	30 17
40	12.61	12.60	33.494	25.306	266.8	0.114	5.57	243.3	92.4	7.8	0.91	6.9	0.22	1.25	0.97	0.89	40 16
50	11.58	11.57	33.484	25.493	249.2	0.139	4.60	200.7	74.6	13.6	1.27	12.9	0.28	0.67	0.96	0.88	50 15
60	11.26	11.25	33.500	25.565	242.6	0.164	4.25	185.4	68.4	15.1	1.35	14.5	0.32	0.37	0.68	0.94	60 14
70	11.00	10.99	33.600	25.689	231.0	0.188	3.71	162.0	59.5	17.6	1.51	16.7	0.25	0.14	0.48	0.77	71 13
75	ISL 10.81 D	10.81	33.633	25.747	225.6	0.201	3.35	d145.9	53.55	18.7	1.57	17.7	0.20	0.11	0.40	0.65	76
85	10.45	10.44	33.695	25.859	215.1	0.221	3.10	135.2	49.1	21.1	1.70	19.7	0.10	0.04	0.23	0.42	86 12
98	10.01	10.00	33.789	26.008	201.2	0.248	2.77	120.9	43.5	24.3	1.83	21.7	0.05	0.00	0.12	0.43	99 11
100	ISL 10.04 D	10.03	33.789	26.003	201.8	0.254	2.75	d119.7	53.43	24.9	1.86	21.9	0.04	0.00	0.12	0.41	101
120	9.81	9.80	34.051	26.248	179.0	0.290	2.02	88.2	31.7	30.1	2.12	24.4	0.03	0.04	0.06	0.23	121 10
125	ISL 9.81 D	9.80	34.093	26.280	176.1	0.301	2.09	d90.8	32.7	30.8	2.16	24.7	0.02	0.00	0.05	0.20	126
140	9.73	9.72	34.157	26.344	170.3	0.325	1.66	72.4	26.0	33.0	2.27	25.6	0.02	0.00	0.03	0.13	141 09
150	ISL 9.52 D	9.50	34.150	26.375	167.6	0.345	1.64	d71.5	25.6	34.0	2.29	26.0	0.02	0.00	0.03	0.15	151
170	9.34	9.32	34.177	26.426	163.1	0.375	1.54	67.0	23.8	36.0	2.33	26.9	0.02	0.00	0.03	0.19	171 08
200	9.07	9.05	34.174	26.467	159.8	0.423	1.50	65.4	23.1	37.9	2.36	27.6	0.02	0.00	0.04	0.21	202 07
230	8.70	8.68	34.197	26.544	153.0	0.470	1.33	58.1	20.3	41.7	2.46	28.9	0.02	0.00			232 06
250	ISL 8.58 D	8.56	34.202	26.567	151.1	0.505	1.29	d55.9	19.6	43.6	2.52	29.5	0.01	0.00			252
270	8.36	8.33	34.222	26.617	146.7	0.535	1.10	48.0	16.7	45.5	2.57	30.2	0.01	0.00			272 05
300	ISL 8.15 D	8.12	34.238	26.663	142.8	0.579	0.93	d40.6	14.1	49.1	2.66	31.2	0.02	0.00			302
320	7.92	7.89	34.254	26.710	138.6	0.607	0.81	35.2	12.1	51.6	2.72	31.9	0.02	0.00			323 04
381	7.51	7.47	34.287	26.797	131.2	0.690	0.53	23.1	7.9	58.6	2.87	33.6	0.02	0.00			384 03
400	ISL 7.22 D	7.18	34.296	26.845	126.7	0.715	0.44	d19.2	6.5	62.3	2.93	34.3	0.02	0.00			403
440	6.71	6.67	34.313	26.928	119.1	0.765	0.32	13.8	4.6	70.2	3.05	35.8	0.02	0.00			446 02
500	ISL 6.21 D	6.16	34.336	27.013	111.4	0.834	0.22	d9.6	3.2	78.8	3.15	36.6	0.03	0.00			504
515	6.14	6.09	34.341	27.026	110.3	0.851	0.21	9.1	3.0	80.9	3.18	36.8	0.04	0.00			519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
33 18.9 N	119 39.4 W	09/04/2016	0306	UTC	77 m	130 06 kn											042
0	14.57	14.57	33.401	24.834	310.6	0.000	7.07	308.7	122.0	0.5	0.28	0.1	0.04	0.05	2.22	0.85	0
2	14.57	14.56	33.401	24.834	310.7	0.006	7.07	308.7	122.0	0.5	0.28	0.1	0.04	0.05	2.22	0.85	2 09
5	14.00	14.00	33.401	24.953	299.4	0.015	7.09	309.5	120.9	0.0	0.28	0.0	0.04	0.02	2.27	0.73	5 08
10	ISL 13.63 D	13.63	33.431	25.052	290.2	0.030	6.72	d293.0	d113.9	0.1	0.37	0.5	0.08	0.40	3.76	0.77	10 07
11	13.63	13.63	33.432	25.053	290.1	0.032											10 07
20	ISL 13.44 D	13.44	33.484	25.133	282.7	0.059	6.50	d283.2	d109.7	0.4	0.50	1.3	0.10	1.04	3.19	2.04	20
21	13.44	13.44	33.483	25.131	282.9	0.062	6.51	284.1	109.8	0.4	0.51	1.4	0.11	1.10	3.10	2.18	21 05
30	13.25	13.24	33.491	25.177	278.8	0.087	6.39	279.1	107.4	0.9	0.59	2.1	0.12	1.54	1.94	2.16	30 04
40	13.05	13.04	33.492	25.219	275.2	0.115	6.13	267.6	102.6	1.9	0.66	3.5	0.16	1.28	2.75	1.62	40 03
50	12.78	12.77	33.531	25.302	267.5	0.142	5.83	254.4	97.0	4.9	0.83	5.6	0.19	1.29	2.87	1.82	50 02
61	11.91	11.91	33.556	25.487	250.1	0.171	4.69	204.7	76.7	12.4	1.23	12.0	0.27	0.96	1.69	0.98	61 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
33 9.8 N	120 0.4 W	09/04/2016	0624	UTC	1197 m	130 10 kn											043
0	15.84	15.84	33.250	24.440	348.1	0.000	5.91	257.5	104.5	1.3	0.32	0.0	0.01	0.24	0.06	0	
2	15.84	15.84	33.250	24.440	348.2	0.007	5.91	257.5	104.5	1.3	0.32	0.0	0.01	0.24	0.06	2 21	
10	15.18	15.18	33.281	24.610	332.3	0.034	6.01	261.8	104.9	0.9	0.33	0.0	0.02	0.28	0.13	10 19	
10	15.18	15.18	33.282	24.610	332.2	0.035										10 20	
20	14.45	14.44	33.325	24.802	314.3	0.067	6.05	263.8	104.2	1.0	0.37	0.0	0.03	0.17	0.41	0.14	20 18
30	14.25	14.25	33.361	24.871	308.0	0.098	6.30	274.7	108.0	0.7	0.36	0.1	0.04	0.20	0.80	0.47	30 17
40	13.62	13.61	33.403	25.035	292.6	0.128	6.19	269.6	104.7	1.1	0.48	1.2	0.09	0.73	2.05	1.34	40 16
50	12.91	12.91	33.329	25													

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol}/\text{Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g}/\text{L}$	PHAEAO $\mu\text{g}/\text{L}$	PRES db	SAMP
32 59.2 N	120 20.7 W	09/04/2016	1033	UTC	727 m	160 09 kn											044	
0	15.01	15.01	33.309	24.667	326.4	0.000	6.07	264.9	105.6	1.8	0.35	0.1	0.03	0.13	0.45	0.11	0	
1	15.01	15.01	33.309	24.667	326.5	0.003	6.07	264.9	105.6	1.8	0.35	0.1	0.03	0.13	0.45	0.11	1 21	
10	15.01	15.01	33.312	24.670	326.5	0.033	6.09	266.0	106.0	0.7	0.35	0.0	0.02	0.10	0.45	0.13	10 19	
10	15.01	15.01	33.305	24.665	327.0	0.033											10 20	
20	14.28	14.28	33.351	24.857	309.1	0.065	6.35	277.3	108.9	0.4	0.34	0.0	0.04	0.08	0.74	0.20	20 18	
30	13.85	13.84	33.338	24.936	301.8	0.095	6.30	275.1	107.1	0.3	0.37	0.4	0.08	0.18	2.04	0.55	30 17	
41	13.57	13.57	33.344	24.998	296.2	0.128	6.15	268.4	103.9	0.6	0.41	1.1	0.10	0.23	2.96	0.77	41 16	
50	13.06	13.06	33.351	25.107	286.1	0.154	5.69	248.5	95.2	3.4	0.62	4.0	0.14	0.32	2.92	1.22	50 15	
61	12.33	12.32	33.402	D 25.289	269.0	0.186	5.13	D 223.6	D 84.6								61 14	
70	12.24	12.23	33.471	25.360	262.5	0.209	5.25	229.3	86.4	8.4	1.00	8.5	0.20	1.49	2.54	0.94	71 13	
75 ISL	11.68 D	11.67	33.436	D 25.438	255.2	0.223	5.13	D 223.6	D 83.4	9.5	1.07	9.8	0.19	1.29	2.22	0.91	76	
86	11.29	11.28	33.436	25.510	248.5	0.249	4.72	206.1	76.1	12.1	1.21	12.7	0.17	0.84	1.54	0.84	87 12	
100	10.01	10.00	33.368	25.680	232.4	0.283	4.21	183.7	65.9	15.4	1.38	16.9	0.06	0.13	0.32	0.43	101 11	
120	9.66	9.64	33.573	25.900	211.9	0.327	3.53	154.2	55.0	20.4	1.64	21.0	0.05	0.01	0.13	0.15	121 10	
125 ISL	9.57 D	9.56	33.608	D 25.941	208.1	0.340	3.51	D 052.9	D 54.6	21.2	1.68	21.6	0.05	0.01	0.13	0.16	126	
142	9.23	9.22	33.707	26.074	195.8	0.372	3.15	137.6	48.6	24.1	1.80	23.5	0.05	0.02	0.15	0.20	143 09	
150 ISL	9.16 D	9.14	33.775	D 26.140	189.7	0.389	2.99	D 130.2	D 46.1	25.7	1.85	24.3	0.04	0.00	0.13	0.19	151	
168	8.95	8.93	33.890	26.264	178.3	0.421	2.67	116.6	41.0	29.3	1.97	26.1	0.03	0.00	0.10	0.15	169 08	
200 ISL	8.63 D	8.60	34.006	D 26.405	165.4	0.478	2.30	99.9	D 35.0	34.3	2.12	28.0	0.03	0.00	0.05	0.10	202	
201	8.58	8.56	34.007	26.413	164.7	0.477	2.30	100.3	35.0	34.5	2.12	28.1	0.03	0.00	0.04	0.10	203 07	
231	8.41	8.39	34.115	26.524	154.7	0.525	1.66	72.3	25.1	40.6	2.37	30.3	0.02	0.00			233 06	
250 ISL	8.22 D	8.19	34.103	D 26.545	153.0	0.557	1.71	D 74.5	D 25.9	42.6	2.43	31.0	0.02	0.00			252	
270	8.05	8.02	34.145	26.603	147.8	0.584	1.41	61.5	21.2	44.8	2.49	31.8	0.02	0.00			272 05	
300 ISL	7.87 D	7.84	34.173	D 26.653	143.5	0.632	1.19	D 51.6	D 17.8	48.1	2.58	32.8	0.02	0.00			302	
321	7.72	7.69	34.199	26.696	139.8	0.658	1.08	47.0	16.1	50.4	2.64	33.5	0.02	0.00			324 04	
382	7.09	7.05	34.210	26.795	131.0	0.740	0.74	32.4	10.9	59.3	2.83	36.0	0.01	0.00			385 03	
400 ISL	6.83 D	6.79	34.248	D 26.860	125.0	0.769	0.59	D 25.6	D 8.6	62.9	2.90	36.7	0.01	0.00			403	
440	6.39	6.35	34.259	26.928	118.7	0.813	0.44	19.1	6.4	70.9	3.04	38.4	0.01	0.00			444 02	
500 ISL	6.08 D	6.03	34.283	D 26.988	113.6	0.888	0.33	D 14.5	D 4.8	76.7	3.13	39.5	0.01	0.00			504	
516	5.97	5.92	34.292	27.009	111.8	0.900	0.31	13.4	4.4	78.3	3.16	39.8	0.01	0.00			520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol}/\text{Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g}/\text{L}$	PHAEAO $\mu\text{g}/\text{L}$	PRES db	SAMP
32 39.2 N	121 2.1 W	09/04/2016	1705	UTC	3832 m	150 07 kn	150 01 09 5	5	1012.0 mb	15.7	C 15.5 C	21 m	8/8	SC 045				
0	15.78	15.78	33.137	24.366	355.1	0.000	5.78	252.5	102.0	2.1	0.30	0.0	0.01	0.01	0.18	0.03	0	
2 A	15.78	15.78	33.137	24.366	355.2	0.007	5.78	252.5	102.0	2.1	0.30	0.0	0.01	0.01	0.18	0.03	2 23	
8	15.75	15.75	33.138	24.373	354.8	0.030											8 22	
9	15.75	15.75	33.140	24.374	354.7	0.032	5.78	252.5	102.0	2.0	0.30	0.0	0.00	0.24	0.18	0.05	9 21	
10 ISL	15.75 D	15.75	33.139	D 24.373	354.8	0.036	5.75	D 250.9	D 010.5	2.0	0.30	0.0	0.00	0.18	0.05	10		
15 A	15.70	15.70	33.145	24.390	353.4	0.053	5.79	252.8	102.0	2.0	0.29	0.0	0.00	0.21	0.06	15 20		
19 A	15.23	15.23	33.161	24.507	342.4	0.067	5.86	256.1	102.4	1.9	0.31	0.0	0.00	0.01	0.21	0.04	19 19	
20 ISL	15.09 D	15.09	33.168	D 24.541	339.1	0.071	5.86	D 255.4	D 010.1	1.9	0.31	0.0	0.00	0.00	0.22	0.04	20	
27	14.98	14.98	33.190	24.583	335.4	0.094	5.91	257.9	102.6	1.9	0.32	0.0	0.00	0.00	0.31	0.07	27 18	
30 ISL	14.92 D	14.91	33.200	D 24.605	333.4	0.105	5.89	D 256.7	D 010.2	1.9	0.33	0.0	0.00	0.00	0.37	0.14	30	
36 A	14.76	14.75	33.216	24.652	329.1	0.124	5.89	257.2	101.9	2.1	0.34	0.0	0.00	0.00	0.48	0.27	36 17	
47	14.05	14.04	33.238	24.819	313.5	0.160											47 16	
48	13.97	13.96	33.246	24.841	311.4	0.162	5.75	251.2	97.9	3.3	0.45	0.9	0.13	0.06	1.02	0.55	48 15	
50 ISL	13.79 D	13.78	33.264	D 24.894	306.5	0.170	5.50	D 239.6	D 93.3	3.8	0.50	1.7	0.12	0.00	0.90	0.50	50	
60 A	12.85	12.84	33.281	25.096	287.1	0.198	5.11	223.2	85.0	6.1	0.74	6.2	0.06	0.00	0.29	0.25	60 14	
73 A	12.09	12.08	33.351	25.296	268.6	0.234	4.61	201.2	75.5	9.7	1.03	10.9	0.03	0.00	0.11	0.11	74 13	
75 ISL	11.84 D	11.83	33.360	D 25.350	263.5	0.241	4.55	D 198.2	D 74.2	10.1	1.06	11.4	0.03	0.00	0.10	0.11	76	
86	11.41	11.40	33.405	25.464	252.9	0.268	4.18	182.3	67.4	12.5	1.25	14.2	0.02	0.04	0.05	0.08	87 12	
100	10.73	10.71	33.443	25.616	238.7	0.303	3.90	170.4	62.1	15.1	1.39	16.7	0.01	0.01	0.04	0.07	101 11	
120	10.31	10.29	33.596	25.809	220.8	0.348	3.39	147.9	53.5	18.9	1.62	19.8	0.01	0.01	0.05	0.05	121 10	
125 ISL	10.42 D	10.41	33.608	D 25.799	221.9	0.362	3.33	D 144.9	D 52.7	19.6	1.66	20.3	0.01	0.00	0.01	0.05	126	
141	10.17	10.15	33.725	25.934	209.4	0.394	2.98	129.9	46.9	21.9	1.77	21.9	0.01	0.00	0.01	0.06	142 09	
150 ISL	10.39 D	10.37	33.884	D 26.021	201.4	0.415	2.53	D 110.										

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
32 19.4 N	121 42.3 W	09/04/2016	2322	UTC	4065 m	100 12 kn	130 04 08	2	1009.5 mb	16.0 C	14.5 C	18 m	7/8	SC 046			
0	15.63	15.63	33.205	24.452	347.0	0.000	5.79	253.0	102.0	1.8	0.32	0.0	0.03	0.03	0.23	0.03	0
2	15.63	15.63	33.205	24.452	347.1	0.007	5.79	253.0	102.0	1.8	0.32	0.0	0.03	0.03	0.23	0.03	2 21
10	15.63	15.62	33.220	24.464	346.2	0.035	5.80	253.2	102.1	1.7	0.33	0.0	0.03	0.02	0.24	0.06	10 19
10	15.63	15.62	33.210	24.456	346.9	0.035											10 20
20	14.87	14.87	33.356	24.735	320.7	0.068	6.19	270.4	107.5	1.4	0.39	0.0	0.03	0.00	1.30	0.29	20 18
30	14.40	14.39	33.363	24.841	310.8	0.100	6.08	265.3	104.5	1.6	0.45	0.5	0.07	0.10	2.18	0.32	30 17
41	13.87	13.86	33.358	24.949	301.0	0.133	5.77	251.8	98.1	2.7	0.56	1.8	0.13	0.85	0.71	0.23	41 16
50	13.43	13.43	33.411	25.079	288.8	0.160	5.58	243.6	94.1	5.4	0.75	4.1	0.24	1.39	0.24	0.26	50 15
60	13.29	13.28	33.436	25.128	284.4	0.188	5.44	237.6	91.5	6.5	0.81	5.1	0.29	1.28	0.26	0.28	60 14
70	13.01	13.00	33.469	25.209	277.0	0.216	5.20	227.0	86.9	8.3	0.92	7.1	0.35	1.08	0.22	0.25	71 13
75	ISL 12.94 D	12.92	33.475	25.229	275.2	0.232	5.26	0229.0	87.7	9.1	0.99	8.5	0.34	0.85	0.20	0.26	76
85	11.95	11.94	33.406	25.365	262.4	0.257	4.56	199.2	74.6	10.8	1.12	11.2	0.33	0.38	0.16	0.27	86 12
100	11.06	11.05	33.435	25.552	244.8	0.295	3.91	170.6	62.6	14.5	1.38	16.1	0.10	0.00	0.09	0.19	101 11
120	10.00	9.98	33.526	25.807	220.9	0.342	3.57	155.6	55.9	18.3	1.58	19.5	0.07	0.00	0.05	0.18	121 10
125	ISL 9.97 D	9.96	33.522	25.808	220.9	0.355	3.58	0156.0	56.1	18.8	1.60	19.9	0.07	0.00	0.05	0.18	126
141	9.62	9.61	33.560	25.896	212.7	0.388	3.53	154.2	54.9	20.3	1.65	21.0	0.06	0.00	0.05	0.17	142 09
150	ISL 9.54 D	9.53	33.634	25.967	206.2	0.409	3.39	0147.6	52.6	22.1	1.72	22.1	0.05	0.00	0.04	0.17	151
170	9.16	9.14	33.786	26.148	189.3	0.446	2.93	127.9	45.2	26.1	1.87	24.6	0.04	0.00	0.03	0.17	171 08
200	8.79	8.76	33.934	26.324	173.2	0.500	2.56	111.7	39.2	30.9	2.03	26.8	0.04	0.00	0.03	0.12	202 07
230	8.37	8.35	34.017	26.454	161.3	0.551	2.29	99.8	34.7	36.2	2.15	28.7	0.03	0.00			232 06
250	ISL 8.13 D	8.10	34.045	26.513	156.0	0.586	2.06	089.5	31.0	40.2	2.27	30.2	0.02	0.00			252
269	7.81	7.78	34.079	26.587	149.1	0.611	1.74	76.0	26.1	43.9	2.38	31.7	0.02	0.00			271 05
300	ISL 7.63 D	7.60	34.112	26.639	144.7	0.661	1.42	061.7	21.1	48.0	2.51	33.1	0.02	0.00			302
320	7.45	7.42	34.129	26.679	141.1	0.688	1.23	53.5	18.2	50.7	2.60	34.0	0.02	0.00			323 04
380	6.95	6.91	34.175	26.785	131.7	0.767	0.80	35.1	11.8	59.3	2.80	36.4	0.02	0.00			383 03
400	ISL 6.76 D	6.72	34.190	26.823	128.3	0.798	0.70	30.4	10.2	61.4	2.85	36.8	0.02	0.00			403
441	6.56	6.52	34.201	26.860	125.3	0.845	0.60	26.3	8.8	65.7	2.95	37.8	0.01	0.00			445 02
500	ISL 6.14 D	6.09	34.249	26.953	116.9	0.923	0.37	16.3	5.4	73.8	3.05	39.4	0.01	0.00			504
517	6.01	5.96	34.255	26.975	115.0	0.937	0.35	15.3	5.0	76.1	3.08	39.8	0.01	0.00			521 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
31 59.4 N	122 24.0 W	10/04/2016	0513	UTC	4105 m	070 12 kn	307.0	12 kn	1010.6 mb	15.2 C	14.2 C						047
0	16.07	16.07	33.094	24.267	364.6	0.000	5.69	248.6	101.1	1.9	0.29	0.0	0.01	0.09	0.02	0	
2	16.07	16.07	33.094	24.267	364.6	0.007	5.69	248.6	101.1	1.9	0.29	0.0	0.01	0.09	0.02	2 21	
10	ISL 16.01 D	16.01	33.136	24.314	360.5	0.037	5.69	0247.9	0100.8	1.9	0.29	0.0	0.01	0.09	0.01	0.01	10
10	16.01	16.01	33.136	24.314	360.5	0.038											10 20
11	15.88	15.87	33.138	24.345	357.5	0.040	5.71	249.5	101.1	1.9	0.29	0.0	0.01	0.09	0.01	0.01	11 19
20	ISL 15.74 D	15.73	33.112	24.357	356.7	0.073	5.72	0249.5	0100.9	1.9	0.29	0.0	0.01	0.09	0.02	0.02	
26	15.73	15.72	33.120	24.365	356.1	0.093	5.76	251.6	101.6	1.9	0.29	0.0	0.01	0.10	0.02	0.02	18
30	ISL 15.72 D	15.72	33.117	24.365	356.2	0.109	5.73	0249.6	0101.0	1.9	0.29	0.0	0.01	0.02	0.10	0.02	30
40	15.68	15.67	33.116	24.374	355.8	0.143	5.77	251.9	101.6	1.9	0.29	0.0	0.00	0.04	0.12	0.02	40 17
50	15.70	15.69	33.127	24.379	355.6	0.179	5.78	252.4	101.9	1.9	0.28	0.0	0.01	0.12	0.03	0.05	50 16
63	15.60	15.59	33.120	24.397	354.3	0.225	5.79	252.7	101.8	1.9	0.30	0.0	0.01	0.18	0.05	64 15	
75	15.04	15.03	33.100	24.505	344.4	0.267	5.85	255.4	101.7	2.0	0.30	0.0	0.01	0.27	0.13	76 14	
88	14.37	14.36	33.156	24.691	327.0	0.310	5.78	252.6	99.2	2.4	0.36	0.2	0.06	0.00	0.44	0.23	89 13
100	13.51	13.50	33.197	24.900	307.3	0.349	5.47	238.7	92.2	4.0	0.51	2.6	0.15	0.00	0.31	0.28	101 12
112	12.80	12.78	33.210	25.053	293.0	0.385	5.23	228.4	86.9	5.6	0.67	5.4	0.07	0.00	0.24	0.18	113 11
125	11.17	11.15	33.230	25.373	262.4	0.421	4.65	203.0	74.6	10.4	1.10	12.2	0.03	0.00	0.09	0.11	126 10
140	10.06	10.05	33.351	25.659	235.3	0.458	4.12	180.1	64.7	15.3	1.41	17.2	0.02	0.00	0.03	0.06	141 09
150	ISL 9.81 D	9.79	33.446	25.777	224.3	0.484	3.86	0167.8	60.1	17.6	1.51	18.9	0.02	0.00	0.02	0.05	151
171	9.35	9.33	33.652	26.013	202.2	0.526	3.43	149.7	53.0	22.5	1.72	22.4	0.02	0.00	0.00	0.04	172 08
200	ISL 9.09 D	9.07	33.878	26.233	181.9	0.585	2.71	0118.0	41.7	28.0	1.95	25.4	0.01	0.00	0.00	0.03	202
201	9.08	9.05	33.874	26.232	182.1	0.583	2.78	121.3	42.8	28.2	1.96	25.5	0.01	0.00	0.00	0.03	203 07
231	8.81	8.79	34.001	26.374	169.2	0.636	2.31	100.7	35.3	33.0	2.12	27.8	0.01	0.00			233 06
250	ISL 8.49 D	8.46	34.030	26.446	162.5	0.672	2.26	098.4	34.4	35.6	2.16	28.7	0.01	0.00			252
270	8.16	8.13	34.028	26.495	158.0	0.700	2.24	97.6	33.7	38.2	2.21	29.7	0.01	0.00			272 05
300	ISL 7.96 D	7.93	34.071	26.559	152.5	0.751	1.86	80.7	27.9	42.6	2.39	31.3	0.01	0.00			302
321	8.02	7.99	34.142	26.607	148.4												

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31 39.5 N	123 4.3 W	10/04/2016	1031	UTC	4018 m	340	06 kn										048
0	16.42	16.42	33.082	24.178	373.1	0.000	5.69	248.6	101.7	2.2	0.29	0.1	0.02	0.13	0.09	0.03	0
1	16.42	16.42	33.082	24.178	373.1	0.004	5.69	248.6	101.7	2.2	0.29	0.1	0.02	0.13	0.09	0.03	1 21
9	16.41	16.41	33.089	24.187	372.5	0.034	5.68	248.0	101.5	2.0	0.28	0.0	0.02	0.03	0.09	0.01	9 19
10 ISL	16.36 D	16.36	33.105 D	24.209	370.5	0.038	5.65	D246.3	D100.9	1.9	0.28	0.0	0.02	0.00	0.09	0.01	10
10	16.36	16.36	33.109	24.213	370.1	0.037											10 20
20 ISL	15.90 D	15.90	33.166 D	24.362	356.2	0.074	5.71	D249.1	D101.1	1.8	0.28	0.0	0.01	0.00	0.10	0.02	20
25	15.87	15.87	33.174	24.375	355.1	0.091	5.74	250.6	101.5	1.8	0.28	0.0	0.01	0.00	0.10	0.02	25 18
30 ISL	15.83 D	15.83	33.163 D	24.376	355.3	0.110	5.70	D248.4	D100.7	1.8	0.28	0.0	0.01	0.00	0.10	0.03	30
40	15.76	15.75	33.163	24.393	354.0	0.144	5.74	250.9	101.4	1.7	0.28	0.0	0.01	0.01	0.11	0.04	40 17
50	15.71	15.70	33.163	24.405	353.2	0.180	5.74	250.8	101.2	1.7	0.27	0.0	0.01	0.00	0.11	0.03	50 16
65	15.61	15.60	33.168	24.432	351.0	0.226	5.75	251.3	101.2	1.7	0.27	0.0	0.01	0.00	0.15	0.04	64 15
75 ISL	15.46 D	15.44	33.151 D	24.453	349.4	0.270	5.73	D249.8	D100.5	1.7	0.27	0.0	0.01	0.00	0.25	0.10	76
76	15.33	15.31	33.154	24.484	346.5	0.271	5.75	251.1	100.6	1.7	0.27	0.0	0.01	0.01	0.26	0.11	77 14
87	14.41	14.39	33.138	24.670	329.0	0.308	5.83	254.7	100.1	2.0	0.32	0.0	0.02	0.00	0.33	0.19	88
100 ISL	13.55 D	13.53	33.205 D	24.899	307.4	0.352	5.42	D236.1	D91.4	3.4	0.51	2.7	0.11	0.00	0.29	0.21	101
101	13.54	13.53	33.212	24.905	306.8	0.353	5.43	237.0	91.6	3.5	0.52	2.9	0.12	0.00	0.29	0.21	102 12
112	12.19	12.18	33.221	25.177	281.0	0.385	4.94	215.7	81.0						0.16	0.16	113 11
125 ISL	10.71 D	10.69	33.263 D	25.480	252.1	0.423	4.52	D197.0	D71.9	11.5	1.14	13.6	0.02	0.00	0.09	0.11	126
126	10.72	10.70	33.267	25.482	252.0	0.422	4.51	197.1	71.7	11.9	1.17	14.0	0.02	0.00	0.08	0.10	127 10
140	9.89	9.87	33.362	25.698	231.6	0.456	4.33	188.9	67.6	15.0	1.37	16.8	0.02	0.00	0.05	0.05	141 09
150 ISL	9.62 D	9.60	33.469 D	25.826	219.6	0.482	4.09	D177.9	D63.5	17.5	1.48	18.7	0.02	0.00	0.03	0.04	151
170	9.29	9.27	33.652	26.022	201.3	0.521	3.44	150.4	53.2	22.6	1.71	22.5	0.02	0.00	0.00	0.03	171 08
200 ISL	8.89 D	8.87	33.835 D	26.231	182.0	0.583	2.95	D128.3	D45.2	27.1	1.86	25.0	0.02	0.00	0.00	0.02	202
201	8.90	8.88	33.835	26.229	182.2	0.580	3.05	133.3	46.8	27.2	1.86	25.1	0.02	0.00	0.00	0.02	203 07
231	8.49	8.46	33.970	26.399	166.5	0.633	2.71	118.2	41.1	32.7	2.01	27.3	0.02	0.00			233 06
250 ISL	8.34 D	8.31	34.028 D	26.468	160.4	0.668	2.43	D105.9	D36.9	36.2	2.13	28.7	0.01	0.00			252
270	8.09	8.06	34.059	26.530	154.8	0.696	2.07	90.5	31.2	39.8	2.26	30.1	0.01	0.00			272 05
300 ISL	7.78 D	7.75	34.064 D	26.580	150.4	0.746	1.92	D83.4	D28.7	44.5	2.40	31.8	0.01	0.00			302
321	7.49	7.46	34.089	26.642	144.7	0.772	1.61	70.4	24.0	47.8	2.49	33.1	0.01	0.00			324 04
381	7.13	7.10	34.150	26.741	136.1	0.856	1.03	45.1	15.2	55.6	2.73	35.6	0.01	0.00			384 03
400 ISL	6.94 D	6.90	34.152 D	26.769	133.6	0.888	0.92	D40.2	D13.6	57.9	2.78	36.2	0.01	0.00			403
440	6.58	6.54	34.168	26.831	128.1	0.934	0.77	33.7	11.3	62.8	2.89	37.6	0.01	0.00			444 02
500 ISL	6.31 D	6.26	34.232 D	26.919	120.4	1.016	0.48	D21.1	D7.0	70.1	3.02	39.0	0.01	0.00			504
515	6.20	6.15	34.235	26.935	119.0	1.027	0.47	20.3	6.7	71.9	3.05	39.4	0.01	0.00			519 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31 19.4 N	123 44.7 W	10/04/2016	1639	UTC	3886 m	340	08 kn	350	02	08	1	1015.2	mb	16.0	C	14.5	33 m
104	14.47	14.46	33.344	24.815	315.7	0.364	5.43	237.2	93.5	3.4	0.38	1.4	0.08	0.00	0.31	0.22	105 12
115 A	12.89	12.88	33.219	25.041	294.2	0.397	5.27	230.1	87.7	5.1	0.67	5.1	0.03	0.01	0.15	0.16	116 11
125 ISL	11.67 D	11.66	33.263 D	25.307	268.9	0.429	5.03	D219.1	D81.6	7.4	0.80	7.9	0.03	0.00	0.11	0.12	126
128	11.48	11.47	33.268	25.346	265.2	0.434	5.04	220.3	81.5	8.1	0.84	8.8	0.03	0.00	0.10	0.11	129 10
140	10.51	10.49	33.297	25.542	246.6	0.464	4.92	214.7	77.8	10.8	1.03	11.9	0.01	0.00	0.08	0.09	141 09
150 ISL	10.10 D	10.08	33.362 D	25.662	235.3	0.492	4.80	D208.8	D75.3	13.5	1.20	14.5	0.01	0.00	0.06	0.07	151
170	9.51	9.49	33.521	25.884	214.5	0.533	3.96	172.9	61.4	19.0	1.53	19.5	0.01	0.00	0.02	0.03	171 08
200	8.97	8.95	33.745	26.147	190.0	0.594	3.36	146.7	51.5	24.8	1.77	23.3	0.00	0.00	0.03	0.03	202 07
230	8.48	8.46	33.949	26.383	168.0	0.648	2.78	121.5	42.3	31.7	1.97	26.9	0.00	0.01			232 06
250 ISL	8.23 D	8.20	33.989 D	26.454	161.6	0.686	2.57	D112.0	D38.9	36.0	2.11	28.6	0.00	0.00			252
270	7.95	7.93	34.036	26.532	154.4	0.712	2.12	92.6	31.8	40.2	2.25	30.3	0.00	0.00			272 05
300 ISL	7.72 D	7.69	34.105 D	26.621	146.5	0.763	1.53	D66.6	D22.9	46.5	2.44	32.6	0.00	0.00			302
321	7.33	7.29	34.101	26.674	141.5	0.788	1.35	58.9	20.0	50.9	2.58	34.2	0.00	0.00			324 04
381	7.10	7.06	34.206	26.791	131.4	0.870	0.76	33.0	11.1	58.7	2.82	36.2	0.00	0.00			384 03
400 ISL	6.87 D	6.83	34.198 D	26.815	129.2	0.901	0.68	D29.5	D9.9	61.5	2.87	36.9	0.00	0.00			403
440	6.50	6.46	34.228	26.889	122.5	0.945	0.55	23.9	8.0	67.4	2.97	38.4	0.01	0.00			444 02
500 ISL	5.98 D	5.93	34.222 D	26.952	116.8	1.025	0.45	D19.5	D6.4	74.8	3.07	39.9	0.01	0.00			504
515	5.90	5.86	34.235	26.972	115.1	1.034	0.42	18.3	6.0	76.7	3.09	40.2	0.01	0.00			519 01

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.8 32.5

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	15.34	15.34	33.540	24.773	316.4	0.000	6.45	281.6	113.2	1.7	0.41	0.0	0.02	0.27	1.06	0.20	0
1	15.34	15.34	33.540	24.773	316.4	0.003	6.45	281.6	113.2	1.7	0.41	0.0	0.02	0.27	1.06	0.20	1 05
6	15.23	15.23	33.554	24.808	313.2	0.019	6.47	282.6	113.3	1.7	0.41	0.0	0.02	0.26	0.87	0.19	6 04
10 ISL	14.97 D	14.97	33.563	D 24.873	307.2	0.032	6.48	D 282.5	D 112.9	2.1	0.47	0.3	0.05	0.40	0.75	0.24	10
11	14.67	14.67	33.554	24.930	301.8	0.034	6.42	280.0	111.0	2.2	0.48	0.3	0.05	0.44	0.72	0.26	11 03
16	14.20	14.20	33.552	25.028	292.6	0.049	6.20	270.6	106.3	2.6	0.55	1.3	0.11	0.50	1.14	0.40	16 02
20	14.12	14.12	33.557	25.049	290.8	0.061	5.90	257.6	101.0	3.7	0.63	2.5	0.13	0.77	1.47	0.38	20 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 88.5 30.1

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	15.83	15.83	33.527	24.653	327.8	0.000	6.40	279.5	113.4	3.7	0.32	0.0	0.03	0.04	1.31	0.37	0
2	15.83	15.83	33.527	24.653	327.9	0.007	6.40	279.5	113.4	3.7	0.32	0.0	0.03	0.04	1.31	0.37	2 04
5	15.61	15.61	33.528	24.705	323.1	0.016	6.50	283.8	114.7	3.8	0.32	0.0	0.03	0.02	1.45	0.71	5 03
10	14.93	14.93	33.526	24.852	309.2	0.032	6.30	275.1	109.7	4.3	0.37	0.0	0.03	0.02	3.38	1.15	10 02
15	14.03	14.02	33.528	25.046	290.9	0.047	4.73	206.3	80.7	8.7	0.86	5.1	0.39	0.26	9.00	1.78	15 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 27.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	16.46	16.46	33.546	24.526	339.9	0.000	6.21	271.1	111.4	3.7	0.36	0.2	0.04	0.00	1.40	0.38	0
2	16.46	16.46	33.546	24.526	340.0	0.007	6.21	271.1	111.4	3.7	0.36	0.2	0.04	0.00	1.40	0.38	2 04
6	16.33	16.32	33.544	24.555	337.3	0.020	6.26	273.2	112.0	3.2	0.35	0.0	0.04	0.00	1.42	0.41	6 03
10	15.40	15.40	33.536	24.756	318.3	0.033	6.22	271.3	109.2	3.5	0.40	0.3	0.07	0.00	1.78	0.60	10 02
20	15.00	15.00	33.533	D 24.842	310.5	0.065	6.16	268.6	107.3	3.6	0.43	0.6	0.10	0.00	1.88	0.58	20 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	SIO3* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db
0	16.45	16.45	33.542	24.524	340.1	0.000	6.26	273.5	112.3	3.1	0.31	0.0	0.06	0.00	0.92	0.21	0
1 A	16.45	16.45	33.542	24.524	340.1	0.003	6.26	273.5	112.3	3.1	0.31	0.0	0.06	0.00	0.92	0.21	1 18
8 A	16.23	16.22	33.542	24.577	335.4	0.027	6.28	274.2	112.2	3.3	0.32	0.0	0.06	0.00	1.05	0.27	8 17
10 ISL	15.73 D	15.73	33.544	D 24.690	324.6	0.034	6.27	273.3	110.9	3.5	0.35	0.0	0.07	0.00	1.54	0.44	10
11 A	15.27	15.27	33.537	24.786	315.5	0.037	6.27	273.6	109.8	3.5	0.37	0.0	0.08	0.00	1.78	0.52	11 15
11 A	15.27	15.27	33.539	24.788	315.3	0.036											11 16
18 A	13.98	13.98	33.513	25.044	291.1	0.058	5.38	235.1	91.9	4.8	0.74	3.8	0.62	1.45	2.04	0.58	18 14
20 ISL	13.73 D	13.72	33.525	D 25.106	285.3	0.064	5.29	D 230.3	D 89.7	5.8	0.82	5.1	0.68	1.25	1.76	0.57	
24	13.25	13.25	33.525	25.202	276.2	0.075	4.62	201.9	77.7	8.0	0.98	7.7	0.82	0.85	1.21	0.55	24 13
30 ISL	12.69 D	12.69	33.546	D 25.329	264.3	0.092	4.24	D 184.5	D 70.4	12.5	1.30	13.1	0.71	0.27	0.56	0.39	30
31 A	12.22	12.21	33.548	25.423	255.4	0.094	3.66	159.8	60.2	13.3	1.35	14.0	0.69	0.17	0.45	0.36	31 12
39 A	11.61	11.61	33.596	25.573	241.3	0.114	3.27	142.9	53.2	15.6	1.53	16.8	0.45	0.06	0.24	0.36	39 11
45	11.40	11.39	33.633	25.642	234.9	0.128	3.10	135.2	50.1	17.3	1.62	18.0	0.34	0.12	0.15	0.36	45 10
50 ISL	11.09 D	11.08	33.676	D 25.732	226.5	0.141	2.96	D 128.8	D 47.5	19.3	1.79	19.8	0.33	0.67	0.11	0.29	50
51	11.11	11.10	33.670	25.723	227.3	0.142	2.96	129.2	47.6	19.8	1.82	20.1	0.33	0.78	0.10	0.28	51 09
60	10.89	10.88	33.735	25.814	218.9	0.162	2.78	121.3	44.5	20.5	1.81	20.4	0.24	0.23	0.07	0.25	60 08
70	10.78	10.77	33.809	25.891	211.9	0.184	2.60	113.5	41.5	21.9	1.87	21.4	0.17	0.08	0.06	0.26	71 07
75 ISL	10.76 D	10.75	33.834	D 25.914	209.8	0.195	2.55	D 110.9	D 40.7	22.8	1.92	21.9	0.17	0.09	0.05	0.25	76
85	10.59	10.57	33.927	26.017	200.2	0.214	2.23	97.5	35.6	24.6	2.01	22.9	0.16	0.11	0.03	0.23	86 06
100	10.48	10.47	33.988	26.083	194.3	0.244	2.11	92.0	33.5	26.0	2.06	23.7	0.13	0.01	0.03	0.17	101 05
120	10.29	10.27	34.117	26.219	181.9	0.282	1.64	71.6	26.0	29.7	2.24	25.6	0.15	0.00	0.02	0.11	121 04
125 ISL	10.28 D	10.27	34.131	D 26.231	180.9	0.292	1.70	D 74.1	D 27.0	30.6	2.27	25.9	0.13	0.00	0.02	0.10	126
140	9.92	9.90	34.195	26.344	170.4	0.317	1.42	62.1	22.3	33.1	2.37	26.9	0.09	0.00	0.01	0.08	141 03
150 ISL	9.84 D	9.82	34.217	D 26.374	167.8	0.336	1.41	D 61.3	D 22.1	34.5	2.40	27.4	0.09	0.00	0.01	0.09	151
170	9.41	9.40	34.229	26.454	160.5	0.367	1.30	56.6	20.1	37.2	2.47	28.3	0.09	0.00	0.01	0.09	171 02
200 ISL	9.19 D	9.17	34.230	D 26.492	157.5	0.417	1.28	D 55.8	D 19.8	39.3	2.51	29.1	0.05	0.00	0.01	0.08	202
201	9.19	9.17	34.231	26.493	157.4	0.416	1.26	55.1	19.5								

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
33 25.1 N	117 54.2 W	07/04/2016	1045	UTC	618 m	340 08 kn			1016.2 mb	15.4 C	14.8 C						029	
0	16.54	16.54	33.551	24.510	341.4	0.000	6.27	273.9	112.7	3.4	0.31	0.0	0.02	0.01	0.66	0.13	0	
2	16.54	16.54	33.551	24.510	341.5	0.007	6.27	273.9	112.7	3.4	0.31	0.0	0.02	0.01	0.66	0.13	2 20	
10	14.69	14.69	33.530	24.908	303.9	0.033	6.07	265.2	105.2	5.0	0.47	0.1	0.06	0.03	2.87	1.05	10 19	
20	ISL 13.62 D	13.62	33.526	D 25.128	283.2	0.062	4.61	D 200.6	D 78.0	8.5	0.92	7.4	0.77	0.07	1.38	0.76	20	
21	13.18	13.18	33.531	25.221	274.4	0.065	4.55	198.6	76.4	8.9	0.97	8.2	0.84	0.07	1.23	0.73	21 18	
30	ISL 12.13 D	12.12	33.564	D 25.452	252.7	0.089	3.63	D 158.0	D 59.6	13.7	1.36	14.6	0.29	0.02	0.54	0.40	30	
31	12.08	12.08	33.568	25.464	251.5	0.091	3.55	155.0	58.2	14.3	1.40	15.3	0.23	0.01	0.47	0.36	31 17	
41	11.72	11.71	33.592	25.551	243.4	0.116	3.35	146.3	54.6	15.6	1.50	16.8	0.26	0.01	0.32	0.42	41 16	
50	ISL 11.30 D	11.29	33.697	D 25.710	228.6	0.138	2.85	D 124.3	D 46.1	18.4	1.68	19.4	0.08	0.01	0.16	0.30	50	
51	11.25	11.24	33.699	25.721	227.6	0.139	2.89	126.1	46.6	18.8	1.70	19.6	0.06	0.01	0.14	0.29	51 15	
61	11.07	11.06	33.773	25.811	219.2	0.162	2.69	117.6	43.3	20.3	1.79	20.5	0.04	0.02	0.07	0.16	61 14	
71	11.01	11.00	33.813	25.853	215.5	0.183	2.57	112.4	41.3	21.0	1.83	21.0	0.04	0.01	0.05	0.16	72 13	
75	ISL 10.91 D	10.90	33.857	D 25.905	210.6	0.193	2.48	D 108.1	D 39.8	22.1	1.88	21.6	0.04	0.02	0.05	0.15	76	
85	10.64	10.63	33.948	26.024	199.6	0.212	2.20	96.1	35.1	24.8	2.01	23.2	0.04	0.04	0.03	0.13	86 12	
100	ISL 10.42 D	10.41	34.032	D 26.128	190.0	0.243	1.99	D 86.6	D 31.6	26.8	2.10	24.2	0.04	0.00	0.02	0.09	101	
101	10.39	10.38	34.029	26.132	189.7	0.243	1.99	87.0	31.6	27.0	2.11	24.3	0.04	0.00	0.02	0.09	102 11	
120	10.16	10.15	34.113	26.237	180.1	0.279	1.80	78.5	28.4	29.8	2.21	25.5	0.05	0.00	0.02	0.07	121 10	
125	ISL 10.14 D	10.12	34.122	D 26.249	179.1	0.289	1.74	D 75.9	D 27.5	30.2	2.22	25.7	0.05	0.00	0.02	0.08	126	
140	9.96	9.94	34.145	26.297	174.9	0.314	1.67	D 72.6	D 26.2	31.3	2.26	26.3	0.04	0.00	0.02	0.08	141 09	
150	ISL 9.87 D	9.85	34.155	D 26.320	172.9	0.334	1.67	D 72.6	D 26.2	32.5	2.30	26.7	0.04	0.00	0.02	0.07	151	
171	9.68	9.66	34.217	26.401	165.6	0.367	1.41	61.6	22.1	34.9	2.39	27.6	0.04	0.00	0.01	0.05	172 08	
200	9.29	9.27	34.224	26.471	159.5	0.414	1.39	60.5	21.5	37.3	2.44	28.4	0.04	0.00	0.01	0.04	202 07	
231	8.84	8.82	34.228	26.547	152.8	0.462	1.22	53.1	18.7	41.3	2.53	30.0	0.04	0.00		233 06		
250	ISL 8.68 D	8.65	34.239	D 26.582	149.8	0.495	1.13	D 49.3	D 17.3	43.5	2.58	30.7	0.04	0.00		252		
270	8.31	8.28	34.240	26.639	144.6	0.521	1.04	45.3	15.7	45.8	2.64	31.5	0.04	0.00		272 05		
300	ISL 7.93 D	7.89	34.247	D 26.703	138.9	0.568	0.84	D 36.7	D 12.7	50.8	2.75	32.9	0.04	0.00		302		
321	7.67	7.64	34.270	26.758	133.9	0.592	0.75	32.6	11.2	54.2	2.83	34.0	0.05	0.00		324 04		
381	7.31	7.28	34.275	26.815	129.3	0.671	0.54	D 23.5	D 8.0	59.7	2.94	35.3	0.04	0.00		384 03		
400	ISL 7.17 D	7.13	34.278	D 26.837	127.4	0.701	0.49	D 21.3	D 7.2	62.5	2.98	35.9	0.04	0.00		403		
441	6.72	6.68	34.299	26.915	120.3	0.746	0.36	15.5	5.2	68.6	3.08	37.3	0.02	0.00		445 02		
500	ISL 6.43 D	6.39	34.316	D 26.969	115.9	0.823	0.29	D 12.5	D 4.2	76.1	3.19	38.2	0.03	0.00		504		
515	6.22	6.17	34.331	27.008	112.1	0.832	0.23	10.1	3.3	78.1	3.22	38.4	0.03	0.00		519 01		

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
33 15.0 N	118 14.9 W	07/04/2016	0639	UTC	322 m	310 03 kn			1018.7 mb	15.6 C	14.6 C						028	
0	16.13	16.13	33.531	24.591	333.8	0.000	5.90	257.5	105.1	2.0	0.33	0.0	0.01	0.00	0.34	0.12	0	
2	16.13	16.12	33.531	24.591	333.8	0.007	5.90	257.5	105.1	2.0	0.33	0.0	0.01	0.00	0.34	0.12	2 18	
10	16.04	16.03	33.531	24.611	332.1	0.033	5.93	258.9	105.5	2.0	0.34	0.0	0.02	0.00	0.34	0.14	10 16	
10	16.04	16.03	33.531	24.611	332.1	0.034											10 17	
20	15.47	15.46	33.531	24.739	320.3	0.066	6.07	265.1	106.8	2.6	0.40	0.0	0.01	0.00	0.44	0.16	20 15	
30	15.20	15.20	33.536	24.802	314.6	0.098	6.08	265.3	106.3	2.2	0.41	0.0	0.03	0.00	1.13	0.36	30 14	
40	14.69	14.69	33.522	24.902	305.4	0.129	5.64	246.2	97.6	3.3	0.58	1.7	0.11	0.14	0.94	0.39	40 13	
50	13.59	13.58	33.457	25.083	288.4	0.158	4.97	217.2	84.2	6.2	0.76	5.3	0.29	0.16	0.70	0.35	50 12	
60	12.58	12.57	33.456	25.283	269.5	0.186	4.30	187.9	71.3	10.1	1.09	10.6	0.19	0.00	0.35	0.30	60 11	
71	11.41	11.40	33.563	25.587	240.8	0.214	3.58	156.2	57.8	15.2	1.43	16.0	0.10	0.00	0.12	0.20	72 10	
75	ISL 11.18 D	11.17	33.636	D 26.685	231.5	0.225	3.35	D 146.0	D 54.0	16.4	1.50	17.0	0.09	0.00	0.10	0.17	76	
85	10.97	10.96	33.714	25.783	222.5	0.247	3.01	131.2	48.2	19.3	1.68	19.5	0.06	0.00	0.05	0.10	86 09	
100	10.80	10.79	33.794	25.877	214.0	0.279	2.74	119.5	43.8	21.4	1.78	20.9	0.07	0.00	0.03	0.09	101 08	
120	10.49	10.47	33.899	26.014	201.4	0.321	2.48	108.4	39.4	23.9	1.91	22.5	0.03	0.00	0.01	0.06	121 07	
125	ISL 10.50 D	10.48	33.909	D 26.020	200.9	0.333	2.42	D 107.0	D 39.1	25.0	1.96	23.0	0.03	0.00	0.01	0.06	126	
140	10.19	10.17	34.049	26.184	185.7	0.360	2.00	87.1	31.5	28.0	2.11	24.7	0.03	0.00	0.01	0.06	141 06	
150	ISL 10.08 D	10.07	34.159	D 26.287	176.1	0.380	1.64	D 71.5	D 25.9	29.9	2.19	25.5	0.05	0.00	0.01	0.08	151	
170	9.84	9.82	34.179	26.344	171.1	0.413	1.47	64.3	23.1	33.6	2.34	27.0	0.07	0.00	0.01	0.11	171 05	
200	9.44	9.42	34.223	26.446	162.0	0.463	1.32	57.5	20.5	36.8	2.41	28.2	0.03	0.00	0.01	0.08	202 04	
230	8.88	8.86	34.214	26.530	154.4	0.511	1.22	55.1	19.4	40.5	2.49	29.7	0.02	0.00		232 03		
250	ISL 8.70 D	8.67	34.217	D 26.561	151.8	0.544	1.21	D 52.5	D 18.5	42.9	2.54	30.5	0.02	0.00		252		
270	8.47	8.44	34.225	26.604	148.0	0.571	1.15	50.1	17.5	45.2	2.59	31.3	0.02	0.00		272 02		
300	ISL 8.09 D	8.06	34.244	D 26.675	141.6	0												

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 37.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	NO3*	NO2*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μg/L	μg/L	db		
33 10.9 N	118 23.0 W	07/04/2016	0335	UTC	1164 m	270 03 kn										027	
0	16.45	16.45	33.535	24.519	340.6	0.000	5.93	258.8	106.3	0.9	0.40	0.0	0.02	1.33	0.23	0.07	0
2	16.45	16.45	33.535	24.519	340.7	0.007	5.93	258.8	106.3	0.9	0.40	0.0	0.02	1.33	0.23	0.07	2 22
10	16.38	16.37	33.533	24.535	339.4	0.034	5.99	261.4	107.2	0.8	0.36	0.0	0.03	0.25	0.23	0.05	10 20
10	16.38	16.37	33.536	24.538	339.1	0.035											10 21
20	15.52	15.52	33.524	24.722	322.0	0.067	6.03	263.3	106.2	0.8	0.36	0.0	0.03	0.23	0.33	0.10	20 19
30	14.97	14.96	33.508	24.832	311.8	0.099	5.90	257.6	102.7	1.6	0.42	0.3	0.03	0.22	0.44	0.14	30 18
40	14.12	14.12	33.493	25.000	296.1	0.129	5.10	222.4	87.2	5.8	0.73	5.0	0.20	0.36	0.65	0.40	40 16
40	14.12	14.12	33.491	24.998	296.2	0.130											40 17
50	12.64	12.64	33.460	25.273	270.3	0.158	4.42	192.8	73.3						0.53	0.29	50 15
60	12.00	11.99	33.488	25.418	256.6	0.184	3.99	174.3	65.3	10.7	1.08	10.6	0.17	0.00	0.34	0.23	60 14
70	11.58	11.57	33.560	25.553	244.1	0.209	3.67	160.2	59.6	14.9	1.33	15.1	0.03	0.00	0.21	0.29	71 13
75	ISL 11.18	D 11.17	33.630	D 25.681	232.0	0.222	3.51	D 153.0	D 56.6	16.5	1.42	16.4	0.03	0.00	0.16	0.23	76
85	10.71	10.69	33.685	25.808	220.1	0.244	3.16	137.7	50.3	19.7	1.61	19.2	0.02	0.00	0.04	0.10	86 12
100	10.56	10.55	33.750	25.884	212.3	0.276	2.96	129.1	47.0	21.3	1.71	20.4	0.02	0.00	0.03	0.10	101 11
120	10.30	10.29	33.876	26.028	200.0	0.317	2.65	115.5	41.9	24.0	1.86	22.2	0.02	0.00	0.01	0.06	121 10
125	ISL 10.38	D 10.37	33.973	D 26.091	194.2	0.329	2.38	D 103.4	D 37.7	25.1	1.92	22.8	0.02	0.00	0.01	0.06	126
140	10.28	10.26	34.063	26.179	186.1	0.356	2.02	88.3	32.0	28.3	2.08	24.4	0.02	0.00	0.01	0.07	141 09
150	ISL 10.26	D 10.24	34.117	D 26.224	182.1	0.377	1.82	D 79.2	D 28.8	29.5	2.14	25.0	0.01	0.00	0.01	0.06	151
171	10.03	10.01	34.180	26.314	174.0	0.412	1.59	69.2	25.0	32.1	2.26	26.2	0.01	0.00	0.01	0.05	172 08
200	9.64	9.61	34.208	26.403	166.1	0.461	1.45	63.3	22.7	35.1	2.35	27.5	0.02	0.00	0.05	0.09	202 07
231	9.23	9.20	34.227	26.485	158.8	0.512	1.33	57.8	20.5	38.5	2.43	28.8	0.02	0.00			233 06
250	ISL 8.89	D 8.86	34.223	D 26.536	154.3	0.545	1.26	D 54.6	D 19.3	40.9	2.51	29.7	0.01	0.00			252
271	8.61	8.58	34.225	26.582	150.2	0.573	1.16	50.5	17.7	43.4	2.60	30.6	0.01	0.00			273 05
300	ISL 8.19	D 8.16	34.242	D 26.659	143.2	0.620	0.95	D 41.3	D 14.4	47.9	2.68	32.0	0.01	0.00			302
321	7.96	7.92	34.250	26.701	139.5	0.646	0.83	36.1	12.4	51.2	2.73	33.0	0.01	0.00			324 04
381	7.36	7.32	34.279	26.812	129.6	0.726	0.53	23.1	7.8	59.7	2.91	35.3	0.01	0.00			384 03
400	ISL 7.20	D 7.16	34.287	D 26.840	127.2	0.756	0.47	D 20.6	D 7.0	62.3	2.97	35.9	0.01	0.00			403
441	6.78	6.74	34.305	26.912	120.6	0.802	0.35	15.2	5.1	67.9	3.09	37.1	0.01	0.00			445 02
500	ISL 6.27	D 6.23	34.327	D 26.998	112.9	0.877	0.24	D 10.6	D 3.5	76.6	3.20	38.1	0.01	0.00			504
519	6.15	6.11	34.337	27.021	110.9	0.892	0.23	9.9	3.3	79.4	3.23	38.5	0.01	0.00			523 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	NO3*	NO2*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db		
32 54.9 N	118 56.2 W	06/04/2016	2159	UTC	1688 m	240 15 kn	240 03 08	2	1017.6 mb	15.3	C 14.2 C	13 m	8/8	ST	026			
0	16.54	16.54	33.533	24.496	342.8	0.000	5.83	254.6	104.8	2.0	0.36	0.0	0.02	0.02	0.35	0.07	0	
2	16.54	16.54	33.533	24.496	342.8	0.007	5.83	254.6	104.8	2.0	0.36	0.0	0.02	0.02	0.35	0.07	2 21	
10	ISL 15.79	D 15.79	33.516	D 24.655	328.0	0.034	5.92	D 257.9	D 104.7	2.1	0.38	0.0	0.02	0.07	0.32	0.08	10	
11	15.71	15.71	33.525	24.680	325.6	0.037	5.91	258.0	104.4	2.1	0.38	0.0	0.02	0.08	0.31	0.09	11 19	
11	15.71	15.71	33.517	24.674	326.2	0.036											11 20	
20	ISL 15.37	D 15.37	33.505	D 24.740	320.3	0.067	5.99	D 260.9	D 105.1	2.3	0.36	0.0	0.02	0.00	0.41	0.14	20	
21	15.35	15.35	33.508	24.747	319.6	0.069	5.99	261.4	105.0	2.3	0.36	0.0	0.02	0.00	0.42	0.14	21 18	
30	14.90	14.90	33.498	24.838	311.2	0.098	5.88	256.5	102.1	2.4	0.41	0.3	0.05	0.13	1.31	0.37	30 17	
40	13.70	13.69	33.441	25.047	291.5	0.128	5.12	223.6	86.9	6.1	0.74	5.1	0.30	0.37	0.55	0.29	40 16	
50	ISL 13.57	D 13.56	33.436	D 25.070	289.6	0.158	5.06	D 220.4	D 85.5	6.7	0.79	5.9	0.32	0.26	0.52	0.28	50	
51	13.44	13.43	33.438	25.099	286.9	0.160	5.01	218.8	84.5	6.8	0.79	6.0	0.32	0.25	0.52	0.28	51 15	
60	12.93	12.92	33.454	25.213	276.2	0.185	4.51	196.7	75.2	9.3	0.97	9.4	0.24	0.00	0.37	0.24	60 14	
71	11.74	11.73	33.457	25.444	254.5	0.214	3.88	169.2	63.1	12.9	1.28	14.3	0.09	0.00	0.18	0.19	72 13	
75	ISL 11.57	D 11.56	33.487	D 25.499	249.3	0.226	3.86	D 168.1	D 62.6	13.8	1.34	15.2	0.08	0.00	0.15	0.16	76	
86	11.05	11.04	33.580	25.666	233.7	0.251	3.45	150.6	55.4	16.6	1.50	17.6	0.04	0.00	0.06	0.10	87 12	
100	10.65	10.64	33.718	25.843	217.1	0.282	3.06	133.7	48.8	20.0	1.68	20.2	0.03	0.01	0.03	0.08	101 11	
120	10.19	10.17	33.861	26.036	199.2	0.324	2.64	115.0	41.6	23.8	1.86	22.6	0.03	0.00	0.02	0.06	121 10	
125	ISL 9.95	D 9.94	33.842	D 26.061	199.8	0.336	2.69	D 117.3	D 42.3	24.5	1.88	22.9	0.03	0.00	0.02	0.07	126	
141	9.84	9.83	33.937	26.154	188.4	0.364	2.57	112.0	40.2	26.6	1.94	24.1	0.03	0.01	0.01	0.09	142 09	
150	ISL 9.66	D 9.64	33.997	D 26.232	181.2	0.384	2.43	D 105.7	D 37.9	28.0	1.99	24.8	0.03	0.02	0.01	0.09	151	
170	9.36	9.35	34.039	26.314	173.7	0.417	2.22	97.1	34.5	31.2	2.10	26.3	0.02	0.04	0.01	0.08	171 08	
200	9.09	9.06	34.133	26.433	163.0	0.467	1.83	80.0	28.2	35.4	2.25	27.9	0.02	0.00	0.01	0.05	202 07	
230	8.84	8.82	34.213	26.534	154.0	0.5												

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 53.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO	PRES db	SAMP
32 39.1 N	119 29.1 W	06/04/2016	1625	UTC	1325 m	160 08 kn	300 03 09	2	1018.3 mb	14.9 C	14.5 C	27 m	8/8	SC 025				
0	15.87	15.87	33.415	24.559	336.7	0.000	5.72	249.6	101.3	2.4	0.33	0.0	0.02	0.03	0.15	0.04	0	
3 A	15.87	15.87	33.415	24.559	336.8	0.010	5.72	249.6	101.3	2.4	0.33	0.0	0.02	0.03	0.15	0.04	3 24	
10 ISL	15.63 D	15.62	33.395 D	24.599	333.3	0.034	5.75	0250.7	0101.4	2.3	0.34	0.0	0.02	0.00	0.14	0.04	10	
11	15.62	15.62	33.396	24.602	333.1	0.037	5.74	250.7	101.2	2.3	0.34	0.0	0.02	0.00	0.13	0.04	11 22	
11	15.62	15.62	33.399	24.604	332.9	0.036											11 23	
19 A	15.51	15.50	33.396	24.627	330.9	0.063	5.76	251.5	101.3	2.3	0.33	0.0	0.02	0.00	0.14	0.04	19 21	
20 ISL	15.50 D	15.50	33.391 D	24.624	331.3	0.067	5.76	0250.9	0101.2	2.3	0.33	0.0	0.02	0.00	0.14	0.04	20	
24 A	15.48	15.48	33.398	24.633	330.5	0.080	5.75	0251.2	101.1	2.3	0.34	0.0	0.02	0.02	0.17	0.05	24 20	
30 ISL	15.44 D	15.44	33.421 D	24.660	328.1	0.100	5.75	0250.6	0101.0	2.3	0.33	0.0	0.02	0.00	0.21	0.05	30	
34	15.42	15.41	33.420	24.666	327.8	0.113	5.77	252.0	101.4	2.3	0.33	0.0	0.02	0.00	0.24	0.05	34 19	
45 A	15.36	15.35	33.435	24.691	325.7	0.149	5.75	251.1	100.9	2.3	0.35	0.0	0.02	0.00	0.34	0.15	45 18	
50 ISL	15.34 D	15.33	33.428 D	24.690	326.0	0.166	5.74	0250.1	0100.6	2.4	0.35	0.0	0.02	0.00	0.40	0.15	50	
55	15.32	15.31	33.429	24.696	325.6	0.181	5.73	250.2	100.4	2.4	0.35	0.0	0.03	0.02	0.46	0.15	55 16	
55	15.32	15.31	33.429	24.696	325.6	0.182											55 17	
66	14.44	14.43	33.408	24.869	309.4	0.216	5.37	234.4	92.4	4.3	0.55	2.8	0.19	0.02	0.42	0.20	67 15	
75 ISL	14.37 D	14.36	33.399 D	24.878	308.8	0.246	5.33	0232.3	91.6	4.4	0.58	3.1	0.17	0.00	0.36	0.19	76	
76 A	14.17	14.16	33.402	24.923	304.5	0.247	5.31	231.9	90.9	4.5	0.58	3.2	0.17	0.00	0.35	0.19	77 14	
86	12.99	12.97	33.339	25.114	286.5	0.277	4.86	212.2	81.2	7.3	0.84	7.6	0.06	0.07	0.20	0.12	87 13	
94 A	12.23	12.22	33.395	25.304	268.5	0.299	4.42	192.8	72.6	10.3	1.07	11.2	0.04	0.00	0.06	0.07	95 12	
100 ISL	11.95 D	11.93	33.407 D	25.368	262.5	0.317	4.41	0192.2	72.1	11.4	1.15	12.4	0.03	0.00	0.05	0.07	101	
110	11.32	11.31	33.451	25.517	248.5	0.340	4.05	176.9	65.4	13.3	1.27	14.5	0.03	0.01	0.03	0.06	111 11	
125 ISL	10.10 D	10.09	33.649 D	25.885	213.6	0.378	3.38	0147.1	53.1	18.6	1.56	19.2	0.02	0.00	0.02	0.05	126	
126	10.07	10.05	33.582	25.839	210.0	0.377	3.58	156.1	56.2	18.9	1.58	19.5	0.02	0.00	0.02	0.05	127 10	
141	9.93	9.91	33.753	25.996	203.4	0.409	3.08	134.6	48.3	22.6	1.75	21.9	0.02	0.00	0.01	0.04	142 09	
150 ISL	9.49 D	9.47	33.849 D	26.144	189.4	0.429	2.96	0128.8 D	46.0	24.3	1.81	22.8	0.02	0.00	0.01	0.04	151	
171	9.31	9.30	33.913	26.223	182.3	0.466	2.64	115.4	40.9	28.3	1.95	25.0	0.02	0.00	0.01	0.03	172 08	
200	8.97	8.95	33.988	26.337	172.0	0.518	2.41	105.1	37.0	31.6	2.06	26.6	0.02	0.05	0.00	0.05	202 07	
230	8.23	8.21	34.070	26.516	155.3	0.567	1.91	83.2	28.8	40.0	2.28	30.0	0.02	0.00			232 06	
250 ISL	8.12 D	8.09	34.101 D	26.559	151.6	0.600	1.71	074.4	25.8	42.7	2.37	30.9	0.02	0.00			252	
271	8.00	7.98	34.136	26.603	147.8	0.629	1.45	63.1	21.8	45.5	2.47	31.8	0.02	0.00			273 05	
300 ISL	7.77 D	7.74	34.160 D	26.657	143.1	0.675	1.26	054.9	18.9	49.6	2.58	33.0	0.02	0.00			302	
320	7.55	7.52	34.177	26.702	139.0	0.699	1.06	46.3	15.8	52.4	2.65	33.9	0.02	0.00			323 04	
380	6.98	6.94	34.218	26.816	128.8	0.780	0.70	30.5	10.3	61.0	2.85	36.2	0.02	0.00			383 03	
400 ISL	6.94 D	6.90	34.224 D	26.826	128.2	0.810	0.65	28.1	9.5	62.9	2.89	36.6	0.02	0.00			403	
441	6.68	6.63	34.258	26.890	122.6	0.857	0.50	21.7	7.3	66.7	2.96	37.4	0.02	0.00			445 02	
500 ISL	6.17 D	6.13	34.282 D	26.974	115.0	0.933	0.35	15.2 D	5.1	75.1	3.08	39.0	0.02	0.00			504	
515	6.08	6.04	34.300	27.001	112.7	0.943	0.32	14.1	4.6	77.7	3.11	39.4	0.02	0.01			519 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SV	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO	PRES db	SAMP
32 25.1 N	119 57.5 W	06/04/2016	1106	UTC	866 m	150 07 kn											024	
0	15.69	15.69	33.426	24.608	332.1	0.000	5.77	0251.7	0101.9	2.5	0.32	0.0	0.02	0.03	0.26	0.08	0	
2	15.69	15.68	33.426	24.609	332.1	0.007	5.77	0251.7	0101.9	2.5	0.32	0.0	0.02	0.03	0.26	0.08	2 20	
10 ISL	15.68 D	15.68	33.428	24.612	332.1	0.033	5.76	0251.6	0101.7	2.5	0.32	0.0	0.02	0.00	0.26	0.07	10 19	
20 ISL	15.56 D	15.55	33.427 D	24.639	329.8	0.067	5.75	0252.0	0101.8	2.5	0.32	0.0	0.02	0.00	0.26	0.08	20	
25	15.55	15.55	33.428	24.642	329.7	0.083	5.76	0251.6	0101.5	2.5	0.32	0.0	0.02	0.08	0.26	0.09	25 18	
30 ISL	15.54 D	15.54	33.428 D	24.644	329.7	0.100	5.77	0251.5	0101.6	2.5	0.32	0.0	0.02	0.00	0.30	0.10	30	
41	15.45	15.44	33.427	24.665	328.1	0.136	5.77	0251.7	0101.3	2.4	0.33	0.0	0.02	0.00	0.39	0.13	41 17	
50 ISL	15.40 D	15.39	33.424 D	24.673	327.6	0.166	5.75	0250.7	0101.0	2.4	0.32	0.0	0.02	0.00	0.46	0.21	50	
51	15.38	15.37	33.428	24.681	326.9	0.168	5.75	0250.9	100.8	2.4	0.32	0.0	0.02	0.00	0.47	0.21	51 16	
63	15.14	15.13	33.421	24.729	327.2	0.207	5.64	246.3	98.5	2.6	0.37	0.1	0.20	0.03	0.45	0.24	64 15	
75 ISL	14.06 D	14.04	33.434 D	24.971	299.9	0.246	5.19	0226.3	88.7	4.6	0.58	3.3	0.27	0.00	0.16	0.10	76	
76	13.93	13.92	33.438	25.001	297.1	0.248	5.18	0225.7	88.2	4.7	0.60	3.6	0.28	0.00	0.13	0.08	77 14	
88	13.21	13.20	33.420	25.133	284.8	0.283	4.96	216.3	83.1	6.7	0.78	6.5	0.05	0.00	0.07	0.07	89 13	
100	12.63	12.62	33.413	25.241	274.7	0.316	4.57	199.6	75.8	9.4	0.98	9.9	0.04	0.00	0.07	0.09	101 12	
113	11.32	11.30	33.468	25.531	247.2	0.350	3.98	173.8	64.2	14.0	1.31	15.1	0.03	0.00	0.03	0.05	114 11	
125 ISL	10.28 D	10.26	33.570 D	25.794	222.3	0.378	3.52	0153.1	055.5	18.1	1.54	19.0	0.03	0				

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
32 5.0 N	120 38.3 W	06/04/2016	0513	UTC	3841 m	060 05 kn			1018.4 mb	15.5 C	14.5 C						023	
0	15.74	15.74	33.397	24.573	335.4	0.000	5.76	251.6	101.9	2.4	0.33	0.0	0.02	0.04	0.18	0.05	0	
1	15.74	15.74	33.397	24.573	335.5	0.003	5.76	251.6	101.9	2.4	0.33	0.0	0.02	0.04	0.18	0.05	1 22	
10	15.74	15.74	33.397	24.574	335.7	0.034	5.77	251.6	101.9	2.3	0.32	0.0	0.01	0.00	0.19	0.04	10 20	
10	15.74	15.74	33.398	24.575	335.6	0.035											10 21	
20	15.61	15.60	33.391	24.600	333.5	0.067	5.77	251.7	101.6	2.3	0.32	0.0	0.00	0.00	0.19	0.05	20 19	
30	ISL 15.58	D 15.57	33.401	D 24.616	332.4	0.101	5.78	251.7	D 101.7	2.3	0.34	0.0	0.00	0.00	0.25	0.07	30	
31	15.58	15.57	33.405	24.619	332.2	0.104	5.78	252.2	101.8	2.3	0.34	0.0	0.00	0.05	0.26	0.08	31 18	
41	15.50	15.49	33.416	24.645	330.0	0.137	5.76	251.4	101.3	2.4	0.32	0.0	0.00	0.00	0.38	0.14	41 17	
50	15.47	15.46	33.421	24.657	329.2	0.167	5.74	250.3	100.8	2.4	0.33	0.0	0.00	0.00	0.49	0.23	50 16	
60	15.34	15.33	33.410	24.677	327.6	0.199	5.69	248.1	99.6	2.4	0.36	0.0	0.03	0.10	0.53	0.23	60 14	
60	15.34	15.33	33.411	24.678	327.5	0.199											60 15	
70	14.80	14.79	33.440	24.819	314.3	0.231	5.54	242.0	96.1	2.8	0.47	1.0	0.32	0.21	0.25	0.16	71 13	
75	ISL 14.15	D 14.14	33.408	D 24.931	303.7	0.248	5.28	D 230.2	D 90.4	4.1	0.58	3.0	0.25	0.00	0.24	0.19	76	
86	12.14	12.13	33.217	25.182	279.8	0.279	5.06	220.7	82.9	6.8	0.81	7.4	0.09	0.00	0.20	0.23	87 12	
100	ISL 11.11	D 11.10	33.277	D 25.419	257.4	0.319	4.63	D 201.6	D 74.2	10.5	1.08	12.0	0.04	0.00	0.10	0.11	101	
101	11.14	11.13	33.276	25.414	258.0	0.319	4.62	201.6	74.1	10.7	1.10	12.3	0.04	0.00	0.09	0.11	102 11	
120	10.19	10.18	33.373	25.654	235.4	0.366	4.26	186.0	67.0	14.7	1.34	16.4	0.02	0.00	0.06	0.07	121 10	
125	ISL 10.11	D 10.09	33.406	D 25.695	231.6	0.380	4.19	D 182.4	D 65.8	15.9	1.40	17.3	0.02	0.00	0.05	0.06	126	
140	9.93	9.91	33.602	25.878	214.5	0.411	3.60	157.0	56.3	19.5	1.59	20.1	0.01	0.00	0.02	0.04	141 09	
150	ISL 9.53	D 9.51	33.674	D 26.001	203.0	0.435	3.51	D 152.9	D 54.5	21.6	1.67	21.4	0.01	0.00	0.01	0.03	151	
170	9.16	9.14	33.818	26.173	187.0	0.471	3.07	134.1	47.3	25.9	1.82	24.0	0.01	0.00	0.01	0.02	171 08	
200	8.83	8.81	33.937	26.319	173.6	0.525	2.66	116.2	40.8	30.9	1.99	26.6	0.01	0.00	0.01	0.03	202 07	
230	8.38	8.36	33.993	26.434	163.2	0.576	2.45	106.9	37.1	35.3	2.10	28.6	0.01	0.00			232 06	
250	ISL 8.24	D 8.21	34.037	D 26.490	158.2	0.612	2.14	D 93.2	D 32.4	37.8	2.19	29.5	0.01	0.00			252	
270	8.11	8.08	34.052	26.522	155.4	0.639	2.02	88.2	30.5	40.2	2.27	30.4	0.01	0.00			272 05	
300	ISL 7.72	D 7.69	34.085	D 26.606	147.9	0.689	1.71	D 74.4	D 25.5	45.1	2.40	32.2	0.01	0.00			302	
320	7.47	7.44	34.077	26.634	145.4	0.715	1.62	70.5	24.0	48.4	2.49	33.3	0.01	0.01			323 04	
380	6.83	6.79	34.154	26.785	131.6	0.798	0.88	38.4	12.9	60.1	2.80	36.9	0.01	0.00			383 03	
400	ISL 6.72	D 6.69	34.176	D 26.817	128.8	0.828	0.75	D 32.7	D 11.0	62.8	2.86	37.4	0.01	0.00			403	
440	6.46	6.42	34.223	26.889	122.4	0.874	0.52	22.8	7.6	68.3	2.98	38.5	0.01	0.00			444 02	
500	ISL 6.16	D 6.11	34.281	D 26.976	114.9	0.951	0.34	D 14.9	D 4.9	74.7	3.08	39.6	0.01	0.00			504	
518	6.06	6.02	34.286	26.992	113.4	0.966	0.31	13.7	4.5	76.7	3.11	40.0	0.01	0.03			522 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
31 45.2 N	121 19.0 W	05/04/2016	2310	UTC	3713 m	340 15 kn	350 06 08	1	1017.4 mb	15.9 C	14.3 C	27 m	7/8	ST	022			
0	15.98	15.98	33.292	24.439	348.2	0.000	5.74	250.7	101.9	2.1	0.31	0.0	0.01	0.09	0.11	0.03	0	
2	15.98	15.98	33.292	24.439	348.3	0.007	5.74	250.7	101.9	2.1	0.31	0.0	0.01	0.09	0.11	0.03	2 20	
10	15.96	15.96	33.292	24.444	348.1	0.035	5.73	250.1	101.6	2.1	0.29	0.0	0.01	0.00	0.10	0.03	10 19	
20	ISL 15.89	D 15.89	33.289	D 24.458	347.1	0.070	5.73	D 249.9	D 101.5	2.1	0.30	0.0	0.01	0.00	0.12	0.03	20	
25	15.82	15.81	33.287	24.473	345.8	0.087	5.75	250.9	101.6	2.1	0.31	0.0	0.01	0.04	0.13	0.04	25 18	
30	ISL 15.77	D 15.77	33.284	D 24.482	345.1	0.105	5.74	D 250.1	D 101.4	2.1	0.31	0.0	0.01	0.03	0.16	0.06	30	
40	15.04	15.03	33.228	24.601	334.1	0.138	5.89	257.2	102.5	2.2	0.32	0.0	0.01	0.01	0.23	0.10	40 17	
50	14.82	14.81	33.256	24.670	327.8	0.171	5.85	255.3	101.3	2.4	0.32	0.0	0.02	0.00	0.32	0.16	50 16	
62	14.33	14.32	33.220	24.748	320.8	0.210	5.74	250.8	98.5	2.8	0.39	0.5	0.06	0.02	0.43	0.22	62 15	
75	ISL 13.52	D 13.51	33.229	D 24.922	304.5	0.253	5.48	D 239.0	D 92.5	4.0	0.54	2.8	0.16	0.01	0.35	0.18	76	
76	13.37	13.36	33.228	24.951	301.7	0.254	5.45	238.0	91.7	4.1	0.55	3.0	0.17	0.01	0.34	0.17	77 14	
87	12.68	12.66	33.239	25.098	288.0	0.286	5.04	220.0	83.5	6.6	0.79	7.1	0.06	0.02	0.18	0.18	88 13	
100	ISL 12.33	D 12.32	33.409	D 25.296	269.4	0.325	4.35	D 189.4	D 71.6	10.2	1.08	11.1	0.03	0.00	0.09	0.10	101	
101	12.15	12.14	33.410	25.331	266.1	0.325	4.31	188.3	70.8	10.5	1.10	11.4	0.03	0.00	0.09	0.09	102 12	
112	11.54	11.53	33.436	25.465	253.5	0.354	4.02	175.2	65.0	13.0	1.28	14.2	0.03	0.01	0.05	0.07	113 11	
125	ISL 10.49	D 10.48	33.379	D 25.608	240.0	0.389	4.19	D 182.5	D 66.4	14.1	1.33	15.6	0.02	0.00	0.05	0.06	126	
126	10.49	10.47	33.371	25.603	240.5	0.388	4.20	183.3	66.5	14.2	1.33	15.7	0.02	0.00	0.05	0.06	127 10	
140	9.54	9.52	33.603	25.944	208.2	0.420	3.61	157.6	56.0	20.5	1.62	20.5	0.02	0.00	0.01	0.03	141 09	
150	ISL 9.41	D 9.39	33.737	D 26.070	196.4	0.443	3.49	D 151.8	D 54.0	22.7	1.70	21.7	0.02	0.00	0.01	0.03	151	
171	9.00	8.98	33.848	26.222	182.3	0.480	2.99	130.4	45.9	27.2	1.86	24.4	0.02	0.00	0.00	0.02	172 08	
200	ISL 8.68	D 8.66	33.926	D 26.333	172.2	0.535	2.73	D 118.8	D 41.6	31.1	1.98	26.3	0.02	0.00	0.00	0.03	202 07	
201	8.65	8.63	33.924	26.337	171.9	0.534												

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
31 25.0 N	121 59.5 W	05/04/2016	1746	UTC	3903 m	340	21 kn	350	04	06	1	1021.2	mb	15.8	C	13.7	C	24 m	2/8 AS 021
0	15.64	15.64	33.282	24.508	341.6	0.000	5.76	251.6	101.6	2.2	0.32	0.0	0.01	0.05	0.16	0.04	0.04	0	
2 A	15.64	15.64	33.282	24.508	341.7	0.007	5.76	251.6	101.6	2.2	0.32	0.0	0.01	0.05	0.16	0.04	0.04	2 24	
10 ISL	15.64	15.64	33.282 D	24.509	341.9	0.035	5.77	0251.3	0101.6	2.2	0.32	0.0	0.01	0.08	0.16	0.04	0.04	10	
10	15.64	15.64	33.283	24.509	341.8	0.036												10 23	
11	15.64	15.64	33.282	24.509	341.9	0.038	5.77	251.9	101.7	2.2	0.32	0.0	0.01	0.11	0.16	0.04	0.04	11 22	
16 A	15.64	15.63	33.283	24.511	341.9	0.055	5.78	252.2	101.8	2.2	0.32	0.0	0.01	0.11	0.16	0.04	0.04	16 21	
20 ISL	15.63	15.62	33.282 D	24.512	341.9	0.069	5.78	0251.0	0101.4	2.2	0.31	0.0	0.01	0.05	0.16	0.04	0.04	20	
21 A	15.63	15.63	33.282	24.511	342.1	0.072	5.77	251.8	101.6	2.2	0.31	0.0	0.01	0.04	0.16	0.04	0.04	21 20	
30	15.57	15.57	33.275	24.520	341.5	0.103	5.75	251.0	101.2	2.4	0.32	0.1	0.02	0.14	0.17	0.04	0.04	30 19	
40 A	15.55	15.54	33.272	24.523	341.6	0.137	5.76	251.5	101.3	2.2	0.32	0.0	0.01	0.06	0.18	0.06	0.06	40 18	
48	15.54	15.53	33.269	24.524	341.8	0.164	5.77	251.7	101.4	2.1	0.32	0.0	0.01	0.05	0.20	0.06	0.06	48 17	
50 ISL	15.54	15.53	33.269 D	24.524	341.8	0.172	5.77	0251.3	0101.4	2.1	0.32	0.0	0.01	0.03	0.22	0.07	0.07	50	
60	15.45	15.44	33.301	24.569	337.8	0.205	5.75	251.1	101.0	2.2	0.32	0.0	0.01	0.02	0.34	0.12	0.12	60 16	
69 A	15.36	15.35	33.280	24.572	337.9	0.235	5.77	252.0	101.1	2.1	0.33	0.0	0.01	0.03	0.40	0.16	0.16	70 15	
75	15.29	15.27	33.274	24.585	336.8	0.256	5.80	253.1	101.4	2.2	0.33	0.0	0.02	0.03	0.45	0.23	0.23	76 14	
84 A	14.93	14.91	33.304	24.687	327.4	0.285	5.68	247.7	98.6	2.6	0.37	0.3	0.08	0.04	0.60	0.40	0.40	85 13	
94	14.07	14.06	33.297	24.863	310.8	0.317	5.42	236.6	92.5	3.8	0.54	2.6	0.15	0.01	0.36	0.27	0.27	95 12	
100 ISL	13.21	13.19	33.266 D	25.015	296.3	0.338	5.39	0234.9	090.4	5.6	0.69	5.2	0.11	0.01	0.28	0.25	0.25	101	
110	11.81	11.79	33.250	25.273	271.8	0.364	4.83	210.8	78.6	8.6	0.95	9.5	0.05	0.01	0.14	0.20	0.11	11 11	
125	10.71	10.69	33.328	25.531	247.3	0.403	4.39	191.6	69.8	12.8	1.24	14.3	0.03	0.00	0.08	0.10	0.10	126 10	
141	9.88	9.86	33.486	25.796	222.3	0.440	3.97	173.1	62.0	17.9	1.50	18.6	0.02	0.00	0.03	0.04	0.04	142 09	
150 ISL	9.60 D	9.58	33.573 D	25.911	211.6	0.463	3.70	0161.2	057.5	20.0	1.60	20.0	0.02	0.00	0.02	0.04	0.04	151	
170	9.12	9.10	33.743	26.121	191.9	0.500	3.23	140.9	49.7	24.9	1.82	23.2	0.02	0.06	0.00	0.02	0.02	171 08	
200 ISL	8.74 D	8.72	33.892 D	26.298	175.6	0.559	2.91	026.6	044.5	29.6	1.92	25.3	0.02	0.00	0.00	0.02	0.02	202	
201	8.74	8.71	33.897	26.303	175.2	0.557	2.90	126.6	44.3	29.7	1.92	25.4	0.02	0.00	0.00	0.02	0.02	203 07	
231	8.43	8.40	33.967	26.406	165.8	0.608	2.63	114.8	39.9	33.4	2.03	26.9	0.02	0.00				233 06	
250 ISL	8.30 D	8.27	34.026 D	26.473	159.9	0.644	2.27	098.9	34.4	37.8	2.20	28.6	0.02	0.00				252	
270	8.05	8.02	34.099	26.567	151.2	0.670	1.70	74.2	25.6	42.5	2.38	30.4	0.02	0.00				272 05	
300 ISL	7.67 D	7.64	34.106 D	26.629	145.6	0.720	1.55	067.5	023.1	46.9	2.50	31.9	0.02	0.00				302	
319	7.59	7.56	34.143	26.670	142.1	0.742	1.26	55.0	18.8	49.8	2.57	32.8	0.02	0.00				322 04	
379	6.64	6.60	34.136	26.797	130.3	0.824	0.90	39.1	13.0	61.6	2.79	36.3	0.02	0.00				382 03	
400 ISL	6.63 D	6.60	34.167 D	26.822	128.3	0.857	0.75	032.8	011.0	63.6	2.85	36.7	0.02	0.00				403	
442	6.54	6.50	34.231	26.887	122.8	0.903	0.51	22.3	7.5	67.7	2.98	37.4	0.02	0.06				446 02	
500 ISL	6.08 D	6.03	34.260 D	26.969	115.4	0.980	0.39	017.1	0.5	75.0	3.07	38.8	0.02	0.00				504	
516	5.97	5.92	34.263	26.985	113.9	0.991	0.38	16.6	5.5	77.0	3.09	39.2	0.02	0.00				520 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
31 5.0 N	122 39.9 W	05/04/2016	0945	UTC	4005 m	350	20 kn	350	04	06	1021.8	mb	14.7	C	12.6	C	020		
0	16.15	16.15	33.172	24.310	360.5	0.000	5.72	249.9	101.7	1.9	0.27	0.0	0.02	0.08	0.08	0.01	0		
2	16.15	16.14	33.172	24.310	360.5	0.007	5.72	249.9	101.7	1.9	0.27	0.0	0.02	0.08	0.08	0.01	2 20		
10	16.15	16.15	33.171	24.309	360.9	0.036	5.69	248.8	101.3	1.9	0.25	0.0	0.01	0.00	0.07	0.02	10 19		
20 ISL	16.15	16.15	33.171 D	24.309	361.3	0.073	5.69	0248.3	0101.3	1.9	0.26	0.0	0.01	0.00	0.08	0.02	20		
26	16.15	16.15	33.172	24.310	361.4	0.094	5.69	248.4	101.1	1.9	0.26	0.0	0.01	0.00	0.08	0.02	26 18		
30 ISL	16.15	16.15	33.170 D	24.309	361.7	0.109	5.70	0248.4	0101.3	1.9	0.26	0.0	0.01	0.00	0.08	0.02	30		
41	15.98	15.97	33.153	24.336	359.5	0.148	5.71	249.6	101.3	1.9	0.27	0.0	0.01	0.00	0.09	0.02	41 17		
50	15.52	15.52	33.097	24.395	354.1	0.180	5.77	251.9	101.2	1.9	0.28	0.0	0.02	0.02	0.11	0.03	50 16		
63	14.93	14.92	33.068	24.504	344.1	0.226	5.79	252.8	100.4	2.1	0.28	0.0	0.01	0.00	0.18	0.09	63 15		
75 ISL	14.39 D	14.38	33.087 D	24.633	332.1	0.268	5.76	0251.1	098.2	2.4	0.32	0.1	0.03	0.00	0.37	0.23	76		
76	14.37	14.36	33.087	24.636	331.8	0.270	5.73	250.1	98.2	2.5	0.32	0.1	0.03	0.08	0.38	0.24	77 14		
88	14.20	14.19	33.190	24.753	321.0	0.309	5.59	244.1	95.5	3.1	0.37	1.0	0.08	0.06	0.32	0.28	89 13		
100 ISL	12.90 D	12.89	33.184 D	25.011	296.6	0.348	5.22	0227.2	086.8	5.1	0.62	4.5	0.07	0.18	0.25	0.26	101		
101	12.67	12.65	33.168	25.045	293.4	0.349	5.27	230.1	87.2	5.2	0.64	4.8	0.07	0.19	0.24	0.26	102 12		
113	11.63	1																	

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 110.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED ml/L μmol/Kg	WEA OXY PCT	BAROMETER 1023.1 mb	DRY 15.3 °C	WET 13.8 °C	SECCHI	CLD AMT	TYPE	ORD 019	
0	16.86	16.86	33.297	24.241	367.0	0.000	5.59	244.3 100.9	2.0	0.24	0.0	0.02	0.00	0.06	0.01	0
2	16.86	16.86	33.297	24.241	367.1	0.007	5.59	244.3 100.9	2.0	0.24	0.0	0.02	0.00	0.06	0.01	2 21
10 ISL	16.87	D 16.86	33.296	D 24.240	367.5	0.037	5.62	D 244.9 D 101.4	1.9	0.24	0.0	0.02	0.00	0.06	0.01	10
11	16.87	16.86	33.297	24.241	367.5	0.040	5.61	244.9 101.2	1.9	0.24	0.0	0.02	0.00	0.06	0.01	11 20
20 ISL	16.87	D 16.87	33.296	D 24.240	367.9	0.074	5.62	D 244.9 D 101.4	1.9	0.25	0.0	0.01	0.00	0.06	0.01	20
21	16.87	16.87	33.298	24.241	367.8	0.077	5.60	244.6 101.1	1.9	0.25	0.0	0.01	0.00	0.06	0.01	21 19
30 ISL	16.87	D 16.87	33.296	D 24.240	368.3	0.111	5.63	D 245.3 D 101.6	1.9	0.25	0.0	0.01	0.00	0.06	0.01	30
41	16.86	16.86	33.297	24.244	368.3	0.151	5.60	244.5 101.0	1.9	0.25	0.0	0.02	0.02	0.06	0.01	41 18
50 ISL	16.83	D 16.82	33.288	D 24.246	368.4	0.186	5.62	D 244.9 D 101.3	1.9	0.25	0.0	0.02	0.08	0.07	0.02	50
60	16.66	16.65	33.266	24.268	366.6	0.221	5.62	245.4 101.0	1.9	0.25	0.0	0.02	0.15	0.07	0.02	60 17
75 ISL	16.50	D 16.49	33.237	D 24.284	365.7	0.278	5.65	D 246.4 D 101.2	2.0	0.25	0.0	0.02	0.05	0.10	0.03	76
80	16.55	16.53	33.251	24.285	365.8	0.294	5.64	246.4 101.1	2.0	0.25	0.0	0.02	0.02	0.11	0.03	81 16
100	16.19	16.17	33.321	24.422	353.3	0.366	5.60	244.7 99.8	2.1	0.26	0.0	0.02	0.03	0.19	0.12	101 15
110	15.13	15.11	33.172	24.543	342.0	0.401	5.65	246.9 98.5	2.5	0.32	0.0	0.02	0.02	0.27	0.23	111 14
121	14.27	14.25	33.201	24.749	322.5	0.437	5.47	238.9 93.7	3.4	0.43	1.5	0.09	0.00	0.28	0.20	122 13
125 ISL	13.94	D 13.92	33.205	D 24.822	315.6	0.453	5.44	D 237.0 D 92.5	3.9	0.48	2.4	0.09	0.00	0.26	0.22	126
132	13.20	13.18	33.192	24.961	302.4	0.472	5.32	232.2 89.0	4.9	0.57	3.9	0.08	0.00	0.22	0.27	133 12
140	12.21	12.19	33.160	25.128	286.5	0.495	5.13	224.0 84.1	6.8	0.77	7.0	0.06	0.00	0.19	0.18	141 11
150	10.98	10.96	33.188	25.376	262.8	0.523	4.88	213.2 78.0	9.8	1.02	11.0	0.03	0.03	0.12	0.12	151 10
161	10.01	9.99	33.307	25.636	238.0	0.550	4.55	198.7 71.2	13.9	1.27	15.3	0.02	0.00	0.06	0.06	162 09
176	9.53	9.51	33.470	25.843	218.5	0.584	4.11	179.5 63.7	18.1	1.47	18.7	0.02	0.00	0.02	0.05	177 08
195	9.20	9.18	33.618	26.011	202.8	0.624	3.72	162.4 57.3	21.7	1.63	21.4	0.02	0.00	0.01	0.04	196 07
200 ISL	9.12	D 9.10	33.667	D 26.062	198.1	0.639	3.67	D 159.9 D 56.5	22.7	1.66	21.9	0.02	0.00			202
229	8.78	8.76	33.851	26.261	179.8	0.689	3.12	136.2 47.7	28.1	1.85	24.9	0.02	0.00			231 06
250 ISL	8.52	D 8.49	33.935	D 26.367	170.0	0.731	2.87	D 124.7 D 43.6	31.4	1.96	26.4	0.02	0.00			252
268	8.34	8.32	33.970	26.422	165.1	0.757	2.60	113.6 39.4	34.2	2.05	27.7	0.02	0.00			270 05
300 ISL	7.94	D 7.91	34.018	D 26.520	156.2	0.813	2.34	D 101.6 D 35.1	40.3	2.23	30.0	0.01	0.00			302
322	7.68	7.64	34.053	26.587	150.0	0.842	1.85	80.8 27.6	44.4	2.36	31.6	0.01	0.00			325 04
381	6.76	6.73	34.070	26.728	136.9	0.926	1.34	58.7 19.6	56.2	2.63	35.4	0.02	0.00			384 03
400 ISL	6.59	D 6.55	34.089	D 26.766	133.5	0.959	1.18	D 51.2 D 17.1	59.4	2.70	36.2	0.02	0.00			403
441	6.22	6.18	34.123	26.842	126.6	1.005	0.86	37.5 12.4	66.4	2.86	38.1	0.02	0.00			445 02
500 ISL	5.78	D 5.74	34.175	D 26.939	117.8	1.085	0.57	D 24.7 D 8.1	75.3	3.01	39.6	0.02	0.00			504
521	5.69	5.65	34.207	26.975	114.6	1.102	0.47	20.5 6.7	78.4	3.07	40.2	0.02	0.00			525 01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 90.0 120.0

DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	WIND SPEED ml/L μmol/Kg	WEA OXY PCT	BAROMETER 1023.3 mb	DRY 16.9 °C	WET 14.7 °C	SECCHI	CLD AMT	TYPE	ORD 018	
0	17.42	17.42	33.465	24.238	367.4	0.000	5.59	243.9 102.0	2.0	0.25	0.0	0.02	0.15	0.06	0.02	0
2	17.42	17.42	33.465	24.238	367.4	0.007	5.59	243.9 102.0	2.0	0.25	0.0	0.02	0.15	0.06	0.02	2 23
10 ISL	17.42	D 17.42	33.463	D 24.237	367.8	0.037	5.56	D 242.5 D 101.6	1.9	0.27	0.0	0.02	0.25	0.06	0.01	10
11	17.42	17.42	33.464	24.238	367.7	0.039										21 22
20	17.41	17.41	33.464	24.240	367.9	0.073	5.57	243.3 101.8	1.9	0.24	0.0	0.02	0.00	0.06	0.02	20 20
30 ISL	17.39	D 17.38	33.465	D 24.248	367.5	0.111	5.57	D 243.0 D 101.7	1.9	0.24	0.0	0.02	0.00	0.06	0.02	30
40	17.39	17.38	33.474	24.256	367.2	0.147	5.55	242.5 101.4	1.9	0.24	0.0	0.02	0.00	0.07	0.01	40 19
50 ISL	17.42	D 17.41	33.493	D 24.264	366.8	0.185	5.58	D 243.3 D 101.9	1.9	0.25	0.0	0.01	0.00	0.07	0.02	50
60	17.54	17.53	33.578	24.301	363.7	0.220	5.54	242.0 101.5	1.9	0.26	0.0	0.01	0.00	0.07	0.02	60 18
75 ISL	17.55	D 17.53	33.589	D 24.309	363.4	0.277	5.55	D 241.8 D 101.6	1.9	0.25	0.0	0.02	0.00	0.09	0.02	76
80	17.47	17.45	33.580	24.320	362.5	0.293	5.55	242.5 101.6	1.9	0.24	0.0	0.02	0.00	0.09	0.02	81 17
100	17.23	17.21	33.601	24.395	356.2	0.365	5.50	240.1 100.1	2.0	0.23	0.0	0.02	0.00	0.15	0.06	101 16
111	16.93	16.91	33.485	24.378	358.1	0.404	5.51	240.8 99.7	2.0	0.24	0.0	0.02	0.00	0.18	0.12	112 15
121	16.03	16.01	33.498	24.596	337.5	0.439	5.45	237.9 96.8	2.4	0.27	0.0	0.03	0.00	0.25	0.17	122 14
125 ISL	15.59	D 15.57	33.366	D 24.592	338.0	0.457	5.59	D 243.7 D 98.4	2.6	0.30	0.3	0.06	0.00	0.26	0.20	126
130	14.97	14.95	33.499	24.830	315.3	0.468	5.37	234.5 93.5	2.9	0.33	0.6	0.09	0.00	0.28	0.24	131 12
130	14.97	14.95	33.491	24.824	315.9	0.468										131 13
141	12.96	12.94	33.201	25.015	297.4	0.502	5.23	228.4 87.2	5.7	0.67	5.2	0.06	0.00	0.23	0.22	142 11
150 ISL	11.81	D 11.79	33.184	D 25.222	277.6	0.534	5.15	D 224.1 D 83.7	7.2	0.81	7.5	0.04	0.00	0.16	0.24	151
151	11.22	11.21	33.191	25.334	266.9	0.530	5.08	222.0 81.7	7.4	0.82	7.8	0.04	0.00	0.15	0.24	152 10
161	10.59	10.57	33.241	25.484	252.6	0.556	4.82	210.3 76.3	11.1	1.11	12.4	0.03	0.00	0.09	0.10	162 09
175	9.94															

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 91.7 26.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	16.05	16.05	33.531	24.607	332.2	0.000	6.07	265.1	108.0	2.6	0.39	0.0	0.03	0.98	1.29	0.37	0	
2	16.05	16.05	33.531	24.607	332.2	0.007	6.07	265.1	108.0	2.6	0.39	0.0	0.03	0.98	1.29	0.37	2 05	
5	15.98	15.98	33.533	24.625	330.6	0.017	6.17	269.4	109.6	2.7	0.46	0.1	0.03	1.79	1.37	0.41	5 04	
10	15.85	15.85	33.535	24.656	327.8	0.033	6.22	271.8	110.3	3.0	0.36	0.0	0.03	0.42	1.49	0.44	10 02	
10	15.85	15.85	33.533	24.655	328.0	0.034											10 03	
14	15.77	15.76	33.533	24.674	326.3	0.046	6.25	272.8	110.5	2.9	0.42	0.0	0.03	2.46	1.57	0.47	14 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	16.29	16.29	33.551	24.569	335.8	0.000	5.95	259.7	106.3	2.7	0.35	0.0	0.02	0.79	0.63	0.14	0	
2 A	16.29	16.29	33.551	24.569	335.9	0.007	5.95	259.7	106.3	2.7	0.35	0.0	0.02	0.79	0.63	0.14	2 12	
8 A	16.12	16.12	33.545	24.602	332.9	0.027	5.99	261.5	106.7	2.6	0.37	0.0	0.03	0.58	0.79	0.17	8 11	
10 A	16.07	16.07	33.548	24.616	331.7	0.033	6.04	263.5	107.4	2.7	0.33	0.0	0.02	0.33	0.86	0.22	10 09	
10	16.07	16.07	33.545	24.613	331.9	0.032											10 10	
16 A	15.73	15.73	33.538	24.685	325.3	0.053	6.05	264.1	106.9	3.0	0.36	0.0	0.03	0.38	1.25	0.52	16 08	
20	14.79	14.79	33.508	24.869	307.9	0.066	5.66	247.1	98.2						3.25	0.93	20 06	
20	14.79	14.79	33.509	24.869	307.9	0.066											20 07	
28 A	12.41	12.41	33.495	25.344	262.8	0.089	3.82	166.9	63.1	5.2	0.54	1.5	0.18	0.33	0.68	0.52	28 05	
30 ISL	12.23	12.23	33.484	D 25.370	260.4	0.095	3.91	D 170.3	D 64.3	8.2	0.83	5.9	0.23	0.40	0.57	0.45	30	
35 A	11.71	11.71	33.579	25.542	244.2	0.107	3.30	143.9	53.7	15.7	1.54	16.8	0.35	0.59	0.31	0.27	35 03	
44	11.34	11.33	33.634	25.653	233.8	0.128	3.05	133.3	49.3	17.5	1.65	18.1	0.33	0.57	0.20	0.29	44 02	
50 ISL	11.08 D	11.07	33.699	D 25.751	224.6	0.143	2.98	D 129.8	D 47.9	19.2	1.74	19.3	0.17	0.90	0.10	0.21	50	
51	11.06	11.06	33.707	25.760	223.8	0.144	2.91	127.2	46.8	19.5	1.75	19.5	0.14	0.96	0.08	0.20	51 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	16.45	16.45	33.529	24.513	341.1	0.000	6.06	264.6	108.7	2.1	0.29	0.0	0.03	0.09	0.49	0.12	0	
2	16.45	16.45	33.529	24.514	341.2	0.007	6.06	264.6	108.7	2.1	0.29	0.0	0.03	0.09	0.49	0.12	2 20	
10	16.13	16.13	33.522	24.583	334.9	0.034	6.10	266.3	108.7	2.4	0.31	0.0	0.03	0.52	0.54	0.16	10 19	
20	15.37	15.36	33.516	24.750	319.3	0.067	6.13	267.5	107.5	2.7	0.33	0.0	0.03	0.12	1.21	0.44	20 18	
30	13.30	13.30	33.491	25.166	279.9	0.097	4.37	190.7	73.5	8.7	1.08	9.2	0.56	3.48	1.73	1.05	30 17	
40	12.06	12.05	33.420	25.354	262.2	0.124	4.02	175.6	65.9	11.8	1.26	13.4	0.09	2.05	0.44	0.54	40 16	
50	11.24	11.23	33.409	25.497	248.8	0.149	4.02	175.3	64.6	13.6	1.38	15.5	0.08	2.41	0.27	0.35	50 15	
60	11.10	11.09	33.531	25.617	237.6	0.174	3.62	157.9	58.1	16.0	1.49	17.3	0.04	1.29	0.10	0.19	60 14	
70	10.80	10.79	33.618	25.738	226.3	0.197	3.38	147.6	54.0	18.0	1.65	19.0	0.04	2.31	0.04	0.11	71 11	
75 ISL	10.67 D	10.66	33.658	D 25.792	221.3	0.210	3.28	D 142.9	D 52.3	19.0	1.68	19.8	0.04	1.66	0.03	0.10	76	
85	10.55	10.54	33.757	25.890	212.2	0.230	2.97	129.7	47.2	21.0	1.75	21.2	0.03	0.35	0.02	0.09	86 12	
100	9.84	9.83	33.722	25.985	203.5	0.261	3.24	141.3	50.6	22.4	1.76	22.2	0.03	0.49	0.01	0.06	101 11	
121	9.67	9.65	33.853	26.117	191.4	0.302	2.82	125.0	44.6	25.6	1.87	24.0	0.03	0.11	0.01	0.05	122 10	
125 ISL	9.63 D	9.61	33.879	D 26.144	188.9	0.312	2.82	D 122.7	D 43.9	26.3	1.91	24.4	0.03	0.21	0.01	0.05	126	
141	9.61	9.59	33.999	26.241	180.0	0.339	2.48	108.1	38.6	29.2	2.07	25.9	0.02	0.62	0.01	0.05	142 09	
150 ISL	10.04 D	10.02	34.156	D 26.292	175.6	0.358	1.74	D 75.8	D 27.4	30.3	2.12	26.4	0.02	0.51	0.01	0.05	151	
171	9.47	9.45	34.111	26.353	170.1	0.393	1.94	84.8	30.2	32.9	2.22	27.5	0.02	0.26	0.01	0.07	172 08	
200	9.41	9.39	34.205	26.437	162.8	0.441	1.50	65.5	23.3	36.3	2.39	28.8	0.02	0.41	0.00	0.04	202 07	
230	8.98	8.95	34.221	26.520	155.4	0.489	1.35	59.1	20.8	39.8	2.48	30.1	0.02	0.24			232 06	
250 ISL	8.70 D	8.67	34.221	D 26.565	151.4	0.523	1.27	D 55.4	D 19.5	42.2	2.55	30.9	0.02	0.24			252	
271	8.61	8.59	34.258	26.607	147.9	0.551	1.03	45.0	15.8	44.8	2.63	31.7	0.02	0.24			273 05	
300 ISL	8.28 D	8.25	34.266	D 26.664	142.8	0.597	0.88	D 38.1	D 13.3	48.1	2.69	32.9	0.02	0.29			302	
320	7.98	7.95	34.248	26.695	140.0	0.622	0.88	39.0	13.5	50.3	2.73	33.7	0.02	0.33			323 04	
380	7.30	7.26	34.264	26.808	130.0	0.703	0.58	25.5	8.7	60.0	2.94	36.5	0.02	0.72			383 03	
400 ISL	7.18 D	7.14	34.267	D 26.828	128.3	0.733	0.55	D 23.8	D 8.1	63.0	3.00	37.2	0.02	0.75			403	
441	6.71	6.67	34.294	26.914	120.4	0.779	0.38	16.5	5.5	69.2	3.11	38.5	0.02	0.81			445 02	
500 ISL	6.17 D	6.12	34.324	D 27.009	111.8	0.854	0.29	12.5	4.2	76.7	3.20	39.7	0.02					

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 30.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	
32	50.5 N	117 31.9 W	02/04/2016	0536	UTC	866 m	330 01 kn									005	
0	16.31	16.31	33.516	24.536	339.0	0.000	5.81	253.6	103.9	2.1	0.39	0.0	0.02	1.61	0.24	0.05	0
3	16.31	16.31	33.516	24.536	339.1	0.010	5.81	253.6	103.9	2.1	0.39	0.0	0.02	1.61	0.24	0.05	3 20
10	16.10	16.10	33.516	24.584	334.7	0.034	5.82	254.2	103.7	2.2	0.33	0.1	0.02	0.39	0.24	0.05	10 19
20	15.86	15.86	33.507	24.633	330.4	0.067	5.84	254.8	103.4	2.1	0.33	0.0	0.02	0.38	0.36	0.12	20 18
30	14.24	14.24	33.388	24.894	305.9	0.099	5.50	240.2	94.3	4.2	0.54	2.0	0.13	0.58	1.03	0.53	30 17
40	14.05	14.05	33.476	25.001	295.9	0.129	4.90	214.1	83.8	6.6	0.85	5.8	0.30	1.69	0.66	0.34	40 16
50	13.30	13.29	33.493	25.169	280.2	0.158	4.28	187.0	72.0	9.2	1.04	10.1	0.11	0.66	0.46	0.25	50 15
61	12.64	12.63	33.508	25.311	266.9	0.188	3.98	173.9	66.1	11.3	1.20	12.5	0.06	0.24	0.28	0.20	61 14
70	11.98	11.97	33.543	25.465	252.5	0.211	3.61	157.6	59.1	13.8	1.38	15.3	0.04	0.21	0.20	0.20	71 13
75 ISL	11.73 D	11.72	33.569	D 25.532	246.2	0.225	3.54	D 154.3	D 57.7	14.7	1.42	16.2	0.04	0.17	0.15	0.17	76
86	10.94	10.93	33.576	25.681	232.1	0.250	3.49	152.3	55.8	16.7	1.52	18.2	0.04	0.08	0.05	0.12	87 12
100	10.65	10.64	33.757	25.874	214.1	0.281	2.94	128.5	46.9	20.7	1.73	21.0	0.03	0.00	0.02	0.10	101 11
120	9.97	9.95	33.824	26.045	198.3	0.323	2.89	126.1	45.3	23.6	1.82	22.9	0.02	0.00	0.01	0.06	121 10
125 ISL	9.74 D	9.73	33.816	D 26.075	195.4	0.334	2.85	D 123.9	D 44.5	24.9	1.90	23.6	0.02	0.00	0.01	0.05	126
141	10.21	10.19	34.089	26.211	183.1	0.362	1.92	84.0	30.4	29.1	2.15	25.7	0.02	0.03	0.01	0.04	142 09
150 ISL	10.14 D	10.12	34.121	D 26.248	179.8	0.381	1.86	D 80.7	D 29.3	30.3	2.20	26.2	0.02	0.12	0.01	0.04	151
170	9.87	9.85	34.180	26.340	171.4	0.414	1.60	70.0	25.2	32.8	2.30	27.3	0.02	0.31	0.00	0.04	171 08
200	9.58	9.56	34.234	26.432	163.4	0.464	1.35	58.8	21.0	36.3	2.41	28.7	0.02	0.03	0.01	0.04	202 07
230	9.29	9.27	34.243	26.487	158.7	0.512	1.24	D 53.9	D 19.2	38.6	2.47	29.6	0.02	0.06		232 06	
250 ISL	9.00 D	8.98	34.242	D 26.533	154.7	0.548	1.21	D 52.5	D 18.6	41.3	2.53	30.6	0.01	0.00		252	
270	8.62	8.59	34.249	26.599	148.5	0.574	1.09	47.4	16.6	44.0	2.58	31.6	0.01	0.00		272 05	
300 ISL	7.75 D	7.72	34.199	D 26.691	139.9	0.622	0.97	D 42.0	D 14.4	49.3	2.69	33.4	0.01	0.00		302	
321	7.73	7.70	34.249	26.733	136.3	0.645	0.81	35.5	12.2	53.0	2.77	34.6	0.01	0.00		324 04	
381	7.11	7.07	34.247	26.821	128.5	0.724	0.62	27.1	9.2	60.6	2.91	36.9	0.01	0.17		384 03	
400 ISL	6.92 D	6.88	34.249	D 26.849	126.0	0.756	0.57	D 24.6	D 8.3	63.4	2.95	37.5	0.01	0.00		403	
441	6.53	6.49	34.271	26.918	119.8	0.799	0.43	18.7	6.2	69.4	3.04	38.9	0.01	0.00		445 02	
500 ISL	6.26 D	6.21	34.323	D 26.996	113.1	0.876	0.26	D 11.5	D 3.8	76.7	3.16	39.9	0.01	0.00		504	
516	6.12	6.08	34.333	27.021	110.8	0.886	0.24	10.6	3.5	78.6	3.19	40.1	0.01	0.00		520 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 35.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C		THETA		ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	
32	40.6 N	117 52.2 W	02/04/2016	0923	UTC	620 m	300 01 kn									006	
0	16.72	16.72	33.518	24.444	347.7	0.000	5.67	247.6	102.2	2.3	0.30	0.0	0.00	0.15	0.04	0	
2	16.72	16.72	33.518	24.444	347.8	0.007	5.67	247.6	102.2	2.3	0.30	0.0	0.00	0.15	0.04	2 20	
10	16.71	16.71	33.516	24.445	348.0	0.035	5.66	246.4	101.7	2.2	0.30	0.0	0.00	0.14	0.04	10 19	
20	16.60	16.59	33.511	24.469	346.1	0.070	5.65	246.8	101.6	2.2	0.30	0.0	0.00	0.17	0.04	20 18	
30	16.41	16.40	33.496	24.501	343.4	0.104	5.67	247.6	101.6	2.3	0.31	0.0	0.00	0.22	0.07	30 17	
40	14.95	14.95	33.408	24.758	319.1	0.137	5.73	250.0	99.6	3.2	0.39	0.0	0.00	0.67	0.37	40 16	
50	14.37	14.37	33.393	24.871	308.7	0.169	5.50	240.2	94.5	3.9	0.52	1.9	0.12	0.08	0.94	0.53	50 15
61	13.95	13.94	33.400	24.966	299.9	0.202	5.31	231.9	90.5	5.0	0.64	3.7	0.13	0.02	1.01	0.58	61 14
70	13.21	13.20	33.414	25.128	284.7	0.228	4.88	213.0	81.8	7.6	0.86	7.5	0.04	0.02	0.38	0.33	71 13
75 ISL	12.84 D	12.83	33.401	D 25.190	279.8	0.244	4.77	D 207.7	D 79.4	9.0	0.98	9.5	0.04	0.02	0.31	0.28	76
86	11.01	11.00	33.382	25.518	247.7	0.271	4.27	186.5	68.4	12.1	1.23	13.7	0.03	0.01	0.15	0.16	87 12
100	10.66	10.65	33.498	25.670	233.5	0.305	3.96	172.9	63.0	15.2	1.41	16.6	0.02	0.11	0.07	0.09	101 11
120	10.34	10.32	33.698	25.883	213.7	0.350	3.34	145.6	52.7	19.8	1.67	20.2	0.01	0.05	0.01	0.05	121 10
125 ISL	10.24 D	10.22	33.777	D 25.962	206.3	0.363	3.10	D 135.0	D 48.9	21.0	1.72	20.9	0.01	0.00	0.01	0.04	126
140	9.90	9.89	33.864	26.087	194.7	0.391	2.87	125.2	45.0	24.5	1.87	23.2	0.01	0.00	0.00	0.03	141 09
150 ISL	9.80 D	9.79	33.909	D 26.139	190.0	0.412	2.81	D 122.5	D 44.0	26.1	1.93	24.0	0.01	0.00	0.00	0.03	151
170	9.44	9.42	33.979	26.254	179.4	0.447	2.50	109.0	38.8	29.1	2.05	25.6	0.00	0.01	0.00	0.03	171 08
200	8.85	8.83	34.014	26.376	168.3	0.499	2.42	105.6	37.1	33.2	2.13	27.5	0.01	0.08	0.00	0.02	202 07
232	8.74	8.72	34.112	26.471	159.9	0.552	1.89	82.5	28.9	37.6	2.32	29.3	0.00	0.00		234 06	
250 ISL	8.38 D	8.35	34.158	D 26.564	151.3	0.583	1.59	D 69.2	D 24.1	41.6	2.44	30.8	0.00	0.00		252	
270	8.04	8.01	34.165	26.621	146.1	0.610	1.36	59.2	20.4	46.1	2.57	32.4	0.00	0.01		272 05	
300 ISL	7.85 D	7.82	34.195	D 26.673	141.6	0.657	1.13	D 49.1	D 16.9	49.4	2.66	33.5	0.01	0.07		302	
321	7.68	7.65	34.195	26.698	139.6	0.683	1.05	45.8	15.7	51.6	2.73	34.3	0.01	0.12		324 04	
380	7.38	7.34	34.262	26.795	131.2	0.763	0.63	27.7	9.4	58.5	2.95	35.9	0.02	0.62		383 03	
400 ISL	7.19 D	7.15	34.262	D 26.822	128.9	0.793	0.58	D 25.2	D 8.6	60.8	2.98	36.5	0.02	0.43			

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP	
m	DEG C	DEG C				ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db		
32	31.0 N	118 12.4 W	02/04/2016	1328	UTC	1663 m	270 05 kn									007		
0	16.86	16.86	33.524	24.416	350.4	0.000	5.61	245.2	101.5	1.9	0.29	0.0	0.01	0.02	0.16	0.03	0	
2	16.86	16.86	33.524	24.417	350.4	0.007	5.61	245.2	101.5	1.9	0.29	0.0	0.01	0.02	0.16	0.03	2 21	
10 ISL	16.86	16.86	33.516 D	24.409	351.4	0.035	5.64	245.8	101.9	2.0	0.29	0.0	0.01	0.02	0.16	0.03	10	
11	16.86	16.86	33.517	24.411	351.3	0.039	5.62	245.3	101.6	2.0	0.29	0.0	0.01	0.02	0.16	0.03	11 19	
11	16.86	16.86	33.517	24.411	351.3	0.039											11 20	
20 ISL	16.86	16.86	33.516 D	24.410	351.7	0.071	5.64	245.9	102.0	2.0	0.29	0.0	0.01	0.00	0.16	0.04	20	
21	16.86	16.85	33.533	24.424	350.4	0.074	5.61	245.0	101.4	2.0	0.29	0.0	0.01	0.00	0.16	0.04	21 18	
30	16.83	16.83	33.515	24.417	351.4	0.105	5.63	245.8	101.7	1.9	0.31	0.0	0.01	0.02	0.17	0.05	30 17	
40	16.78	16.78	33.514	24.429	350.7	0.140	5.61	245.0	101.3	1.8	0.29	0.0	0.01	0.00	0.19	0.05	40 16	
50	15.43	15.43	33.439	24.678	327.1	0.174	5.78	252.5	101.5	2.3	0.36	0.0	0.01	0.00	0.48	0.20	50 15	
61	13.92	13.91	33.493	24.937	302.6	0.209	5.19	226.6	88.3	4.7	0.63	3.8	0.16	0.04	0.64	0.41	61 14	
70	12.97	12.96	33.316	25.098	287.5	0.236	4.88	213.3	81.5	6.8	0.84	7.2	0.12	0.04	0.41	0.26	71 13	
75 ISL	12.49	12.48	33.308 D	25.186	279.2	0.252	4.80	208.9	79.2	8.2	0.94	9.0	0.10	0.00	0.34	0.23	76	
86	11.23	11.22	33.310	25.423	256.7	0.279	4.47	195.1	71.8	11.2	1.17	12.9	0.05	0.00	0.18	0.17	87 12	
100	10.49	10.47	33.410	25.632	237.1	0.314	4.13	180.5	65.4	14.6	1.38	16.5	0.03	0.01	0.09	0.10	101 11	
120	10.01	9.99	33.658	25.908	211.2	0.359	3.42	149.2	53.6	19.5	1.65	20.1	0.02	0.00	0.02	0.05	121 10	
125 ISL	10.17	10.17	30.15	33.723 D	25.932	209.2	0.371	3.27	142.4 D	51.5	20.8	1.70	20.9	0.02	0.00	0.02	0.04	126
140	9.59	9.58	33.810	26.096	193.8	0.400	3.05	133.1	47.4	24.5	1.84	23.3	0.02	0.01	0.03	0.14	09	
150 ISL	9.57	9.56	33.829 D	26.115	192.2	0.421	3.00	130.7 D	46.7	25.9	1.89	24.1	0.02	0.00	0.01	0.03	151	
171	9.22	9.20	33.932	26.254	179.4	0.458	2.65	115.8	41.0	28.9	2.00	25.7	0.01	0.00	0.00	0.03	172 08	
200 ISL	9.10	9.08	34.027 D	26.347	171.1	0.512	2.30	99.9 D	35.4	32.0	2.13	27.0	0.01	0.00	0.00	0.03	202	
201	9.08	9.06	34.019	26.344	171.5	0.510	2.31	100.9	35.6	32.1	2.13	27.1	0.01	0.00	0.00	0.03	203 07	
231	8.46	8.44	34.045	26.462	160.6	0.560	2.23	97.4	33.9	36.1	2.20	28.7	0.01	0.00			233 06	
250 ISL	8.19	8.16	34.074 D	26.527	154.7	0.593	2.01	87.3 D	30.3	40.1	2.32	30.3	0.01	0.00			252	
270	7.86	7.83	34.091	26.589	149.0	0.621	1.74	75.8	26.0	44.2	2.45	32.1	0.01	0.01			272 05	
300 ISL	7.70	7.67	34.166 D	26.672	141.6	0.668	1.26	54.6 D	18.8	48.5	2.60	33.3	0.01	0.00			302	
321	7.60	7.57	34.174	26.693	140.0	0.694	1.12	49.0	16.7	51.5	2.71	34.2	0.01	0.00			324 04	
380	7.09	7.06	34.207	26.791	131.3	0.774	0.79	34.4	11.6	59.0	2.87	36.3	0.01	0.00			383 03	
400 ISL	6.98	6.94	34.219 D	26.817	129.1	0.804	0.70	30.5 D	10.3	61.5	2.92	36.9	0.01	0.00			403	
440	6.69	6.65	34.251	26.882	123.4	0.851	0.53	23.1	7.7	66.4	3.03	38.1	0.01	0.00			444 02	
500 ISL	6.31	6.27	34.285 D	26.959	116.6	0.928	0.36	15.7 D	5.2	72.4	3.13	39.3	0.01	0.00			504	
514	6.29	6.24	34.287	26.964	116.3	0.939	0.36	15.8	5.3	73.8	3.15	39.6	0.01	0.00			518 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD	
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μg/L	μg/L	db	
32	20.8 N	118 33.2 W	02/04/2016	1729	UTC	1352 m	310 09 kn	310 03 05	1	1022.2 mb	14.7	13.2 C	17 m	6/8	AC	008	
0	16.30	16.30	33.546	24.562	336.5	0.000	5.73	249.8 D	102.5	1.8	0.30	0.0	0.03	0.00	0.25	0.05	0
2 A	16.30	16.30	33.546	24.562	336.5	0.007	5.73	249.8	102.5	1.8	0.30	0.0	0.03	0.00	0.25	0.05	2 24
10 ISL	16.21	16.21	33.526 D	24.567	336.4	0.034	5.74	250.1	102.4	1.7	0.32	0.0	0.01	0.00	0.26	0.05	10
11 A	16.23	16.23	33.527	24.564	336.7	0.037	5.75	250.9	102.7	1.7	0.32	0.0	0.01	0.10	0.27	0.06	11 21
12	16.24	16.23	33.528	24.564	336.8	0.039											12 23
12 A	16.20	16.20	33.527	24.572	336.1	0.054	5.75	251.0	102.6	1.6	0.30	0.0	0.01	0.00	0.28	0.07	16 20
20 ISL	16.19	16.19	33.525 D	24.572	336.2	0.068	5.74	250.1	102.4	1.7	0.31	0.0	0.01	0.00	0.29	0.07	20
22	16.17	16.17	33.526	24.577	335.8	0.074	5.77	251.6	102.8	1.7	0.31	0.0	0.01	0.00	0.30	0.07	22 19
29 A	16.14	16.14	33.530	24.588	335.0	0.098	5.79	252.6	103.2	1.5	0.31	0.0	0.01	0.01	0.37	0.10	29 18
30 ISL	16.14	16.13	33.523 D	24.584	335.5	0.102	5.74	250.1	102.2	1.5	0.31	0.0	0.01	0.01	0.41	0.12	30
38	15.64	15.63	33.510	24.686	326.0	0.127	5.81	253.6	102.6	1.2	0.35	0.0	0.01	0.03	0.78	0.27	38 17
48 A	14.40	14.39	33.475	24.929	303.1	0.159	5.28	230.4	90.8	4.5	0.60	2.7	0.27	0.03	3.18	1.10	48 15
50 ISL	13.98	13.97	33.465 D	25.009	295.5	0.166	5.29	230.4	90.2	5.2	0.66	3.7	0.24	0.03	2.73	0.99	50
60 A	12.66	12.66	33.424	25.240	273.6	0.193	4.63	202.0	76.8	8.5	0.94	8.8	0.06	0.03	0.47	0.46	60 14
70	11.63	11.62	33.399	25.418	256.9	0.220	4.25	185.3	68.9	11.9	1.21	13.3	0.03	0.00	0.14	0.23	71 13
75 ISL	11.29	11.28	33.405 D	25.485	250.6	0.234	4.23	184.1 D	68.1	12.6	1.25	14.1	0.03	0.00	0.12	0.20	76
86	10.79	10.78	33.424	25.590	240.8	0.259	4.06	177.2	64.7	14.1	1.35	15.7	0.02	0.00	0.08	0.14	87 12
100	10.31	10.30	33.527	25.753	225.5	0.292	3.76	164.1	59.4	17.3	1.52	18.5	0.02	0.01	0.04	0.08	101 11
120	9.86	9.85	33.702	25.967	205.7	0.335	3.25	141.6	50.8	21.8	1.73	21.7	0.02	0.00	0.01	0.05	126
125 ISL	9.76	9.74	33.769 D	26.036	199.2	0.348	3.06	133.2 D	47.8	23.1	1.78	22.5	0.01	0.00	0.01	0.05	126
140	9.41																

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 50.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
32	10.7 N	118 53.5 W	02/04/2016	2123	UTC	1461 m	310	11 kn	310 03 09	1	1020.8 mb	14.7	13.1 C	14 m	2/8	CU	009		
0	15.86	15.86	33.482	24.614	331.6	0.000	5.81	253.6	103.0	1.4	0.33	0.0	0.02	0.03	0.42	0.07	0		
2	15.86	15.86	33.482	24.614	331.6	0.007	5.81	253.6	103.0	1.4	0.33	0.0	0.02	0.03	0.42	0.07	2	20	
10	15.69	15.69	33.472	24.644	329.0	0.033	5.80	253.2	102.5	1.5	0.34	0.0	0.02	0.05	0.41	0.07	10	19	
20	15.56	15.55	33.473	24.675	326.4	0.066	5.80	253.1	102.1	1.4	0.33	0.0	0.02	0.03	0.41	0.12	20	18	
30	15.54	15.54	33.471	24.678	326.5	0.098	5.79	252.8	102.0	1.4	0.33	0.0	0.02	0.03	0.42	0.14	30	17	
41	15.14	15.13	33.466	24.763	318.8	0.134	5.75	250.7	100.3	1.9	0.39	0.1	0.08	0.03	1.27	0.48	41	16	
50	13.69	13.68	33.455	25.062	290.4	0.161	5.11	222.8	86.6	6.5	0.74	5.3	0.25	0.17	0.72	0.29	50	15	
60	13.35	13.34	33.456	25.132	284.1	0.190	4.85	211.8	81.7	7.9	0.86	7.5	0.09	0.04	0.36	0.23	60	14	
70	12.70	12.69	33.473	25.273	270.8	0.218	4.49	196.0	74.6	9.9	1.01	10.1	0.06	0.08	0.21	0.13	71	13	
75 ISL	11.82 D	11.81	33.412 D	25.394	259.3	0.233	4.31	0187.6 D	70.2	10.8	1.09	11.4	0.05	0.13	0.18	0.12	76		
86	11.42	11.41	33.406	25.462	253.0	0.259	4.17	182.1	67.4	12.8	1.27	14.3	0.04	0.24	0.10	0.11	87	12	
100	10.47	10.46	33.620	25.799	221.3	0.292	3.44	150.0	54.5	18.8	1.60	19.6	0.03	0.07	0.03	0.07	101	11	
121	10.07	10.06	33.817	26.021	200.6	0.336	2.89	126.1	45.4	23.4	1.82	22.6	0.02	0.13	0.01	0.04	122	10	
125 ISL	9.98 D	9.97	33.864 D	26.073	195.8	0.347	2.73	0118.7 D	42.8	24.1	1.85	22.9	0.02	0.13	0.01	0.04	126		
140	9.40	9.39	33.889	26.189	184.9	0.373	2.88	125.5	44.6	27.1	1.92	24.7	0.02	0.06	0.00	0.04	141	09	
150 ISL	9.26 D	9.24	33.966 D	26.273	177.2	0.394	2.53	0110.3 D	39.2	28.4	2.03	24.9	0.02	0.10	0.01	0.04	151		
170	9.27	9.25	34.085 D	26.366	168.8	0.429	2.04	088.9 D	31.6								171	08	
200 ISL	9.28 D	9.25	34.205 D	26.459	160.7	0.479	1.44	062.6 D	22.3	37.0	2.40	28.9	0.02	0.06	0.00	0.04	202		
201	9.27	9.25	34.212	26.465	160.1	0.477	1.46	63.7	22.6	37.2	2.41	29.0	0.02	0.06	0.00	0.04	203	07	
230	8.86	8.83	34.215	26.534	154.0	0.523	1.35	58.9	20.7	40.3	2.47	30.2	0.02	0.01			232	06	
250 ISL	8.68 D	8.66	34.232 D	26.575	150.4	0.557	1.33 D	58.0 D	20.4	42.8	2.54	31.0	0.02	0.05			252		
271	8.48	8.45	34.245	26.618	146.7	0.584	1.05	45.6	15.9	45.4	2.62	31.9	0.01	0.09			273	05	
300 ISL	7.95 D	7.92	34.241 D	26.694	139.7	0.630	0.90	039.0 D	13.5	50.4	2.73	33.5	0.01	0.07			302		
320	7.70	7.66	34.247	26.737	135.9	0.653	0.81	35.3	12.1	53.8	2.80	34.6	0.02	0.05			323	04	
381	6.98	6.94	34.270	26.857	125.1	0.733	0.53	23.0	7.8	63.8	2.97	37.2	0.01	0.01			384	03	
400 ISL	6.87 D	6.83	34.278 D	26.879	123.2	0.762	0.47	20.5 D	6.9	66.0	3.01	37.6	0.01	0.01			403		
441	6.56	6.52	34.295	26.934	118.3	0.806	0.39	17.1	5.7	70.8	3.09	38.7	0.01	0.02			445	02	
500 ISL	6.31 D	6.27	34.311 D	26.980	114.7	0.882	0.31	13.6 D	4.5	74.7	3.12	39.4	0.01	0.01			504		
515	6.27	6.22	34.314	26.988	114.1	0.892	0.32	14.0	4.6	75.7	3.13	39.6	0.01	0.01			519	01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 55.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db		
32	0.7 N	119 14.2 W	03/04/2016	0125	UTC	1599 m	330	14 kn	320 03 06	1	1018.7 mb	14.0	12.8 C	4/8	SC	010			
0	15.81	15.81	33.504	24.640	329.0	0.000	5.87	255.9	103.9	1.1	0.37	0.0	0.01	1.16	0.38	0.10	0		
2	15.81	15.81	33.504	24.640	329.1	0.007	5.87	255.9	103.9	1.1	0.37	0.0	0.01	1.16	0.38	0.10	2	21	
10	15.77	15.77	33.503	24.649	328.5	0.033	5.86	255.5	103.6	1.0	0.31	0.0	0.01	0.40	0.07	10	19		
10	15.77	15.77	33.503	24.649	328.5	0.033											10	20	
20 ISL	15.58 D	15.57	33.498 D	24.690	325.0	0.066	5.83	0253.9 D	102.7	1.0	0.30	0.0	0.01	0.00	0.42	0.13	20		
21	15.57	15.57	33.504	24.695	324.6	0.069	5.85	255.3	103.1	1.0	0.30	0.0	0.01	0.00	0.42	0.14	21	18	
30 ISL	15.56 D	15.55	33.498 D	24.695	324.9	0.099	5.79	0252.3 D	102.0	1.0	0.32	0.0	0.01	0.00	0.51	0.15	30		
31	15.56	15.56	33.500	24.695	324.9	0.101	5.83	254.2	102.6	1.0	0.32	0.0	0.01	0.05	0.52	0.15	31	17	
40	15.46	15.45	33.498	24.717	323.0	0.130	5.78	252.0	101.5	1.1	0.32	0.0	0.02	0.03	0.78	0.26	40	16	
50	13.51	13.51	33.475	25.112	285.6	0.161	4.78	208.5	80.7	7.6	0.86	7.0	0.23	0.05	0.92	0.48	50	15	
61	12.44	12.43	33.492	25.338	264.3	0.191	4.21	183.9	69.6	11.4	1.14	11.9	0.06	0.04	0.21	0.17	61	14	
70	11.98	11.98	33.487	25.421	256.7	0.214	4.13	180.3	67.6	12.5	1.22	13.3	0.06	0.01	0.12	0.13	71	13	
75 ISL	11.78 D	11.77	33.493 D	25.464	252.7	0.229	4.05	0176.6 D	66.0	13.6	1.30	14.5	0.05	0.02	0.10	0.12	76		
85	11.19	11.17	33.563	25.627	237.3	0.251	3.65	159.3	58.8	15.8	1.45	16.8	0.03	0.05	0.06	0.10	86	12	
100	10.54	10.53	33.641	25.802	221.0	0.286	3.28	143.1	52.1	19.4	1.65	19.9	0.03	0.02	0.03	0.09	101	11	
120	9.76	9.74	33.661	25.951	207.1	0.329	3.41	148.6	53.2	21.3	1.69	21.5	0.03	0.00	0.01	0.05	121	10	
125 ISL	9.79 D	9.78	33.724 D	25.995	203.0	0.342	3.19	0138.8 D	49.8	22.6	1.73	22.2	0.02	0.00	0.01	0.05	126		
140	9.12	9.11	33.810	26.172	186.4	0.368	3.19	139.1	49.1	26.3	1.85	24.4	0.02	0.02	0.01	0.05	141	09	
150 ISL	9.13 D	9.11	33.896 D	26.239	180.3	0.389	2.87	0124.8 D	44.2	27.5	1.89	25.0	0.02	0.00	0.01	0.05	151		
170	8.77	8.75	33.914	26.310	173.8	0.423	2.81	122.6	43.0	30.0	1.98	26.3	0.02	0.00	0.01	0.05	171	08	
200	8.41	8.39	33.965	26.406	165.2	0.474	2.63	114.7	39.9	34.0	2.07	28.1	0.02	0.00	0.00	0.04			

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	50.4 N	119 34.2 W	03/04/2016	0532	UTC	1793 m	330	17 kn												011
0	15.17	15.17	33.351	24.665	326.7	0.000	5.85	255.4	102.2	2.2	0.34	0.0	0.02	0.02	0.34	0.13	0			
3	15.17	15.17	33.351	24.665	326.8	0.010	5.85	255.4	102.2	2.2	0.34	0.0	0.02	0.02	0.34	0.13	3	20		
10	ISL	15.17 D	15.17	33.350 D	24.664	327.1	0.033	5.84	D254.5	D102.0	2.1	0.34	0.0	0.01	0.02	0.33	0.12	10		
11	15.17	15.17	33.352	24.666	326.9	0.036	5.81	253.8	101.5	2.1	0.34	0.0	0.01	0.02	0.32	0.11	11	19		
20	ISL	15.16 D	15.16	33.348 D	24.666	327.3	0.066	5.83	D254.2	D101.8	2.1	0.35	0.0	0.01	0.07	0.33	0.12	20		
25		15.15	15.14	33.349	24.670	327.1	0.082	5.82	253.8	101.5	2.1	0.35	0.0	0.01	0.09	0.34	0.13	25	18	
30	ISL	15.15 D	15.14	33.348 D	24.669	327.3	0.099	5.84	D254.4	D101.9	2.1	0.35	0.0	0.01	0.07	0.34	0.13	30		
40		15.11	15.10	33.348	24.678	326.7	0.131	5.82	254.0	101.5	2.0	0.34	0.0	0.00	0.02	0.34	0.14	40	17	
50	ISL	15.04 D	15.03	33.359 D	24.703	324.7	0.165	5.85	D254.9	D101.8	1.8	0.36	0.0	0.00	0.07	0.38	0.16	50		
51	15.05	15.04	33.358	24.701	325.0	0.167	5.83	254.3	101.5	1.8	0.36	0.0	0.00	0.08	0.38	0.16	51	16		
62		14.97	14.96	33.373	24.729	322.7	0.202	5.78	252.3	100.5	1.9	0.38	0.2	0.02	0.12	0.52	0.22	62	15	
75	ISL	13.03 D	13.02	33.374 D	25.132	284.4	0.243	4.73	D206.0	D79.0	7.3	0.84	7.6	0.05	0.02	0.28	0.18	76		
76	13.03	13.02	33.369	25.129	284.7	0.245	4.76	207.7	79.5	7.7	0.87	8.1	0.06	0.01	0.26	0.18	77	14		
88		11.65	11.64	33.409	25.422	256.9	0.277	4.28	186.7	69.5	12.2	1.18	13.0	0.04	0.01	0.12	0.14	89	13	
100		11.32	11.31	33.552	25.595	240.8	0.307	3.67	160.3	59.3	15.8	1.42	16.8	0.02	0.03	0.08	0.12	101	12	
112		10.76	10.75	33.596	25.730	228.2	0.335	3.43	149.6	54.7	18.2	1.57	19.3	0.02	0.09	0.12	0.12	113	11	
125		10.38	10.37	33.714	25.888	213.4	0.364	3.03	132.3	48.0	21.3	1.72	21.5	0.02	0.02	0.03	0.13	126	10	
141		10.25	10.24	33.882	26.042	199.2	0.397	2.68	116.9	42.3	25.0	1.92	23.9	0.02	0.06	0.02	0.09	142	9	
150	ISL	9.94 D	9.92	33.927 D	26.130	190.9	0.417	2.47	D107.3	D38.7	26.5	1.98	24.6	0.02	0.06	0.02	0.08	151		
170		9.88	9.86	34.043	26.233	181.6	0.452	2.04	89.0	32.0	29.7	2.12	26.3	0.02	0.06	0.01	0.07	171	8	
200		8.72	8.70	34.018	26.400	165.9	0.504	2.20	95.9	33.6	34.8	2.16	29.0	0.02	0.01	0.01	0.07	202	7	
230		8.70	8.67	34.164	26.519	155.3	0.552	1.55	67.5	23.6	39.8	2.39	30.5	0.01	0.00			232	6	
250	ISL	8.22 D	8.20	34.112 D	26.551	152.4	0.586	1.73	D75.4	D26.2	42.0	2.42	31.5	0.01	0.00			252		
272		8.04	8.01	34.127	26.590	149.1	0.615	1.53	66.7	23.0	44.5	2.46	32.6	0.01	0.01			274	5	
300	ISL	7.71 D	7.68	34.139 D	26.649	143.8	0.661	1.38	D59.9	D20.6	48.0	2.55	33.9	0.01	0.03			302		
320		7.54	7.51	34.151	26.683	140.8	0.685	1.25	54.3	18.5	50.5	2.62	34.8	0.01	0.04			323	4	
382		6.83	6.79	34.204	26.826	127.8	0.768	0.71	30.9	10.4	62.1	2.90	37.9	0.01	0.08			385	3	
400	ISL	6.82 D	6.78	34.210 D	26.832	127.6	0.797	0.71	D30.8	D10.4	64.4	2.94	38.5	0.01	0.00			403		
440		6.41	6.37	34.236	26.908	120.6	0.841	0.51	22.1	7.3	69.6	3.02	39.7	0.01	0.00			444	2	
500	ISL	6.09 D	6.04	34.277 D	26.981	114.3	0.919	0.37	D16.2	D5.4	76.0	3.12	40.8	0.01	0.00			504		
518		5.99	5.95	34.292	27.006	112.1	0.931	0.30	13.1	4.3	77.9	3.15	41.2	0.01	0.06			522	1	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD				
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	THETA	SV	DYN	HT	OXYGEN	OXYGEN	OXY	SIO3*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C				ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μM	μM	μM	μg/L	μg/L	db	
31	30.9 N	120 14.8 W	03/04/2016	1102	UTC	3967 m	320	09 kn												012
0	15.82	15.82	33.385	24.547	337.9	0.000	5.73	249.9	101.3	2.3	0.31	0.0	0.02	0.02	0.12	0.03	0			
2	15.82	15.82	33.385	24.548	337.9	0.007	5.73	249.9	101.3	2.3	0.31	0.0	0.02	0.02	0.12	0.03	2	20		
10	ISL	15.81 D	15.81	33.384 D	24.548	338.1	0.034	5.69	D248.1	D100.7	2.3	0.32	0.0	0.02	0.03	0.11	0.03	10		
11	15.82	15.81	33.385	24.549	338.1	0.037	5.70	248.9	100.9	2.3	0.32	0.0	0.02	0.03	0.11	0.03	11	19		
20	ISL	15.82 D	15.82	33.386 D	24.549	338.4	0.068	5.69	D248.0	D100.7	2.2	0.32	0.0	0.01	0.00	0.12	0.03	20		
25	15.81	15.81	33.395	24.559	337.6	0.085	5.71	249.0	100.9	2.2	0.32	0.0	0.01	0.00	0.12	0.03	25	18		
30	ISL	15.80 D	15.79	33.405 D	24.570	336.7	0.102	5.70	D248.4	D100.8	2.2	0.32	0.0	0.01	0.00	0.13	0.03	30		
40		15.78	15.77	33.415	24.582	336.0	0.135	5.71	249.1	100.9	2.2	0.32	0.0	0.01	0.00	0.15	0.04	40	17	
50	ISL	15.77 D	15.77	33.414 D	24.583	336.2	0.170	5.70	D248.2	D100.7	2.2	0.32	0.0	0.01	0.00	0.16	0.05	50		
51	15.77	15.77	33.415	24.584	336.1	0.172	5.70	248.9	100.9	2.2	0.32	0.0	0.01	0.00	0.16	0.05	51	16		
63		15.77	15.76	33.414	24.584	336.5	0.213	5.73	250.1	101.3	2.1	0.31	0.0	0.01	0.00	0.18	0.06	63	15	
75	ISL	15.73 D	15.72	33.418 D	24.598	335.6	0.255	5.66	D246.7	D100.0	2.2	0.33	0.0	0.03	0.00	0.31	0.10	76		
76		15.69	15.67	33.421	24.610	334.6	0.256	5.67	247.6	100.1	2.2	0.33	0.0	0.03	0.02	0.32	0.10	77	14	
86		15.14	15.12	33.397	24.713	325.0	0.289	5.56	242.6	97.0	2.6	0.39	0.5	0.17	0.05	0.43	0.16	87	13	
100	ISL	12.25 D	12.23	33.250 D	25.189	279.5	0.334	4.96	D215.9	D81.4	7.4	0.87	8.6	0.07	0.00	0.18	0.14	101		
101		12.18	12.17	33.249	25.200	278.5	0.334	4.84	211.3	79.4	7.7	0.90	9.1	0.06	0.00	0.16	0.14	102	12	
112		11.24	11.23	33.280	25.399	259.7	0.364	4.58	199.9	73.6	10.7	1.12	12.8	0.04	0.00	0.11	0.11	113	11	
125	ISL	10.28 D	10.27	33.372 D	25.638	237.0	0.399	4.30	D187.4	D67.8	14.1									

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
31 10.8 N	120 55.3 W	03/04/2016	1713	UTC	3859 m	330 12 kn	330 02 10	2	1021.0 mb	14.3 C	11.8 C	29 m	7/8	ST	013			
0	16.22	16.22	33.334	24.417	350.2	0.000	5.66	247.1	100.9	2.0	0.29	0.0	0.03	0.00	0.08	0.02	0	
2 A	16.22	16.22	33.334	24.418	350.3	0.007	5.66	247.1	100.9	2.0	0.29	0.0	0.03	0.00	0.08	0.02	2 24	
10	16.21	16.21	33.335	24.421	350.3	0.035	5.68	247.8	101.2	1.9	0.30	0.0	0.02	0.00	0.08	0.02	10 22	
10	16.21	16.21	33.335	24.421	350.2	0.036											10 23	
20 A	16.20	16.19	33.333	24.423	350.4	0.070	5.70	248.7	101.5	1.9	0.28	0.0	0.01	0.00	0.08	0.02	20 21	
26 A	16.20	16.19	33.334	24.425	350.5	0.091	5.68	247.9	101.2	1.9	0.29	0.0	0.01	0.00	0.08	0.02	26 20	
30 ISL	16.20 D	16.19	33.332 D	24.423	350.8	0.106	5.65	D246.1	D100.6	1.9	0.29	0.0	0.01	0.00	0.08	0.02	30	
38	16.18	16.18	33.332	24.427	350.7	0.133	5.66	247.3	100.9	1.9	0.29	0.0	0.01	0.00	0.09	0.02	38 19	
49 A	16.16	16.15	33.337	24.437	350.1	0.172	5.67	247.5	101.0	1.9	0.29	0.0	0.01	0.00	0.10	0.02	49 18	
50 ISL	16.16 D	16.15	33.329 D	24.431	350.8	0.177	5.65	D246.5	D100.7	1.9	0.29	0.0	0.01	0.00	0.10	0.02	50	
60	16.15	16.14	33.331	24.435	350.7	0.210	5.67	247.3	100.9	1.8	0.32	0.0	0.01	0.00	0.11	0.03	60 17	
70	16.14	16.13	33.333	24.440	350.6	0.245	5.67	247.4	100.9	1.8	0.32	0.0	0.01	0.05	0.12	0.03	71 16	
75 ISL	16.14 D	16.12	33.334 D	24.442	350.6	0.265	5.66	D246.9	D100.8	1.8	0.31	0.0	0.01	0.00	0.13	0.04	76	
82 A	16.09	16.08	33.333	24.451	350.0	0.287	5.67	247.7	100.9	1.8	0.29	0.0	0.01	0.00	0.15	0.04	83 15	
93	15.21	15.20	33.358	24.667	329.6	0.325	5.67	247.7	99.1	2.3	0.35	0.0	0.04	0.01	0.42	0.25	94 13	
93	15.21	15.20	33.361	24.670	329.4	0.324											94 14	
100 ISL	14.70 D	14.68	33.318 D	24.747	322.1	0.350	5.56	D242.4 D	96.2	2.8	0.40	0.8	0.13	0.01	0.36	0.23	101	
102 A	14.40	14.38	33.322	24.814	315.7	0.354	5.59	243.9	96.0	2.9	0.42	1.0	0.16	0.01	0.35	0.22	103 12	
114	12.96	12.94	33.245	25.048	293.5	0.390	5.31	231.7	88.5	4.6	0.61	4.1	0.17	0.01	0.26	0.23	115 11	
125	11.86	11.84	33.220	25.240	275.3	0.422	4.92	214.9	80.2	8.2	0.93	9.4	0.04	0.00	0.18	0.17	126 10	
141	10.65	10.63	33.293	25.514	249.3	0.464	4.58	200.1	72.8	12.3	1.20	14.2	0.02	0.00	0.11	0.12	142 09	
150 ISL	10.06 D	10.04	33.389 D	25.691	232.6	0.489	4.26	D185.6 D	66.8	14.8	1.33	16.4	0.02	0.00	0.08	0.09	151	
170	9.49	9.47	33.556	25.916	211.4	0.530	3.72	162.5	57.7	20.4	1.62	21.2	0.01	0.00	0.02	0.03	171 08	
200 ISL	8.98 D	8.96	33.821 D	26.205	184.5	0.594	3.15	D137.2 D	48.4	26.6	1.84	24.9	0.01	0.00	0.00	0.02	202	
201	8.95	8.92	33.819	26.209	184.1	0.591	3.16	138.0	48.5	26.9	1.85	25.1	0.01	0.03	0.00	0.02	203 07	
230	8.74	8.72	34.018	26.398	166.8	0.642	2.58	112.5	39.4	33.1	2.06	27.5	0.01				232 06	
250 ISL	8.45 D	8.43	34.036 D	26.457	161.5	0.680	2.41	D104.8 D	36.6	37.1	2.18	29.2	0.01				252	
271	8.00	7.97	34.064	26.547	153.1	0.708	2.02	88.0	30.3	41.4	2.31	31.1	0.02	0.00			273 05	
300 ISL	7.58 D	7.55	34.079 D	26.620	146.4	0.757	1.67	D72.7 D	24.9	46.7	2.47	33.2	0.01				302	
321	7.32	7.29	34.109	26.681	140.8	0.781	1.42	62.1	21.1	50.5	2.58	34.8	0.01				324 04	
381	6.73	6.69	34.163	26.806	129.6	0.862	0.82	35.9	12.0	61.2	2.86	37.8	0.01				384 03	
400 ISL	6.55 D	6.51	34.168 D	26.834	127.1	0.894	0.72	D31.5 D	10.5	64.4	2.92	38.6	0.01				403	
441	6.24	6.20	34.214	26.910	120.2	0.937	0.49	21.5	7.1	71.3	3.05	40.2	0.01	0.01			445 02	
500 ISL	5.85 D	5.81	34.249 D	26.989	113.2	1.015	0.34	D14.7 D	4.8	78.3	3.15	41.3	0.01	0.00			504	
516	5.80	5.75	34.259	27.004	112.0	1.024	0.31	13.7	4.5	80.2	3.18	41.7	0.02	0.00			520 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE	ORD			
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN $\mu\text{mol/Kg}$	OXY PCT	SI03* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A $\mu\text{g/L}$	PHAEAO $\mu\text{g/L}$	PRES db	SAMP
30 50.9 N	121 35.4 W	03/04/2016	2311	UTC	4123 m	320 11 kn	360 02 07	1	1019.4 mb	15.1 C	12.2 C	30 m	6/8	SC	014			
0	16.27	16.27	33.217	24.315	360.0	0.000	5.69	248.3	101.5	1.8	0.29	0.0	0.02	0.04	0.08	0.01	0	
2	16.27	16.27	33.217	24.315	360.1	0.007	5.69	248.3	101.5	1.8	0.29	0.0	0.02	0.04	0.08	0.01	2 20	
10	16.16	16.15	33.210	24.338	358.2	0.036	5.70	248.7	101.4	1.8	0.29	0.0	0.02	0.11	0.07	0.01	10 19	
20 ISL	16.05 D	16.05	33.200 D	24.354	357.0	0.072	5.69	D248.1	D101.1	1.8	0.30	0.0	0.02	0.09	0.08	0.02	20	
26	16.00	16.00	33.197	24.364	356.3	0.093	5.73	250.0	101.6	1.8	0.30	0.0	0.02	0.08	0.08	0.02	26 18	
30 ISL	16.00 D	15.99	33.194 D	24.362	356.6	0.108	5.70	D248.3	D101.0	1.8	0.30	0.0	0.02	0.08	0.08	0.02	30	
40	15.97	15.96	33.193	24.368	356.3	0.143	5.76	251.5	102.1	1.8	0.31	0.0	0.02	0.07	0.09	0.02	40 17	
50 ISL	15.91 D	15.90	33.189 D	24.379	355.7	0.180	5.72	D249.2	D101.2	1.8	0.29	0.0	0.02	0.00	0.11	0.03	50	
51	15.91	15.90	33.190	24.381	355.5	0.182	5.73	250.2	101.5	1.8	0.29	0.0	0.02	0.00	0.11	0.03	51 16	
63	15.40	15.39	33.179	24.486	345.8	0.224	5.79	252.9	101.5	1.8	0.31	0.0	0.02	0.04	0.18A	0.06A	63 15	
75 ISL	14.40 D	14.39	33.144 D	24.674	328.2	0.267	5.90	D257.0	D101.2	1.9	0.34	0.0	0.02	0.03	0.24	0.11	76	
76	14.34	14.33	33.139	24.684	327.3	0.268	5.89	257.0	100.9	1.9	0.34	0.0	0.02	0.03	0.25	0.11	77 14	
88	13.96	13.95	33.196	24.807	315.9	0.307	5.65	246.5	96.1	2.8	0.44	1.2	0.11	0.01	0.45	0.22	89 13	
100	12.25	12.24	33.201	25.151	283.2	0.343	5.26	229.8	86.4	5.1	0.67	5.1	0.07	0.00	0.30	0.17	101 12	
112	11.15	11.13	33.176	25.334	265.8	0.375	4.95	216.3	79.4	8.3	0.94	9.7	0.05	0.03	0.17	0.17	113 11	
125 ISL	10.73 D	10.72	33.245 D	25.462	253.9	0.412	4.55	D198.2 D	72.4	10.7	1.11	12.6	0.04	0.00	0.13	0.15	126	
126	10.67	10.66	33.229	25.460	254.1	0.412	4.71	205.7	74.8	10.9	1.12	12.8	0.04	0.00	0.13	0.15	127 10	
140	9.92																	

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
30 30.7 N	122 15.7 W	04/04/2016	0451	UTC	4191 m	360 11 kn				1021.8 mb	14.7 C	11.4 C					015	
0	16.74	16.74	33.271	24.250	366.2	0.000	5.61	244.8	100.9	2.7	0.26	0.0	0.02	0.01	0.05	0.01	0	
2	16.74	16.74	33.271	24.250	366.3	0.007	5.61	244.8	100.9	2.7	0.26	0.0	0.02	0.01	0.05	0.01	2 21	
10 ISL	16.72 D	16.72 D	33.265 D	24.250	366.5	0.037	5.61	244.2	100.8	2.0	0.26	0.0	0.02	0.00	0.05	0.01	10	
11	16.72	16.72	33.266	24.250	366.6	0.040	5.61	245.0	101.0	1.9	0.26	0.0	0.02	0.00	0.05	0.01	11 20	
20	16.73	16.72	33.276	24.257	366.2	0.073	5.61	245.1	101.1	1.8	0.27	0.0	0.02	0.17	0.05	0.01	20 19	
30 ISL	16.69 D	16.68 D	33.261 D	24.256	366.8	0.111	5.61	244.4	100.8	1.8	0.27	0.0	0.02	0.09	0.06	0.01	30	
40	16.71	16.71	33.266	24.254	367.3	0.147	5.62	245.4	101.1	1.8	0.27	0.0	0.02	0.01	0.07	0.01	40 18	
50 ISL	16.67 D	16.96 D	33.371 D	24.277	365.5	0.185	5.57	242.9	100.8	1.8	0.27	0.0	0.01	0.00	0.10	0.02	50	
61	16.88	16.87	33.402	24.322	361.6	0.224	5.58	243.8	100.9	1.8	0.26	0.0	0.01	0.00	0.13	0.03	61 17	
75 ISL	16.60 D	16.59 D	33.377 D	24.368	357.7	0.276	5.62	245.2	101.0	1.9	0.27	0.0	0.01	0.00	0.15	0.06	76	
80	16.63	16.62	33.378	24.362	358.4	0.292	5.60	244.4	100.6	2.0	0.27	0.0	0.01	0.00	0.15	0.06	81 16	
100	15.27	15.25	33.237	24.562	359.9	0.362	5.65	246.7	98.8	2.3	0.33	0.0	0.03	0.01	0.27	0.23	101 15	
110	14.20	14.19	33.170	24.739	323.1	0.395	5.52	241.2	94.5	3.2	0.45	1.3	0.09	0.02	0.31	0.26	111 14	
120	13.41	13.40	33.199	24.923	305.8	0.426	5.34	233.2	89.9	4.5	0.58	3.4	0.07	0.23	0.29	0.21	121 13	
125 ISL	12.78 D	12.77 D	33.196 D	25.045	294.1	0.444	5.38	234.3 D	89.3	5.2	0.64	4.4	0.06	0.00	0.25	0.23	126	
131	12.53	12.52	33.191	25.090	289.9	0.459	5.20	227.2	85.9	6.0	0.72	5.6	0.05	0.00	0.19	0.24	132 12	
140	11.61	11.59	33.192	25.265	273.2	0.484	5.08	221.9	82.3	7.3	0.86	7.7	0.04	0.00	0.17	0.23	141 11	
150	10.93	10.91	33.258	25.439	256.8	0.510	4.91	214.6	78.4	9.4	1.03	10.3	0.03	0.02	0.12	0.15	151 10	
160	10.37	10.35	33.348	25.606	241.0	0.535	4.61	201.3	72.8	12.8	1.27	14.0	0.02	0.00	0.06	0.07	161 09	
175	9.74	9.72	33.500	25.831	219.8	0.570	4.22	184.2	65.7	16.7	1.47	17.3	0.02	0.00	0.02	0.03	176 08	
195	9.10	9.08	33.746	26.127	191.9	0.611	3.61	157.5	55.5	23.5	1.78	21.9	0.01	0.05	0.00	0.02	196 07	
200 ISL	9.05 D	9.03	33.774 D	26.157	189.1	0.624	3.56	155.1 D	54.8	24.6	1.82	22.5	0.01	0.00			202	
230	8.49	8.46	33.929	26.367	169.5	0.674	3.03	132.2	46.0	31.1	2.03	25.9	0.01	0.00			232 06	
250 ISL	8.33 D	8.31	33.959 D	26.414	165.4	0.712	2.90	126.0 D	43.8	33.7	2.12	27.1	0.01	0.00			252	
270	8.01	7.98	33.987	26.485	158.9	0.740	2.61	114.0	39.2	36.3	2.21	28.3	0.01	0.00			272 05	
300 ISL	7.60 D	7.57	34.042 D	26.589	149.4	0.791	2.02	87.8 D	30.1	43.5	2.44	31.0	0.01	0.00			302	
320	7.25	7.22	34.038	26.635	145.1	0.816	1.83	80.0	27.1	48.3	2.60	32.8	0.01	0.06			323 04	
380	6.72	6.68	34.125	26.777	132.3	0.900	0.94	41.2	13.8	59.6	2.97	36.7	0.01	0.00			383 03	
400 ISL	6.54 D	6.51	34.140 D	26.812	129.1	0.931	0.83	35.1 D	11.8	63.1	3.03	37.4	0.01	0.00			403	
442	6.14	6.10	34.170	26.889	122.1	0.978	0.62	26.9	8.9	70.4	3.17	38.9	0.01	0.00			446 02	
500 ISL	5.77 D	5.73	34.218 D	26.973	114.6	1.054	0.42	18.4 D	6.1	77.9	3.28	40.1	0.01	0.00			504	
521	5.60	5.55	34.223	27.000	112.2	1.071	0.39	17.2	5.6	80.6	3.32	40.6	0.01	0.00			525 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH m	TEMP DEG C	POTTEMP DEG C	SALINITY	SIGMA THETA	SVA	DYN HT	OXYGEN ml/L	OXYGEN μmol/Kg	OXY PCT	S103* μM	P04* μM	N03* μM	N02* μM	NH4* μM	CHL-A μg/L	PHAEAO μg/L	PRES db	SAMP
30 10.8 N	122 55.4 W	04/04/2016	1016	UTC	3772 m	360 10 kn				1021.4 mb	14.7 C	11.3 C					016	
0	16.64	16.64	33.239	24.249	366.3	0.000	5.67	247.5	101.8	2.1	0.24	0.0	0.01	0.06	0.01	0		
2	16.64	16.64	33.239	24.249	366.4	0.007	5.62	245.0	100.9	2.1	0.24	0.0	0.01	0.06	0.01	2 20		
10 ISL	16.63 D	16.63 D	33.236 D	24.248	366.8	0.033	5.62	244.8	100.9	2.0	0.25	0.0	0.01	0.06	0.01	10		
11	16.64	16.64	33.237	24.248	366.8	0.040	5.63	245.8	101.1	2.0	0.25	0.0	0.01	0.05	0.01	11 19		
20 ISL	16.64 D	16.63 D	33.236 D	24.248	367.1	0.070	5.62	244.9	100.9	2.0	0.24	0.0	0.01	0.06	0.01	20 18		
26	16.61	16.60	33.239	24.257	366.5	0.095	5.63	246.0	101.1	1.9	0.24	0.0	0.01	0.06	0.01	26 18		
30 ISL	16.57 D	16.57 D	33.229 D	24.259	366.5	0.107	5.63	245.4	101.0	1.9	0.24	0.0	0.01	0.06	0.01	30		
40	16.52	16.51	33.222	24.266	366.1	0.147	5.65	246.6	101.2	1.9	0.25	0.0	0.01	0.06	0.01	40 17		
50 ISL	16.48 D	16.47 D	33.217 D	24.273	365.8	0.181	5.64	245.8	101.0	2.0	0.25	0.0	0.01	0.06	0.02	50		
51	16.47	16.46	33.218	24.275	365.7	0.187	5.65	246.7	101.1	2.0	0.25	0.0	0.02	0.06	0.02	51 16		
62	16.45	16.44	33.216	24.278	365.8	0.227	5.67	247.7	101.5	2.0	0.25	0.0	0.02	0.01	0.09	0.02	62 15	
75 ISL	16.20 D	16.19 D	33.175 D	24.306	363.6	0.273	5.68	247.6	101.1	1.9	0.26	0.0	0.01	0.06	0.04	76		
76	16.14	16.13	33.175	24.318	362.4	0.278	5.68	248.2	101.0	1.9	0.26	0.0	0.01	0.06	0.04	77 14		
88	15.45	15.43	33.096	24.413	353.6	0.321	5.74	250.7	100.6	1.9	0.27	0.0	0.01	0.06	0.07	89 13		
100 ISL	14.82 D	14.80 D	33.142 D	24.586	337.4	0.362	5.73	249.6	99.1	2.3	0.30	0.0	0.02	0.00	0.27	0.23	101	
102	14.91	14.90	33.213 D	24.621	334.3	0.368	5.70	248.8	98.9	2.3	0.31	0.0	0.02	0.00	0.29	0.26	103 12	
114	13.93	13.92	33.181	24.803	317.1	0.408	5.52	240.9	93.8	3.2	0.46	1.5	0.14	0.00	0.29	0.32	115 11	
125 ISL	12.88 D	12.87 D	33.170 D	25.005	297.9	0.442	5.31	231.5 D	88.4	5.3	0.69	4.9	0.06	0.00	0.19	0.24	126	
126	12.75	12.73	33.172	25.034	295.2	0.445	5.26	229.5	87.2	5.5	0.71	5.2	0.06	0.00	0.18	0.23	127 10	
141	11.93	11.92	33.248	25.248	275.0	0.488	5.04	220.2	82.3	7.5	0.86	7.9	0.04	0.00	0.13	0.18	142 09	
150 ISL	11.11 D	11.10 D	33.325 D	25.458	255.1	0.512	4.81	209.4 D	77.1	9.5	1.01	10.1	0.04	0.00	0.10	0.14	151	
171	10.05	10.03	33.387	25.691	233.1	0.563	4.49	196.0	70.4	14.1	1.36	15.4	0.02</td					

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 120.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
29 50.9 N	123 35.5 W	04/04/2016	1616	UTC	4082 m	020	20 kn	010	03	07	1	1023.5 mb	15.9 c	12.8 c	27 m	5/8	SC 017		
0	17.52	17.52	33.572	24.296	361.8	0.000		5.55	242.4	101.7	2.0	0.25	0.0	0.02	0.00	0.07	0.01	0	
3 A	17.52	17.52	33.572	24.296	361.9	0.011		5.55	242.4	101.7	2.0	0.25	0.0	0.02	0.00	0.07	0.01	3 24	
10 ISL	17.52 D	17.52	33.570 D	24.295	362.3	0.031		5.55	0241.8	0101.6	2.0	0.26	0.0	0.01	0.00	0.07	0.01	10	
18 A	17.52	17.52	33.571	24.296	362.5	0.065		5.54	241.7	101.4	2.0	0.27	0.0	0.01	0.00	0.06	0.02	18 22	
18	17.52	17.52	33.571	24.296	362.5	0.064												18 23	
20 ISL	17.52 D	17.52	33.570 D	24.295	362.6	0.067		5.55	0241.9	0101.6	1.9	0.28	0.0	0.01	0.00	0.06	0.01	20	
23 A	17.52	17.52	33.571	24.296	362.7	0.083		5.54	241.9	101.5	1.9	0.29	0.0	0.01	0.00	0.06	0.01	23 21	
30 ISL	17.52 D	17.52	33.570 D	24.296	363.0	0.104		5.55	0241.8	0101.6	1.9	0.28	0.0	0.01	0.00	0.07	0.02	30	
34	17.52	17.52	33.571	24.297	363.0	0.123		5.55	242.5	101.7	1.9	0.27	0.0	0.01	0.00	0.07	0.02	34 20	
43 A	17.52	17.52	33.571	24.298	363.3	0.156		5.51	240.6	100.9	1.9	0.26	0.0	0.01	0.00	0.07	0.02	43 19	
50 ISL	17.51 D	17.50	33.568 D	24.298	363.5	0.177		5.55	0242.1	0101.7	1.9	0.26	0.0	0.01	0.00	0.07	0.02	50	
58	17.52	17.51	33.572	24.301	363.5	0.210		5.53	241.2	101.2	1.9	0.25	0.0	0.01	0.00	0.08	0.02	58 18	
73 A	17.51	17.50	33.572	24.303	364.0	0.265		5.52	240.9	101.0	1.9	0.27	0.0	0.01	0.00	0.10	0.03	74 17	
75 ISL	17.52 D	17.50	33.571 D	24.302	364.1	0.269		5.53	0242.1	0101.7	1.9	0.27	0.0	0.01	0.00	0.10	0.03	76	
83	17.52	17.51	33.576	24.306	364.1	0.301		5.53	241.4	101.2	1.9	0.27	0.0	0.01	0.01	0.10	0.03	84 16	
92 A	17.58	17.57	33.603	24.312	363.9	0.334		5.54	241.9	101.6	2.0	0.27	0.0	0.02	0.00	0.15	0.04	93 15	
99	17.53	17.51	33.646	24.359	359.6	0.360		5.53	242.1	101.2	2.0	0.26	0.0	0.01	0.00	0.16	0.06	100 14	
100 ISL	17.51 D	17.50	33.638 D	24.356	359.9	0.360		5.53	0241.0	0101.2	2.0	0.26	0.0	0.01	0.00	0.16	0.06	101	
106	17.41	17.39	33.632	24.378	358.1	0.385		5.50	240.1	100.5	2.0	0.25	0.0	0.02	0.00	0.16	0.08	107 13	
116	16.85	16.83	33.627	24.507	346.1	0.420		5.43	237.0	98.1	2.3	0.28	0.0	0.02	0.00	0.22	0.20	117 12	
125 ISL	15.97 D	15.95	33.526 D	24.631	334.3	0.448		5.43	0236.8 D	96.5	2.8	0.33	0.4	0.06	0.00	0.25	0.25	126	
125	15.97	15.95	33.542	24.643	333.1	0.451												11	
126	15.96	15.94	33.536	24.642	333.3	0.454		5.40	235.9	95.9	2.9	0.34	0.4	0.07	0.02	0.26	0.26	127 10	
141	13.10	13.08	33.332	25.088	290.5	0.501		5.18	226.0	86.6	5.4	0.61	4.3	0.08	0.02	0.23	0.24	142 09	
150 ISL	12.67 D	12.65	33.418 D	25.241	276.2	0.524		4.98	0216.7 D	82.5	7.1	0.76	6.7	0.06	0.00	0.18	0.20	151	
166	11.33	11.31	33.447	25.515	250.1	0.569		4.61	201.3	74.3	10.2	1.02	11.0	0.03	0.00	0.09	0.12	167 08	
196	9.79	9.76	33.667	25.955	208.5	0.637		3.97	173.4	62.0	18.6	1.48	18.4	0.02	0.00	0.01	0.02	197 07	
200 ISL	9.78 D	9.75	33.678 D	25.965	207.6	0.644		3.93	0217.1 D	61.4	19.2	1.50	18.8	0.02	0.00			202	
231	9.08	9.06	33.836	26.202	185.6	0.707		3.73	164.3	57.9	23.8	1.63	21.5	0.02	0.00			233 06	
250 ISL	8.73 D	8.71	33.929 D	26.330	173.6	0.740		3.58	0255.7 D	54.6	27.5	1.76	23.3	0.02	0.00			252	
271	8.47	8.44	33.962	26.396	167.6	0.777		3.15	137.6	47.9	31.6	1.91	25.3	0.02	0.00			273 05	
300 ISL	8.00 D	7.97	34.011 D	26.506	157.5	0.824		2.66	0215.9 D	40.0	37.7	2.12	28.1	0.02	0.00			302	
321	7.67	7.64	34.019	26.561	152.4	0.857		2.32	101.4	34.6	42.2	2.27	30.1	0.02	0.00			323 04	
381	6.90	6.87	34.082	26.719	138.0	0.944		1.42	62.1	20.9	55.5	2.69	34.8	0.02	0.11			384 03	
400 ISL	6.75 D	6.72	34.096 D	26.750	135.1	0.970		1.29	055.9 D	18.8	58.6	2.76	35.7	0.02	0.00			403	
440	6.39	6.35	34.132	26.827	128.2	1.023		0.93	40.7	13.5	65.2	2.91	37.5	0.02	0.00			444 02	
500 ISL	6.05 D	6.01	34.185 D	26.914	120.6	1.099		0.64	27.9 D	9.2	72.9	3.05	38.9	0.02	0.00			504	
515	5.94	5.90	34.199	26.939	118.3	1.115		0.56	24.5	8.1	74.8	3.08	39.3	0.02	0.00			519 01	

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.4 26.4

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN	HT	OXYGEN	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	PRES	SAMP
m	DEG C	DEG C	THETA			ml/L	μmol/Kg	ml/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
32 57.1 N	117 17.3 W	01/04/2016	2144	UTC	26 m	250	07 kn	270	01	06	1	1019.3 mb	17.5 c	13.9 c	1/8	CU	002		
0	16.79	16.79	33.549	24.451	347.0	0.000		6.01	262.5	108.6	2.5	0.35	0.1	0.03	2.10	0.62	0.14	0	
1	16.79	16.79	33.549	24.451	347.0	0.004		6.01	262.5	108.5	2.5	0.35	0.1	0.03	2.10	0.62	0.14	1 05	
6	16.62	16.62	33.546	24.490	343.6	0.021		6.00	262.1	108.0	2.5	0.44	0.1	0.03	3.37	0.71	0.17	6 04	
10 ISL	16.44 D	16.44	33.541 D	24.526	340.3	0.035		6.07	0264.5 D	108.8	2.4	0.38	0.0	0.03	1.83	0.87	0.28	10	
11	16.43	16.42	33.549	24.536	339.3	0.038		6.03	263.3	108.1	2.4	0.37	0.0	0.03	1.44	0.91	0.31	11 03	
16	15.59	15.59	33.534	24.713	322.6	0.054		5.77	251.9	101.7	3.3	0.42	0.8	0.15	0.37	1.65	0.66	16 02	
20	14.72	14.71	33.508	24.885	306.4	0.067		4.82	210.3	83.4	6.9	0.87	6.0	0.72	2.81	1.51	0.83	20 01	

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

PRIMARY PRODUCTIVITY CASTS

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 43.2 N	121 33.0 W	13/04/2016	1839 UTC	17 m	1210 - 1905 PST	1207 PST	1906 PST	425.1 mg C/m ²	065

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	14.54	32.901	24.453	6.09	104.8						0.34	0.08	83. A	9.4	9.3	9.4	0.37
12	14.52	32.900	24.456	6.13	105.3	2.0	0.29	0.0	0.02	0.04	0.31	0.09	34.	9.3	11.7	10.5	0.41
16	14.50	32.900	24.462	6.10	104.8	1.8	0.32	0.0	0.01	0.12	0.32	0.14	24.	10.2	10.7	10.5	0.42
23	14.42	32.903	24.482	6.11	104.8	1.7	0.29	0.0	0.01	0.01	0.32	0.14					
29	14.25	32.925	24.534	6.03	103.0	1.7	0.31	0.0	0.02	0.03	0.52	0.09	7.3	10.9	9.7	10.3	0.43
38	13.77	32.986	24.682	5.89	99.7	1.8	0.34	0.0	0.07	0.01	0.88	0.30					
48	13.44	33.065	24.810	5.99	100.8	2.1	0.45	0.3	0.08	1.03	0.33	0.15	1.3	1.9	1.7	1.8	0.35
60	12.03	33.069	25.087	5.20	84.9	6.1	0.73	6.7	0.11	0.00	0.22	0.21	0.44	0.70	0.69	0.70	0.12

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 76.7 100.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
33 23.2 N	124 19.5 W	14/04/2016	1741 UTC	27 m	1217 - 1915 PST	1217 PST	1911 PST	78.4 mg C/m ²	069

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	16.36	33.232	24.307	5.66	101.2	1.6	0.22	0.0	0.01	0.06	0.06	0.02	89. A	1.2	1.1	1.1	0.38
10	16.36	33.232	24.308	5.66	101.2	1.8	0.24	0.0	0.01	0.05	0.06	0.02					
19	16.36	33.232	24.310	5.69	101.6	1.6	0.23	0.0	0.01	0.00	0.06	0.02	34.	1.1	1.2	1.2	0.36
24	16.35	33.235	24.312	5.68	101.4	1.5	0.23	0.0	0.01	0.03	0.07	0.02	26.	1.3	1.4	1.4	0.30
34	16.35	33.232	24.311	5.69	101.7	1.5	0.22	0.0	0.01	0.00	0.07	0.02					
43	16.29	33.227	24.322	5.68	101.3	1.5	0.22	0.0	0.01	0.00	0.07	0.02	8.7	1.1	0.95	1.0	0.35
56	16.26	33.226	24.328	5.68	101.2	1.5	0.22	0.0	0.01	0.00	0.09	0.02					
66	16.22	33.231	24.342	5.70	101.5	1.5	0.21	0.0	0.01	0.00	0.10	0.02					
76	16.18	33.240	24.360	5.68	101.1	1.5	0.23	0.0	0.01	0.00	0.14	0.03	1.3	0.33	0.24	0.29	0.35
86	16.09	33.294	24.422	5.69	101.1	1.6	0.22	0.0	0.01	0.00	0.19	0.06					
94	16.01	33.484	24.586	5.56	98.8	2.2	0.21	0.0	0.01	0.00	0.32	0.28	0.48	0.39	0.42	0.40	0.18

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 81.8 46.9

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
34 16.4 N	120 1.7 W	12/04/2016	1845 UTC	10 m	1205 - 1858 PST	1201 PST	1858 PST	1184.2 mg C/m ²	058

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	13.43	33.477	25.128	6.94	117.1	0.7	0.32	0.6	0.07	0.24	2.80	0.92	74. A	48.4	47.1	47.8	1.2
8	13.32	33.476	25.150	6.95	116.9	0.3	0.31	0.4	0.07	0.14	2.43	1.16	29.	90.0	84.9	87.4	1.2
9	13.27	33.479	25.162	6.92	116.4	0.3	0.33	0.6	0.07	0.22	2.46	1.31	25.	79.1	80.7	79.9	1.1
16	12.14	33.601	25.477	5.49	90.1	6.9	1.05	9.0	0.21	1.55	3.43	1.64	8.6	26.6	24.5	25.5	0.58
28	11.79	33.661	25.591	4.84	78.9	11.1	1.34	11.8	0.26	2.41	1.93	1.97	1.4	7.5	7.0	7.3	0.44
35	11.52	33.691	25.665	4.43	71.9	14.2	1.49	14.1	0.30	2.28	1.67	1.95	0.46	2.3	2.3	2.3	0.39

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 83.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 54.6 N	122 7.7 W	11/04/2016	1718 UTC	21 m	1205 - 1900 PST	1209 PST	1857 PST	382.0 mg C/m ²	053

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	16.07	33.206	24.353	5.76	102.4	1.9	0.31	0.0	0.00	0.00	0.21	0.04	86. A	5.5	5.8	5.6	0.29
11	15.45	33.236	24.516	5.88	103.2	1.9	0.32	0.0	0.01	0.00	0.23	0.05					
14	15.31	33.222	24.537	5.88	102.8	2.1	0.32	0.0	0.01	0.00	0.22	0.05	36.	5.3	5.2	5.3	0.40
19	15.29	33.222	24.541	5.87	102.7	2.1	0.32	0.0	0.00	0.00	0.25	0.05	25.	7.0	7.1	7.0	0.26
36	15.18	33.237	24.576	5.89	102.7	2.0	0.32	0.0	0.00	0.00	0.29	0.09	7.2	6.4	6.2	6.3	0.35
47	15.05	33.241	24.608	5.86	102.1	2.1	0.33	0.0	0.00	0.00	0.42	0.13					
59	14.85	33.254	24.663	5.86	101.5	2.3	0.35	0.0	0.01	0.00	0.69	0.27	1.3	4.1	4.0	4.0	0.37
66	14.71	33.288	24.720	5.84	100.9	2.4	0.38	0.0	0.05	0.01	1.21	0.48					
73	14.84	33.376	24.761	5.96	103.3	1.4	0.38	0.0	0.02	0.09	0.76	0.30	0.48	1.8	2.2	2.0	0.02

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 86.7 40.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
33 39.3 N	118 58.6 W	08/04/2016	1856 UTC	17 m	1200 - 1910 PST	1158 PST	1850 PST	458.0 mg C/m ²	040

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.97	33.536	24.629	6.12	108.8	0.2	0.27	0.0	0.01	0.03	0.48	0.12	83. A	16.0	16.7	16.4	0.42
12	15.25	33.526	24.783	6.08	106.5	0.8	0.35	0.0	0.02	0.08	0.69	0.23	34.	17.6	14.1	15.9	0.37
15	15.07	33.524	24.821	6.00	104.7	0.8	0.36	0.0	0.02	0.08	0.74	0.25	26.	17.9	18.2	18.1	0.37
22	14.39	33.512	24.959	5.75	99.0	2.1	0.50	1.3	0.11	0.27	0.95	0.33					
28	13.22	33.499	25.189	4.59	77.2	8.8	1.01	9.0	0.24	0.26	0.54	0.23	8.0	4.9	4.9	4.9	0.27
38	12.29	33.507	25.377	3.97	65.3	11.7	1.22	12.4	0.18	0.08	0.42	0.31					
48	12.04	33.519	25.435	3.83	62.7	12.8	1.29	13.7	0.14	0.00	0.34	0.28	1.3	0.87	0.80	0.84	0.26
60	11.66	33.561	25.539	3.58	58.2	14.5	1.39	15.2	0.11	0.00	0.29	0.30	0.44	0.33	0.38	0.35	0.21

RV BELL M SHIMADA CALCOFI CRUISE 1604 STATION 86.7 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 39.2 N	121 2.1 W	09/04/2016	1705 UTC	21 m	1205 - 1900 PST	1205 PST	1900 PST	281.8 mg C/m ²	045

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.78	33.137	24.366	5.78	102.0	2.1	0.30	0.0	0.01	0.01	0.18	0.03	86. A	6.2	5.9	6.1	0.32
9	15.75	33.140	24.374	5.78	102.0	2.0	0.30	0.0	0.00	0.24	0.18	0.05					
15	15.70	33.145	24.390	5.79	102.0	2.0	0.29	0.0	0.00	0.00	0.21	0.06	33.	5.2	4.9	5.1	0.25
19	15.23	33.161	24.507	5.86	102.4	1.9	0.31	0.0	0.00	0.01	0.21	0.04	25.	4.4	4.8	4.6	0.32
27	14.98	33.190	24.583	5.91	102.6	1.9	0.32	0.0	0.00	0.00	0.31	0.07					
36	14.76	33.216	24.652	5.89	101.9	2.1	0.34	0.0	0.00	0.00	0.48	0.27	7.2	6.3	5.9	6.1	0.33
48	13.97	33.246	24.841	5.75	97.9	3.3	0.45	0.9	0.13	0.06	1.02	0.55					
60	12.85	33.281	25.096	5.11	85.0	6.1	0.74	6.2	0.06	0.00	0.29	0.25	1.2	0.67	0.66	0.67	0.32
73	12.09	33.351	25.296	4.61	75.5	9.7	1.03	10.9	0.03	0.00	0.11	0.11	0.48	0.36	0.28	0.32	0.00

RV BELL M SHIMADA CALCOFI CRUISE 1604 STATION 86.7 110.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
31 19.4 N	123 44.7 W	10/04/2016	1639 UTC	33 m	1210 - 1908 PST	1216 PST	1908 PST	297.6 mg C/m ²	049

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	16.61	33.274	24.283	5.63	101.1	1.9	0.28	0.0	0.01	0.02	0.07	0.01	91. A	1.7	1.6	1.7	0.23
12	16.52	33.258	24.290	5.63	100.9	1.9	0.24	0.0	0.00	0.00	0.08	0.01					
22	16.48	33.254	24.297	5.65	101.3	1.9	0.24	0.0	0.00	0.00	0.08	0.01	36.	1.9	2.0	2.0	0.19
30	15.64	33.147	24.406	5.74	101.0	1.9	0.27	0.0	0.00	0.00	0.11	0.01	25.	2.7	2.8	2.7	0.21
37	15.45	33.093	24.408	5.83	102.3	1.9	0.29	0.0	0.00	0.00	0.15	0.01					
45	15.39	33.086	24.416	5.82	101.9	1.9	0.29	0.0	0.00	0.00	0.15	0.04					
54	15.35	33.085	24.424	5.82	101.8	1.9	0.29	0.0	0.00	0.01	0.24	0.05	8.1	3.9	4.1	4.0	0.23
80	14.88	33.095	24.536	5.84	101.3	2.0	0.30	0.0	0.00	0.00	0.34	0.17					
93	14.66	33.095	24.583	5.81	100.2	2.1	0.34	0.0	0.04	0.11	0.44	0.24	1.3	2.5	2.2	2.4	0.20
104	14.47	33.344	24.815	5.43	93.5	3.4	0.38	1.4	0.08	0.00	0.31	0.22					
115	12.89	33.219	25.041	5.27	87.7	5.1	0.67	5.1	0.03	0.01	0.15	0.16	0.48	0.77	0.59	0.68	0.01

RV BELL M SHIMADA CALCOFI CRUISE 1604 STATION 90.0 28.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
33 29.1 N	117 46.8 W	07/04/2016	1615 UTC	11 m	1200 - 1845 PST	1200 PST	1843 PST	907.2 mg C/m ²	031

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
1	16.45	33.542	24.524	6.26	112.3	3.1	0.31	0.0	0.06	0.00	0.92	0.21	87. A	37.5	33.8	35.7	0.60
8	16.23	33.542	24.577	6.28	112.2	3.3	0.32	0.0	0.06	0.00	1.05	0.27	33.	31.9	42.5	37.2	0.50
11	15.27	33.537	24.786	6.27	109.8	3.5	0.37	0.0	0.08	0.00	1.78	0.52	22.	60.4	65.0	62.7	0.60
18	13.98	33.513	25.044	5.38	91.9	4.8	0.74	3.8	0.62	1.45	2.04	0.58	8.1	24.5	22.2	23.3	0.51
24	13.25	33.525	25.202	4.62	77.7	8.0	0.98	7.7	0.82	0.85	1.21	0.55					
31	12.22	33.548	25.423	3.66	60.2	13.3	1.35	14.0	0.69	0.17	0.45	0.36	1.3	0.67	1.5	1.1	0.44
39	11.61	33.596	25.573	3.27	53.2	15.6	1.53	16.8	0.45	0.06	0.24	0.36	0.43	0.46	0.46	0.46	0.11

RV BELL M SHIMADA CALCOFI CRUISE 1604 STATION 90.0 53.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 39.1 N	119 29.1 W	06/04/2016	1625 UTC	27 m	1200 - 1845 PST	1200 PST	1843 PST	300.9 mg C/m ²	025

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
3	15.87	33.415	24.559	5.72	101.3	2.4	0.33	0.0	0.02	0.03	0.15	0.04	84. A	4.9	4.8	4.9	0.30
11	15.62	33.396	24.602	5.74	101.2	2.3	0.34	0.0	0.02	0.00	0.13	0.04					
19	15.51	33.396	24.627	5.76	101.3	2.3	0.33	0.0	0.02	0.00	0.14	0.04	34.	3.5	3.5	3.5	0.25
24	15.48	33.398	24.633	5.75	101.1	2.3	0.34	0.0	0.02	0.02	0.17	0.05	26.	4.1	4.3	4.2	0.23
34	15.42	33.420	24.666	5.77	101.4	2.3	0.33	0.0	0.02	0.00	0.24	0.05					
45	15.36	33.435	24.691	5.75	100.9	2.3	0.35	0.0	0.02	0.00	0.34	0.15	7.7	5.0	4.8	4.9	0.27
55	15.32	33.429	24.696	5.73	100.4	2.4	0.35	0.0	0.03	0.02	0.46	0.15					
66	14.44	33.408	24.869	5.37	92.4	4.3	0.55	2.8	0.19	0.02	0.42	0.20					
76	14.17	33.402	24.923	5.31	90.9	4.5	0.58	3.2	0.17	0.00	0.35	0.19	1.3	1.0	1.1	1.1	0.25
86	12.99	33.339	25.114	4.86	81.2	7.3	0.84	7.6	0.06	0.07	0.20	0.12					
94	12.23	33.395	25.304	4.42	72.6	10.3	1.07	11.2	0.04	0.00	0.06	0.07	0.48	0.24	0.20	0.22	0.01

RV BELL M SHIMADA CALCOFI CRUISE 1604 STATION 90.0 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
31 25.0 N	121 59.5 W	05/04/2016	1746 UTC	24 m	1210 - 0855 PST	1210 PST	1853 PST	224.3 mg C/m ²	021

DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAEAO	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C	THETA	ml/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	μg/L	PCT	1	2	MEAN	DARK
2	15.64	33.282	24.508	5.76	101.6	2.2	0.32	0.0	0.01	0.05	0.16	0.04	88. A	2.8	2.8	2.8	0.25
11	15.64	33.282	24.509	5.77	101.7						0.16	0.04					
16	15.64	33.283	24.511	5.78	101.8	2.2	0.32	0.0	0.01	0.11	0.16	0.04	36.	2.4	2.4	2.4	1.1
21	15.63	33.282	24.511	5.77	101.6	2.2	0.31	0.0	0.01	0.04	0.16	0.04	26.	3.7	3.8	3.8	0.29
30	15.57	33.275	24.520	5.75	101.2	2.4	0.32	0.1	0.02	0.14	0.17	0.04					
40	15.55	33.272	24.523	5.76	101.3	2.2	0.32	0.0	0.01	0.06	0.18	0.06	7.7	3.5	3.3	3.4	0.24
48	15.54	33.269	24.524	5.77	101.4	2.1	0.32	0.0	0.01	0.03	0.20	0.06					
60	15.45	33.301	24.569	5.75	101.0	2.2	0.32	0.0	0.01	0.02	0.34	0.12					
69	15.36	33.280	24.572	5.77	101.1	2.1	0.33	0.0	0.01	0.03	0.40	0.16	1.2	1.8	1.7	1.8	0.36
75	15.29	33.274	24.585	5.80	101.4	2.2	0.33	0.0	0.02	0.03	0.45	0.23					
84	14.93	33.304	24.687	5.68	98.6	2.6	0.37	0.3	0.08	0.04	0.60	0.40	0.46	1.3	1.4	1.4	0.04

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 26.7

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 57.3 N	117 18.3 W	01/04/2016	1957 UTC	10 m	1240 - 1850 PST	1153 PST	1835 PST	376.4 mg C/m ²	001

DEPTH m	TEMP DEG C	SALINITY THETA	SIGMA	OXYGEN ml/L	OXY PCT	SI03*	PO4*	NO3*	NO2*	NH4*	CHL-A µM	PHAE0 µg/L	LIGHT PCT	UPTAKE (mg C/m3)				
														1	2	MEAN	DARK	
2	16.29	33.551	24.569	5.95	106.3	2.7	0.35	0.0	0.02	0.79	0.63	0.14	74.	A	14.8	13.3	14.1	0.74
8	16.12	33.545	24.602	5.99	106.7	2.6	0.37	0.0	0.03	0.58	0.79	0.17	29.		16.4	16.3	16.4	0.72
10	16.07	33.548	24.616	6.04	107.4	2.7	0.33	0.0	0.02	0.33	0.86	0.22	22.		16.1	18.7	17.4	0.78
16	15.73	33.558	24.685	6.05	106.9	3.0	0.36	0.0	0.03	0.38	1.25	0.52	8.6		16.3	15.8	16.1	2.5
20	14.79	33.508	24.869	5.66	98.2						3.25	0.93						
28	12.41	33.495	25.344	3.82	63.1	5.2	0.54	1.5	0.18	0.33	0.68	0.52	1.4		2.4	2.8	2.6	0.38
35	11.71	33.579	25.542	3.30	53.7	15.7	1.54	16.8	0.35	0.59	0.31	0.27	0.46		0.43	0.57	0.50	0.26

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 45.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
32 20.8 N	118 33.2 W	02/04/2016	1729 UTC	17 m	1150 - 1900 PST	1158 PST	1842 PST	371.0 mg C/m ²	008

DEPTH m	TEMP DEG C	SALINITY THETA	SIGMA	OXYGEN ml/L	OXY PCT	SI03*	PO4*	NO3*	NO2*	NH4*	CHL-A µg/L	PHAE0 µg/L	LIGHT PCT	UPTAKE (mg C/m3)				
														1	2	MEAN	DARK	
2	16.30	33.546	24.562	5.73D	102.5	1.8	0.30	0.0	0.03	0.00	0.25	0.05	83.	A	4.9	4.7	4.8	0.22
11	16.23	33.527	24.564	5.75	102.7	1.7	0.32	0.0	0.01	0.10	0.27	0.06	37.		4.7	4.7	4.7	0.25
16	16.20	33.527	24.572	5.75	102.6	1.6	0.30	0.0	0.01	0.00	0.28	0.07	24.		5.7	5.9	5.8	0.23
22	16.17	33.526	24.577	5.77	102.8	1.7	0.31	0.0	0.01	0.00	0.30	0.07						
29	16.14	33.530	24.588	5.79	103.2	1.5	0.31	0.0	0.01	0.01	0.37	0.10	7.3		5.4	5.1	5.3	0.23
38	15.64	33.510	24.686	5.81	102.6	1.2	0.35	0.0	0.01	0.03	0.78	0.27						
48	14.40	33.476	24.930	5.28	90.8	4.5	0.60	2.7	0.27	0.03	3.18	1.10	1.3	12.0	9.4	10.7	0.28	
60	12.67	33.424	25.240	4.63	76.8	8.5	0.94	8.8	0.06	0.03	0.47	0.46	0.44	0.82	0.90	0.86	0.11	

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
31 10.8 N	120 55.3 W	03/04/2016	1713 UTC	29 m	1200 - 1900 PST	1207 PST	1852 PST	114.6 mg C/m ²	013

DEPTH m	TEMP DEG C	SALINITY	SIGMA	OXYGEN	OXY	SI03*	P04*	N03*	N02*	NH4*	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)				
			THETA	ML/L	PCT	μM	μM	μM	μM	μM	μM	μg/L	PCT	1	2	MEAN	DARK	
2	16.22	33.334	24.418	5.66	100.9	2.0	0.29	0.0	0.03	0.00	0.08	0.02	90.	A	1.4	1.4	1.4	0.28
10	16.21	33.335	24.421	5.68	101.2	1.9	0.30	0.0	0.02	0.00	0.08	0.02						
20	16.20	33.333	24.423	5.70	101.5	1.9	0.28	0.0	0.01	0.00	0.08	0.02	35.		1.6	1.8	1.7	0.22
26	16.20	33.334	24.425	5.68	101.2	1.9	0.29	0.0	0.01	0.00	0.08	0.02	25.		1.8	1.8	1.8	0.41
38	16.18	33.332	24.427	5.66	100.9	1.9	0.29	0.0	0.01	0.00	0.09	0.02						
49	16.16	33.337	24.437	5.67	101.0	1.9	0.29	0.0	0.01	0.00	0.10	0.02	7.5		1.3	1.3	1.3	0.27
60	16.15	33.331	24.435	5.67	100.9	1.8	0.32	0.0	0.01	0.00	0.11	0.03						
70	16.14	33.333	24.440	5.67	100.9	1.8	0.32	0.0	0.01	0.05	0.12	0.03						
82	16.09	33.333	24.451	5.67	100.9	1.8	0.29	0.0	0.01	0.00	0.15	0.04	1.3		0.38	0.19	0.29	0.40
93	15.21	33.358	24.667	5.67	99.1	2.3	0.35	0.0	0.04	0.01	0.42	0.25						
102	14.40	33.332	24.814	5.59	96.0	2.9	0.42	1.0	0.16	0.01	0.35	0.22	0.45		0.98	0.88	0.93	0.05

RV BELL M SHIMADA

CALCOFI CRUISE 1604

STATION 93.3 120.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD
29 50.9 N	123 35.5 W	04/04/2016	1616 UTC	27 m	1210 - 1901 PST	1217 PST	1901 PST	58.0 mg C/m ²	017

DEPTH m	TEMP DEG C	SALINITY THETA	SIGMA	OXYGEN ML/L	OXY PCT	SI03*	PO4*	NO3*	NO2*	NH4*	CHL-A µM	PHAE0 µg/L	LIGHT PCT	UPTAKE (mg C/m3)			
														1	2	MEAN	DARK
3	17.52	33.572	24.296	5.55	101.7	2.0	0.25	0.0	0.02	0.00	0.07	0.01	84. A	1.00	1.1	1.1	1.15
18	17.52	33.571	24.296	5.54	101.4	2.0	0.27	0.0	0.01	0.00	0.06	0.02	36.	0.98	0.95	0.97	0.24
23	17.52	33.571	24.296	5.54	101.5	1.9	0.29	0.0	0.01	0.00	0.06	0.01	27.	1.1	1.2	1.1	0.16
34	17.52	33.571	24.297	5.55	101.7	1.9	0.27	0.0	0.01	0.00	0.07	0.02					
43	17.52	33.571	24.298	5.51	100.9	1.9	0.26	0.0	0.01	0.00	0.07	0.02	8.7	0.67	0.65	0.66	0.24
58	17.52	33.572	24.301	5.53	101.2	1.9	0.25	0.0	0.01	0.00	0.08	0.02					
73	17.51	33.572	24.303	5.52	101.0	1.9	0.27	0.0	0.01	0.00	0.10	0.03	1.6	0.18	0.23	0.21	0.19
83	17.52	33.576	24.306	5.53	101.2	1.9	0.27	0.0	0.01	0.01	0.10	0.03					
92	17.58	33.603	24.312	5.54	101.6	2.0	0.27	0.0	0.02	0.00	0.15	0.04	0.53	0.16	0.14	0.15	0.11

A) INCUBATION LIGHT INTENSITIES WERE 59.3, 36.6, 25.4, 8.0, 1.3, 0.47 PERCENT RESPECTIVELY.

MACROZOOPLANKTON BIOMASS
Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date		Time (PST)	Water Volume	Max. Tow	Volume per		
				Mo/Day	Start				Strained (m³)	Depth (m)	1000 m³ Strained
60.0	53.0	37 50.9	123 05.9	04/21	1721	1728	120	66	627	627	
60.0	60.0	37 36.8	123 36.5	04/21	2132	2152	433	220	268	83	
60.0	70.0	37 16.9	124 19.8	04/22	0301	0322	438	210	589	87	
60.0	80.0	36 56.8	125 03.0	04/22	0832	0853	443	208	135	135	
60.0	90.0	36 36.9	125 46.1	04/22	1337	1358	470	203	51	51	
63.3	52.0	37 18.5	122 37.0	04/21	1204	1211	140	69	300	300	
63.3	55.0	37 12.5	122 50.0	04/21	0920	0941	418	202	249	249	
63.3	60.0	37 02.4	123 11.9	04/21	0547	0608	411	210	239	200	
63.3	70.0	36 42.5	123 54.8	04/21	0023	0044	430	212	137	86	
63.3	80.0	36 22.5	124 37.8	04/20	1906	1926	433	216	86	86	
63.3	90.0	36 02.4	125 20.5	04/20	1317	1337	433	215	32	32	
66.7	50.0	36 47.2	122 03.5	04/19	0718	0731	258	123	194	194	
66.7	55.0	36 37.3	122 24.9	04/19	1100	1122	417	206	173	173	
66.7	60.0	36 27.2	122 46.0	04/19	1441	1501	395	200	256	172	
66.7	70.0	36 07.2	123 29.1	04/19	2021	2042	434	213	152	140	
66.7	80.0	35 47.1	124 11.6	04/20	0152	0213	430	215	147	112	
66.7	90.0	35 27.2	124 54.1	04/20	0716	0736	437	208	75	75	
70.0	51.0	36 10.7	121 43.8	04/19	0147	0207	407	208	325	325	
70.0	55.0	36 02.9	122 00.6	04/18	2239	2259	403	209	176	114	
70.0	60.0	35 53.0	122 22.1	04/18	1824	1845	404	207	131	59	
70.0	70.0	35 32.8	123 04.5	04/18	1246	1306	407	211	44	44	
70.0	80.0	35 12.9	123 46.8	04/18	0643	0704	405	210	15	15	
70.0	90.0	34 53.0	124 28.7	04/18	0130	0151	417	211	41	31	
73.3	50.0	35 38.7	121 15.8	04/16	2102	2104	62	24	209	209	
73.3	55.0	35 28.8	121 36.5	04/17	0015	0036	394	206	178	178	
73.3	60.0	35 18.5	121 57.7	04/17	0349	0410	386	210	380	349	
73.3	70.0	34 58.6	122 40.0	04/17	0914	0935	415	203	344	265	
73.3	80.0	34 38.5	123 21.7	04/17	1450	1511	409	213	391	247	
73.3	90.0	34 18.6	124 03.7	04/17	2024	2045	447	208	34	34	
76.7	49.0	35 05.3	120 46.6	04/13	0148	0154	132	54	752	752	
76.7	51.0	35 01.2	120 55.0	04/13	0401	0421	449	210	53	53	
76.7	55.0	34 53.3	121 11.8	04/13	0743	0803	476	215	23	23	
76.7	60.0	34 43.3	121 32.9	04/13	1150	1210	432	211	280	280	
76.7	70.0	34 23.3	122 14.8	04/13	1740	1801	445	209	56	56	
76.7	80.0	34 03.3	122 56.4	04/13	2303	2324	448	210	139	89	
76.7	90.0	33 43.4	123 38.1	04/14	0448	0509	452	215	51	51	
76.7	100.0	33 23.3	124 19.3	04/14	1056	1117	424	211	7	7	
80.0	50.5	34 28.1	120 29.5	04/12	1906	1908	51	12	79	79	
80.0	51.0	34 27.0	120 31.4	04/12	2034	2039	117	50	1447	1122	
80.0	55.0	34 19.1	120 48.5	04/16	0105	0126	470	213	79	51	
80.0	90.0	33 08.8	123 13.4	04/14	2236	2257	445	213	52	52	
80.0	100.0	32 49.0	123 54.3	04/14	1649	1710	455	209	20	20	
81.7	43.5	34 24.1	119 48.0	04/12	1431	1433	61	19	115	115	
81.8	46.9	34 16.4	120 01.5	04/12	1207	1228	416	210	274	257	
83.3	39.4	34 15.6	119 19.8	04/08	0112	0113	41	13	73	73	
83.3	40.6	34 13.5	119 24.6	04/08	0244	0246	51	19	508	508	
83.3	42.0	34 10.8	119 30.4	04/08	0500	0510	196	107	307	307	
83.3	51.0	33 52.6	120 08.0	04/12	0620	0627	176	76	597	597	
83.3	55.0	33 44.7	120 24.7	04/12	0202	0223	450	210	458	300	
83.3	60.0	33 34.8	120 45.2	04/11	2153	2214	460	199	337	148	
83.3	70.0	33 14.7	121 26.6	04/11	1557	1618	464	212	19	19	
83.3	80.0	32 54.5	122 07.6	04/11	0807	0828	422	212	71	36	
83.3	90.0	32 34.7	122 48.7	04/11	0312	0333	441	215	39	30	
83.3	100.0	32 14.8	123 29.4	04/10	2135	2156	439	211	87	34	
83.3	110.0	31 54.6	124 10.2	04/10	1551	1612	423	212	47	28	
85.4	35.8	34 00.3	118 50.1	04/07	2118	2122	109	43	320	320	
86.7	33.0	33 53.3	118 29.4	04/07	1606	1611	119	43	344	344	
86.7	35.0	33 49.4	118 37.6	04/07	1854	1915	421	214	136	136	
86.7	40.0	33 39.3	118 58.5	04/08	1222	1242	445	208	128	128	
86.7	45.0	33 29.3	119 19.0	04/08	1632	1652	400	210	300	300	
86.7	50.0	33 18.9	119 39.4	04/08	1957	2002	99	48	1645	1137	
86.7	55.0	33 09.4	120 00.3	04/08	2349	0010	435	207	214	193	
86.7	60.0	32 59.4	120 20.8	04/09	0358	0419	439	203	376	353	
86.7	70.0	32 39.3	121 02.0	04/09	1033	1054	448	211	212	212	
86.7	80.0	32 19.3	121 42.6	04/09	1627	1647	526	213	116	108	
86.7	90.0	31 59.4	122 23.7	04/09	2220	2241	440	211	93	55	
86.7	100.0	31 39.4	123 04.1	04/10	0341	0402	415	216	77	77	
86.7	110.0	31 19.3	123 44.6	04/10	0946	1008	457	204	83	42	
86.8	32.5	33 53.2	118 26.6	04/07	1437	1439	53	18	567	567	
88.5	30.1	33 38.8	118 03.3	04/07	1059	1100	44	12	46	46	
90.0	27.7	33 28.2	117 44.5	04/07	0615	0616	37	13	108	108	
90.0	28.0	33 29.0	117 46.2	04/07	0736	0746	237	101	127	127	
90.0	30.0	33 25.1	117 54.2	04/07	0415	0436	420	207	205	133	
90.0	35.0	33 15.1	118 14.9	04/06	2355	0016	444	213	250	214	
90.0	37.0	33 11.0	118 23.2	04/06	2056	2117	433	212	203	203	
90.0	45.0	32 55.1	118 56.1	04/06	1521	1541	441	210	100	77	
90.0	53.0	32 39.1	119 28.9	04/06	0951	1012	456	208	61	57	
90.0	60.0	32 25.1	119 57.5	04/06	0432	0453	456	210	61	61	
90.0	70.0	32 05.1	120 38.3	04/05	2238	2259	462	202	249	71	
90.0	80.0	31 45.1	121 18.9	04/05	1637	1658	439	209	23	23	
90.0	90.0	31 25.0	121 59.4	04/05	0839	0900	479	208	21	21	
90.0	100.0	31 05.0	122 39.8	04/05	0320	0341	444	206	34	34	
90.0	110.0	30 45.1	123 19.9	04/04	2109	2129	450	212	27	9	
90.0	120.0	30 25.0	123 59.9	04/04	1520	1542	451	207	7	7	
91.7	26.4	33 14.6	117 27.9	04/01	1626	1627	39	15	25	25	
93.3	26.7	32 57.3	117 18.3	04/01	1250	1303	306	141	239	239	
93.3	28.0	32 54.7	117 23.7	04/01	2010	2031	450	213	129	56	
93.3	30.0	32 50.6	117 31.9	04/01	2241	2302	423	209	414	52	
93.3	35.0	32 40.7	117 52.3	04/02	0243	0305	442	204	95	86	
93.3	40.0	32 30.9	118 12.8	04/02	0632	0652	418	209	60	60	
93.3	45.0	32 20.8	118 33.2	04/02	1037	1057	412	213	10	10	
93.3	50.0	32 10.8	118 53.4	04/02	1439	1459	435	209	14	14	
93.3	55.0	32 00.8	119 14.1	04/02	1827	1848	443	206	25	25	
93.3	60.0	31 50.6	119 34.2	04/02	2235	2256	401	208	67	67	
93.3	70.0	31 30.9	120 14.7	04/03	0414	0435	415	210	132	132	
93.3	80.0	31 10.8	120 55.2	04/03	1021	1041	436	211	25	25	
93.3	90.0	30 50.8	121 35.3	04/03	161						